W4 W2

U. S. DEPARTMENT OF AGRICULTURE WEIGHTHEOR, BUREAU GHARLES F. MARVIN, Chief

MONTHLY WEATHER REVIEW

SUPPLEMENT No. 14

AEROLOGY No. 9

I. FREE-AIR DATA AT BROKEN ARROW, OKLA., DREXEL, NEBR., ELLENDALE, N. DAK., AND BOYAL CENTER, IND., AEROLOGICAL STATIONS. JULY, AUGUST, AND SEPTEMBER, 1918, INCLUSIVE.

By THE ARROLOGICAL DIVISION, WILLIS RAY GREGG, In Charge.

II. BROKEN ARROW AEROLOGICAL STATION.


By JOHN A. REIELE.

III. ROYAL CENTER AEROLOGICAL STATION.

By HOMER W. BALL.



WARHINGTON GOVERNMENT PRINTING OFFICE 1919



SUPPLEMENTS TO THE MONTHLY WEATHER REVIEW.

During the summer of 1913 the issue of the system of publications of the Department of Agriculture was changed and simplified so as to eliminate numerous independent series of Bureau bulletins. In accordance with this plan among other changes, the series of quarto bulletins—lettered from A to Z—and the octavo bulletins—numbered from 1 to 44—formerly issued by the U. S. Weather Bureau have come to their close.

Contributions to meteorology such as would have formed bulletins are authorized to appear hereafter as Supplements of the Monthly Weather Review. (Memorandum from the Office of the Assistant Secretary, May 18, 1914.)

These Supplements comprise those more voluminous studies which appear to form permanent contributions to the science of meteorology and of weather forecasting, as well as important communications relating to the other activities of the U. S. Weather Bureau. They appear at irregular intervals as occasion may demand, and contain approximately 100 pages of text, charts, and other illustrations. Subscribers to the Monthly Weather Review receive the Supplements without extra charge. Copies may be procured at the prices indicated below by addressing the Superintendent of Documents, Government Printing Office, Washington, D. C.

SUPPLEMENTS PUBLISHED.

No. 1. Types of storms of the United States and their average movements. By E. H. Bowie and R. H. Weightman, Washington, 1914. 37 p. 114 ch. 4°. Price 25 cents. (W. B. No. 538.)

No. 2. I. Calendar of the leafing, etc., of the common trees of the eastern United States. By G. N. Lamb. 19 p. 4 figs. II. Phenological dates, etc., recorded by T. Mikesell at Wauseon, Ohio. By J. Warren Smith. 73 p. 2 figs. Washington, 1915. 4°. Price 25 cents. (W. B. No. 558.)

No. 3. (Aerology No. 1.) Sounding balloon ascensions at Fort Omaha, Nebr., May 8, 1915, etc. By W. R. Blair and others. 67 p. 23 figs. Washington, 1916. 4°. Price 25 cents. (W. B. No. 592.)

No. 4. Types of anticyclones of the United States and their average movements. By E. H. Bowie and R. H. Weightman. Washington, 1917. 25 p. 7 figs. 73 ch. 4°. Price 25 cents. (W. B. No. 600.)

No. 5. (Aerology No. 2.) Free-air data at Drexel Aerological Station: January, February, and March, 1916. By W. R. Blair and others. Washington, 1917. 59 p. 6 figs. 4°. Price 25 cents. (W. B. No. 603.)

No. 6. Relative humidities and vapor pressures over the United States, including a discussion of data from recording hair hygrometers for a period of about 5 years. By P. C. Day. Washington, 1917. 61 p. 7 figs. 34 charts. 4°. Price 25 cents. (W. B. No. 609.)

No. 7. (Aerology No. 3.) Free-air data at Drexel Aerological Station: April, May, and June, 1916. By W. R. Blair and others. Washington, 1917. 51 p. 4 figs. 4°. Price 25 cents. (W. B. No. 619.)

No. 8. (Aerology No. 4.) Free-air data at Drexel Aerological Station: July, August, September, October, November, and December, 1916. By W. R. Gregg and others. Washington, 1918. 111 p. 12 figs. 4°. Price 25 cents. (W. B. No. 642.)

No. 9. Periodical events and Natural Law as guides to agricultural research and practice. By A. D. Hopkins. Washington, 1918. 42 p. 22 figs. 4°. Price 25 cents. (W. B. No. 643.)

No. 10. (Aerology No. 5.) Free-air data at Drexel Aerological Station: January, February, March, April, May, and June, 1917. By W. R. Gregg and others. Washington, 1918. 101 p. 11 figs. 4°. Price 25 cents.

(W. B. No. 651.)

No. 11. (Aerology No. 6.) Free-air data at Drexel Aerological Station: July, August, September, October,
November, and December, 1917. By W. R. Gregg and others. Washington, 1918. 108 p. 11 figs. 4°. Price 25
cents. (W. B. No. 658.)

No. 12. (Aerology No. 7.) Free-air data at Drexel and Ellendale Aerological Stations: January, February, and March, 1918. By W. R. Gregg and others; Cold winter of 1917-18. By W. R. Gregg. Description of the Ellendale Aerological Station. By V. E. Jakl. Washington, 1918. 82 p. 10 figs. 4°. Price 25 cents.

(W. B. No. 660.)

No. 13. (Aerology No. 8.) I. Free-air data at Drexel and Ellendale Aerological Stations: April, May, and June, 1918. By W. R. Gregg and others. II. Notes on kite flying. By V. E. Jakl. Washington, 1918. 81 p. 1 fig. 4°. Price 25 cents. (W. B. No. 663.)

No. 14. (Aerology No. 9.) I. Free-air data at Broken Arrow, Drexel, Ellendale and Royal Center Aerological Stations, July, August, and September, 1918. By W. R. Gregg and others. II. Broken Arrrow Aerological Station. By John A. Reihle. III. Royal Center Aerological Station. By Homer W. Ball, Washington, 1919. 132 p. 22 figs. 4°. Price, 25 cents. (W. B. No. 672.)

FREE-AIR DATA AT BROKEN ARROW, OKLA., DREXEL, NEBR., ELLENDALE, N. DAK., AND ROYAL CENTER, IND., AEROLOGICAL STATIONS, JULY TO SEPTEMBER, 1918, INCLUSIVE.

By the Aerological Division, Willis Ray Gregg, Meteorologist, In Charge.

GENERAL STATEMENT.

During the three months July to September, 1918, inclusive, kite flights were made on all but 6 days at Drexel and on all but 5 days at Ellendale, failures on these days being due to light winds. Free-air observations were begun during this period at Broken Arrow, Okla., and Royal Center, Ind.¹ The records obtained at Broken Arrow were to low altitudes only, owing to delay in the receipt of suitable power equipment. The number of flights and their mean altitudes at the four stations are given in Table 1.

Table 1.—Distribution and mean altitudes of kite flights at Broken Arrow, Okla., Drexel, Nebr., Ellendale, N. Dak., and Royal Center, Ind., during the period July to September, 1918.

	July.	Au- gust.	Sep- tem- ber.	Total.	July.	Au- gust.	Sep- tem- ber.	Total.
		Broken	Arrow			Dre	xel.	
Number of flights Mean altitude, meters		8 1,139	1,321	18 1,240	38 2,858	47 2,799	3, 104	127 2,917
		Eller	dale.			Royal (Center.	
Number of flights Mean altitude, meters	38 2, 129	45 2,824	2,687	127 2,569	15 1,965	32 2,457	24 3,087	2, 566

SPECIAL NOTES ON KITE FLIGHTS.

Broken Arrow, Okla., September 19.—"During the flight on this date the sky was overcast with stratus clouds at an altitude of about 400 meters above the surface. Thunder was heard at intervals and at 9:56 a. m. with 3 kites and 1,800 meters of wire out lightning struck the head kite and completely destroyed the wire from this kite to the reel house, leaving along the path of the discharge a streak of thick, yellowish brown smoke; this smoke appeared to move first in the direction of the reel house and then in the reverse direction. A sharp shower of large raindrops began about two minutes after the discharge, lasting but a short time.

¹ For descriptions of these stations see p. 8 and p. 10, respectively, this Supplement.

"The lightning flash was accompanied by a sound more resembling an explosion than ordinary thunder. The reel house was filled with smoke and a peculiar odor was noticeable. Two men were reeling in the kites by hand at the time and were temporarily blinded and deafened, but suffered no permanent injury. The wire on the reel was not damaged, but the copper wire connecting the reel with the earth was burned off. One of the galvanized iron wires by means of which secondary kites are attached to the main wire was later found to be fused at both ends; the steel 'piano' wire was still wound around this heavy wire but was burned through at the loop.

"On September 23d, the head kite was found about 5 kilometers southwest of the station. Its brace wires were nearly all destroyed, and there were several small holes burned in the sails where pieces of hot wire had dropped on them. The meteorograph was not injured, although the case was covered with soot."—

J. A. R.

For descriptions of similar occurrences, see Bulletin of the Mount Weather Observatory, volume 6, page 247; Monthly Weather Review Supplement No. 10, page 5, 6; Supplement No. 11, page 5; and Supplement No. 13, page 5.

Free-Air Temperatures.

Table 2 contains mean monthly temperatures at different levels, as observed at Drexel, Ellendale and Royal Center during the period July to September, 1918, inclusive. Means for July at Royal Center are based on records from the 12th to the end of the month only. Means for September at this station are not given, as the temperature element of the meteorograph used was later found to be defective. The records for Broken Arrow were too few in number to enable mean values to be computed. For purposes of comparison, three-year means for Drexel and five-year means for Mount Weather, Va., are also presented in this table. Temperatures at Drexel were generally above normal in August, below in September and very close to normal in July.

Table 2.—Mean monthly temperatures at Drexel, Ellendale, and Royal Center; also 3-year means at Drexel and 5-year means at Mount Weather, Va.

			JULY.					AUGUST.				SEPTI	EMBER.	
Altitude, sea level (meters).	Dre	xel.	Ellen-	Royal	Mount Weather,	Dre	xel.	Ellen-	Royal	Mount Weather.	Dre	xel.	Ellen-	Mount
	1918,	3-year mean.	dale, 1918.	Center, 1918.	5-year mean.	1918.	3-year mean.	dale, 1918,	Center, 1918.	5-year mean.	1918.	3-year mean.	dale, 1918.	Weather 5-year mean,
225	°C.	°C.	°C.	° C. a 24.0	° C.	°C.	° C.	° C.	°C.	C°.	° C.	° C.	° C.	°C.
250 396 144	c 24.8	26.7	f 21.0	24.0		d 25. 8	23.8	g 21. 4	25.9	********	¢ 15. 2	17.7	h 11.0	********
500	24. 0 22. 1 21. 0	25.9 24.2 22.5	20. 6 18. 7 17. 3	23.1 21.5 19.8	22.8 21.1 19.3	25. 4 24. 1 23. 1	23.3 22.0 20.9	21.0 19.9 18.5	24.3 23.0 21.7	\$ 21.5 19.9 18.3	15. 2 14. 1 12. 9	17.3 15.8 14.5	11.0 10.9 9.9	19. 17. 16.
,250	19.7 18.4 17.0 15.4	20. 8 19. 2 17. 5 15. 8	15. 8 14. 9 13. 6 12. 2	18. 2 16. 7 15. 3 13. 9	17.6 15.9 14.3 12.7	21. 8 20. 3 18. 6 16. 9	19.7 18.3 16.6 15.0	16.9 15.1 13.6 12.0	20. 4 19. 0 17. 7 16. 3	16. 8 15. 3 13. 9 12. 5	11.5 10.1 8.6 7.1	13.3 12.1 10.8 9.3	8.6 7.4 6.2 5.0	14. 13. 12. 11.
,250,500,750,000	13.7 11.9 10.2 8.4	14.0 12.2 10.4 8.6	10.9 9.4 8.1 6.8	12.7 11.8 11.6	11.2 9.7 8.3 6.8	15.0 13.1 11.1 9.2	13.3 11.4 9.6 7.7	10.5 8.9 7.4 6.1	15. 0 13. 7 12. 4 10. 9	11. 2 9. 8 8. 4 6. 8	5.6 4.2 2.9 1.5	7.8 6.4 5.0 3.6	3.9 2.5 1.1 -0.3	10. 9. 7. 6.
.250 .500 .750 .000	6.7 5.0 3.3 1.8	6.8 5.1 3.4 1.8	3.3		5.1 3.5 1.8 0.1	7.3 5.5 3.7 1.8	5.9 4.1 2.3 0.7	4.8 3.3 1.7 0.2	9.8 8.6 7.4 6.1	5. 2 3. 8 2. 3 0. 7	- 1.4 - 3.0 - 4.4	$ \begin{array}{r} 2.2 \\ 0.9 \\ -0.5 \\ -2.0 \end{array} $	-1.8 -3.3 -4.9 -6.6	4. 3. 1. -0.
,250		0.2 -1.5 -3.1	-0.9 -2.1		-1.6 -3.2 -4.8	-0.1	-0.9 -2.8 -4.7	$ \begin{array}{r} -1.4 \\ -3.1 \\ -4.7 \\ -6.0 \end{array} $	4.5 2.8	-0.9 -2.7 -4.8 -6.8	- 6.0 - 7.6 - 9.2 -10.8	$ \begin{array}{r} -3.5 \\ -5.1 \\ -6.6 \\ -7.9 \end{array} $	-7.8 -8.8 -9.8	-1. -3. -5. -6.
250		********						-7.2	******	-9.0		$ \begin{array}{r} -9.2 \\ -10.4 \\ -11.7 \end{array} $		-7. -8. -8.

Actual 24-hour mean temperature, 21.2° C.
 Actual 24-hour mean temperature, 24.3° C.
 Actual 24-hour mean temperature, 24.0° C.

Diurnal Series Observations.

During the three months six series of observations of diurnal variations were made at Drexel; four at Ellendale; and three at Royal Center. The number of observations and the average altitudes reached in each series are shown in Table 3.

Table 3.—Number of observations and average altitudes reached in diurnal series at Drexel, Nebr., Ellendale, N. Dak., and Royal Center, Ind., July to September, 1918, inclusive.

Station.	Dates,	Number of flights.	Mean altitude.
Drexel	July 1-2. July 31-Aug. 1. Aug. 5-6. Aug. 21-22. Sept. 11-12. Sept. 23-24.	9	Meters. 3,545 2,141 3,139 2,832 3,382 3,203
Ellen đ ale	July 30-31.	8	1,909
	Aug. 9-10.	8	3,116
	Aug. 22-23.	7	3,780
	Sept. 24-25.	8	3,562
Royal Center	Aug. 7–8	6	3,604
	Aug. 22–23	6	2,580
	Sept. 12–13	5	3,852

As already stated, the temperature element in the meteorograph used at Royal Center became defective about the 1st of September, and no isothermal chart can, therefore, be made for the last series at that station. The duration of all other series and the temperatures observed in each are shown in figures 1 to 12. Weather conditions, except pressure distribution, and all other observed data may be found in Tables 5 to 15.

Pressures and winds during the series flights.

Drexel, Nebr.

July 1-2.—Relatively high pressure (1,022 mb.), central over Kansas, Missouri, Oklahoma and Arkansas on the morning of the first, moved eastward during the series to the middle Atlantic Coast States and diminished somewhat in energy (1,019 mb.). In the meantime a well-developed Low (994 mb.) passed from the upper Lake region northeastward and a moderate Low (998 mb.) appeared over the region just north of Montana. Surface winds veered from southerly to west-southwesterly with the eastward movement of the HIGH. Winds at higher levels were northwesterly under the influence of the northeastern Low, this influence being apparent at the greatest altitudes reached, about 4,300 meters. Later, with the approach of the northwestern Low, the upper winds backed to westerly.


July 31-August 1.—During this series barometric gradients were weak over the entire country. Relatively high pressure (about 1,019 mb.) covered the Lake region and Ohio Valley and low pressure (about 1,005 mb.) was central north of Montana and the Dakotas. Surface winds were southerly to southwesterly; those aloft, southwesterly to westerly. The upper winds were too light to sustain the kites from 11:00 p. m. of July 31 to 7 a. m. of August 1, and throughout the series comparatively low altitudes could be reached.

August 5-6.—A trough of relatively low pressure (about 1,005 mb.) extended from the upper Lake region

⁴ Actual 24-hour mean temperature, 26.1° C.
4 Actual 24-hour mean temperature, 15.9° C.
5 Actual 24-hour mean temperature, 19.0° C.

Actual 24-hour mean temperature, 19.8° C.
 Actual 24-hour mean temperature, 11.4° C.
 At surface, 526 meters above sea level.








Fig. 1. Free-air temperatures, °C., above






Fig. 2. Free-air temperatures, °C., above Dren






°C., above Drexel Aerological Station; observed July 1-2, 1918.



above Drexel Aerological Station; observed July 31-August 1, 1918.






Fig. 3. Free-air temperatures, °C., above Drexel






Fig. 4. Free-air temperatures, °C., above Drexel





ove Drexel Aerological Station; observed August 5-6, 1918.



ove Drexel Aerological Station; observed August 21-22, 1918.

M. W. R., Supplement No. 14.




Fig. 5. Free-air temperatures, *C., above Drexel Aerological S






Fig. 6. Free-air temperatures, °C., above Drexel Aerological S



erological Station; observed September 11-12, 1918.



Aerological Station; observed September 23-24, 1918.

M. W. R., Supplement No. 14.





Fig. 7. Free-air temperatures, °C., above Ellendale A




2.0

1.5


8.0

Fig. 8. Free-air temperatures, °C., above Ellendale Ae





Ellendale Aerological Station; observed July 30-31, 1918.



15

82

ÓŠ.

81

8244




Fig. 9. Free-air temperatures, °C., above Ellendale






Fig. 10. Free-air temperatures, °C., above Ellendale



AUG. 23. 1918 A.M.

ve Ellendale Aerological Station; observed August 22-23, 1918.






Fig. 11. Free-air temperatures, °C., above Royal Center Aerologi






Fig. 12. Free-air temperatures, *C., above Royal Center Aerologic

A.M.




AUGUST 8, 1918

ter Aerological Station; observed August 7-8, 1918.



er Aerological Station; observed August 22-23, 1918.



southwestward to New Mexico, Drexel being very nearly in the center of it. High pressure (about 1,019 mb.) covered the southeastern States. Under the influence of this pressure distribution, winds, both at the surface and at higher levels, were south-southwesterly and south-westerly.

August 21-22.—Pressure conditions were somewhat similar during this series to those during the series of August 5-6, viz: high pressure over the eastern and southeastern States, diminishing from 1,026 to 1,019 mb., and a trough of low pressure (about 1,010 mb.) extending from the upper Lakes southwestward to New Mexico. In this case the low pressure passed to the east of the station during the latter part of the series. Hence, the winds, both surface and aloft, were southerly to southwesterly, changing with the eastward movement of the low pressure, to north-northwesterly and north-northeasterly.

September 11-12.—A fairly well-developed Low moved from Minnesota eastward to Lake Huron, the pressure diminishing from 1,012 to 1,006 mb. A moderate HIGH (about 1,025 mb.) covered the central Rocky Mountain States. Under the influence of this pressure distribution surface winds were northerly to northwesterly; those at higher levels, northwesterly and strong. The northerly component in the upper winds, due to the northeastern Low, was observed to the greatest height reached by the kites, viz: 4,000 meters.

September 23-24.—Throughout this series high pressure overlay the portion of the country east of the Mississippi Valley but diminished in intensity from 1,030 to 1,022 mb. A fairly well-developed Low (about 1,005 mb.) moved from Wyoming southeastward to northern Texas. With the approach of this Low surface winds backed from southerly to south-southeasterly; at higher levels, from southwesterly to south-southwesterly.

Ellendale, N. Dak.

July 30-31.—Relatively high pressure (about 1,023 mb.) was central over the upper Lakes and low pressure (about 1,008 mb.) north of Montana. There was practically no movement of these centers and the barometric gradient between them was small. Surface winds were southerly, veering with altitude to southwesterly. Upper winds were of low velocity.

August 9-10.—Low pressure (about 990 mb.), central north of Montana at the beginning of this series, passed eastward to western Ontario and considerably diminished in intensity (1,004 mb.). Near the end of the series another moderate Low (1,006 mb.) appeared north of Montana, pressure between the two being relatively high (1,013 mb.). Surface winds veered from southerly to northwesterly, later backing to westerly. At higher levels they were south-southwesterly, veering to westerly. The southerly component in the upper winds persisted for some time after the change to northwesterly occurred at the surface.

August 22–23.—High pressure (1,026 mb.) was central over the northwestern States and a well-developed Low (1,000 mb.) moved from north of the Dakotas to central Ontario. Early in the series surface winds were southwesterly veering with altitude to west-northwesterly. With the eastward movement of the Low surface winds shifted to west-northwesterly; those at higher levels to westerly.

September 24–25.—During this series a well-developed Low (1,005 mb.) moved from eastern Colorado to eastern Texas. Pressure was relatively high (1,026 mb.) over the upper Lakes and over Washington. These Highs moved eastward to New England and Montana respectively, the latter increasing in energy to 1,030 mb. Surface winds backed from easterly to north-north-easterly; those at higher levels from south-southeasterly to northeasterly. This series is of special interest in that it shows an easterly component in the winds up to the greatest height reached, viz: 4,000 meters. In general these winds diminished in strength with altitude and at still higher levels, as indicated by alto-cumulus and alto-stratus clouds, winds with a westerly component prevailed.

Royal Center, Ind.

August 7-8.—High pressure (about 1,019 mb.) covered the southeastern States and a trough of relatively low pressure (about 1,008 mb.) extended from Texas northeastward to the lower Lake region. Under the influence of this distribution surface winds were generally south-southwesterly; those at higher levels, southwesterly.

August 22-23.—Relatively high pressure (about 1,020 mb.) covered the middle Atlantic Coast States. A well-developed Low (1,000 mb.) moved from north of the Dakotas to central Ontario. Winds at the surface and at higher levels were southerly to west-southwesterly and of low velocity.

September 12-13.—Low pressure (1,008 mb.) moved from Lake Huron to eastern Ontario, and high pressure from Colorado to Kentucky, the latter diminishing in intensity from 1,024 to 1,017 mb. Under the influence of this HIGH surface winds backed from west-north-westerly to southwesterly; winds at higher levels were westerly to northwesterly and of low velocity.

Gravity potential.

Table 4 contains values of gravity potential for standard gravity, 980.665 dynes, and for each of the four aerological stations. The method used in determining these values is discussed in Supplement No. 12 (Aerology No. 7) pages 8, 9. The "sea-level" values of gravity at the two new stations have been computed by introducing into formula (2) on page 9 the proper values of g, and z, viz:

This result gives for g at Broken Arrow 979.742 and at Royal Center, 980.257.

TABLE 4.—Values of gravity potential, gv. for standard gravity and for Broken Arrow, Okla., Drexel, Nebr., Ellendale, N. Dak., and Royal Center, Ind.

Altitude, sea			S	tanda	rd grav	ity, g-	980.665			
level (meters).	0	100	200	300	400	500	600	700	800	900
0	3,920	9v. 98 1,079 2,059 3,039 4,018 4,997 5,976	9v. 196 1,177 2,157 3,137 4,116 5,095 6,074	9v. 294 1,275 2,255 3,235 4,214 5,193 6,172	9v. 392 1, 373 2, 353 3, 332 4, 312 5, 291 6, 270	9v. 490 1,471 2,451 3,430 4,410 5,389 6,368	98. 588 1,569 2,549 3,528 4,508 5,487 6,466	686 1, 667 2, 647 3, 626 4, 606 5, 585 6, 564	9v. 784 1,765 2,745 3,724 4,704 5,683 6,661	9v. 882 1, 863 2, 843 3, 822 4, 802 5, 781 6, 750
			Bro	ken A	rrow,	Okla.,	g=979.8	314.		
0	980 1,959 2,938 3,917 4,895	98 1,078 2,057 3,036 4,015 4,993 5,971	196 1,176 2,155 3,134 4,112 5,091 6,069	294 1, 273 2, 253 3, 232 4, 210 5, 189 6, 167	392 1, 371 2, 351 3, 330 4, 308 5, 286 6, 264	490 1, 469 2, 449 3, 427 4, 406 5, 384 6, 362	588 1,567 2,546 3,525 4,504 5,482 6,460	686 1,665 2,644 3,623 4,602 5,580 6,558	784 1,763 2,742 3,721 4,700 5,678 6,656	882 1,861 2,840 3,819 4,797 5,776 6,753
				Drexe	l, Nebr	., g=98	30.296.			-
0	980 1,960 2,940 3,919 4,898	98 1,078 2,058 3,037 4,017 4,996 5,974	196 1,176 2,156 3,135 4,115 5,093 6,072	294 1, 274 2, 254 3, 233 4, 212 5, 191 6, 170	392 1,372 2,352 3,331 4,310 5,289 6,268	490 1,470 2,450 3,429 4,408 5,387 6,365	588 1,568 2,548 3,527 4,506 5,485 6,463	686 1,666 2,646 3,625 4,604 5,583 6,561	784 1,764 2,744 3,723 4,702 5,681 6,659	882 1,862 2,842 3,821 4,800 5,778 6,757
			E	llendal	e, N. D	ak., g	- 980.71	9.		
0	981 1,961 2,941 3,920 4,900	98 1,079 2,059 3,039 4,018 4,998 5,977	196 1,177 2,157 3,137 4,116 5,096 6,075	294 1,275 2,255 3,235 4,214 5,193 6,172	392 1,373 2,353 3,333 4,312 5,291 6,270	490 1, 471 2, 451 3, 431 4, 410 5, 389 6, 368	588 1,569 2,549 3,529 4,508 5,487 6,466	686 1,667 2,647 3,627 4,606 5,585 6,564	784 1,765 2,745 3,724 4,704 5,683 6,662	883 1, 863 2, 843 3, 822 4, 802 5, 781 6, 760

Table 4.—Values of gravity potential, gr. for standard gravity and for Broken Arrow, Okla., Drexel, Nebr., Ellendale, N. Dak., and Royal Center, Ind.—Continued.

			R	oyal C	enter,	ind., g	- 980.25	7.		
0	0 980 1,960 2,939 3,919 4,897 5,876	98 1, 678 2, 058 3, 037 4, 016 4, 995 5, 974	198 1,176 2,156 3,135 4,114 5,093 6,072	294 1,274 2,254 3,233 4,212 5,191 6,169	392 1, 372 2, 352 3, 331 4, 310 5, 289 6, 267	490 1,470 2,450 3,429 4,408 5,387 6,365	588 1,568 2,548 3,527 4,506 5,485 6,463	686 1,666 2,646 3,625 4,604 5,582 6,561	784 1,764 2,744 3,723 4,702 5,680 6,659	882 1, 862 2, 841 3, 821 4, 800 5, 778 6, 756
-			Pro	oportio	nal pa	rts.				
					9	7				
	0	1	2	3	4	5	8	7	8	9
0 10 20 30	0 10 19 29 39	1 11 20 30 • 40	2 12 21 31 41	3 13 22 32 32 42	4 14 23 33 43	5 15 24 34 44	6 16 25 35 45	7 16 26 36 46	8 17 27 37 47	9 18 28 38 48
50	48 58 68 78 87	49 50 69 79 88	50 60 70 80 89	51 61 71 81 90	52 62 72 81 91	53 63 73 %2 92	54 64 74 83 93	55 65 75 84 94	56 66 76 85 95	57 67 77 86 96
	-				9	8				
0 10 20 30 40	0 10 20 29 39	1 11 21 30 40	2 12 22 31 41	3 13 23 32 42	4 14 24 33 43	5 15 24 34 44	6 16 25 35 45	7 17 26 36 46	8 18 27 37 47	9 19 28 38 48
50	49 59 60 78 88	50 60 70 79 89	51 61 71 80 90	52 62 72 81 91	53 63 73 82 92	54 64 74 83 93	55 65 74 84 94	56 66 75 85 95	57 67 76 86 96	58 68 77 87 97

BROKEN ARROW AEROLOGICAL STATION.

By John A. Reihle, Observer.

The Broken Arrow Aerological Station is located in northeastern Oklahoma, 38° 02′ north latitude and 95° 49′ west longitude, and is 233 meters above sea level. The station is 1½ kilometers east of Broken Arrow, a city of nearly 2,000 population, on the Missouri, Kansas & Texas Railway, between Tulsa and Muskogee. The kite-reel house is situated on a slight elevation commanding a good view in all directions except for some low hills a kilometer away to the northwest. The surrounding country is a gently-rolling or nearly level tree-less prairie, a matter that should facilitate the recovery of kites that break away.

The lease for the property went into effect March 1, 1918. All buildings for use of the station were built specially for the purpose. The office building consists of three rooms, namely, office, shop, and storage room, with a second floor for kite storage. The shop is equipped for the building and repair of kites and the testing of meteorographs. Other buildings consist of reel house, garage, and coal house. The reel house is equipped with the standard automatic kite reel, the drum of

which holds about 14 kilometers of steel piano wire. Power for reeling is furnished by a 5-horsepower motor, operating on single phase, 220-volt current furnished by the power plant at Broken Arrow. An aircraft theodolite is used to determine the angle of elevation of the kites.

The wind tower, instrument shelter, rain and snow gages, and all instrumental equipment for surface meteorological observations were installed; and observations were begun on May 12, 1918. The first free-air data were obtained August 16, 1918, by means of hand flights. Flights to low altitudes were continued as often as practicable until the arrival of the motor, when daily flights were begun.

The aerological work at this station includes, besides kite flying, pilot-balloon work by the Signal Corps, in cooperation with the Weather Bureau. Two Signal Corps men were detailed for this work; and balloon observations were begun October 19, 1918. The station is equipped for both single and two-theodolite work. Ascensions are made daily at 7 a. m. and 2 p. m.



Fig. 14. Front view of office building (Broken Arrow).




Fig. 15. General view of buildings and instrumental equipment (Broken Arrow).



Fig. 16. The beginning of a kite flight (Broken Arrow).



Fig. 17. The beginning of a pilot-balloon ascension (Broken Arrow).



A plot showing the kite field and the relative location ment; figure 16 shows the beginning of a kite flight; of the buildings and instruments is shown in figure 13. and figure 17, the beginning of a pilot-balloon ascension.




Fig. 13. Plot showing the position of buildings and kite field at Broken Arrow Aerological Station.

Figure 14 is a front view of the office building; figure 15, a general view of the buildings and instrumental equip-

ROYAL CENTER AEROLOGICAL STATION.

By HOMER W. BALL, Meteorologist.

The aerological station in Indiana, conducted by the United States Weather Bureau, is located at Royal Center, a town of 800 people, 16 kilometers northwest of Logansport, the nearest large town, and about 170 kilometers southeast of Chicago, Ill. The latitude of the station is 40° 53′ north, longitude 86° 29′ west, and elevation above sea level, 225 meters.

The country surrounding the place is of a rolling nature and is arranged in farms of very fertile land. There is considerable timber land, consisting of wood lots of several acres on each of the farms. This feature, of course, makes it rather difficult to recover kites whenever they break away. The roads are, as a rule, macadamized or graveled, and consequently traveling is easy.

The lease for the property in use by the Government became effective March 1, 1918, and immediate preparation was made to occupy the buildings. The office building is separated from the others and is located across the street from the shop and kite storage room. Two rooms are required for the office force, one for the meteorological instruments and "forms" desk and the other for the use of the official in charge and the pilot-balloon observers. The other buildings in use are the shop, kite-storage room, and engine room, under one roof; garage; coal shed; and a reel house on a knoll in the

center of the kite field. The general arrangement of these buildings is shown in figures 18, 19, and 20.

Observations of precipitation were begun April 1, 1918; and observations of temperature, pressure, wind, clouds, and automatic records of rainfall and sunshine on April 9. Complete automatic records were not made until May 17, due to the delay in receiving the anemometer tower.

The first kite flight was made July 12, and flights have been continued every day since then when practicable. The first diurnal series was made August 7 and 8 and consisted of six flights, averaging about 3,600 meters above sea level.

Electricity for power and lights is furnished by a direct-current, 220-volt generating plant of 4-kilowatt capacity, installed in one of the buildings. Kites are reeled in by means of a reel of standard type connected to a 5-horsepower, variable-speed motor.

Cooperative work with the Meteorological Section of the Signal Corps of the Army began October 2, 1918. The first pilot-balloon ascension was made at that time, and this work is being continued at the present time. Figure 21 shows the kite reel house, with instrument shelter, power reel, and theodolite; and figure 22, the beginning of a pilot-balloon ascension.



Fig. 19. View of office building on right; shop and kite storage building on left (Royal Center).




Fig. 20. General view of building and instrumental equipment (Royal Center).



Fig. 21. Close view of kite reel house (Royal Center).



Fig. 22. Beginning of a pilot-balloon ascension (Royal Center).






Fig. 18. Plot showing the position of buildings and kite field at Royal Center Aerological Station.

12 SUPPLEMENT NO. 14.

Table 5.—Free-air data from kite flights at Broken Arrow Aerological Station, August, 1918.

August 16, 1918.

	Surface	0.						At diffe	erent heig	hts abov	70 80a.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	$\frac{\Delta t}{100 \text{ m}}$.	Rel.	Vap.	Dir.	Vel.	
8:24	mb. 989.4	° C. 29. 2	% 54	SSW.	m. p. s. 6.3	m. 233	mb. 989.4	° C. 29. 2		% 54	mb. 21.89	SSW.	m.p.s. 6.3	2/10 A.Cu., w.
8:35		29.8	56	ssw.	8.0	250 - 502	987.4 959.9	29.0	0.93	254	21.64 21.72	SSW.	6.5	2/10 21.Ca., W.
						750 1,000	933.1 907.3	26.0		62 59 57 56	19.84 18.50	SW.	9.8	Few Ci., w.; 1/10 A.Cu., w. 1/10 Ci.Cu., w.
9:37		31.4	51	asw.	5.8	1,061	901. 2 907. 3	25.2	0.60	56 56	17.95 18.61	SW.	10.0	Few Ci.Cu., w.; few A.Cu., wsw
		*******				750 500	933. 1 960. 0	28. 1 30. 4		53 51	20.16 22.15	sw.	7.7	
0:25	989.1	34.2	48	sw.	6.7	332 250	978.3 987.4	31.9	2.42	49 48	23.18 25.40	SW.	6.3	
0:29	989.1	34.3	48	SW.	6.7	233	989.1	34.3	******	48	25.97	sw.	0.7	Few Ci.Cu., w.
	4					A	ugust 21,	1918.						
7:52	990.5	25.0	84	sse.	1.3	233	990.5	25.0		84	26.61	sse.	1.3	1/10 A.Cu., n.; 3/10 St. Cu., n.
		******	*******			250 500	988. 9 960. 5	24.9		84 85	26.46 23.60	sse.	1.6	410 1110111, 111, 1410 111 111, 111
8:01		25.0	82	880.	1.3	612 750	948.6 933.7	21.9	0.82	86 82	22.60 22.49	sse.	8.5 7.7	5/10 St.Cu., n.
8:55	*** ********	26.8	74	36.	2.7	1,000 1,026	907. 4 904. 8	24.0	-0.37	74 73	22.08 21.91	SW.	6.3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	*** ********	******			******	1,000 750	907.4 933.7	24.1 24.7		73 75	21.91 23.34	SW.	6.2	
9:30	990.0	27.0	74	se.	3.6	500 412	960. 5 970. 1	25. 2 25. 4	0.78	76 77 76	24.37 24.94	sse.	7.1 7.3	
9:33		26.8	76	80.	4.0	250 233	987.9 990.0	26.7 26.8		76 76	25.88 26.78	se.	4.3	3/10 St.Cu., n.
							August 22,	1918.						
А. М.														
7:44	*** ********	25. 2	80	880.	6.3	233 250	988. 9 987. 0	25. 2 25. 0		80	25.65 25.34	sse.	6.3	Few St.Cu., ssw.
S:01	988.9	25.6	78	S80.	7.2	500 542	959.0 954.6	22. 4 22. 0	1.04	84 85	22.76 22.47	sse.	6.4	
		07.0				750 1,000	932. 0 905. 9	21.4	0.00	83 81	21.55 20.65	S. S.	7.0	
8:57	*** *******	27.2		sse.	5.8	1,172 1,000	888.3 905.9 932.0	21.2 21.9 23.0	0.28	79 80	19.89	SSW.	8.2 7.3	
9:13	988.9	27.4	70	880.	6.3	750 697 500	938. 2 959. 0	23. 2 25. 2	1.01	83 83 78	23. 32 23. 61 25. 01	sse. sse.	6.1 5.8 5.8	
9:25		28.0		886.	5.8	250 233	987.0 988.9	27.8 28.0		71 71	26.53 26.85	sse.	5.8	Cloudless.
						A	ugust 23,	1918.						
А. М.														
7:53	*** *	24.0	85	SSW.	4.5	233 250	988. 9 987. 4	24.0 23.9		85° 85	25. 36 25. 21	SSW.	4.5	1/10 St.Cu., ssw.; 8/10 St., ssw.
8:06		24.4	82	8.	6.3	500 561	959.3 952.5	22. 1 21. 7	0.70	86 86	22.88 22.23	sw.	6.5 7.0	
0.71	000 1	94.6	70			750	932.4	20.6	0.61	84	20.39	SW.	7.5	1/10 A.St., sw.; 1/10 St.Cu., ssv. 7/10 St., ssw.
8:31	*** ********	24.6		SSW.	6.3	1,000	931. 2 906. 0	20.5	0.61	84 77	20.26 18.57	sw. wsw.	7.5 6.3	Light sprinkling of rain at 8:34 a. 1
9:05 9:24		24.8	79	SSW.	3.1	1,066 1,000	899. 0 906. 0 929. 6	20.5 20.7	0.19	75 76	18.09 18.56	wsw. wsw.	5.9 6.0	
******************	1001.2	23.8	85	SSW.	0.1	777 750 500	932. 4 959. 3	21.6 21.7 22.8		79 79 82	20.38 20.51 22.76	WSW. WSW. SSW.	6.3 6.2 4.7	
9:35	989. 2	24.0	85	8.	3.1	250 233	987. 4 989. 2	23. 9 21. 0		85 85	25. 21 25. 36	S. S.	3.2	1/10 A.St., sw.; 8/10 St., ssw.
						A	ugust 27,	1918.						
А. М.	988.2	25. 0	60	sw.	3, 6	233	988, 2	25. 0		60	19, 01	SW.	3.6	Fow A.Cu., nw.
***********************		-3.0	*******			250 500	987. 0 959. 0	25. 0		59 50	18. 69 16. 52	SW. WSW.	3.9 7.9	A.C. IIW.
:51	988.2	25. 5	57	SW.	4.5	598 750	943. 2 932. 0	26.0	- 0.28	46 48	15. 47 15. 48	WSW. WSW.	9. 4 7. 1	Cloudless.
:12		29.0	47	sw.	4.9	1,000 1,037	906. 1 902. 6	24.3	0.39	51 51	15. 50 15. 31	WSW. WSW.	3.4	. avadicos.
***********************					******	1,000 750	906. 1 932. 0	24.2		51 51	15. 40 16. 25	WSW. SW.	3.0	
:50	988, 6	30.6	41	SW.	5. 8	496 250	959. 8 987. 2	26.0	1.75	51	17. 15 17. 27	SW.	6.3	
0:01	988.5	30.6	39	SW.	5.4	233	988.5			39	17. 13	SW.	5. 1	Few Ci., sw.

TABLE 5 .- Free-air data from kite flights at Broken Arrow Aerological Station, August, 1918.

August 28, 1918.

	Surface	ð.						At diffe	rent heig	hts abov	e sea.			
	-	Tem-	Rela-	Wi	nd.			Tem-		Hum	dity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap.	Dir.	Vel.	
А. М.	mb. 988, 2	°C. 26. 3	% 67	88W.	18. p. s. 7. 6	98. 233 250	mb. 988, 2 988, 9	° C. 26. 3 26. 2		% 67 67	mb. 22, 98 22, 79	28W. 85W.	m. p. s. 7. 6 7. 9	1/10 Cl., n.
A		26. 2	70	98W.	6.7	500 604 750 1,000	958. 7 947. 5 932. 0	23.6	0.59	66 65 60 51	20.66 19.51 17.48	SW.	11.7 13.3 13.0	Few Cl., n
2	988.5	28. 2	60	asw.	7. 2	1, 250 1, 412 1, 250	905. 5 880. 0 864. 0 880. 0	21. 9 21. 4	0.42	41 35 41	14. 16 10. 77 8, 92 10. 98	SW. SSW. SSW.	12.4 11.8 11.4 11.0	1/10 Cl., n.
3		29. 9	53	ssw.	8.9	1,000 750 563 500	905. 5 932. 0 952. 5 958. 7	23. 5 24. 8 25. 8	1. 27	51 60 67 64	14. 77 18. 79 22. 26 22. 29	88W. 88W. 88W.	10.3 9.7 9.2 9.1	
2		30. 0	53	ssw.	8.9	250 233	996, 9 988, 5	29. 8 30. 0		54 53	22. 66 22. 49	85W. SSW.	8.9	1/10 Ci., n.
						1	August 30,	1918.	*					
A. M.		-2. 8	82	se.	8.9	233 250	996. 9 984. 8	22. 8 22. 7		82 82	22. 76 22. 62	80. 80.	8.9	8/10 St., e.
19	986, 9	23. 0 25. 4	82	se.	8. 9 9. 8	500 576 750 977	956, 9 948, 8 930, 0 906, 4	21. 8 21. 8 21. 8 22. 3		83 83 77 70	21, 68 21, 29 20, 11 18, 85	90. 90. 980. SSW.	11.4 12.1 9.8 6.8	9/10 St.Cu., sw.
:52.		25. 0	73	se.	8.9	750 561 500	930, 0 950, 5 956, 9	22. 7 23. 3 23. 6	0, 52	73 77 77	20, 14 22, 03 22, 43	SSW. 8. 8.	9. 9 13. 7 12. 9	
:02	986. 5	25.0	77	890.	9, 4	250 233	984, 8 986, 8	24. 9 25. 0		77.	24. 26 24. 39	380. 880.	9. 6 9. 4	8/10 St., Cu., sw.
						,	August 31	, 1918.						
А. М.		18.2	80	nne.	4. 9	233 250	992. 1 990. 4	18.2 18.0		80 80	16. 72 16. 51	nne.	4.9	Cloudless.
00	992.3	18.4	78	ne.	5. 4	465 500 750	965. 6 961. 6 933. 9	15. 6 15. 7 16. 6	1.12	77 78 44	13. 64 13. 02 8. 31	e. e. ene.	7. 2 7. 2 6. 9	
01		21. 0	67	ne.	4.0	978 1,000 1,250 1,360	909, 8 907, 1 881, 5 870, 0	17.3 16.3	0, 42	18 18 18 18	3, 58 3, 56 3, 34 8, 25	ne. ne. ene. ene.	6.6 6.2 6.1	
38	992.9	22.0	61	ene.	5.4	1,250 1,000 876	881. 5 907. 9 921. 1	16. 4 17. 5 18. 1	- 1.16	23 34 39	4. 29 6. 80 8. 10	ene. ene.	6.4 7.1 7.5	
40 17		22. 0 22. 2	60	ene.	5. 8 4. 5	758 500 473 250	934, 2 962, 3 965, 6 990, 8	16. 7 18. 0 18. 1 21. 7	1.62	43 62 64 62	8, 17 12, 80 13, 29 16, 10	ene. ene. ene.	7. 5 5. 5 5. 3 5. 4	
0;00	993.0	22.0	62	ene.	5.4	233	993.0	22.0		62	16. 39	ene.	5.4	Cloudless.

SUPPLEMENT NO. 14.

TABLE 6 .- Free-air data from kite flights at Broken Arrow Aerological Station, September, 1918.

September 4, 1918.

	Surface	A.						At diffe	erent heig	hts abov	70 500			
	Surmo		I	1			1	At dille	sterre more	*	re sea.	1		
-		Tem-	Rela- tive	W	ind.	Alti-		Tem-	\ \D & \tau \	Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
8:49		°C. 16.0	% 94	n.	m. p. s. 8. 0	m. 233 250	mb. 987.3 984.7	°C. 16.0 15.9		% 94 94	mb. 17.09 16.99	n. n.	m. p. s. 8. 0 8. 0	10/10 St., n. Altitude of St. base about 450
8:55		16.0	94	n.	8.9	500 573	956.8 948.9	14.5 14.1	0.56	- 97 98	16.01 15.77	n. n.	8.1 8.1	
9:34		15.6		n,	9.4	750 857	929.5 917.9	12.7 12.0	0.65	98 98 98	14.40 13.75	nnw.	8.8 9.2	
*******						750 500	929.5 957.1	12.6 14.0		97 94	14. 15 15. 02	nnw.	9.0 8.5	Altitude of St. base about 700
0;14	988. 6	15.5	91	n.	8.0	250 233	986. 0 988. 6	15. 4 15. 5		91 91	15. 92 16. 03	n. n.	8.0	10/10 St., n.
						Se	eptember	5, 1918.						
A. M.	993.3	15.8	83	ne.	4.9	233	993.3	15.8		83	14.90	nne.	4.9	5/10 A.Cu., nw.; 4/10 St., ne.
1:42					7.6	250 468	991.3 966.1	15.6 12.2	1.53	83 99	14.71	nne.	5.1	1/10 A.St., sw.; 8/10 St., ne.
7:59		15.6	84	n.	7.0	500	962.7	12.1	******	99	13.98	nne.	7.1	
8:14	993.5	15.7	83	ne.	5.4	750 877	934.5 920.2	11.4	0,29	100 100	13.48 13.13	nne.	8.0 8.4 8.9	Altitude of St. base about 650
8:35	993.5	15.9	82	nne.	6.3	980 1,000	909.0 907.6	12.6 12.5	-1.55	72 73	10.50 10.58	nne.	8.8	Altitude of St, base about 950
9:41	994.0	15.9	82	nne.	6.7	1,250 1,327	880.8 872.6	11.5 11.2	0.36	86 90	11.67 11.97	nne.	7.0 6.4	Few A.St., sw.; 9/10 St., ne.
9:58	994.2	16.7	80	nne.	6.3	1,250 1,017	880.8 905.8	11.4 12.2	0, 21	79 45	10.65 6.39	nne.	6.9 8.6	Few A.St., 8/10 St.
******************		******		******		1,000 750	907.9 935.4	12. 2 12. 8	******	47 72	6.68	nne.	8.5 7.1	
0:20	994.2	18.0	73	n.	7.2	536 500	959.4 963.6	13.2	1.55	94 92	14. 26 14. 52	nne.	5.9 5.9	
0:32	994.2	17.9	74	n.	5.8	250 233	992. 4 994. 2	13.8 17.6 17.9	*******	75 74	15. 10 15. 18	nne. n. n.	5.8 5.8	1/10 Ci., sw.; 5/10 A.Cu., sw.; 3 St.Cu., ne.
						Se	ptember 1	1, 1918.						
7:43		18.5	78	sw.	4.9	233 250 500	991. 6 989. 6 961. 5	18.5 18.7		78 76 52	16. 61 16. 39 13. 25	SW. SW. SW.	4.9 5.6 15.4	9/10 St.Cu., wnw.
7:50	991.6	19.7		sw.	4.9	577	953.0	22.2	-1.08	44	11.78	SW.	18.4	
			*******	*******		750 1,000	934.0 907.1	20.3		44	11. 22 10. 48	SW. WSW.	17. 2 15. 6	
			*******	*******		1,250 1,500	881.1 856.2	19.1 18.0		43	9.51 8.88	WSW.	13. 9 12. 3	
9:06	991.2	22.5	56	SW.	5.4	1,625 1,500	843.9 856.2	17.4 18.3	0.58	43 42	8. 54 8. 83	W. W.	11.4	5/10 A.St., nw.; 5/10 St.Cu., nw
			*			1,250 1,000	881.1 906.9	20.0 21.8		40 38	9.35 9.93	W. WSW.	12.7 13.6	
:01	989. 9	26.0	59	SW.	7.2	750 657	933. 0 943. 1	23.5 24.2	-1.08	36 35	10.43 10.57	WSW.	14.5 14.8	
:20		26.3	60	SW.	7.2	518 500	958. 0 960. 2	22.7 22.9	1.16	44	12.14 12.29	WSW.	13. 2 12. 8	
				*******		250	988.0	25.8		50	16.62	SW.	8.0 7.6	10/10 A G4
1:27	989.8	26.0	50	SW.	7.6	233	989.8	26.0		50	16.81	SW.	7.0	10/10 A.St., nw.
						Se	ptember 1	3, 1918.						
A, M.	988.9	23.2	47	ssw.	5.4	233	988. 9	23.2		47	13.37	ssw.	5.4	2/10 Ci.St., n.; few A.St., n.
						250 500	987.4 959.0	23.1 21.0		47 50	13. 29 12. 44	SSW.	5.5 7.3	
3:47	988.9	23.5	45	88W.	5.4	533 750	955.3 932.0	20.7 22.3	0.83	50 39	12.21 10.50	SW.	7.5 6.4	
:47		25.8	40	SSW.	7.6	839 750	922. 5 932. 0	22. 9 22. 1	-0.78	34 39	9.50 10.37	SW.	6.4 6.0 7.2	8/10 Ci.St., n.; 2/10 A.St., nw.
):08	988.8	26.0	40	ssw.	7.2	640	943. 8 959. 0	21.2	1.33	46	11.58	SW.	8.6 8.1	
	*** *********				7.2	500 250	987.2	23. 1 26. 4		44	12.44 14.12	SW.	7.3	E/10 (% G4 m : 4/10 4 G4 m
):15	988.7	26.6	41	SSW.	7.2	233	988.7	26.6		41	14.28	SSW.	7.2	5/10 Ci.St., n.; 4/10 A. St., n.

Table 6.—Free-air data from kite flights at Broken Arrow Aerological Station, September, 1918—Continued.

September 14, 1918.

	Surfac	0.						At diffe	rent heig	hts abov	7e sea.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera-	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera-	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	
7:33	mb. 983.4	° C. 21. 7	% 68	s.	m.p.s. 7.6	m. 233 250	mb. 983. 4 981. 5	° C 21. 7 21. 9		% 68 67	mb. 17.65 17.61	S. S.	m. p. s. 7. 6 8. 0	Few Ci.,nw.; 1/10 St.Cu., se.
7:46	983, 3	22, 1	67	S.	17.9	500 608	953, 6 943, 1	25. 0 26. 2	-1.28	48 40	15. 21 13. 61	36W.	14.3	
8:01		22, 6	64	S.	8.9	750 906	926. 9 910. 5	26, 2 26, 2	0.00	35 29	11. 91 9. 87	sw.	17. 0 17. 3	
8:47	982.9	25. 0	50	sse.	8.9	1,000 1,234 1,000	900. 6 876, 9 900, 6	25. 7 24. 4 25. 6	0. 52	29	9, 58 8, 87 10, 18	SW. SW.	16.6 14.9 15.5	
9:37	982.6	27. 4	48	sse.	8.9	750 671	926, 9 934, 9	26. 8 27. 2	-4.84	29 31 33 34	11. 63 12. 27	sw. sw.	16.1 16.3	
9:45		27.8	48	sse.	10.3	609 500	941. 4 953. 3	24. 2 24. 7	0. 48 2. 45	49 50	14. 80 15. 56	SW. 88W.	15.9 14.6	
9:58		28. 5	44	S.	10.3	380 250	966, 3 980, 5	25, 3 28, 5	2.45	52 44	16, 78 17, 12	8.	13. 2 9. 4	
10:02	982. 5	28.7	43	S.	8.9	233	982.5	28. 9		43	17. 13	8.	8.0	Few Ci.,nw.
						Se	ptember	16, 1918.						
P. M. 12:04	991.3	15.7	64	n.	9.4	233	991.3	15.7		64	11. 42	n.	9.4	3/10 St.Cu., n.; 6/10 St., s.
					* * * * * * * * * * * * * * * * * * * *	250 500	989. 7 960. 5	15. 4 11. 6		65 79	11.38 10.79	n. nne.	9.5	1/10 A.St., sw.; 1/10 A.Cu., wsw.; 7/10 St.Cu., ne.
12:18		16.1	62	n.	8.9	657 750	942, 5 931, 9	9.2 8.7	1. 53	88 84	10. 24 9. 45	nne.	11.1	//10 St.Cu., ne.
						1,000 1,250	904. 0 877. 0	7.4		74 64	7. 62 6. 03	nne.	12.0	Altitude of St.Cu. base about 1,150
1:00		16.7	58	n.	8.9	1,324 1,500	869. 0 850. 9	5.7	0. 52	61 63	5. 59 5. 81	nne.	12.9 12.8	m.
1:46		18.0	51	n.	8.0	1,750 1,855	825. 5 814. 9	6.0		66 67	6, 17	n. n.	12.7 12.6	Altitude of Ct.Cu. base about 1,250 m.
1:58		17. 2	59	nne.	8.9	1,750	825. 5 845. 7	7.8		63 54	6, 67 5, 45	n. nne.	12.2	
2:06	990. 6	18.0	49	n.	8.9	1,500	850. 9 851. 9	5. 0 4. 6	0. 73	87 93	7. 47 7. 89	nne.	10.6 10.5	1/10 a.St., sw.; 8/10 St.Cu., ne.
2:36		17. 6	56	n.	8.9	1,326	869, 0 877, 0	5. 8 6. 5		90 87	8, 30	nne.	9.8	
	***********	177.0		******		1,000 750 636	904. 0 931. 7 944. 2	8,9 11,2	1 04	77 67 62	8, 78 8, 91 8, 87	nne. n.	10, 1 10, 3 10, 4	
3:11	990. 2	17.6	94	n.	7.6	500 250	959. 6 988. 5	12.3 14.0 17.1	1. 24	50 54	9. 43	n. n. n.	9.6	
3:21	990. 2	17.3	54	n.	8.0	233	990. 2	17.3		54	10, 66	n.	8.0	91/0 St.Cu., ne.
*						Se	eptember	19, 1918.						
7:56A. M.	982, 8	18.0	89	n.	6.3	233	982. 8	18.0		89	18.37	n.	6.3	10/10 St.Cu., wnw.
						250 500	981. 0 952. 7	17. 9 15. 7		96 96	18, 25 17, 13	n. nne.	7.4	10/10 St.Cu., wnw. Altitude of St. base about 600 m.
8:00	983, 0	18.0	88	n.	7.6	620 750	939. 2 925. 0	14.7		99 98	16, 56 16, 07	nne.	7. 9	1/10 St.Cn., wnw.; 9/10 St., ne.
8:57 9:50	983, 8 985, 2	17. 7 14. 9	89 90	nne.	8.9 10.3	1,000 1,233 1,043	898, 5 874, 5 895, 2	13. 9 13. 4 12. 7	-0.08	95 92 98	15. 09 14. 14 14. 40	ne. ene.	6.7 6.0 5.6	Rain began about 9:25 a. m. Aitt tude of St. base about 550 m Thunderstorm approaching Kite broke away at 9:56 a. m.
			-			Se	eptember	24, 1918.		•				
A. M. 7:53	988, 9	15.4	64	550.	8.9	233	988. 9	15.4		64	11, 20	880.	8.9	Cloudless.
1:00	300. 3	410.18				250 500	987. 0 958. 0	15.6 18.4		62 40	10.99	336. 83W.	9. 5 18. 0	
8:02	988. 9	15. 9	. 64	880.	8.0	514 750	956, 9 930, 8	18.6 17.4	-1.41	39 35	8, 46 8, 36 6, 93	85W.	18. 5 17. 1	
8:11	988, 8	16. 4	61	580.	8.9	886 1,000	916, 0 903, 7	16. 7 16. 1	0. 51	32 37	6, 08	36W.	16. 3 16. 1	
8:58	988. 5	18. 2	55	sse.	10.3	1,250 1,353 1,250	877. 8 866. 8 877. 8	14. 9 14. 4 15. 0	0.52	47 51 47	7, 96 8, 36 8, 01	38W. 38W. 38W.	15. 7 15. 5 15. 6	
9:39	988. 4	20. 1	55	886.	9.8	1,000 928	903. 7 911. 2	16. 4 16. 8	0. 28	37 34	6, 90	SSW.	15. 9 16. 0	
			******			750 500	930, 8 957, 9	17. 3 18. 0	2 00	40	7. 90	88W.	14.4	
0:14	988, 2	21.5	46	8.	8.9	435 250	965, 2 986, 0	18, 2 21, 9	1. 96	51 47	10, 66 12, 35	88W.	11.5	Few Cl.Cu. near horizon.
10:27	988, 2	22, 2	46	8.	10.3	233	988, 2	22.2		46	12, 31	8.	10.3	Tow OLOG. Hear HOURON.

SUPPLEMENT NO. 14.

TABLE 6.—Free-air data from kite flights at Broken Arrow Aerological Station, September, 1918.—Continued.

September 26, 1918.

	Surface	0.						At diff	erent heig	hts abov	70 303.			
		Tem-	Rela-	W	ind.	4341		Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M	mb. 988. 7	°C. 16. 2	% 91	nne	m, p, s, 4.9	m. 233 250	987.0	16.1		% 91 91	16.65	nne.	m. p. s. 4. 9 5. 3	10/10 St., nne. Altitude of St. base about 450 m
3:01 3:07	988. 9 988. 9	16. 0 16. 2	94 94	nne.	5, 4 5, 4	500 632 677 750	958. 4 943. 4 938. 5 930. 8	14.4 13.5 16.2 15.8		91 82 78 72 76 89	13. 45 12. 07 13. 26 13. 64	ne. ne. ene.	10.7 13.6 12.6 12.2	
25	989.0	16.5	91	nne.	6.3	1,000 1,022 1,250	903.8 901.2 877.5	14. 2 14. 1 13. 0	0.61	89 90 81 71	14.41 14.48 12.13	ene.	11.0 10.9 10.9	3/10 Ci.St., w.; 5/10 St., nne. Few Ci.St., w.; 8/10 St.Cu., nne
.12	989.3	17.8	88	nne.	7.2	1,490 1,250	853.8 877.5	11.8 13.1	0. 53	76	9.83 11.46	ene.	10.9	rew Cl.St., w., e/10 St.Cu., inte
:03	989.6	18.5	85	no.	8.0	1,000 907 750	903. 8 914. 1 931. 2	14.5 15.0 13.7		81 83 94	13.37 14.15 14.74	ene.	10.8 10.8 10.8	3/10 Ci.St., w.; 4/10 St.Cu., nne.
:07	989.6	18.6	84	ne.	8.9	730 500	933.5 959.5	13. 5 15. 1	0.71	96 93 92	14.85 15.96	one.	10.8	
:41	989. 8 989. 8	19. 2	81	ne.	8.0	450 250 233	964. 9 988. 0 989. 8	15. 5 18. 7 19. 0	1.61	92 84 83	16. 20 18. 12 18. 24	ne. ne. ne.	10.7 9.1 8.9	10/10 St., ne.

September 27, 1918.

A. M.	997.1	11.4	74	nne.	6.3	233 997.1 250 995.3	11.4 11.3		74 73	9.98 9.77	nne.	6.3	1/10 Cl.St., nne.; 2/10 A.St., w
32	997.2	11.7	70	ne.	6.3	500 966.0 598 954.5 750 937.1	9.9 9.4 9.1	0.55	56 50 36	6, 83 5, 90 4, 16	no. eno.	12.8 15.2 16.0	
50	997.3	12.3	66	ne.	4.9	946 915.3 1,000 909.5	8. 8 9. 0	0.17	*17	1.93 1.95	ne.	17.0 17.0	
22	997.4	15.0	- 53	ne.	8.0	1, 250 882. 6 1, 407 866. 0 1, 250 882. 6	9.7 10.2 9.7	-0.33	*17 *17 *17	2.05 2.12 2.05	ne. ne.	17.1 17.2 15.7	
óó	997.4	15.7	44	ne.	7.6	1,000 909.5 890 921.7	8.8 8.4	0.72	*17 *17	1.93 1.87	ne.	13.3 12.2	3/10 Ci.St., ne.
15	997.3	16.5	45	ne.	6.7	750 937.1 571 957.8 500 966.0	9.4 10.7 11.8	1.60	*17 *17 22	2.00 2.19 3.04	ne. ne.	10.7 8.8 8.6	
%	997. 2	16.1	40	ne.	8.0	250 995.3 233 997.2	15.8 16.1		39 40	7.00	ne.	8.0 8.0	3/10 Cl.St., no.

^{*} Humidity less than 17 per cent.

TABLE 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918.

July 1, 1918, series (No. 1).

	S	urface.						At	different	heights	above s	00.				
		Plane	Rela-	w	ind.			Mana		Humi	idity.	W	ind.			Romarks
Time.	Pressure.	Tem- pera- ture,	tive humid- ity.	Dir.	Vel-	Alti- tude.	Pressure.	Tem- pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap.	Dir.	Vel.	Electric potential.		
A. M. 6:29	mb. 973. 3	°C. 16.7	% 72		m. p. s. 2.7	m. 396	mb. 973.3	°C.		% ₇₂	mb. 13.69		m. p. s. 2.7	volts.	Cloudless.	
6:47		17. 1	66	8.	2.2	500 536	961. 5 957. 4	17. 4 17. 5	-0.64	55 49	10.93	8, 8, 8,	5.3		Cioudions.	
7:43		20.0	52		3.1	750 987	934. 2 908. 4	17. 6 17. 7	-0.02	46 43	9. 26 8. 71	8.	7.4	0		
1:10	913.3	20.0		S.	0.1	1,000 1,250	907. 0 880. 1	17.6		43 44	8.66 7.75	SW. SW. WSW.	8.9			
						1,500 1,750	854. 7 829. 8	15.5 13.3 11.2		45 45	6, 87 5, 98	W.	12.2	640		
8:04		23. 4		S.	3.6	1,909	814. 7 805. 7	9.8	0.86	46 47	5. 58	Whw.	14.8			
						2,250	781. 8	7.6		50 53	5. 22	WDW.	16.4	1 700		
						2,500 2,750	758. 2 735. 0	4.3	******	56	4. 92 4. 65	wnw.	17.5	1,700		
						3,000	712. 8 691. 2	2.6 1.0		59 62	4. 35	nw.	19.8 21.0	2,600		
8:30		23. 4				3, 276 3, 500	689, 2 670, 8	0.8	0.66	62 53	4. 01 3. 31	nw.	21. 1 20. 1			
						3,750 4,000	650, 6 630, 9	-0.7 -1.6		42 32	2. 42 1. 71	nw.	19. 0 17. 9	4,100		
8:55		24. 6		S	4.5	4, 167 4, 250	616. 5 611. 1	-2.1 -1.6	0.33	25 21	1. 28 1. 12	nw.	17. 1 18. 0	4,800		
9:02		24.6	40		4. 5	4, 290 4, 250	608. 0 611. 1	-1.3 -1.5	-0.62	19 19	1.04	nw.	18.5 18.5			
9:09		24.7	39		4. 9	4,157	618. 6 630. 9	$-2.1 \\ -1.3$	0. 40	18 22	0. 92 1. 21	nw.	18. 6 18. 6			
						3,750	650. 7 671. 2	-0.1 1.1		29 36	1.76 2.38	nw.	18.5 18.5	********		
9:39	972.5	25. 5	37	8.	6.3	3, 250 3, 106	692. 2 704. 9	2.3	0.88	43 47	3. 10 3. 56	nw.	18. 4 18. 4	2,600		
						3,000 2,750	713. 7 735. 5	3.9 6.2		47 47	3. 80 4. 46	nw. wnw.	17.4			
0:03		26. 2	35	sw.		2,500 2,258	758.3 781.2	8. 4 10. 5	0.58	46 46	5. 07 5. 85	wnw.	12.5 10.1	1,600		
						2, 250 2, 000	781. 8 805. 7	11.0		46	6.04	W. W.	10.7			
* * * • • • • • • • • • • • • • • • •						1,750 1,500	829, 8	13.4		41	6. 30	W.	13. 7 15. 5	1,040		
0:22	972. 2	25. 1	37	ssw.	5.4	1,269	854. 7 878. 4	16. 2	0.54	37 37	6. 82	w.	17. 2	260		
	000 4			******		1,250	880. 1 906. 5	16.3 17.6	4 775	40	8.05	w. sw.	12.6			
0:33		25. 5	39	sw.	5.4	767 750	931. 4 934. 0	18.9	1.75	47 47	10. 26 10. 46	sw.	8.6			
0:42	972.1	25.3	35	33W.	6.3	601 500	949, 6 961, 5	21.8	1. 86	44	11. 49 11. 72	SW.	7.3		Claudian	
10:47	972.1	25. 6	35	wsw.	6.3	396	972.1	25. 6		35	11.49	wsw.	6.3		Cloudless.	
							July	1, 1918,	series (No. 2).						
A. M.		-				808	071.0	000.4			10.41		1		Claudian	
1:40		27.4	34	sw.	6.7	396 500	971. 3 960. 0	27. 4 25. 9		34	12.41 12.03	sw.	7.0		Cloudless,	
1:50	971.1	27.8	34	sw.	5. 4	1,000	933. 0 905. 0	22. 3 20. 1	1.45	41 43	11. 04 10. 12	SW.	7.8	0		
						1,250	879. 4	17. 9	*******	45	9, 23	wsw.	9.8	********		
P. M. 2:04	970.9	27.8	34	sw.	6.7	1, 285	876.4	17.6	0. 87	45	9.06	wsw.	10.0	520		
2:21	970.9	28.4	32	sw.	5, 4	1,500 1,751	854. 4 829. 8	16. 4 14. 9	0.58	41 37	7. 65 6. 27	WSW. W.	11.0	1,170		
						2,000 2,250	806. 6 782. 2	13.3 11.8		37	5, 65	W.	11.8			
							100-8	44.0		38	5, 26	W.	11.4	*******		
2.42	970, 9	29. 2	27	sw.	8.5	2,500 2,533	759. 6	10.2	0, 63	38	4.73	W.	11.1	1,800		
	970. 9	29. 2	27	sw.	8.5	2,533 2,750	759, 6 756, 2 737, 0	10. 2 10. 0 8. 3	0.63	38 38 39	4. 73 4. 67 4. 27	W. W.	11. 1 11. 0 12. 2	1,800		
						2,533 2,750 3,000 3,250	759. 6 756. 2 737. 0 714. 8 693. 0	10. 2 10. 0 8. 3 6. 3 4. 4	0.63	38 38 39 40 41	4. 73 4. 67 4. 27 3. 82 3. 43	w. w. w. wnw. wnw.	11. 1 11. 0 12. 2 13. 5 14. 9	1,800 2,700		
1:10	970. 8		26	sw.	8.0	2,533 2,750 3,000 3,250 3,500 3,669	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1	0.63	38 38 39 40 41 42 43	4. 73 4. 67 4. 27 3. 82 3. 43 3. 05 2. 85	w. w. w. wnw. wnw. nw.	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2	1,800 2,700		
1:10	970. 8 970. 8			sw.		2,533 2,750 3,000 3,250 3,500 3,669 3,750 3,775	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1 1. 6 1. 8	0. 63 0. 78 -0. 66	38 38 39 40 41 42 43 39 38	4. 73 4. 67 4. 27 3. 82 3. 43 3. 05 2. 85 2. 68 2. 64	w. w. w. wnw. nw. nw. nw.	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0	1,800 2,700 3,800		
1:10 1:11	970. 8 970. 8	30.3	26	sw.	8.0 8.0 7.2	2,533 2,750 3,000 3,250 3,500 3,669 3,750 3,775 4,000 4,208	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 615. 4	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1 1. 6 1. 8 0. 6 -0. 6	0. 63 	38 38 39 40 41 42 43 39 29 21	4. 73 4. 67 4. 27 3. 82 3. 05 2. 85 2. 68 2. 64 1. 85 1. 22	w. w. w. wnw. nw. nw. nw. nw. nw.	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2	1,800 2,700 3,800 4,500		
l:10 l:11 l:32	970. 8 970. 8 970. 6	30.3	26 28 25	sw.	8.0	2,533 2,750 3,000 3,250 3,500 3,669 3,750 3,775 4,000 4,208 4,000 3,772	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 615. 4 632. 0	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1 1. 6 1. 8 0. 6 0. 2 1. 2	0. 63 0. 78 -0. 66 0. 48 0. 51	38 38 39 40 41 42 43 39 38 29 21 20 18	4. 73 4. 67 4. 27 3. 82 3. 43 3. 05 2. 68 2. 64 1. 85 1. 22 1. 24 1. 20	w. w. w. wnw. nw. nw. nw. nw. nw. nw. nw	11. 1 11. 0 12. 2 13. 5 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2 18. 7	1,800 2,700 3,800 4,500		
1:10 1:11 1:32 1:54	970. 8 970. 8 970. 6	30.3	26 28 25	sw.	8.0 8.0 7.2	2,533 2,750 3,250 3,250 3,500 3,669 3,750 4,000 4,208 4,000 3,775 4,000 3,750 3,750	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 632. 0 649. 4 651. 8	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1 1. 6 0. 6 -0. 6 0. 2 1. 2 1. 2 6	0. 63 0. 78 -0. 66 0. 48	38 38 39 40 41 42 43 39 38 20 21 20 18 19	4. 73 4. 67 4. 27 3. 43 3. 05 2. 85 2. 68 2. 64 1. 85 1. 22 1. 24 1. 20 1. 27 2. 21	w, w, w, wnw, nw, nw, nw, nw, nw, nw, nw	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2 19. 2 19. 2 19. 1	1,800 2,700 3,800 4,500		
1:10. 1:11 1:32 1:54	970. 8 970. 8 970. 6 970. 4	30. 3 30. 4 31. 3	26 28 25 25	sw.	8.0 8.0 7.2	2,533 2,750 3,000 3,250 3,500 3,669 3,750 3,775 4,000 4,208 4,000 3,772 3,750 3,500 3,250 3,244	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1 1. 6 0. 6 0. 0 2 1. 2 1. 3 2. 6 3. 9 3. 9	0. 63 0. 78 -0. 66 0. 48 0. 51	38 38 39 40 41 42 43 39 38 29 21 20 18 19 30 41	4. 73 4. 67 4. 27 3. 43 3. 05 2. 85 2. 68 2. 64 1. 85 1. 22 1. 24 1. 20 1. 27 2. 21 3. 31	w, w, w, wnw, nw. nw. nw. nw. nw. nw. wnw. w	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2 19. 1 17. 4 15. 7	1,800 2,700 3,800 4,500		
1:10	970. 8 970. 8 970. 6 970. 4	30. 3 30. 4 31. 3 31. 5	26 26 25 25 25	SW. SW.	8.0 8.0 7.2 7.2	2,533 2,750 3,000 3,250 3,560 3,755 4,000 4,208 3,772 3,775 4,000 3,772 3,750 3,250 3,250 3,250 3,250 3,250	759. 6 756. 6 774. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 693. 4 714. 0	10. 2 10. 0 8. 3 4. 4 2. 4 1. 1. 6 1. 8 0. 6 0. 2 1. 2 1. 2 3. 9 8. 3	0. 63 0. 78 -0. 66 0. 48 0. 51	38 38 39 40 41 42 43 39 21 20 18 19 30 41 41 41 41 42 43	4. 73 4. 27 4. 27 3. 82 3. 43 5. 05 2. 66 2. 66 1. 85 1. 22 1. 24 1. 20 1. 27 2. 21 3. 31 3. 31 3. 46 67	w. w. w. w. wnw. nw. nw. nw. nw. nw. nw.	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2 19. 1 17. 4 19. 2 19. 1 17. 4 18. 7 18. 7	1,800 2,700 3,800 4,500		
1:10. 1:31 1:32 1:54. 2:12.	970. 8 970. 8 970. 6 970. 4 970. 2	30. 3 30. 4 31. 3 31. 5	26 26 25 25 24 24	SW. SW. SW.	8.0 8.0 7.2 7.2	2,533 2,750 3,250 3,250 3,500 3,755 4,000 4,208 4,000 3,775 3,750 3,500 3,254 3,244	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 693. 4	10. 2 10. 0 8. 3 4. 4 2. 4 1. 1. 6 1. 8 0. 0 2 1. 2 1. 2 3. 9 3. 9 6. 0	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 88	38 38 39 40 41 42 43 39 38 29 21 20 18 19 30 41 41	4, 73 4, 27 3, 82 3, 43 5, 2, 85 2, 64 1, 85 1, 22 1, 24 1, 20 1, 27 3, 31 3, 31 3, 31 3, 31 5, 22 5, 22 7, 27 7,	W. W. W. W. W. W. W. W. NW. NW. NW. NW.	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 18. 2 19. 2 19. 1 15. 7 15. 7 15. 7 18. 3 10. 8 9. 4	1,800 2,700 3,800 4,500 2,600		
1:10 1:11 1:32 1:54 2:12	970. 8 970. 8 970. 6 970. 4 970. 2	30. 3 30. 4 31. 3 31. 5 31. 8	26 26 25 25 25 24 24 23	SW. SW. SW. SW. SW.	8.0 8.0 7.2 7.2 7.2 7.6 8.9	2,533 2,750 8,000 3,250 3,560 3,750 3,775 4,000 4,208 4,007 3,775 3,750 3,500 3,244 3,000 2,760 2,500 2,500 2,500	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 672. 1 714. 0 736. 1 750. 0 780. 7	10. 2 10. 0 8. 3 4. 4 2. 4 1. 1 1. 6 1. 3 2. 6 3. 9 6. 3 2. 9 5. 9 9. 5 9. 5 9. 5	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 88 0. 29	38 38 40 41 42 43 39 38 29 21 20 18 30 41 41 42 43 44 44 47 54	4, 73 4, 67 3, 82 3, 43 3, 05 2, 85 2, 64 1, 85 2, 64 1, 22 1, 24 1, 20 2, 21 3, 31 3, 31 3, 93 4, 67 5, 70 5, 86 8, 86	W, W	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 19. 2 19. 1 17. 4 15. 7 13. 3 10. 8 9. 4	1,800 2,700 3,800 4,500 2,000		
1:10. 1:11. 1:32. 1:54. 2:12.	970. 8 970. 8 970. 6 970. 4 970. 2 970. 0	30.3 30.4 31.3 31.5 31.8	26 25 25 24 24 24 23	SW. SW. SW. SW. SW.	8.0 8.0 7.2 7.2 7.2 7.6 8.9	2, 553 2, 750 3, 200 3, 250 3, 669 3, 775 4, 000 4, 208 4, 208 3, 775 3, 750 3, 500 3, 775 3, 250 3, 244 3, 000 2, 260 2, 260 2, 260 2, 260 2, 260 2, 200 2, 200	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 672. 1 744. 0 736. 1 749. 2 759. 0 780. 7	10. 2 10. 0 8. 3 6. 3 4. 4 1. 1 1. 6 0. 6 0. 2 1. 3 2. 6 3. 9 6. 0 8. 2 9. 5 9. 5 10. 5 10. 5 11. 6	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 58 0. 29 1. 08	38 38 40 41 42 43 38 29 38 21 20 19 30 14 41 44 47 54 54 52	4. 73 4. 67 3. 82 3. 05 2. 85 2. 68 2. 64 1. 22 1. 24 1. 27 2. 21 1. 27 2. 21 3. 31 3. 31 3. 93 6. 69 6. 69 6. 69 6. 7. 99	W, W, W, WDW, MDW, DW, DW, DW, DW, DW, DW, DW, DW, WDW, WDW, WDW, W, W, W, W, W, W, W, W, WSW,	11. 1 11. 0 12. 2 13. 5 16. 3 17. 2 18. 1 18. 1 18. 1 19. 1 15. 7 15. 7 15. 7 15. 7 18. 9 19. 4 9, 5 9, 8	1,800 2,700 3,800 4,500 2,600		
1:10. 1:32. 1:54. 2:12. 2:24.	970. 8 970. 8 970. 6 970. 4 970. 2 970. 0	30.3 30.4 31.3 31.5 31.8	26 26 25 25 25 24 24 24	SW. SW. SW. SW. SW. SW. WSW.	8.0 8.0 7.2 7.2 8.9 7.6 8.5	2, 553 2, 750 3, 200 3, 500 3, 500 3, 750 3, 775 4, 000 4, 208 4, 000 3, 775 3, 750 3, 244 3, 000 2, 750 2, 750 2, 606 2, 260 2, 260 2, 200 2, 200 2, 200 1, 746	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 672. 1 749. 2 759. 0 780. 7 780. 7 781. 6 829. 8 853. 2	10. 2 10. 0 8. 3 6. 3 4. 4 1. 1 1. 6 1. 8 0. 6 0. 2 1. 3 2. 6 3. 9 6. 3 9. 5 9. 5 9. 5 10. 5 10. 5 11.	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 88 0. 29 1. 03	38 38 40 41 42 43 39 38 29 21 20 30 41 41 42 43 44 47 54 54 54 54	4. 73 4. 67 3. 82 3. 05 2. 85 2. 64 2. 64 1. 22 1. 24 1. 27 2. 21 1. 27 2. 21 3. 31 3. 31 3. 31 5. 22 6. 86 6. 86	W. W	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 8 18. 0 18. 1 19. 2 19. 2 19. 2 19. 2 19. 2 19. 2 19. 2 19. 2 19. 2 19. 8 18. 9 19. 9	2,700 3,800 4,500 2,600		
2:42. 1:10. 1:11. 1:32. 1:54. 2:19. 2:24. 2:29.	970. 8 970. 8 970. 6 970. 4 970. 2 970. 0 970. 0 969. 8	30.3 30.4 31.3 31.5 31.8 31.8	26 25 25 24 24 23	SW. SW. SW. SW. SW. SW. SW. SW.	8.0 8.0 7.2 7.2 8.9 7.6 8.5	2,5533 2,750 3,250 3,250 3,550 3,755 4,000 3,669 3,775 4,000 3,775 4,208 4,000 3,750 3,250 3,244 3,250 3,244 3,260 2,750 2,260 2,260 2,260 2,260 2,174 1,500 1,1218	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 615. 4 632. 0 649. 4 714. 0 736. 1 749. 2 759. 0 780. 7 781. 3 804. 6 829. 8 833. 2 873. 8	10. 2 10. 0 8. 3 6. 3 4. 4 2. 4 1. 1. 6 1. 1. 6 1. 1. 6 1. 1. 6 1. 1. 2 1. 2 1. 2 1. 3 1. 9 1. 6 1. 2 1. 3 1. 9 1. 1. 6 1. 1. 6 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 88 0. 29 1. 03 0. 95	38 39 40 41 42 43 39 38 29 21 19 30 41 42 43 44 54 54 54 54 54 54 54 54 54	4. 67 4. 27 3. 43 3. 05 2. 68 2. 68 2. 64 1. 22 1. 22 1. 22 1. 3. 31 3. 93 5. 70 6. 86 6. 86 6. 86 6. 86 6. 97 9. 76 10. 37	W. W	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 19. 2 11. 7 15. 7 15. 7 15. 7 15. 7 15. 9 16. 9 16. 9 16. 9 16. 9 17. 9 18. 1 18. 0 18. 1 19. 2 19. 4 19. 4 19. 4 19. 6 19. 6	1,800 2,700 3,800 4,500 2,600 1,500		
1:10. 1:32. 1:54. 2:12. 2:24. 2:24.	970. 8 970. 8 970. 6 970. 4 970. 2 970. 0 970. 0 969. 8	30. 3 30. 4 31. 3 31. 5 31. 8 31. 8	26 26 25 25 25 24 24 23 24 23	SW. SW. SW. SW. SW. SW. SW. WSW.	8.0 8.0 7.2 7.2 7.6 8.5	2, 553 3, 750 3, 250 3, 550 3, 755 3, 775 4, 900 4, 900 3, 250 3, 250 3, 250 2, 750 2,	759. 6 756. 2 737. 0 714. 8 693. 0 672. 1 658. 2 651. 8 649. 4 632. 0 649. 4 651. 8 672. 1 692. 8 714. 0 736. 1 749. 2 759. 7 780. 7 781. 3 804. 6 829. 8 833. 2 833. 8	10. 2 10. 0 8. 3 6. 3 4. 4 1. 1. 6 1. 8 0. 6 0. 0 2. 1. 2 1. 3 3. 9 6. 0 8. 2 1. 2 1. 3 1. 6 1. 6 1. 6 1. 6 1. 6 1. 6 1. 6 1. 6	0. 63 0. 78 -0. 66 0. 48 0. 51 0. 88 0. 29 1. 03	38 39 40 41 42 43 39 38 29 21 20 41 41 42 43 44 47 54 54 51 43	4. 73 4. 67 4. 27 3. 82 3. 05 2. 68 2. 64 1. 22 1. 22 1. 27 3. 31 3. 93 4. 67 7. 96 6. 90 7. 99 9. 15 9. 15	W. W	11. 1 11. 0 12. 2 13. 5 14. 9 16. 3 17. 2 17. 8 18. 0 18. 1 19. 2 11. 7 15. 7 15. 7 15. 7 15. 7 15. 9 16. 9 16. 9 16. 9 16. 9 17. 9 18. 1 18. 0 18. 1 19. 2 19. 4 19. 4 19. 4 19. 6 19. 6	2,700 3,800 4,500 2,600		

SUPPLEMENT NO. 14.

TABLE 7.—Free-air date drom kite flights at Drexel Aerological Station, July, 1918—Continued.

Surface.								A							
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Wind.		Alti-		Tem-	Δt	Humidity.		Wind.		Floatel	Remarks.
				Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
P. M. 4:06	mb. 968.1	° C. 31.7	% 24	sw.	m. p. s. 8. 5	m, 396	mb, 968.1	° C. 31.7		% 24	mb. 11.22	sw.	m. p. s. 4.9	volts.	Cloudless,
						500 750	957.8 930.8	30. 4 27. 2		24 26	10.42 sw.	SW.	6.3		Cioudicas.
4:14	. 968.1	31.9	25	sw.	8.0	832 1,000	921.7 903.0	26.1 24.4	1.29	26 29	8.79 8.87	SW.	10.7 11.4		
4:33	967.9	32.1	24	sw.	7.6	1,198 1,250	883. 8 877. 5	22. 4 21. 9	1.01	32 33	8 67 8.67	SW.	12.2 12.2	0	
**********			******			1,500 1,750	852. 2 828. 0	19.5 17.1		37 41	8.39 8.00	sw. wsw.	12.0 11.8		
4:49	967.7	32.0	25	SW.	8.5	1,951 2,000	809.1 804.0	15. 2 14. 7	0.98	44 45	7.60	WSW.	11.6	980	
5:03		32.1	25	SW.	5.8	2,250 2,448	780.5 762.8	12.4 10.5	0.95	51 55	7.34	W. W.	13.1	1,500	
************		******				2,500 2,750	757.5 735.0	10.2		55 55	6.85	W. W.	14.2		
************		******				3,000	713.0 692.0	6.8		55 55	5. 43 4. 87	wnw.	15.0	2,200	
5:26	967.4	32.0	26	sw.	7.2	3,337	685.0 671.7	4.6	0.66	55 58	4.66	wnw.	16.2 16.4	2,800	
		*******	*******			3,750	651.5 631.6	1.2		62	4.46	wnw.	16.9		
5:44	967.3	32.0	26	sw.	7.6	4,037	628.3	-0.9 -1.2	0.78	66 67	3.74	DW.	18.4	3,400	Few Ci.St., and St.Cu. low on ny
******			******		*******	4,000 3,750	631.6 651.5	-0.9 0.9		67 67	3.80 4.37	nw. wnw.	18.5 18.5		horizon.
***************************************		******		*******		3,500	671.7 692.0	2.8 4.6		68 68	5. 08 5. 77	wnw.	18.5 18.5	2,200	
6:13	********	******				3,086	706.3 713.0	5.8 6.6	0.89	68 67	6.27	W.	18.5		
*************			*******			2,750 2,500	734.9 757.5	8.6 11.0		65 62	7. 26 8. 14	W. WSW.	16.8 15.6	1,320	
6:35	966.8	30.8	30	ssw.	6.7	2,250 2,101	780. 5 794. 7 804. 0 828. 0 852. 2 873. 9	13.3 14.6 15.5 17.9 20.2 22.2	0.93	60 58	9.16 9.64	WSW. WSW. WSW.	14.3 13.6 13.6 13.4 13.3 13.2		
	********				*******	2,000 1,750 1,500 1,284				56 50	9.86 10.26			700	
6:54	966.6	30.4	32	S.	4.9				0.95	44 39	10.42 10.44	SW.		0	
******						1,250	876.8 901.8	22.5 24.9		39 36	10.63 11.34	SW.	12.4 12.6		
7:10	966.5	29.3	34	S.	4.9	750 632	928.3 941.1	27.3 28.4	0.24	33	11.98 12.38	SSW.	12.0		
7:14	966.4	29.0	34		4.9	500 396	955.3 966.4	28.7 29.0		33	13.00 13.62	8.	7.9		2/10 Ci.St., nw.; few Cu., w.
P. M.							July	1, 1918,	series (No. 4).					
7:54	966.2	27.7	37	S.	6.7	396 500 751 1,000	955.0 27.3 928.1 26.3	27.7 27.3		37 35	13.74 12.70	SSW.	6.7 9.3 15.6 17.0		3/10 Ci.St., nw.; few Cu., w.
3:00		27.6	37	S.	6.3			26. 2 24. 7	0.42	30	10.21			0	
3:07	966.2	27.7	36	ssw.	6.7	1,094 1,250	892.6 875.4	24. 1 22. 6	0.61	30 32	9.01 8.78	SW.	17.6 16.4	260	
3:23	*********	27.1	36	SSW.	6.7	1,500	851.0 842.1	20. 2 19. 2	0.97	35 36	8. 29 8. 01	WSW.	14.5	380	4/10 Ci.St., nw.; 1/10 Cu., w.
	*******			******		1,750 2,000	827.3 803.6	17.9 15.8		38 40	7.79 7.18	WSW.	13.8	990	1/10 Cl.St., Hw., 1/10 Cd., w.
:43		26.7	30	CCUT	5.8	2,250 2,397	780.0 766.6	13.7 12.4	0.85	43 45	6.74	w.	14.3	1,010	
************			*******			2,500 2,750	756.8 734.2	11.4		48 58	6.47	w. w.	14.4	********	870 Ct St 180 Cu
*********	********	******				3,000 3,250	712.8 691.5	6.5	* * * * * * * * * *	63	6.10	wnw.	14.5	2,000 2,200	5/10 Ci.St., nw.; 1/10 Cu., w.
:24	966.3	26.2	39		5.8	3,425	676.7 691.5	2.4	0.96	70 75	5. 73	wnw.	14.7 14.8	2,200	5/10 Ci.St., nw; 1/10 St.Cu., wnw.
************			*******	*******		3,250	712.8	6.5		71 66	5. 81 6. 39	wnw.	14.4	1,900	
**************		00.0	*******			2,750	734. 2 756. 8	8.9		61 56	6.95 7.50	W. W.	13. 1 12. 5		ana at a.
		26.0		*******		2,408 2,250	765. 5 780. 0	12. 2 13. 5	0.85	54 51	7.67	W. W.	12.3 12.9	1,140	3/10 Ci.St., nw.; few St.Cu., wnw
	********	*******	*******			2,000 1,750	803.6 827.3	15.7 17.7		46	8. 21 8. 30	W. W.	13.7 14.6	********	
*******	000 7	25.7	39		8.0	1,550 1,500	847.0 851.0	19. 5 19. 9	0.88	37 37	8.39 8.60	w. w.	15.3 15.5	380	
10						1,250 1,000	875. 0 900. 0	24.3	********	35 33	9.31 10.03	w. wsw.	16.6 17.8	0	
210						750	927. 0 938. 4	26.6 27.4	-1.12	31 30	10. 80 10. 95 11. 56	WSW. WSW. SW. SSW.	18.9 19.3 11.2		
:10		25.0	38	8.	7.2	655				35					
):10					7. 2	655 500 396	955. 0 966. 5	25.7 24.5						********	2/10 Cl.St., nw.; few St.Cu., wnw
:10	966,5	25.0		8.		500	955. 0 966. 5	24.5	series (N	39				********	2/10 Cl.St., nw.; few St.Cu., wnw
P. M.	966, 5	25. 0 24. 5	39	8. 85W.	5.8	500 396	955. 0 966. 5 July 1,	24. 5	series (N	39 (o. 5).	12.00	SSW.	5.8		
:10:30:48:34 P. M.	966, 5 966, 5	25. 0 24. 5	39	8. 85W.	7.6	396 500	955. 0 966. 5 July 1, 966. 5 954. 6	24. 5 2, 1918, 23. 0 24. 4	series (N	39 No. 5).	12. 36 11. 62	SSW.	7. 6 14. 6		2/10 Cl.St., nw.; few St.Cu., wnw Few Cf.St., nw.
:30	966, 5 966, 5 966, 5	25. 0 24. 5 23. 0 22. 9	39	85W. 85W. 85W.	5.8	500 396	955. 0 966. 5 July 1,	24. 5 2, 1918, 23. 0 24. 4 26. 2 25. 6	series (N	39 No. 5).	12. 00	SSW.	7. 6		

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

	8	urface.						At	different	heights	above s	ea.			
			Rela-	Wi	nd.		, Mar	_		Humi	idity.	w	tnd.		Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	∆ t. 100 m.	Rel.	Vap.	Dir.	Vel.	Electric potential.	
A. M.	mb. 966, 5	° C. 22, 8	% 46	SSW.	m. p. s. 7. 2	m. 1,598	mb. 842, 1	° C. 20, 8	0, 56	% 31	mb, 7.62	wsw.	m. p. s. 11. 8	volta.	
2:26	966. 4	22, 4	44	ssw.	5. 4	1,750	827. 0 807. 9	19. 5 17. 7	0.88	31	7. 03 6. 28	WSW.	10.2	860 980	
						2,000 2,250	803. 2 780. 0	17. 2 14. 9		31	6. 11 5. 25	WSW. WSW.	8.0 7.2		
2:57	966. 2	21.8	46	sw.	5.8	2,477 2,250	759. 2 780. 0	12.7 14.8	0.94	31	4. 55 5. 05	WSW.	6.5	*******	
						2,000 1,750	803. 2 827. 0	17. 2 19. 6		29 29	5. 69 6. 61	WSW.	7.7 8.5	890	Cloudless.
:35	966. 2	20, 8	51	sw.	4. 0	1,556	845. 8 850. 9	21. 4	0, 37	28 28	7, 14	WSW.	9.0	920	
						1,250	874, 8 899, 7 926, 7	22. 5 23. 4 24. 4		29 30	7. 91 8. 63 9. 48	wsw.	13.8	********	
:48	966, 2	20, 6	50	sw.	4.0	750 634 500	940. 1 954. 6	24. 8 22. 2	-1.85	31 32 44	10. 02 11. 78	sw. sw.	21. 6 23. 4 13. 8	0	
:09	966. 2	20, 4	51	ssw.	6.3	396	966. 2	20. 4		51	12, 22	83W.	6.3	*******	Cloudless.
							July 2	, 1918, s	eries (No	0. 6).					- 11
A. M.	000 0	20.0			6.7	900	000 0	20.0		63	10.16		1 07		INO CU Co
01	966, 2	20.0	52	25W.	6.7	396 500 692	966, 2 955, 0 933, 8	20.0 21.7	_1.66	52 47 37	12, 16 12, 20 11, 66	SSW.	6.7 13.0 24.7	0	1/10 Ci.St., nw.
:10	966, 2	19.6	54	SSW.	6.3	750 1,000	933, 8 928, 3 901, 0	24, 9 24, 8 24, 2	-1.66	37 37 36	11. 58 10. 87	SSW. SSW.	24, 7 23, 9 20, 6	0	
23	966. 2	19.8	53	sw.	7.2	1,250 1,353	875. 2 865. 9	23. 7 23. 5	0. 21	34 34	9. 97 9. 85	WSW.	16.9	1,040	
:51		19.3	55	sw.	7.6	1,500 1,628	850, 7 838, 9	22. 7 22. 0	0, 55	35 35	9, 66 9, 25	WsW. WsW.	12.9		2/10 Ci.St., nw.
						1,750 2,000	826, 8 803, 3	20, 9 18, 7		35 36	8. 65 7. 77	WSW.	10.4	780 760	2/10 Cl.St., nw.; few St.Cu., w. w
:02	966. 2	18.9	57	sw.	6.3	2, 241 2, 250	781. 0 780. 2	16, 5 16, 4	0,90	37	6, 94	wsw.	9, 4	1,100	
						2,500 2,750	757. 7 735. 3	14.1		40 42	6, 44 5, 81	WSW.	10, 2	********	
:29,	966, 2	19.0		sw.	6.3	2,983 2,750 2,500	714. 9 735. 3 757. 7	9. 6 11. 9 14. 3	0.95	45 44 42	5, 38 6, 13 6, 85	WSW. WSW.	11.8 13.2 14.7	2,000	3/10 Cl.St., nw.; fow St.Cu., wnw.
*********	*******	******	*******	*******	*******	2,250 2,000	780. 2 803. 3	16.7 19.1	******	40 39	7.60	WSW.	16.2 17.7		on our of the state of the stat
:0000:	966, 2	19. 6	58	sw.	5. 4	1,891 1,750	813.3 826, 8	20. 2	0. 51	38 42	9,00	WSW.	18.4	950	
24	966. 3	20. 3	55	sw.	6.3	1,500 1,301	850, 7 870, 8	22, 2 23, 2	0.94	49 54	13. 12 15. 36	SW.	19. 8 20. 5	380	Few Cl.St., nw.
:31	966. 4	20, 6	54	sw.	6.7	1,250 1,056	875, 2 895, 6	23. 7 25. 5	-1.54	52 46	15. 24 15. 01	sw.	21.1		- W
						1,000 750	901. 0 928. 3	24. 6 20. 8	0.00	47 49	14, 54	sw.	23. 4		
:47	966, 4	21. 3	52	sw.	4, 9 5, 8	500 396	933, 8 955, 0 966, 5	19. 9 21. 2 21. 9	0.68	50 51 51	11. 62 12. 84 13. 40	SW. SW.	23, 8 12, 1 5, 8	0	Few Cl.St., ow.
3:55	966, 5	21.0	51	sw.	0.0	300			• • • • • • • • • • • • • • • • • • • •		10, 20		0.0		2011 (21.05), 41.41
			1			1	July 2	, 1918, s	eries (No). 7).					
7:42 M.	966.8	23.3	48	wsw.	7.6	396	966.8	23.3		48	13.73				
7:52	966.8	23.7	47	wsw.	6.7	500 752	955.2 927.9	20.5	0.79	48 48	13.08 11.58	WSW.	16.4		
8:00	966.9	24.2	45	wsw.	8.9	1,000 1,085 1,250	901.7 893.2 876.0	24.0	-1.23	50 51 48	14.56 15.78 13.98	W. W.	17. 2 16. 8	0	
* * * * * * * * * * * * * * * * * * *		*******		*******	*******	1,500 1,750	870.0 851.2 827.1	22.0		43	11.37 9.17	W. WSW. WSW.	16.1	760	Few Ci., nw.
3:19	966.7	25.1	6 1		7.2	1,864 2,000	816.6 803.7	18.8	0.02	36 36	8.32 7.81	wsw.	15.2 14.2		- Salani
						2,250 2,500	780.4 757.8	16.9 15.0		35 35	7.61 5.97	W. W.	12.2 10.3	1,040 1,240	
9:01		26.8	41	wsw.	8.0	2,750 2,761 3,000	735.7 734.6	13.1	0.76	34 34	5.13 5.09	wnw.	8.3	1,600	
*************						3,250	714.1 693.0	8.5		35 37	4.53	wnw.	7.8	2,000	Few Cl.St., nw.
	965.8	28.3	40	w.	9.8	3,500 3,584	672.1 665.4	6.2 5.4	0.92	38	3.60 3.50 3.70	wnw.	7.5		*
9:30		99 8	40		8 0	3,500 3,250 3,111	672.1 693.0 704.6	8.4	0.94	39 38 38	3.70 4.19 4.57	wnw. wnw. wnw.	7.9 9.1 9.7	1,500	-
9:30			40	W.	8.9	3,000	714.1	10.7	0.94	37 35	4.76 5.28	wnw.	9.9	1,470	
9:30	965.7	28.6	******	*******		2, 7,50	1 6-3-3-4	t work in							
9:45	965. 7		39	w.	8.9	2,750 2,500 2,417	735.7 757.8 765.0	15.4	0.62	34	5. 95 6. 08	W. W.	11.0		
9:45 0:13	965. 7	29.5	39	w.	8.9	2,500 2,417 2,250 2,000	757.8 765.0 780.4 803.7	16.2 17.2 18.8	0.62	33 38 45	6.08 7.46 9.76	W. W. W.	11. 2 12. 1 13. 4	1,350	
9:45 0:13	965. 4 965. 4	29.5				2,500 2,417 2,250 2,000 1,824 1,750	757.8 765.0 780.4 803.7 820.2 827.1	16.2 17.2 18.8 19.9 20.5	0,62	33 38 45 50 49	6.08 7.46 9.76 11.62 11.82	W. W. W. W.	11.2 12.1 13.4 14.4 14.2	1,350	
9:30 9:45 0:13 0:25	965. 7 965. 4 965. 4	29.5	39	w.	6.7	2,500 2,417 2,250 2,000 1,824 1,750 1,500 1,316	757.8 765.0 780.4 903.7 820.2 827.1 851.2 869.5	16.2 17.2 18.8 19.9 20.5 22.5 23.9	0.62	33 38 45 50 49 44 40	6.08 7.46 9.76 11.62 11.82 11.99 11.86	W. W. W. W. W. W. W.	11.2 12.1 13.4 14.4 14.2 13.3 12.7	1, 350	
9:45 9:45 0:13 0:25	965. 4 965. 4 965. 4	29.5	39	w.	6.7	2,500 2,417 2,250 2,000 1,824 1,750 1,500 1,316 1,250	757.8 765.0 780.4 803.7 820.2 827.1 851.2 869.5 876.0 891.9	16.2 17.2 18.8 19.9 20.5 22.5 23.9 23.6 22.8	0.62 0.79 -0.50	33 38 45 50 49 44 40 43 50	6.08 7.46 9.76 11.62 11.82 11.99 11.96 12.53 13.86	W. W. W. W. W. W. W. W. W.	11.2 12.1 13.4 14.4 14.2 13.3 12.7 12.6	1, 350 890	
0:25	965. 4 965. 4 965. 4 965. 3 965. 3	29.5 30.1	39	w.	6.7	2,500 2,417 2,250 2,000 1,824 1,750 1,500 1,316 1,250	757.8 765.0 780.4 803.7 820.2 827.1 851.2 869.5 876.0 891.9 901.0 926.6	16.2 17.2 18.8 19.9 20.5 22.5 23.9 23.6 22.8 - 23.6 25.8	0. 79 -0. 50 0. 90	33 38 45 50 49 44 40 43	6.08 7.46 9.76 11.62 11.82 11.99 11.96 12.53	W. W. W. W. W. W. W. W. W.	11. 2 12. 1 13. 4 14. 4 14. 2 13. 3 12. 7 12. 6 11. 4 8. 7	1, 350 890	

TABLE 7 .- Free-air data from kite flights at Drexel Aerological Station, July, 1918-Continued.

						16			series (No						
	S	urface.						A	t different	heights	above	30a.			
Time.	Pressure.	Tem- pera-	Rela-	w	ind.	Alti-	Processor	Tem-	Δt	Hum	idity.	w	ind.	Electric	Remarks,
2 311103	A residate.	ture.	humid- ity.	Dir.	Vel-	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
A. M. 2:18	mb. 964.7	° C. 33. 4	% 34	w.	m. p. s. 5. 8	m. 396 500	mb. 964.7 953.6	° C. 33.4		% 34	mb. 17.50		m. p. s. 5. 8		Few Cl.St., nw.
2:29	964.7	33.5	33	wsw.	5.8	750 767	927.4 925.5	31.8 28.1 27.8	1.51	39 39	16.46 14.83 14.57		7.0 10.0 10.2		
1:31	964.1	35.2	28	w.	5.4	1,000 1,250 1,408	901.0 876.4 860.2	26. 2 24. 4 23. 3	0.70	41 44 45	13.95 13.45 12.87	WSW. WSW.	9.8 9.3 9.0	**********	
	*******	*******	*******			1,500 1,750 2,000	852.0 827.9 803.8	22. 4 20. 1 17. 7		48 56 63	13.00 13.18 12.76	WSW,	8.9 8.8 8.7	0	2/10 Ci.St., wnw.; few Cu., w.
3:02				wsw.	6.7	2,250 2,379 2,500	780.0 768.3	15.3 14.2	0.94	71 75	12.34 12.14	W.	8.6		
	********	*******				2,750 3,000	757.0 734.6 712.9	13.3 11.5 9.6		72 67 61	10.99 9.09 7.29	W. WDW.	8.9 9.8 10.7	********	
:34	963, 6	35.8			7.2	3,250 3,355 3,250	691.7 683.3 691.7	7.8 7.0 7.5	0.59	55 58 59	5, 82 5, 31 6, 12	wnw. wnw. wnw.	11.9		3/10 Ci.St., wnw.; 2/10 Cu., w.
:43	963.6	35.7	28	SW.	6.7	3,000 2,810 2,750	712.9 729.8 734.6	8.6 9.4 10.1		64 86 84	7.15 10.14 10.38	W.			
:50	963.6	35.4	29	SW.	6.7	2,500 2,315 2,250	757.0 774.1 780.0	13.0 15.0 15.6	0.98	73 66 64	10.94 11.25 11.34	W.	11.4 12.0	560	
************		*******		******		2,000 1,750 1,500	803. 8 827. 9 852. 0	18. 1 20. 5 22. 9		58 52	12, 05 12, 54	WSW. WSW,	11.0	0	000 Cl Cl
:15	963.4	36.2	28	wsw.	5.8	1,433 1,250	857.7 876.4	23.6 25.6	1.10	46 44 41	12.85 12.82 13.46	SW. SW.			3/10 Ci.St., wnw.; 3/10 Cu , w
***************	**********	*******	*******		*******	1,000 750 500	901.0 927.4 951.7	28.4 31.1 33.9		37 33 30	14. 32 14. 92 15. 88	SW. WSW. WSW.	9.1 7.6 6.0	*******	
:45	963. 2	35.0	28	wsw.	5.4	396	93.26	35.0		28	15.75	wsw.	5.4		Few Cl.St., wnw.; 3/10 Cu., w.
								July 3,	1918.			1			***************************************
A. M. 15	964.5	23.5	72	ssw.	6.7	396 500	964.5 953.0	23. 5 23. 3		72	20.85 20.60	SSW.	6.7		2/10 Ci., nw.
59	964.5 964.5	23.6	74	SS W.	5.4	722 750 1,004	929. 1 926. 2 899. 6	22. 8 23. 0 25. 3	0.21	72 71 70	19.71 19.67	SSW.	10.3 18.0 18.1	**********	
************				******		1,250 1,500	874. 8 850. 0	24.5 23.7	*******	57 46 34	18.39 14.14 9.97	SSW. SSW.	19. 2 19. 6 19. 9	260	
39		24.3		SW.	7.6	1,750 2,000 2,016	825. 8 802. 0 801. 1	22. 9 22. 1 22. 0	0.33	10 10	6. 14 2. 66 2. 64	SSW. SSW.	20.3 20.7 20.7	1,040	
**************					*******	2, 250 2, 500 2, 750	779. 8 758. 0 735. 8	20.1 18.0 15.9		10 11 11	2.35 2.27 1.99	SSW. SSW.	20. 6 20. 4 20. 3	1,400	
:01	964.5	24.7	*******	SSW.	8.5	2,767 3,000 3,015	733.9 713.8 713.0	15.8 14.0 13.9	0.83	11	1.97 1.76 1.75	SSW. SSW.	20.3 32.5	1,800 2,500	1/10 Ci., nw.
**************					*******	3,000 2,750 2,500	713. 8 735. 8 758. 0	14.0 16.3		11	1.76 2.04	SSW.	32.8 24.5	*********	
53		26.6	61	ssw.	9.8	2,465 2,250	760. 7 779. 8	18.5 18.8 20.4	0.72	10 10 9	2.13 2.17 2.16	\$\$W. \$\$W. \$\$W.	16.3 15.1 17.1		
:13	964.5	27.0	59	sw.	13 0	2,000 1,750 1,705	802. 0 825. 8 830. 3	24. 0 24. 3	-0.34	8 6 6	2.14 1.79 1.82	SSW. SSW. SSW.	21.7 22.1	1,040	
36	964.5	28.1	54	sw.	11.6	1,500 1,317 1,250	850, 0 868, 4 874, 8	23. 6 23. 0 23. 4	0.62	30 52 52	8.74 14.61 14.97	SW. SW.	21. 1 20. 2 22. 4	670	2/10 Cl., nw.; few A.Cu., sw.
51	964.5 964.5	28.4	******	SSW.	10.7	1,157 1,000 935	884.5 899.8 907.2	24. 0 23. 3 23. 0	-0.45 0.88	53 55 56	15. 82 15. 74 15. 74	SW. SSW.	25.4 21.7	0	
:58	964.5	28.8		SSW.	10.7	788 750 500	922. 6 926. 2 953. 0	24.3 24.8	1.20	62 61 55	18.84 19.10 20.55	SSW. SSW. SSW.	15. 8 15. 6		
:05	964.5	29.0	52	SSW.	13.4	396	964.5			52	20.84	SSW.	90 4	********	4/10 Ci.St., nw.
								July 4,	1918.						
48	967.9	25.8	64	SSW.	8.0	396	967.9	25.8		64	21.27	SSW.	8.0		8/10 A.St., w.; 2/10 St.Cu., sw.
58	967.9	26.3		SSW.	8.9	500 740 750	955. 8 930. 8 929. 0		0.96	66 72 72	20. 66 19. 63 19. 50	88W. 88W.	9.4	0	open many was april 56.001., sw.
15	968.0	27.6	58	ssw.	15. 2	1,000 1,250 1,272	902. 6 877. 3 875. 5	20. 7 19. 1 18. 9		76 80	18.56 17.69	SSW. SW.	13.8		1/10 Cl. mr. 0/10 A Cr.
						1,500	852.1	17.2	0.68	80	16.68	sw.	18.0	1,300	1/10 Ci., w.; 2/10 A.Cu., sw.; 6/ St.Cu., sw.
28	968.0	27.7	58	sw.	13.4	1,750 1,817 2,000	827.3 821.5 803.0	15.4 14.9 14.6	0.73	91 93. 82	15. 92 15. 75 13. 63	WSW. WSW. WSW.	22.3 23.4 23.1	1,700	
:44	968.1	27.6		sw.	14.3	2, 250 2, 295	779. 9 776. 2	14.3 14.2	0.15	70 68	11.41 11.01	sw. sw.	22.7 22.6		Altitude of St.Cu. base abou

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 4, 1918—Continued.

									1	-					
			Ba.	above se	heights	different	At						urface.	8	
Remarks.	Electric	nd.	Wi	dity.	Humi		Tem-		Alti-	nd.	Wi	Rela-	Tem-	-	
	potential.	Vel.	Dir.	Vap. pres.	Rel.	∆ t. 100 m.	pera- ture.	Pressure.	tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
	volts.	m. p. s. 22.1	sw.	mb. 10.56	% 71	******	° C.	mb. 757.6	m. 2,500	m. p. s.		%	° C.	mb,	А. М.
	3,200	21.5	SW.	10.11	75 79	*******	11.4	735.3 713.3	2,750 3,000						
	4,200	20.3 19.8	SW.	9.09 8.69	83 88	*******	8.3	690.8 668.7	3,250		*******	4		*******	
9/10 St.Cu., sw.; 1/10 St., sw. Sprinkling rain from 10:22 to 1		19.4 19.4	SW. SW.	8. 36 8. 76 9. 40	90 88 83	0.66	5.9 6.9	660.3 668.7 690.8	3, 645 3, 500 3, 250	15. 6	sw.	56	28.1		0:08
a. m.	*********	19.5 19.5	sw. sw.	9.97 10.66	78 74	0.14	10.6 12.4	713.3 735.4	3,000 2,748	16.1	wsw.	56	28.1	968.4	0:30
		16.8	sw. wsw.	12.12 13.42	82 89			757.6 779.9	2,500 2,250 2,041	17 0	*******		97.0		
Altitude of St.Cu. base at 1,950 m.	********	11.9 12.1	WSW. WSW.	14.76 14.70	96 95	0.33	13.4	799.9 803.0	2,000	17.0	wsw.	57	27.9	968.5):44
1,000 ш.	1,200	13.5 13.7	wsw.	14.10 14.03	86 85	0.76	14.4 14.5	827.3 832.5	1,750 1,704	13.0	WSW.	57	27.9	968.6	0:57
	********	12.5	W. W.	15. 37 16. 92	84 82	*******	16.1 18.0	852.1 877.3	1,500 1,250	10.0					
	0	9.6	wnw.	18.70	80 78	*******	20.0	903. 0 930. 3	1,000			******		********	
	*******	8.1	nw.	20.62	78	1.23	22.0	933.4	750 722	4.9	nw.	72	25.8	968.8	1:15
10/10 St.Cu., sw.		5.4 4.0	nw. nw.	22. 72 23. 53	73 70	*******		957. 2 969. 0	500 396	4.0	nw.	70	26.0	969.0	1:21
						1918.	July 5,								
Claudlage				10.12				000				-	ON .		P. M.
Cloudless.	*********	5.4 5.8	se.	19.43 18.46	52 53		26.7	973.2 962.0	396 500	5.4	S0.	52	27.8	973.2	4:41
Few Cl.	0	6.7	SO. SO.	17.02 16.91	56 57	1.09	24.3 23.9	938.3 934.6	716 750	3.6	S0.		28.2		5:30
	0	7.3 6.2	se.	15.70 17.17	62	1.08	21.3	911.4 933.6	969 750	4.5	S0.	51	28.1		5:52
	*********	5.3 4.5	se.	18. 27 19. 38	58 58	1.22	24.9 25.9	952.6 960.2	584 500	7.6	se.	50	28.1	973.0	5:57
Cloudless.	*********	3.6	se.	20.57	57	*******	27.2	972.9	396	3.6	Se.	57	27.2	972.9	6:22
						1918.	July 6,								
1/10 Ci St. wnw · 2/10 A Cu w		2.6	00	92.49	02			070.4	200	2.6	20	02	91.9	070.4	A. M.
1/10 Ci.St., wnw.; 3/10 A.Cu.,w		3.6	se.	23. 42 22. 54	93	1918.	21. 2 21. 3	970. 4 958. 2	396 500	3.6	se.	93	21.2	970.4	
	0	7.6 9.0 10.1	se. sse.	22, 54 18, 58 17, 65	89 72 68	-0.14	21. 2 21. 3 21. 6 21. 7	958. 2 931. 5 930. 0	500 750 765	3.6	se.		21.2	970. 4 970. 4	
1/10 Cl.St., wnw.; 3/10 A.Cu., w	0 680	7.6 9.0 10.1 9.8 9.5	Se. SSe. SSe. SSe.	22, 54 18, 58 17, 65 16, 07 14, 59	89 72 68 65 62		21. 2 21. 3 21. 6 21. 7 20. 9 20. 1	958. 2 931. 5 930. 0 904. 0 877. 8	500 750 765 1,000 1,250	*******					:40
	0 680 1,100 1,600	7.6 9.0 10.1 9.8 9.5 9.2 9.0	Se. SSe. SSe. S. S.	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08	89 72 68 65 62 58 56	-0.14 0.33	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7	958. 2 931. 5 930. 0 904. 0 877. 8 853. 0 836. 4	500 750 765 1,000 1,250 1,500 1,676	*******		93			
	0 680	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1	Se. SSe. SSe. SSe. S.	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 08 12, 05 12, 16	89 72 68 65 62 58 56 58	-0.14	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3	958, 2 931, 5 930, 0 904, 0 877, 8 853, 0 836, 4 828, 6 804, 4	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000	3.1	se.	93	21.0	970.4	50
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1,100 1,600 1,300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 9.4 9.7	Se. SSe. SSe. S. S.	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08 12. 05	89 72 68 65 62 58 56 58 66 72 79	-0.14 	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 12. 6	958, 2 931, 5 930, 0 904, 0 877, 8 853, 0 836, 4 828, 6 804, 4 781, 5 761, 1	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000 2,250 2,478	3.1	se.	93	21.0	970. 4	39
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1,100 1,600 1,300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 9.4 9.7 10.0 10.1 11.4	Se. SSe. SSe. S. S. S. S. S. S.	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 08 12, 05 12, 16 11, 74 11, 53 11, 23 8, 88	89 72 68 65 62 58 56 58 66 72	-0.14	21. 2 21. 3 21. 6 21. 7 20. 9 19. 3 18. 7 18. 1 16. 3 12. 6 12. 4	958. 2 931. 5 930. 0 904. 0 877. 8 853. 0 836. 4 828. 6 801. 4 781. 5	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000	3.1	se.	93	21.0	970. 4	:40 :50 :39
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1,100 1,600 1,300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 19.4 9.7 10.0 10.1 11.4 12.8 13.3	Se. SSe. SSe. S. S. S. S. S. S. S. S. S. SSW. SSW	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08 12. 05 12. 16 11. 74 11. 53 11. 23 8. 88 6. 73 5. 98	89 72 68 65 62 58 56 58 66 72 79 78 69 59	0.33	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 12. 6 10. 7 8. 9	958. 2 931. 5 930. 0 904. 0 877. 8 853. 0 836. 4 828. 6 804. 4 781. 5 761. 1 758. 9 736. 4 714. 8	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000 2,250 2,478 2,500 2,750 3,000 3,104	3.1	se.	93 86 76	21.0	970. 4 969. 6	:40
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1,100 1,600 1,300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 9.4 9.7 10.0 10.1 11.4 12.8 13.3 12.6	Se. SSe. SSe. S. S. S. S. S. S. SSW. SSW	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08 12. 16 11. 74 11. 53 8. 88 6. 73 5. 98 6. 75 9. 27	89 72 68 65 62 58 56 72 79 78 69 59 56 60 73	0.33 0.76	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 7 16. 2 14. 3 12. 4 10. 7 8. 9 8. 2 8. 2	958, 2 931. 5 930. 0 904. 0 875. 8 875. 0 836. 4 828. 6 804. 4 781. 5 761. 1 758. 9 736. 4 714. 8 714. 8 714. 8	500 750 750 1,000 1,250 1,500 1,750 2,000 2,250 2,478 2,750 3,000 3,104 3,000 2,750	3. 1 5. 4 6. 3	se.	93 86 76	22.8	969. 1 969. 1	:40
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1, 100 1, 600 1, 300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 9.4 9.7 10.0 11.4 12.8 13.3 12.5	Se. SSe. SSe. S.	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08 12. 05 12. 16 11. 74 11. 53 11. 23 8. 88 6. 73 5. 98 6. 75	89 72 68 65 58 56 72 78 69 59 55 60 73 84	0.33 0.76	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 14. 3 12. 6 12. 4 10. 7 8. 2 8. 2 8. 2 11. 8	958. 2 931. 5 930. 0 904. 0 877. 8 853. 0 836. 4 828. 6 801. 4 781. 5 761. 1 758. 9 736. 4 714. 8 705. 8	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000 2,250 2,500 2,750 3,000 3,104 3,000 2,754	3.1 5.4 6.3 7.2	Se. Se. Se. Se.	93 86 76 75	21. 0 22. 8 24. 3 24. 4	969. 6 969. 1 969. 1	:40
4/10 Cl.St., wnw.; 3/10 A.Cu., v	0 680 1, 100 1, 600 1, 300 1, 300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 19.4 9.7 10.0 10.1 11.4 12.8 13.3 12.5 10.0 9.0 9.0 9.0 9.0 10.1	Se. 550. 550. 550. 550. 550. 550. 550. 55	22, 54 18, 58 17, 65; 16, 07 14, 59 12, 99 12, 08 12, 05 12, 16 11, 74 11, 53 11, 23 5, 98 6, 73 5, 98 11, 72 11, 63 11, 74 12, 75 11, 63 11, 72 12, 07	89 72 68 65 56 56 58 66 72 79 78 69 59 55 60 73 84 83 75	0.33 0.76 0.67	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 10. 7 8. 9 8. 2 8. 2 11. 8 11. 8 11. 8	958, 2 931, 5 930, 0 904, 0 877, 8 853, 0 836, 4 828, 6 801, 4 781, 5 761, 1 758, 9 714, 8 705, 8 714, 8 736, 4 755, 2 781, 5	500 750 765 1,000 1,500 1,676 1,676 1,750 2,000 2,250 2,478 2,500 3,104 3,000 3,104 3,000 2,750 2,541 2,541 2,551	3.1 5.4 6.3 7.2	Se.	93 86 76	21. 0 22. 8 24. 3 24. 4 25. 1	969. 6 969. 1 969. 1 969. 1	:40
4/10 Cl.St., wnw.; 3/10 A.Cu., v	1,800 1,170	7. 6 9. 0 10. 1 9. 8 9. 2 9. 0 9. 1 1 9. 4 9. 7 10. 0 10. 1 11. 4 12. 8 9. 0 9. 0 8. 8 12. 5 9. 0 9. 0 10. 1 11. 4 12. 8 9. 0 9. 0 9. 0 9. 0 10. 1 10. 1 10. 6 10.	Se. 550. 550. 550. 550. 550. 550. 550. 55	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 08 12, 16 11, 73 11, 23 8, 88 8, 88 6, 73 6, 73 6, 73 11, 63 11, 73 11, 23 11, 23 27 11, 63 11, 72 12, 07 12, 36	89 72 68 65 56 58 66 72 79 78 69 59 55 60 73 84 83 75 68	0.33 0.76 0.67	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 14. 3 12. 6 10. 7 8. 2 8. 2 8. 2 11. 8 11. 8 11. 1 11. 8 11. 1 11. 8	958, 2 931, 5 930, 0 901, 0 877, 8 853, 0 836, 4 781, 5 761, 1 758, 9 736, 4 714, 8 755, 2 758, 9 781, 5 804, 4	500 750 765 1,000 1,250 1,500 1,676 2,000 2,250 2,478 2,500 3,104 3,000 3,104 3,000 2,254 2,554 2,554 2,500 2,250 2,500 2,250 2,750 2,500 2,250 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750	3.1 5.4 6.3 7.2	Se. Se. Se.	93 86 76 75	21. 0 22. 8 24. 3 24. 4 25. 1	970. 4 969. 6 969. 1 969. 1	:40
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v	1, 100 1, 500 1, 300 1, 300 1, 300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 10.1 11.4 12.8 13.3 12.5 10.6 8.8 8.6 8.4 8.2	Se. SSO. SSO. SSW. SSW. SSW. SSW. SSW. SSW	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 08 12. 16 11. 74 11. 53 11. 23 8. 88 8. 87 5. 98 27 11. 63 11. 72 12. 07 12. 36 12. 31 12. 32	89 72 68 65 58 56 56 72 78 59 50 73 84 83 75 60 53	0.33 0.76 0.67	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 11. 6 12. 6 11. 7 8. 9 8. 7 10. 7 8. 9 11. 8 11. 8 11. 8 11. 9 11. 9 11. 9 11. 9	958. 2 931. 5 901. 0 901. 0 877. 8 853. 0 828. 6 801. 4 781. 5 761. 1 758. 9 736. 4 711. 8 705. 8 711. 8 736. 4 755. 2 788. 5 801. 4 828. 6	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000 2,250 3,000 3,104 3,750 3,104 3,750 2,541 2,500 2,254 1,750 1,750 1,750 1,750 1,750 1,750	3.1 5.4 6.3 7.2 5.4	se. se. se. se. se. se. se.	93 86 76 75 70	21.0 22.8 24.3 24.4 25.1	969. 6 969. 1 969. 1	:40
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v	1,100 1,300 1,300 1,300 1,300	7.6 9.0 10.1 9.8 9.5 9.2 9.0 9.1 10.1 11.4 13.3 12.5 6 9.0 9.0 8.8 8.4 8.2 8.7 9.3	S0. SS0. SS0. SS0. S. S. S. S. S. SSW. SSW	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 10, 12 12, 16 11, 74 11, 53 18, 89 6, 75 6, 73 6, 78 6, 73 11, 63 11, 12, 13 11, 12, 13 11, 12, 14 11, 15 11, 14 11, 15 11,	89 728 65 58 56 58 56 72 78 59 59 59 59 50 73 83 75 60 52 55 60 55 55 56 56 56 56 56 56 56 56 56 56 56	0.33 0.76 0.67 0.77	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 12. 6 12. 4 10. 5 11. 8 8. 7 10. 5 11. 8 11. 1 11. 1 1 1 1	958. 2 931. 5 930. 0 901. 0 877. 8 853. 0 828. 6 801. 4 781. 5 761. 1 758. 9 736. 4 714. 8 705. 2 755. 2 781. 5 801. 4	500 750 765 1,000 1,250 1,500 1,676 1,676 1,676 1,750 2,000 2,250 2,478 2,500 2,750 3,000 2,750 2,500 2,750 1,750 1,750 1,481 1,250 1,000	3.1 5.4 6.3 7.2 5.4	\$e. \$e. \$e. \$se. \$se. \$se.	93 86 76 75 70	21.0 22.8 24.3 24.4 25.1	969. 6 969. 1 969. 1	:40
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m.	1,800 1,100 1,300 1,300 1,300	9.0 9.0 10.1 9.8 9.5 9.2 9.0 9.1 10.1 11.4 12.8 13.3 12.5 9.0 9.0 8.8 8.6 8.2 8.2	Se. SSe. SSe. SSe. S. S. S. SSW. SSW. SS	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 10, 11 12, 10, 12 11, 74 11, 23 8, 89 6, 75 6, 75 9, 27 11, 63 11, 72 12, 36 12, 31 11, 72 12, 36 12, 31 14, 69 15, 13, 88	89 72 68 65 58 56 58 66 79 78 69 59 59 60 73 84 83 55 68 65 53 55 55	0.33 0.76 0.67 0.77	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 18. 7 18. 1 16. 2 11. 4 10. 7 10. 5 11. 8 12. 6 11. 8 11. 8 11. 8 11. 8 11. 8 11. 1 16. 0 17. 9 19. 9 20. 6 21. 1 20. 9 20. 6 20. 6 20. 6 20. 7 20. 9 20. 6 20. 7 20. 9 20. 6 20. 7 20. 9 20. 6 20. 7 20. 9 20. 6 20. 6	958, 2 931, 5 930, 0 901, 0 877, 8 853, 0 828, 6 801, 4 781, 5 761, 1 758, 9 736, 4 755, 2 781, 5 801, 4 828, 6 834, 9 84, 9 854, 9 854, 9 854, 9 902, 9 910, 8 928, 7	7500 765 7765 1, 2500 1, 2500 1, 500 1, 676 1, 676 1, 750 2, 000 2, 250 2, 478 2, 500 3, 104 3, 104 3, 104 3, 104 2, 540 2, 550 2, 250 2, 250 2, 250 2, 250 2, 250 2, 100 1, 500 1, 500 1, 500 1, 750 1, 100 1, 100	3.1 5.4 6.3 7.2 5.4	se. se. se. se. se. se. se.	93 86 76 75 70 74	21.0 22.8 24.3 24.4 25.1 24.1 24.0 24.0 24.0	969. 6 969. 1 969. 1 969. 1	::40 ::50 ::39 ::22 ::27 ::41 ::03
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v	1,100 1,000 1,300 1,300 1,300	7.6 9.0 10.1 9.8 9.2 9.0 9.1 10.1 11.4 12.5 9.0 9.0 8.8 8.6 8.2 8.2 8.2 8.7 9.5 8.5	Se. SSe. SSe. S. S. S. SSW. SSW. SSW. SS	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 08 12, 16 11, 74 11, 53 11, 23 11, 23 11, 23 11, 23 11, 23 11, 23 11, 23 11, 23 11, 23 11, 24 12, 36 12, 36 13, 35 14, 69 15, 13 18, 82 19, 06	89 728 652 586 586 586 672 778 69 555 60 583 758 60 552 558 60 60 60 60 60 60 60 60 60 60 60 60 60	-0.14 0.33 0.76 0.67 0.77 -0.27	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 10. 7 8. 9 8. 2 8. 7 10. 5 11. 8 11. 1 16. 0 17. 9 20. 0 20.	958, 2 931, 5 930, 0 901, 0 877, 8 853, 0 836, 4 828, 6 801, 4 781, 5 761, 1 758, 9 736, 4 714, 8 755, 2 758, 9 781, 5 804, 4 828, 6 854, 9 871, 4 902, 9 910, 8	500 785 1,000 1,250 1,500 1,676 1,750 2,250 2,478 2,500 2,750 3,000 2,541 2,500 1,750 1,25	5. 4 6. 3 7. 2 5. 4 5. 4	Se. Se. Se. Se. Sse. Sse. Sse. Sse. Sse.	93 86 76 75 70 74	21. 0 22. 8 24. 3 24. 4 25. 1 24. 1	969. 6 969. 1 969. 1 969. 1	:40
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m.	1,800 1,100 1,900 1,300 1,300 1,170	7.6 9.0 10.1 9.8 9.2 9.0 9.1 10.1 11.4 12.5 10.6 8.8 8.2 8.2 8.2 8.2 9.3 9.3 9.0 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6	S0. SS0. SS0. S. S. S. S. S. S. S. SSW. SSW	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 10 11, 74 11, 23 11, 23 11, 23 11, 23 11, 23 11, 23 11, 24 11, 53 11, 23 11, 23 11, 31 12, 16 12, 16 13, 15 14, 69 15, 13, 18 18, 82 19, 06 21, 10	89 72 68 65 58 65 58 67 72 77 84 75 68 60 63 52 55 60 60 63 55 58 60 60 60 60 60 60 60 60 60 60 60 60 60	0.33 0.76 0.67 0.77 0.27	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 10. 7 8. 9 8. 2 8. 7 10. 5 11. 8 11. 1 16. 0 17. 9 20. 0 20.	958.2 931.5 930.0 901.0 877.8 853.0 857.8 853.0 857.8 853.0 875.8 9758.4 781.5 765.1 9758.9 9751.5 801.4 822.6 853.0 854.9 877.9 930.5 957.4	500 750 765 1, 000 1, 250 1, 550 1, 676 1, 750 2, 000 2, 000 2, 250 2, 750 3, 000 3, 104 3, 104	3.1 5.4 6.3 7.2 5.4 5.4	Se. Se. Se. Se. Sse. Sse. Sse. Sse. Sse.	93 86 76 75 70 74	21. 0 22. 8 24. 3 24. 4 25. 1 24. 1 24. 0 24. 0	969. 6 969. 1 969. 1 969. 1	:40
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m. Thunder continuing in west. 10/10 St.Cu., wsw.	1, 100 1, 500 1, 300 1, 300 1, 300 1, 170 0	7.6 9.0 10.1 9.8 9.2 9.0 9.1 11.4 12.3 12.5 9.0 9.0 9.0 8.8 8.4 8.2 8.2 8.7 9.5 8.6 9.5 9.5	Se. SSe. SSe. S.	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 08 12, 05 12, 16 11, 74 11, 53 18, 88 6, 75 98, 6, 75 11, 63 11, 74 11, 23 11, 23 11, 23 11, 24 11, 25 11, 26 11, 27 12, 36 12, 31 12, 32 14, 69 14, 10 21, 82	89 72 68 65 58 66 58 66 77 78 69 55 60 53 53 55 55 58 60 73 74	0.33 0.76 0.67 0.77	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 18. 7 11. 8 12. 6 12. 4 10. 7 8. 9 28. 7 10. 5 11. 8 12. 1 14. 1 16. 0 17. 9 19. 9 20. 0 20. 6 21. 3 22. 8 20. 9 20. 1 20. 1 20. 2 20. 3 20. 3 2	958. 2 931. 5 930. 0 901. 0 877. 8 853. 0 828. 6 801. 4 781. 5 761. 1 758. 9 736. 4 711. 8 705. 8 714. 8 705. 8 714. 8 874. 5 874. 5 874. 5 874. 5 874. 5 875. 9 987. 4 9910. 8 998. 7 999. 1	7500 7500 765 1,000 1,250 1,570 1,670 1,750 2,020 2,250 2,478 2,500 3,104 3,000 2,250 2,750 2,541 2,500 2,250 2,050 1,750 1,500 1,250 1,500 2,25	3.1 5.4 6.3 7.2 5.4 4.5 5.4	Se. Se. Se. Se. Sse. Sse. Sse. Sse. Sse.	93 86 76 75 70 74 76 76 76	22.8 24.3 24.4 25.1 24.0 24.0 23.8	969. 6 969. 1 969. 1 969. 0 969. 0	:40 ::50 ::39 ::22 ::27 ::41 ::03 ::11 ::14
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m. Thunder continuing in west. 10/10 St.Cu., wsw.	1, 100 1, 300 1, 300 1, 300 1, 300 1, 300 1, 170	7.6 9.0 10.1 9.8 9.2 9.0 9.1 11.4 9.7 10.0 10.1 11.4 13.3 12.5 6 8.6 8.4 8.2 8.7 9.5 8.2 8.7 9.5 8.2 8.2 8.3 9.0 9.5 9.0 9.5 9.0 9.5 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0	Se. SSe. SSe. SSe. S. S. SSW. SSW. SSW.	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 99 12. 08 12. 05 12. 16 11. 74 11. 53 11. 23 8. 89 6. 75 9. 27 11. 63 11. 72 12. 07 12. 36 12. 31 11. 23 11. 12. 31 13. 35 14. 69 15. 13 18. 82 20. 95 20. 95	89 72 68 65 58 58 58 69 59 59 59 50 60 53 84 83 75 60 53 55 55 60 52 55 60 73 74	0.33 0.76 0.67 0.77	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 11. 6 12. 4 10. 7 8. 9 8. 2 8. 7 10. 5 11. 8 11. 8 11. 8 11. 1 12. 1 12. 1 12. 1 12. 1 12. 1 12. 1 12. 1 12. 3 12. 6 12. 4 10. 7 8. 9 20. 6 20. 6 20. 6 20. 6 20. 6 20. 6 20. 6 20. 7 20. 8 20.	958. 2 931. 5 930. 0 901. 0 877. 8 853. 0 878. 8 853. 0 871. 1 8705. 8 714. 8 745. 8 745. 8 745. 8 745. 8 745. 8 745. 8 747. 9 748. 1 758. 9 749. 1 828. 6 836. 4 847. 1 847. 1 8	7500 7500 765 1,000 1,250 1,500 1,576 1,750 2,000 2,250 2,478 2,500 2,750 3,104 3,000 2,750 2,541 2,500 2,250 2,750 2,500 2,750 3,104 3,000 2,75	3.1 5.4 6.3 7.2 5.4 5.4	Se. Se. Se. Se. Sse. Sse. Sse. Sse. Sse.	93 86 76 75 70 74	21. 0 22. 8 24. 3 24. 4 25. 1 24. 1 24. 0 24. 0	969. 6 969. 1 969. 1 969. 1	:40. :50. :39. :22. :41. :03. :11. :14. :20.
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m. Thunder continuing in west. 10/10 St.Cu., wsw.	1, 100 1, 300 1, 300 1, 300 1, 300 1, 300	7.6 9.0 10.1 9.8 9.2 9.2 9.1 11.4 9.7 10.0 10.1 11.4 12.5 9.0 9.0 9.8 8.8 8.4 8.2 8.2 8.2 8.2 8.2 8.5 9.5 8.5 9.5 8.6 8.6 8.6 9.5 8.6 9.5 8.6 8.6 8.6 9.5 8.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9	Se. SSe. SSe. S.	22. 54 18. 58 17. 65 16. 07 14. 59 12. 99 12. 99 12. 08 12. 05 12. 16 11. 74 11. 53 8. 88 8. 73 6. 75 9. 27 11. 63 11. 72 12. 37 11. 23 11. 23 11. 23 11. 23 11. 24 11. 58 11. 72 12. 16 12. 31 13. 35 14. 69 15. 13 15. 18 19. 10 21. 82	89 728 65 58 65 58 67 79 55 69 55 69 55 69 55 60 53 84 75 83 75 80 74	0.33 0.76 0.67 0.77 0.27 -0.83 1.00	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 19. 3 18. 7 18. 1 16. 2 14. 3 12. 4 10. 7 8. 9 8. 2 12. 4 10. 5 11. 8 11. 1 16. 0 17. 9 20. 0 20. 0 20. 3 21. 5 20. 3 22. 8 23. 8 24. 8 25. 8 26. 8 27. 8 28. 8 29. 8 20. 8 20	958.2 931.5 930.0 901.0 877.8 853.0 853.4 828.6 801.4 781.5 761.1 758.9 736.4 755.2 768.9 781.5 804.4 822.6 836.4 823.6 836.4 823.6 836.4 823.6 836.4 823.6 836.4 823.6 836.4 823.6 836.4 836.4 836.6 836.4 836.6 836.4 836.6 866.6	500 750 765 1,000 1,250 1,500 1,676 1,750 2,000 2,250 2,750 3,000 3,104 3,000 2,750 2,541 2,500 2,541 1,250 1,500 1,750 1,000 1,500 1,000 1	3.1 5.4 6.3 7.2 5.4 4.5 5.4 4.5 12.1	se. se. se. se. se. se. se. se. se.	93 86 76 75 70 74 76 76 76 77 74	22.8 24.3 24.4 25.1 24.0 24.0 24.0 24.0	969. 6 969. 1 969. 1 969. 0 968. 9 969. 0 969. 1	3:40 3:50 3:39 3:22 3:27 3:41 3:03 3:14 4. M.
4/10 Ci.St., wnw.; 3/10 A.Cu., v 7/10 A.Cu., wsw.; 2/10 St. Cu., v Thunder in west at 9:01 a.m. Thunder continuing in west. 10/10 St.Cu., wsw.	1,100 1,300 1,300 1,300 1,300 1,170 2,000	7.6 9.0 10.1 9.8 9.2 9.0 9.1 11.4 12.3 12.5 9.0 9.0 9.0 9.0 8.8 8.4 8.2 8.2 8.7 9.5 5.5 4.5	Se. SSe. SSe. SSe. S. S. SSW. SSW. SSW.	22, 54 18, 58 17, 65 16, 07 14, 59 12, 99 12, 99 12, 08 12, 05 12, 16 11, 74 11, 53 18, 88 18, 88 18, 67 11, 63 11, 12, 12 11, 13 11, 12 12, 16 13, 15 14, 16 13, 15 14, 16 15, 13 18, 18 19, 06 21, 10 21, 82 20, 95 20, 14 18, 29 17, 97	89 72 68 65 58 58 58 69 59 59 59 50 60 53 84 83 75 60 53 55 55 60 52 55 60 73 74	-0.14 0.33 0.76 0.67 0.77 -0.83 1.00	21. 2 21. 3 21. 6 21. 7 20. 9 20. 1 18. 7 18. 7 18. 7 18. 7 19. 4 10. 7 10. 5 11. 8 12. 6 11. 8 12. 8 12. 8 12. 8 12. 8 13. 2 14. 3 2 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 3 2 3 3 2 3 2 3 3 2 3	958. 2 931.5 930. 0 901. 0 877. 8 853. 0 878. 8 853. 0 871. 1 8 705. 8 711. 8 705. 8 714. 8 705. 8 714. 8 705. 8 714. 8 705. 2 788. 9 987. 4 902. 9 909. 1	750 765 765 1,000 1,250 1,676 1,676 1,750 2,000 2,250 2,478 2,500 3,000 2,250 2,511 2,500 2,250 2,750 1,750 1,750 1,481 1,250 1,000 1,000 3,000 2,250 2,300 2,250 2,300 2,250 2,300 2,250 2,300 2,250 2,500 2,500	3.1 5.4 6.3 7.2 5.4 5.4 4.5 5.4	se. se. se. se. se. se. sse. sse. sse.	93 86 76 75 70 74 74 74	22.8 24.3 24.4 25.1 24.1 24.0 24.0 23.8	969. 6 969. 1 969. 1 969. 1 969. 0 969. 0 969. 0	:40

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

							July	7, 1918-	-Continu	ted.					
	8	urface.						At	different	heights	above s	ea.			
		Tem-	Rela-	Wi	ind.	A 141		Tem-	Δ 8	Hum	ldity.	w	ind.	Florinia	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel-	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M.	mb.	° C.	%		m. p. s.	m. 2,000	mb, 803.5	° C. 18. 6		% 43	mb. 9.21		m. p. s. 6. 2	polts.	
:42		20.0	89	ne.	7.2	2,047 2,250	799.9	18.6 17.1	0.08	42 50	9. 00 9. 75	ne. ne.	5.8	1,800 2,200	
• • • • • • • • • • • • • • • •				*******		2,500 2,750	758. 2 735. 3	15. 2 13. 3		61 71	10. 53 10. 84	ne.	6.9	*******	10/10 St., ne.
:49		19.8	90	пе	5.8	2,766 2,750	734. 2 735. 3	13. 2 13. 3	0.69	72 72	10. 72 10. 99	ne.	7.6 7.6		10/10 56., 180.
						2,500 2,250	758.2	14.9		68 64	11. 52 11. 94	ne.	7.8		
*******						2,000	780. 8 803. 0	16.4	0.00	60	12.38	ne.	8.0	9 000	
:07		20. 2			6.3	1,910 1,750	810.7 826.4	18.6 19.0	0. 22	58 62	12. 43 13. 62	ne.	9.7	2,000	
************						1,500 1,250	850. 8 875. 6	19.5 20.1		67 73	15. 19 17. 18	ne.	12.0	1,400	
34	967.3	20. 2 20. 1	89 88	ne. ene	4.9	1, 191	881 7 897.9	20. 2 16. 0	-2.68 0.27	74 93	17. 52 16. 91	ne.	14.8	1,010	Altitude of St. base about 600 m.
:42		20.2	89	ene.	5.8	1,000	901.4 921.9	16. 1 16. 6	0.89	93 92	17.02 17.38	ne.	14.4	0	
						750 500	927.5 955.3	17. 1 19. 4		92 89	17.94 20.05	ne.	7.3	*********	
:50	967.5	20.3	88	D0	5.8	396	967.5	20.3	******	88	20.96	ene.	5.8	********	10/10 St., ene.
								July 9	, 1918.						
A. M.											-				
7:54	975.0	21.4	70	nne.	2.7	396	975.0			70	17.84	nne.		********	1/10 Ci.St., wnw.; 3/10 A.Cu., nw 2/10 St.Cu., nw.
8:05	975.0	22.0	62	nne.	4.0	500 708	963.6 940.2	19.8 16.6	1.54	73 78	16.86 14.73	nne. n.	4.5 8.2	0	
						750 1,000	935.3 907.8	16. 2 14. 1		78 80	14.37 12.87	n. n.	8. 4 9. 5		
8:24		21.6	61	n.	4.5	1,250 1,500	881.9 855.5	12.0 11.7	0.85	82 59	11.50 8.11	n. nnw.	10.6 10.6	420	Altitude of St.Cu. base about 18
						1,750	830.4	11.4		36	4.85	nw.	10.5		m.
8:48		21.6	62	nne.	4.5	1,876 2,000	818.1 806.0	11.3 10.2	0.11	25 33	3.35	nw.	10.5 10.7	1, 200	
9:08		21.7	61	nne.	4.5	2,039	802.5 806.0	9.8	0.52	35 39	4. 24	nw. nw.	10.7	1,040	5/10 St.Cu., nw.
						1,750 1,500	830. 4 855. 5	10. 2 10. 5		61 84	7.59 10.67	nnw.	10.4		
9:33		22.0	61	n.	4.5	1,395 1,250	867.1 881.9	10.6 12.2	1.11	93 83	11.89 11.79	nne.	10.0 10.3		
0:56	********	23.5	46	nne.	5.8	1,000 746	909. 0 936. 3	15.0 17.8	1.69	66 48	11.25 9.78	nne.	10.8 11.3	0	
1:03		23.7	47	nne.	5.4	500 396	963.6 975.0	21.9 23.7		47 47	12.35 13.76	nne.	7. 2 5. 4		5/10 St.Cu., nw.; 2/10 Cu., nw.
													1		
				•	1 1		Jul	y 12, 19	18 (No. 1	1).		1	1		
A. M. 8:02	976.0	21.2	57	se.	4.0	396	976.0	21.2		57	14.35	se.	4.0		10/10 St.Cu., wnw.
**************	********	*******	*******			500 750	964.4 938.0	21.0 20.5		55 49	13.68 11.82	Se. SSe.	5.7 9.9		
8:12	976.0	21.5	56	se.	4.0	797 1,000	931.7 910.8	20.4 18.8	0.20	48 50	11.51 10.85	530. 530.	10.7 9.1	0	9/10 St.Cu., wnw.
9:11	976.0	23.8	49	SSO.	3.1	1, 250 1, 456	884.0 862.8	16.8 15.2	0.80	51 53	9.76 9.15	sse.	7.1 5.4	660	
						1,250 1,000	883, 2 909, 0	16.9 18.9		53 53	10.20 11.58	536. S.	5.6 5.9	0	
9:57	976.0	25.0	42	S.	4.0	750 704	937. 0 942. 0	20.9 21.3	1.40	53 53	13.10 13.42	S. S.	6.2		7/10 St.Cu., wnw.
10:05		25.6	39	s.	3.6	500 396	964.4 976.0	24.1 25.6		44 39	13.21 12.81	8.	4.5 3.6		1/10 Ci.Cu., wnw.; 5/10 A.Cu., wnv
0.00	0.0.0														
	1				1	1	Ju	ly 12, 19	18 (No. :	2).			_	T	1
P. M. 2:30	975.1	27.9	34	sse.	5.8	396	975.1	27.9		34	12.78				9/10 A.Cu., w.
				*******		500 750	963.3 936.2	26.7 23.7		34 35	11.91 10.26		6.0		
1:21	975. 2 974. 6	27.9 28.9	32 32	sse.	4.9	828 943	928.3 915.6	22.8 21.5	1.18 1.13	35 42	9.72 10.77		6.6	0	
						1,000 1,250	909.3 883.0	20.9 18.3		42 45	10.38 9.46	550. 530.	6.9		
1:36	974.4	29, 2	32	8.	3.6	1,372 1,500	870. 8 857. 7	17.0 15.8	1.05	46 48	8. 91 8. 62	8S0. 8S0.	9.0		
1.45	974.3	29.4	39	8.	4.5	1,750 1,886	833.0 819.5	13.6 12.3	0.91	52 54	8. 10 7. 73	sse.	7.8	1,010	8/10 A.Cu., w.
1:45	014.0	20.4	02	0.	1.0	1,000	010.0	14.0	3.01	01	1.10	100	0.2		3, 22,500,500

TABLE 7.—Free-air date drom kite flights at Drexel Aerological Station, July, 1918—Continued.

July 13, 1918.

			16.	above se	heights	different	At						arface.	St	
		nd.	Wi	dity.	Humi	1				nd.	WI			- 1	
Remarks.	Electric potential.		Dir.	Vap.	Rel.	∆ t. 100 m.	Tem- pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	Rela- tive humid- ity.	Tem- pera- ture.	Pressure.	Time.
6/10 Ci.St., nw.; 3/10 A.St., n	volls.	m. p. s. 4.0	530.	mb. 13.40	% 58		° C. 19.8	mb. 971.3	m. 396	m. p. s. 4.0	330.	% 58	°C. 19.8	mb. 971.3	A. M. 6:30
		12.3	\$50. 8.	13.33 13.34 13.60	57 56 55	- 0.20	20. 0 20. 3 20. 9	960. 0 943. 2 932. 2	500 650 750	4.5	886.	*******	19.9	971.3	6:35
	0	12.0 11.4 11.3	SSW. SSW.	14. 28 14. 54	54 55	- 0.56	22. 0 22. 0	910. 8 905. 7	952 1,000	4.9	sse.	57	20.3	971.3	6:57
	620	10.6	SSW. SW.	13.77	60 64		19.7 18.0	878.9 853.7	1, 250 1, 500						
	1,500 2,000	9.4	SW.	12.47 11.82	69 73	0.77	15.9 14.2	829. 2 809. 3	1,750 1,966	7.6	S.	53	22.0		7:43
	2,100	8.5	SW. SW.	11.83	74 80		14.0 12.2	805.3 782.1	2,000 2,250					*********	
2/10 Ci.St., nnw.; 4/10 A.St., 2/10 A.Cu., nnw.	3,500	4.5	sw. sw.	10.92 10.90	86 87 86	0.68	10.5 10.3	759. 4 757. 0 759. 4	2,500 2,527 2,500	6.7	S.	48	23.7	971.1	8:23
	1,800	6.0 7.5	SW.	11.37 11.75	80 74		12. 2 13. 9	782.1 805.3	2, 250 2, 000	*******		*******			
	1,900	8.4	SSW.	11.86 12.05	70 68	0.69	14.9 15.6	820. 2 829. 2	1, 847 1, 750	7.2	SSW.	47	25.4	970.5	9:43
	730	9.2	SSW.	12.24	56		17.3	853.7 878.9	1,500 1,250			*********	00.4	070.9	
	0	9.9	ssw.	12.38 13.90 15.22	56 58 59	0.52	19.1 20.4 21.6	880.6 904.4 930.2	1, 239 1, 000 765	8.5	SSW.	******	26.4		0:15
		10.1	8. 8. SSW.	15. 15 16. 52	58 50		21.8 25.7	931.9 958.2	750 500		88W.	40	21.0	310.3	
2/10 Cl.St., nnw.; 4/10 A.St., 3/10 A.Cu., nnw.			SSW.	16.70	46		27.3	970.3	396	8.0	SSW.	46	27.3	970.3	0:37
						, 1918.	July 14								
10/10 St.Cu., w.			330. 336.	16.92 17.07	64 63		22. 0 22. 4	968. 5 956. 7	396 500	3.6	sse.	64	22.0		A, M.
	0		SSW.	17.17	60 59	-0.37	23.3	930.0 924.7	750 801	3.6	sse.	62	22.4		57
	0	13.4 12.0	SSW.	16.08 15.39	59 60	0.50	22.5 21.5	903.3 883.2	1,000 1,202	4.0			22.8		57
	0	7.8	SSW.	15.29 14.99	60	0.30	21.4 20.8	878.0 859.8	1,250 1,438	3.1	83W.	68	23.0	969.0	35
10/10 St.Cu., w.	0	7.5	SSW.	14.92	69	0.89	18.0	853.4 829.5	1,500				00.0		
Rain began 8:03 a. m. and tinued at end of flight. Thunder heard at 8:05 a. m. i		7.4. 7.1 6.6	SSW. SSW.	13. 93 13. 27 12. 46	71 73 78		16.0	820.6 805.8 782.5	1,842 2,000 2,250	1.8	SSW.	68	23. 2		01
I munder heard at 5.55 a. m. i	0	6.5	SSW.	12.31 12.46	78 78	0.74	13.8	780. 0 782. 5	2, 272 2, 250	1.8	SSW.	69	23.1	969.6	10
	********	7.0	SSW.	13.38	75 73		15.7	805.8 829.5	2,000 1,750						
	0	7.9	SW. SW.	15.80 16.54	71 69	-0.26	19. 2 20. 4	853.4 870.8	1,500 1,331	1.8	wsw.	70	23. 2	970.0	23
	********	9.4	SW. WSW.	17. 05 18. 59	72 82		19.5	878.5 904.4	1,250 1,000						
	0		WSW.	19.36 19.87	87 85	0.67	19. 2 20. 0	918.3 931.5	873 750	8, 0	W.	74	22.8		30
10/10 St.Cu., w.; thunder in stand nw.		5.8	w. w.	20, 51 20, 86	79 77	* 0 0 0 0 0 0	21.7	958.4 970.3	500 396	5.8	W.	77	22.4	970.3	37
						1918.	July 15								
6/10 Cl.St., w.; 4/10 A.St., w.		4.9	w.	22.83	89		21.5	967.4	396	4.9	w.	89	21.5	967.4	28
	0	7.1 11.5 11.5	DW.	22. 72 22. 21 21. 95	87 82 82	-0.28	22.4	955, 6 933, 0 928, 0	500 712 750	4.0	wnw.	89	21.6	967.4	35
	330	11.7	nw.	20. 27 19. 05	82 83			928. 0 901. 5 876. 8	1,000 1,250	*******				*********	
10/10 St., nw. Altitude of St. base about 600	760	12.1	wnw.	17.56 16.48	83 84	0. 51	18. 4 17. 2	852. 0 829. 2	1,500 1,733	4.0	nw.	88	21.8	967.7	22
		12.4	WDW. W.	16. 28 15. 48	84 92		17.0 14.8	827.2 803.1	1,750 2,000				******		**************
	2,000 2,400 2,300	15.5 15.5 15.3	W. W. W.	14.68 14.04 10.31	98 95 76 57	0.89	13.0 12.8 11.5	784.5 780.0 757.5	2, 207 2, 250 2, 500	3.1	nw.		22.2	967.9	57
Altitude of St. base about 600	1,200	15.1 15.1 14.2	W. W.	7. 10 12. 11 13. 22	96 90	0.30	10. 2 10. 4 12. 7	735.3 757.5 780.0	2,749 2,500 2,250	2.7	nw. wnw.	91	22.5 23.0	967. 9 967. 9	05
The same of the sa		13.2	wnw.	14. 32 15. 60	84 79		15.0 17.3	803.1 827.2	2, 250 2, 000 1, 750						*************
	860	11.7	WDW.	16. 18 17. 25	75 78	0.54	18.7	842.7 852.0	1,596 1,500	4.5	nw.	90	22.6	967.9	31
	560	9.5	nw.	20.13	85 90	0.00	20, 2 20, 2	877. 2 901. 5	1,249 1,000	3.6	nw.	87	23.2	967.9	40
							20.2	928.0	750						
		4 70	nw. nw.	22, 50 23, 21 23, 85	95 98 93	1.60	20.2	947.3 955.6	583 500	3.1	nnw.	86	23.3	967.9	54

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 16, 1918.

								July 16	, 1918.						
	St	urface.						At	different	heights	above s	ea.			
Time	Pressure.	Tem- pera- ture.	Rela- tive humid-		ind.	Alti- tude.	Preasure.	Tem- pera- ture.	<u>△ t</u>		ldity.		ind.	Electric potential.	Remarks.
		6016.	ity.	Dir.	Vel-			buto.		Rel.	pres.	Dir.	Vel.		
А. М.	mb. 969.9	° C. 27.4	% 58	ne.	m. p. s. 8. 5	m. 396	mb. 969.9	° C. 27.4		% 58	mb. 21.18	ne.	m. p.s. 8.5	volts.	8/10 A.Cu., w.
14	969.9	27.4	58	nne.	7.6	500 532	958.0 955.1	25. 4 24. 8	1.91	60	19.47 19.10	nne.	8.6	0	3/10/21.04.7 #
*************			******			750	931.5	22.8		66	18.32	nne.	8.8	********	
:18	969.9	27.4	58	nne.	10.7	771 1,000	929. 2 904. 7	22.6 20.3	0.92	67 75	18.38 17.86	nne.	8.3	0	5/10 A.Cu., w.; 5/10 St., wnw.
:00	969.9	26.0	64	nne.	8.9	1,250 1,500	879.1 853.7	17.8 16.3	1.00	84 82	17.12 15.19	nne.	6.2	0	
04	969.9	26.0	64	nne.	8.9	1,590 1,500	844.7 853.7	15.7 16.3	0.64	81 81	14.45 15.01	nne.	2.7	0	
12	970.0	25.8	65	ne.	8.9	1,252 1,000	879.1 904.7	17.9 19.7	0.73	82	16.82	ne.	5.4	0	
:34	970.1	25.4	66	ne.	9.4	748	931.8	21.6	1.02	79 76	18.13 19.61	ne.	7.4 9.4	0	
41	970.2	25. 2	66	ne.	9.4	500 396	958.0 970.2	24.1 25.2		69 66	20.71 21.16	ne. ne.	9.4	*********	1/10 A.St., w.; 9/10 St., wnw.
								July 18	8, 1918.						
A. M.						1									
6:43	970. 5	18.4	94	wnw.	2.7	396 500	970, 5 958, 0	18. 4 19. 2		94 80	19. 89 17. 80	wnw.	2.7 6.3		Few Cl.St., w.; 1/10 A.Cu., w.
6:47	970.5	18.7	92	wnw.	1.3	621 750	945. 5	20. 2	-0.80	63	14.92	nw.	10.4	*******	
	*********	*******		*******		1,000	931. 0 905. 0	17.4		64 65	14. 33 12. 92	nw. nnw.	10. 2 9. 9	0	
					*******	1,250 1,500	879. 2 853. 8	15. 6 13. 8		67 68	11. 87 10. 73	n. nne.	9.6	1,100	
8:03		21. 5	79	n.	2, 2	1,646 1,750	838. 9 828. 6	12.7 12.0	0.73	69 67	10.14 9.40	nne.	9. 1 9. 6		Few A.Cu., near horizon.
************		******				2,000 2,250	804. 1 780. 2	10.4		64 60	8. 07 6. 80	n.	11. 0 12. 3	1,100	To a serious, actual monatoria
8:49		23.7	69	n.	2.7	2,368	769.5	8, 0	0.65	58	6, 22	nw.	12.9	2,300	
						2,500 2,750	757. 0 734. 5	7.3		53 45	5, 61 4, 60	nw. nnw.	12. 1 10. 7		
9:37	970.6	24.5	56	nne.	2.2	3,000	713.0 698.1	6, 9	0.17	36 30	3. 58 2. 92	n. n.	9. 2 8. 2	3,200	
*************	*******			******		3,250 3,500	692. 0 671. 0	6.1		30 30	2. 83 2. 54	n. n.	8.7 10.3	3,200 3,700	
						3,750 4,000	650. 9 630. 8	3.0		29 29	2. 20 1. 97	n.	11.9		
0:07	970.6	25.0	54	ne.	2.7	4,129	620.8	0.7	0.58	29	1.86	n. n.	14. 4	********	Few A.Cu., near horizon; few Cu.,
	********	*******				4,000 3,750	630, 8 650, 0	1.4 2.7		29 29	1. 96 2. 15	n. n.	13. 6 12. 2	2,500	
0:19	970.5	25. 4	52	ne.	2.7	3,500	670.0 684.8	4. 1 5. 0	0, 43	29 29 29	2.38 2.53	n. n.	10. 7 9. 7	2,500	
******						3,250	690. 9 712. 0	5. 3 6. 4		29 29	2. 58 2. 79	n. n.	9, 9		
				*******		2,750 2,500	734. 0 757. 0	7.5 8.6		. 28 28	2. 90 3. 13	nnw.	10.8		
0:38	970. 4	25. 5	1	nne.	2.2	2,404	765. 9	9.0	0.48	28	3, 21	nnw.	11.5	1,400	Few A.Cu., near horizon; 1/10 Cu.
*************		******	*******	*******		2,250 2,000	780, 2 804, 1	9.7		37 52	4, 45 6, 83	nnw.	10. 8 9. 8	********	
0:55		26.0		ene.	2.2	1,750 1,536	828. 6 850. 0	12. 2 13. 2	1.06	68 81	9. 66 12. 29	n. n.	8.7 7.8	860	
• · · · · · · · · · · · · · · · · · · ·				*******		1,500 1,250	853. 8 879. 2			80 74	12, 46 13, 63	n. n.	7. 6 6. 1		
1:00		26, 0	52	ne.	2.2	1,103 1,000	894. 4 905. 0	17.8 18.9	1.10	70 66	14. 27 14. 41	n. n.	5. 3 5. 6		
******************	070 9	05 7				750	931.0	21.7		58	15, 06	n.	6.3	*********	
1:13	970.3	25. 7	51	n.	2.7	647 500	942. 9 958. 0	24.6	1. 24	54 52	14. 99 16. 09	n.	4.8		
11:19	970. 3	25. 9	50	n.	3, 6	396	970. 3	25. 9		50	16. 71	n.	3.6	********	3/10 Cu., n.
	1		1			11	1	July 1	9, 1918.					1	
A. M. 6:45	969. 8	21.0	70	w.	4.5	396	969. 8	21.0		70	17. 41	w.	4.5		5/10 Cu., n.
6:47		21.0		w.	4.5	500 599	958. 0 947. 4	23. 4	-2.32	57 44	16, 40 14, 53	W.	8. 5 12. 3		
*************	********	******			2.0	750	931.3	25.0		42	13.31	W.	11.3		
7:05	969. 9	21. 4	69	wsw.	4.9	1,000 1,152	905, 2 889, 7 879, 5	23.3	0. 43	40 38 40	11. 94 10. 87	W.	9. 6 8. 6 8. 4		
						1,250 1,500	854. 9	20.3	*******	45	10, 84 10, 72	w. wnw.	7.9	0	Few Cu., n.
8:29	970.1	24.9	62	W.	5. 4	1,739 1,750	831. 7 830. 8	18.1	0.87	50 50	10. 45 10. 38	wnw.	7. 5 7. 5	1,280	
						2,000 2,250	807. 0 783. 8	15. 9		56 63	10. 12 9. 82	wnw.	6. 7 5. 9	1,170	
:15		26. 9	58	wsw.	5.4	2,500 2,714	760, 7 741, 1			69 74	9.30 8.78	nw.	5. 2 4. 5		
:15		******				2,500	760. 7 783. 8	11.5		69	9.36	nw.	5, 0		Fow A Cu nnw
0-40			*******		*******	2, 250 2, 000	807.0	16.0		63 57	9, 88	nw. wnw.	5. 5 6. 1	490	Few A.Cu., nnw.
9:49	969. 9	27.7		W.	5. 8	1,763 1,750	829. 2 830. 8	18. 2 18. 3		51 51	10. 66 10. 73	wnw.	6. 6 6. 6	620	
				******	*******	1,500 1,250	854. 9 879. 5	20.3		49 46	11. 67 12. 39	wnw.	7.3 8.0		
0:18	969.8	28.7	53	w.	6.3	1,105 1,000	894. 7 905. 2	23. 5 23. 9	0.41	45 50	13. 03 14. 83	W.	8.4 7.6		
0:22		28.8	52	w.	6.3	836	922.7	24.6	1.00	58	17.95	W.	6, 4		
*************				*******	********	750 500	958.0	28.0		57 53	18, 60 20, 04		6. 3 5. 9		
0:30	969.7	29.0		W.	5.8	396	969.7	20.0		52	20, 84	W.	1 5.8		Few A.Cu., nnw.

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 20, 1918.

				B.	above se	heights	different	At						rface.	St	
Remarks.			nd.	Wi	dity.	Humi		Tem-			nd.	Wi	Rela-	Tem-	-	
		Electric potential.	Vel.	Dtr.	Vap. pres.	Rel	<u>∆ l.</u> 100 m.	pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	pera- ture.	Pressure.	Time.
, near horizon; few S	1/10 Ci.	volts,	m. p. s. 4. 0 17. 2 13. 5 12. 1	sw. sw. sw.	mb. 16. 46 18. 81 13. 29 11. 86	% 67 54 40 40	-5.37 0.33	° C. 20. 8 26, 6 25. 8 23. 9	969. 1 967. 7 931. 1 904. 8	m. 396 504 749 1,000	78. p. s. 4. 0 4. 5 4. 0	SW. SW. SW.	% 67 67 67	° C. 20. 8 20. 8 20. 9	mb, 969, 1 969, 1 969, 2	5:41
		920	10. 8 9. 4 9. 3 10. 0 10. 8	SW. SW. SW. SW.	10. 58 9. 47 9. 35 9. 58 9. 69	40 40 40 47 55	0.75	22. 0 20. 2 20. 0 17. 8	879. 3 854. 1 852. 1 829. 5 805. 4	1,250 1,500 1,523 1,750 2,000	3.6	sw.	67	21. 2		30
		2,300 3,600	11. 6 12. 3 12. 7 12. 1 11. 1	SSW. 8. 8. 8.	9. 50 9. 40 8. 84 7. 92	63 73 74 69 58	0.95	13. 1 10. 7 9. 6 9. 0	782. 0 759. 3 748. 9 736. 7 714. 7	2, 250 2, 500 2, 619 2, 750 3, 000	3.6	sw.	64	21.7	969. 6	:03
St., near horizon.	1/10 CI.	4,400 4,600 4,800 4,900	10.0 9.0 8.9 7.9	SSW. SSW. SSW.	4. 65 3. 39 3. 36 2. 79	48 38 38 35 35	0, 50	6.5 5.3 5.2 3.7	693. 3 674. 0 672. 6 652. 8 633. 2	3, 250 3, 486 3, 500 3, 750 4, 000	4.0	sw.	65	22.6		:39
, 1/10 Ci.St., near hor	3/10 Ci.	3,500	6.8 5.9 7.0 8.2 8.4	SSW. SSW. SSW. SSW.	2. 28 1. 94 2. 23 2. 58 2. 61	30 32 34 34	0. 54	0.8 1.8 3.0 3.2	616. 5 633. 2 652. 8 656. 3	4, 215 4, 000 3, 750 3, 707	4. 0 6. 7	wsw.	59 57	25. 0 25. 7		:33
		3,500 3,000	9. 3 10. 4 11. 5 12. 5 12. 6	SSW. SSW. 8.	3. 66 4. 13 4. 29	34 34 33 33 34	0. 47	6.6 8.5 10.3 10.4	672. 6 693. 3 715. 0 736. 2 737. 3	3,500 3,250 3,000 2,761 2,750	5.4	wsw.	56	26.7	970.3	:25
		1,800	15.1 15.2 14.8 13.5	8. 886. 886. 886. 8.	9. 40 9. 75 10. 27 10. 92	64 66 61 56	0.88	12. 7 12. 8 14. 8 17. 1	760. 0 782. 8 785. 3 806. 1 830. 5	2,500 2,250 2,224 2,000 1,750	4.9	wsw.	55	27. 2	970.3	35
		490	12.7 11.9 11.5 11.3 11.1	S. SSW. SSW. SSW.	11. 35 11. 73 11. 58 13. 24 15. 44	51 46 43 48 54	0. 29	21. 4 22. 3 22. 7 23. 3	855, 2 880, 4 890, 4 905, 8 925, 9	1,500 1,250 1,148 1,000 808	4.9	sw.	51 50	28. 3 28. 8		:16
, 1/10 Ci.St., near hor	4/10 Ci.	0	10. 5 7. 8 6. 7	sw. wsw. wsw.	15. 91 18. 47 19. 63	53 50 49		24. 1 27. 6 29. 0	931. 5 957. 9 970. 3	750 500 396	6.7	wsw.	49	29. 0	970.3	0:24
							, 1918.	July 21								
St., wsw.; 7/10 St.Cu	3/10 Ci.	880 1,800	2. 7 11. 0 25. 8 25. 1 22. 1 19. 1 16. 1 13. 1	SW, SW, SSW, SSW, SSW, SSW, SW,	16. 78 15. 31 12. 22 12. 18 11. 66 10. 83 10. 24 9. 61	59 51 37 38 41 43 46 49	-0.86	24. 1 25. 7 25. 2 23. 2 21. 2 19. 2	968. 2 957. 0 936. 6 930. 0 903. 4 877. 8 852. 8 828. 3	396 500 687 750 1,000 1,250 1,500 1,750	2.7 3.1	sw.	59	23. 2	968. 2 968. 2	A. M. 7:46
St., wsw; 9/10 St.Cu. St., wsw; 2/10 St.Cu.		2,500 3,800	10. 2 10. 1 8. 8 7. 5 6. 6	SW. SW. SW. SW.	8. 92 8. 92 8. 44 8. 01 7. 65	52 52 56 61 64	0. 80	15. 1 15. 1 13. 1	804. 9 804. 3 781. 2 758. 5 743. 9	2,000 2,006 2,250 2,500 2,672 2,750	3. 6 5. 4	85W.	54 48	24. 4	968. 2 967. 9	37
		3,500	9. 5 7. 9 7. 4	8W. 8W. 5W. 58W.	7. 90 6. 92 6. 59	67 75 81 72 60	0. 61	7. 6 6. 6 6. 4 6. 3	736. 4 715. 0 701. 3 693. 0 691. 1	3,000 3,162 3,250 3,275	6.7	35W.	44	28. 7 29. 0	967. 8 967. 8	25
		9 000	6.7 6.5 7.2 8.2	83W. 83W. 86W. 86W.		70 79 82 74 63 52	0.92	7. 4 7. 7 9. 3 11. 6	603. 0 714. 0 720. 6 735. 3 757. 7	3, 250 3, 000 2, 924 2, 750 2, 500	6.3	SSW.	42	29.3	967. 7	31
		2,900 1,800 1,700	10. 5 11. 9 13. 3	85W, 98W, 98W, 88W, 8,	8. 03 8. 18 8. 26	48 45 40 36 31	0.79	14. 7 16. 0 18. 0 19. 9	781. 2 788. 7 804. 9 828. 3 852. 8 877. 8	2, 250 2, 167 2, 000 1, 750 1, 500 1, 250	6.7	38W.	41	30. 2		50
		520	15. 0 13. 6 11. 8 11. 6	8. 8. 8.	8. 08 9. 49 11. 70 11. 84	30 32 35 35	1. 83	22. 3 23. 9 25. 9 26. 1	882. 9 903. 4 929. 0 931. 4	1,201 1,000 750 730	5. 8	SSW.	37	31.3	967. 4	33
St., wsw.; 2/10 St.Cu	8/10 Ci.		6.7		15. 11 16. 84	35 35		30. 3 32. 2	955. 4 967. 1	500 396	6.7	S.	35	32. 2	967.1	:43

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 22, 1918.

]									
	iurface.						A	t differen	t height:	above s	ien.			
Description	Tem-	Rela-	W	ind.	AltI-	70	Tem-	Δŧ	Hum	idity.	w	Ind.	Electric	Remarks.
Fressure.	ture.		Dir.	Vel,	tude.	Pressure.	ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
anb. 968. 0	° C. 26. 8	%63	sw.	m. p. s.	m. 396	mb. 968.0	° C.		%	mb.	cw	m. p. s.	volts.	6/10 A.St., wsw.; 4/10 St.Cu., sw
968.1	27.0	61	8W.	4.5	500 696	956, 8 935, 9	26. 7 26. 4	0.13	55	21. 02 18. 94	sw. wsw.	6.5		opio zalosi, wawi, spao osiotal, on
					1,000	904.4	24. 4		59	18, 04	wsw.	9.5		
968, 3	27.9	57	sw.	7. 2	1,344	869. 3	21. 2	0,80	63	15, 86	wsw.	8.7	0	3/10 Cl.St., wsw.; 5/10 St.Cu., sw
					1,750	828, 9	17.9		67	13.74	SW.	10.6		
					2,250	782.0	13.9		73	11.59	SSW.	12.9		
908. 5	28. 7	55	wsw.	7.6	2,457	763. 3 759. 3	12. 2				SSW.			7/10 A.Cu., sw.; 2/10 St.Cu., s 1/10 Cu., sw.
********	*******				2,750	737. 0 715. 4	10. 2 8. 6		73	9.09	SSW.	16.3 18.4		
968. 6	28. 9	52	wsw.	7.2	3, 162	701.3	7.5	0.66	71	7.36	8.	19.8	2,800	
********			******		3,500	673.0	4.9		71	6, 15	8.	19.0		
968. 7	29. 7	51	SW.	8, 5	3,885	641.9	2.0	0.77	71	5. 01	550.	18.0	3,800	
					3,500	673.0	5.0		69	6, 02	\$30.	17.6		
	20.8	51	wsw.	9.4	3,119	704. 7	8, 0	0. 59	68	7.30	SS0.	17. 2	2,300	
					2,750	737.0	9. 2		76	8, 85	8.	16.0		
968. 9	28.6			11. 2	2,351	772.7	12.5	0.78	85	12.32	SW.	14.6	1,500	
					2,250 2,000 1,750	805. 0 828. 9	15. 2		77 71	13, 30	SW.	14.8		
969, 0	20.0	AS.	w	8.9	1.555	848.4								
		******			1,500	853. 7	19.0		67	14.72	SW.	14.9		
	26.0	52		6.7	1,000	905.1	22.4		61	16. 23	sw.	13.0	0	
					750	931. 6	23, 8		60	17.69	SW.	11.5		
	26. 4	64												
		01	W.	5, 8	396	969. 2	26. 4		64	20, 69 22, 04	W.			5/10 A.St., sw.; 4/10 A.Cu., sw 1/10 Cu., sw.
			w.	5, 8	396	969. 2								
967.4	23.0					969. 2	26, 4 July 23	, 1918.	64	22, 04	W.	5.8	•	1/10 Cu., sw.
967. 4	23.0	70	s.	6, 3	396 500	969, 2 967, 4 955, 9	26, 4 July 23 23, 0 22, 1	, 1918.	79 80	22, 20 21, 28	S. 3.	6.3		
967.3	23, 3	79			396 500 750 782	969. 2 967. 4 955. 9 929. 2 925. 3	26, 4 July 23 23, 0 22, 1 19, 9 19, 6	0.88	79 80 82 82	22, 20 21, 28 19, 06 18, 70	S. 3. SSW. SSW.	6.3 9.0 15.6 16.4		1/10 Cu., sw.
967.3		79	s, ssw.	6. 3	396 500 750 782 1,000 1,250	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0	26, 4 July 23 23, 0 22, 1 19, 9 19, 6 19, 1 18, 5	0.88	79 80 82 82 81 80	22, 04 22, 20 21, 28 19, 06 18, 70 17, 91 17, 04	\$. \$. \$. \$\$W. \$\$W. \$\$W.	6, 3 9, 0 15, 6 16, 4 15, 6 14, 6	0	1/10 Cu., sw.
967, 3 967, 2	23. 3	79	S. SSW.	6, 3	396 500 750 782 1,000 1,250 1,500 1,753	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4	0.88	79 80 82 82 81 80 78 77	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 10 15. 30	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6, 3 9, 0 15, 6 16, 4 15, 6 14, 6 13, 6	0 660 1,240	1/10 Cu., sw. 2/10 Ci.St., 7/10 St.Cu., sw.
967. 3 967. 2	23, 3	70	s. ssw.	6, 3	396 500 750 782 1,000 1,250 1,500 1,753 2,000	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7 802. 8	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4	0.88	79 80 82 82 81 80 878 777 83	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 10 15. 30 14. 52	S. 3. 38W. SSW. SSW. SW. SW. SW. SW. SW.	6.3 9.0 15.6 16.4 15.6 14.6 13.6 12.6	0	1/10 Cu., sw. 2/10 Ci.St., 7/10 St.Cu., sw.
967, 3 967, 2	23, 3	79 79 75	S. SSW.	6, 3	396 500 750 782 1,000 1,250 1,500 1,753	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4	0.88	79 80 82 82 81 80 78 77	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 10 15. 30	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6, 3 9, 0 15, 6 16, 4 15, 6 14, 6 13, 6	0 660 1,240	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sw
967, 3 967, 2	23, 3 24, 6 25, 4	79 	SSW.	6.3 6.7 8.0	396 500 750 782 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,693 2,750	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 852. 0 779. 5 757. 0 739. 9 734. 9	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 9. 8 9. 4	0.88	79 80 82 81 80 78 77 83 89 95 100	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44	S. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	6.3 9.0 15.6 16.4 15.6 12.6 12.6 12.1 11.8 11.4 11.1	0 660 1,240 1,600 2,500 3,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5
967. 2	23, 3	79 79 75	SSW.	6.3	396 500 750 782 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,693 2,750 2,904 3,000	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 820. 7 802. 8 779. 5 757. 0 739. 9 734. 9 721. 3 713. 3	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 9. 8 9. 4 8. 2 7. 7	0.88	79 80 82 81 80 78 77 83 95 100 97 89	22. 20 21. 28 19. 60 17. 91 17. 04 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35	S. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	6.3 9.0 15.6 16.4 15.6 14.6 12.6 12.2 11.8 11.1	0 660 1,240 1,600 2,500 3,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv
967, 2 967, 2 967, 2	23, 3 24, 6 25, 4 26, 2	79 79 75 72 71	SSW. SSW. SSW.	6.3 6.7 8.0 8.9	396 500 750 782 1,000 1,250 1,500 1,753 2,000 2,500 2,500 2,693 2,750 2,904 3,000 3,250 3,500	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 826. 7 802. 8 779. 5 757. 0 739. 9 721. 3 713. 3 602. 0 671. 0	23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 11. 4 9. 8 9. 4 8. 2 7. 7 6. 4 5. 0	0.88 0.23 0.81	79 80 82 82 81 80 77 83 89 95 100 97 89 88 88 88	22. 20 21. 28 19. 06 18. 70 17. 91 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 8. 46 7. 59	S. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	6.3 9.0 15.6 14.6 13.6 12.6 12.2 11.8 11.1 11.7 13.3 12.8	0 660 1,240 1,600 2,500 3,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv
967, 3 967, 2 967, 2.	23, 3 24, 6 25, 4	79 79 75 75	SSW.	6.3 6.7 8.0 8.9	396 500 750 752 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,993 2,790 2,904 3,250 3,500 3,500 3,500 3,500	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 826. 7 802. 8 779. 5 757. 0 739. 9 734. 9 721. 3 713. 3 692. 0 663. 1 671. 0 663. 1	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 9. 8 9. 4 8. 2 7. 7 6. 4	0.88	79 80 82 82 82 81 80 78 77 83 95 100 97 89 88 88 87 87 87 87 87 88	22. 20 21. 28 19. 06 18. 70 17. 04 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 12. 12 11. 44 9. 67 9. 35	S. S. SSW. SSW. SSW. SW. SW. SW. SW. SW.	6, 3 9, 0 15, 6 16, 4 15, 6 14, 6 12, 6 12, 2 11, 8 11, 4 11, 1 11, 7 13, 5 13, 3 12, 8	0 660 1,240 1,600 2,500 3,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv
967. 2 967. 2 967. 2	23, 3 24, 6 25, 4 26, 2	79 75 75 72 71	SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2	396 500 750 782 1,000 1,250 1,753 2,000 2,250 2,503 2,750 2,904 3,000 3,250 3,250 3,500 3,500	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7 802. 8 779. 5 759. 9 734. 9 721. 3 603. 1	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 11. 4 9. 8 9. 4 8. 2 7. 7 6. 4 5. 5 5. 2	0. 88 0. 23 0. 81 0. 76	79 80 82 82 81 80 78 77 83 89 95 100 97 89 88 88 87 87 87 87 87 87	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 7. 59 7. 59	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6.3 9.0 15.6 16.4 15.6 12.6 12.2 11.8 11.4 11.1 11.7 13.5 13.3 12.8 12.8 12.8 12.8 12.8	0 660 1,240 1,600 2,500 3,000 4,100 4,600	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv
967. 2 967. 2 967. 2 967. 2	23, 3 24, 6 25, 4 26, 2 26, 8	79 75 75 72 71	SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2	396 500 750 752 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,603 3,250 3,250 3,250 3,500 3,500 3,500 3,500 3,185 3,000 3,185 3,000	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7 802. 8 779. 5 7757. 0 739. 9 734. 9 721. 3 663. 1 671. 0 663. 1 671. 0 692. 0 697. 5 711. 3 713. 3	26. 4 July 23 23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 19. 8 9. 4 8. 2 7. 7 6. 4 5. 0 9. 7 4 8. 8 10. 7	0. 88 0. 23 0. 81 0. 76	79 80 82 82 81 80 78 77 77 83 89 89 88 87 77 79 81	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 10 16. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 8. 46 7. 33 7. 52 7. 86	S. S. SSW. SSW. SSW. SW. SW. SW. SW. SW.	6.3 9.0 15.6 14.6 13.6 12.2 11.8 11.4 11.1 11.7 13.3 12.8 12.3 12.1 12.3	0 660 1,240 1,600 2,500 3,000 4,100 4,600	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv
967. 2 967. 2 967. 2 967. 2 967. 1	23, 3 24, 6 25, 4 26, 2 26, 8	79 75 75 72 71	SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2 9.8	396 500 752 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,904 3,000 3,500 3,500 3,500 3,185 3,000 2,750 2,750 2,250 2,250 2,500 2,500 2,500 2,500 2,500	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7 802. 8 779. 5 739. 9 734. 9 721. 3 602. 0 671. 0 663. 1 671. 0 692. 0 607. 5	23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 19. 8 9. 4 8. 2 7. 7 6. 4 5. 5 5. 5 9. 4 8. 7 8. 7 8. 8 9. 8 9. 8 9. 8 9. 8 9. 8 9. 8 9. 8	0. 88 0. 23 0. 81 0. 76	79 80 82 82 81 80 77 83 89 95 100 97 89 88 87 87 87 87 87 87 87 87 87 87 88 88	22. 20 21. 28 19. 06 18. 70 17. 91 16. 10 16. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 8. 46 7. 33 7. 52 7. 86 7. 93 8. 93	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6.3 9.0 15.6 14.6 12.6 12.2 11.8 11.1 11.7 13.3 12.8 12.1 12.2 12.3 12.2 12.4 12.5 12.3 11.6	0 660 1,240 1,600 2,500 3,000 4,100 4,600 3,800	2/10 Ci.st., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv. 1/10 Cu., sw.
967. 2 967. 2 967. 2 967. 2	23, 3 24, 6 25, 4 26, 2 26, 8	79 75 75 72 71 66	SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2 9.8	396 500 750 782 1,000 1,250 1,500 1,753 2,000 2,250 2,500 2,500 2,904 3,006 3,500 3,500 3,500 3,500 3,500 3,500 2,750 2,750 2,222 2,222 2,222	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 826. 7 802. 8 779. 5 757. 0 739. 9 734. 9 721. 3 713. 3 692. 0 663. 1 671. 0 692. 0 697. 5 713. 3 734. 9	23. 0 22. 1 19. 9 19. 6 19. 6 17. 4 15. 4 11. 4 9. 8 9. 4 8. 2 7. 7 6. 0 4. 5 9. 7 4. 6 9. 7 12. 6 14. 6	0.88 0.23 0.81 0.76 0.76	79 80 82 82 82 81 80 78 77 83 89 95 100 97 89 88 87 87 87 77 77 79 81 83 85 85 85 85 85 85 85 86 86 86 87 87 87 87 87 87 87 87 87 87 87 87 87	22. 20 21. 28 19. 06 18. 79 17. 04 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 7. 33 7. 33 7. 33 7. 93 8. 95 10. 12 11. 14. 13	S. S	6. 3 9. 0 15. 6 16. 4 15. 6 12. 6 12. 6 12. 2 11. 8 11. 1 11. 7 13. 3 12. 8 12. 3 12. 2 12. 4 12. 2 12. 4 11. 3 11. 3	0 660 1,240 1,600 2,500 3,000 4,100 4,600 3,800 2,700	2/10 Ci.st., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv. 1/10 Cu., sw.
967. 2 967. 2 967. 2 967. 2 967. 1 967. 0	23. 3 24. 6 25. 4 26. 2 26. 8 27. 2	79 75 75 72 71 66 66	SSW. SSW. SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2 9.8	396 500 750 782 1,000 1,250 1,500 2,250 2,500 2,500 2,693 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250 2,250 2,250 2,250 3,	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 877. 0 852. 0 779. 5 767. 0 663. 1 671. 0 692. 0 667. 1 671. 0 692. 0 697. 5 713. 3 713. 4 97. 5 779. 5 779. 9 802. 8	23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 18. 0 17. 4 15. 4 11. 4 9. 8 9. 4 2 7. 7 6. 4 5. 0 4. 5. 2 6. 9 7. 4 8. 8 10. 7 11. 6 11.	0.88 0.23 0.81 0.76 0.76	79 80 82 82 81 80 88 87 77 83 89 95 100 97 89 88 88 87 87 77 79 81 83 85 77 77 79 83 85 77 77 79 85 85 87 87 87 87 87 87 87 87 87 87 87 87 87	22. 20 21. 28 19. 06 18. 79 17. 04 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 7. 35 8. 95 10. 42 11. 44 11. 4	S. 3. 38W. SSW. SSW. SW. SW. SW. SW. SW. SW. SW.	6. 3 9. 0 15. 6 16. 4 15. 6 12. 6 12. 6 12. 8 11. 4 11. 1 11. 7 13. 3 12. 8 12. 3 12. 2 12. 2 12. 2 11. 8 11. 4 11. 1 11. 7 13. 6 12. 6 11. 6 11	0 660 1,240 1,600 2,500 3,000 4,100 4,600 3,800 2,700 2,300	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv. 1/10 Cu., sw.
967. 2 967. 2 967. 2 967. 2 967. 1 967. 0	23. 3 24. 6 25. 4 26. 2 26. 8 27. 2	79 75 75 72 71 66 66	SSW. SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2 9.8	396 500 750 752 1,000 1,500 1,500 2,200 2,500 2,500 2,603 3,250 3,500 3,500 3,500 3,500 3,185 3,000 2,750 2,750 2,750 2,200 2,	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 878. 7 802. 8 779. 5 759. 9 721. 3 603. 1 671. 0 603. 1 671. 0 607. 5 713. 3 6092. 0 607. 5 713. 3 714. 9 725. 7 757. 0 828. 7 759. 9	26. 4 July 23 23. 0 22. 1 19. 6 19. 1 18. 5 18. 0 17. 4 11. 4 19. 8 2. 7 7. 7 6. 4 8. 8. 2 7. 7 6. 4 8. 8. 2 7. 7 12. 6 16. 4 18. 2 18. 7	0. 88 0. 23 0. 81 0. 76 0. 76	79 80 82 82 81 80 78 87 77 83 89 95 100 97 89 88 87 77 77 77 79 81 83 85 85 78 68 87 75	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 8. 46 7. 59 7. 86 7. 93 8. 95 12. 11 14. 13 14. 13 14. 13 14. 63 14. 67 16. 18	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6.3 9.0 15.6 16.4 15.6 12.6 12.2 11.8 11.4 11.1 11.7 13.5 12.3 12.3 12.3 12.3 11.3 11.3 11.3 11.3	0 660 1,240 1,600 2,500 3,000 4,100 4,600 3,800 2,700 2,300 2,000	2/10 Ci.st., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sv. 1/10 Cu., sw.
967. 2 967. 2 967. 2 967. 2 967. 1 967. 0	23. 3 24. 6 25. 4 26. 2 26. 8 27. 2	79 79 75 72 71 66 66 64	SSW. SSW. SSW. SSW. SSW.	6.3 6.7 8.0 8.9 7.2 9.8	396 500 750 782 1,000 1,250 1,500 1,503 2,000 2,250 2,503 2,750 3,250 3,250 3,250 3,500 3,250 3,500 3,250 3,185 3,000 2,750 2,250 2,250 2,250 1,7	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 852. 0 826. 7 802. 8 779. 5 757. 0 739. 9 721. 3 602. 0 671. 0 602. 0 671. 0 602. 0 671. 0 828. 7 779. 5 719. 5	26. 4 July 23 23. 0 22. 1 19. 6 11. 8. 5 18. 0 17. 4 15. 4 15. 4 16. 4 17. 4 18. 7 18. 7 18. 7 18. 7 18. 7	0. 88 0. 23 0. 81 0. 76 0. 62 0. 73 0. 00	799 80 82 82 82 81 80 78 83 89 95 100 97 89 88 88 87 77 77 77 77 81 83 85 85 76 68 87 75 84 87	22. 20 21. 28 19. 06 18. 70 17. 91 17. 04 16. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 9. 35 8. 46 7. 59 8. 46 7. 73 8. 95 10. 42 12. 11 14. 03 14. 13 14. 63 14. 63 14. 63 14. 63 14. 63 14. 63 14. 63 14. 63 14. 18 18. 12 18. 77	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6.3 9.0 15.6 16.4 15.6 12.6 12.2 11.8 11.1 11.7 13.5 12.8 12.3 12.1 12.2 12.3 12.1 13.3 12.1 13.3 13.3	0 660 1,240 1,600 2,500 3,000 4,100 4,600 3,800 2,700 2,300 2,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sw
967. 2 967. 2 967. 2 967. 2 967. 1 967. 0 966. 9	23. 3 24. 6 25. 4 26. 2 26. 8 27. 2 27. 2	79 75 75 71 71 66 66 64 63	SSW. SSW. SSW. SSW. SSW. WSW.	6.3 6.7 8.0 8.9 7.2 9.8 9.8	396 500 750 782 1,000 1,250 1,500 2,250 2,250 2,500 2,693 2,790 3,250 3,250 3,250 3,250 3,500 3,250 3,500 3,250 3,185 3,000 2,750 2,250 2,	969. 2 967. 4 955. 9 929. 2 925. 3 903. 0 877. 0 826. 7 802. 8 779. 5 757. 0 739. 9 721. 3 711. 3 602. 0 607. 0 607. 0 779. 5 779. 5 779. 5 780. 8 827. 0 671. 0 683. 1 671. 0 692. 0 607. 5 779. 5 780. 8 827. 0 779. 5 780. 8 827. 0 834. 9 855. 0 855. 0 855. 0 855. 0 855. 0 855. 0 877. 0 878. 0 879. 0 877. 0 879. 0 879. 0 877. 0	23. 0 22. 1 19. 9 19. 6 19. 1 18. 5 17. 4 15. 4 11. 4 19. 8 9. 4 8. 7 7 6. 4 5 5 5 6. 9 7 4 8 . 8 10. 7 11. 8 11.	0. 88 0. 23 0. 81 0. 76 0. 62 0. 76	79 80 82 82 82 81 80 78 77 83 89 95 100 97 77 89 88 87 87 77 81 81 83 85 78 76 85 75 84	22. 20 21. 28 19. 06 18. 70 17. 70 16. 10 15. 30 14. 52 13. 68 12. 81 12. 12 11. 44 9. 67 7. 33 7. 36 7. 33 7. 38 8. 46 7. 73 8. 46 7. 93 8. 95 10. 42 11. 14. 03 14. 13 14. 14. 13 14. 13 16.	S. S. SSW. SSW. SSW. SSW. SW. SW. SW. SW	6.3 9.0 15.6 14.6 13.6 12.6 12.2 11.8 11.1 11.7 13.5 12.8 12.1 11.2 12.2 11.3 11.3 11.3 11.3 11.3	0 660 1,240 1,600 2,500 3,000 4,100 4,600 2,700 2,700 2,300 2,000	2/10 Ci.St., 7/10 St.Cu., sw. Altitude of St.Cu. base about 2,5 m. 2/10 A.Cu., sw; 4/10 St.Cu., sw 1/10 Cu., sw.
	968. 6 968. 7 968. 8 968. 9 969. 0	Pressure. perature. 10	Pressure. Perature. humidity. mb. 968.0 26.8 63 968.1 27.0 61 968.3 27.9 57 968.6 28.9 52 968.7 29.7 51 968.8 20.8 51 968.9 28.6 53 969.0 20.0 53	Pressure, Pera- tive, humid- ity. mb. °C. % 968.0 26.8 63 sw. 968.1 27.0 61 sw. 968.3 27.9 57 sw. 968.5 28.7 55 wsw. 968.6 28.9 52 wsw. 968.7 29.7 51 sw. 968.8 29.8 51 wsw. 968.9 28.6 53 w. 969.0 20.0 53 w.	Pressure. Persure. humidity. Dir. Vel, mb. °C 26.8 63 sw. 4.5 968.1 27.0 61 sw. 4.5 968.3 27.9 57 sw. 7.2 968.6 28.9 52 wsw. 7.2 968.7 29.7 51 sw. 8.5 968.8 29.8 51 wsw. 9.4 968.9 28.6 53 w. 11.2 969.0 20.0 53 w. 8.9 969.1 26.9 58 w. 6.7	Pressure. Pressu	Pressure. Temperative humidity. mb. °C. % 808.0 25.8 63 8w. 4.5 396 968.0 968.0 968.1 27.0 61 8w. 4.5 396 968.0 968.3 27.9 57 8w. 7.2 1,250 878.9 968.3 27.9 57 8w. 7.2 1,344 869.3 1,500 803.7 1,750 828.9 828.7 828.7 828.9 828.6 828.7 838.7	Pressure. Temperative humidity. Dir. Vel. Lude. Pressure. Temperature.	Pressure Pressure	Pressure. Tempera- tive humid- ity. Dir. Vel.	Pressure Temperature Tem	Pressure. Temperature. Temperature Dir. Vel. Dir. Vel. Dir. Vel. Dir. Vel. Dir. Vel. Dir.	Pressure Pressure	Pressure Pressure

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 24, 1918.

	8	lurface.						A	t differen	t height	above :	308.			
	-		Pele	W	ind.					Hum	idity.	w	ind.		
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	∆ t. 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	Remarks,
A. M. 8:02	mb. 965.2	° C. 25. 0	% 67	ssw.	m. p. s. 4. 9	m, 396	mb. 965. 2	° C. 25.0		% 67	mb. 21.23	83W.	m. p. s. 4. 9	volts.	Few St.Cu., wsw.
3:10	965. 2	25.0	66	SW.	4.9	500 526 750 1,000	954. 0 951. 0 926. 6 900. 2	22. 9 22. 4 21. 8 21. 2	2.00	72 73 73 72 72 72	20.11 19.78 19.07 18.13	SSW, SSW, SW, WSW,	8.8 9.8 10.6 11.4	0	10 100
3:20 37	965.3 965.3	25. 2 26. 9	66 64	SSW. SW.	4.5 4.5	1, 146 1, 248 1, 500	885.6 875.7 850.6	20. 8 20. 7 19. 9	0, 26 0, 10	72 73 74	17.69 17.83 17.20	WSW. WSW. SW.	11.9 6.6 5.0	920 1, 280	Cloudless.
:28	965. 2	28.0	60	sw.	4.9	1,582 1,500 1,250	842.5 850.6 874.8	19.7 20.0 21.0	0.34	74 74 73	16.98 17.30 18.16	sw. sw. wsw.	4.5 4.6 4.9	980	
:45	965.2	28.8	59	sw.	3.1	1,018 1,000 750 516	899. 4 900. 2 926. 6 952. 3	21. 9 22. 0 23. 9 25. 6	2.17	72 72 70	18.92 19.04 20.76	WSW. WSW. SW.	5.2 5.2 4.7	810	
):49	965.2	28. 2	59	SW.	3.1	500 396	954.0 965.2	25. 9 28. 2	40. 8 f	68 67 59	22. 23 22. 39 22. 57	sw. sw.	4.3 4.1 3.1	0 3 4 8 0 8 0 0 0 0 0	Cloudless.
							1	July 23	5, 1918.						
А. М.															
:25	965. 9 965. 7	30.6	52 54	Se.	9.8	396 500 637 750	965.9 954.3 940.0 928.0	30. 6 29. 0 26. 8 25. 9	1.58	52 55 59 61	22. 84 22. 04 20. 79 20. 39	56. 56. 56.	7.2 7.5 8.0 7.9	0 330	2/10 Cl.St., w.; 3/10 St.Cu., asw.
:36	965.7	30.9	51	336.	13.0	1,000 1,116 1,250	901.8 890.1 876.3	23.9 23.0 23.8	0.79	65 67 59	19. 29 18. 83 17. 40	850. 850. 850.	7.8 7.7 7.8	1,100	
:49	965. 6	31.2	49	336.	12.5	1, 453 1, 500 1, 750	856.6 851.7 827.8	25.0 24.6 22.6	-0.59	47 47 45	14.89 14.54 12.34	550. 830. 8.	8.0 8.0 8.4	1,800	F Cl Ct Pro t C
	900.4	31.3		Se.	10.4	1,938 2,000 2,250 2,500	810.1 804.5 781.5 759.2	21. 0 20. 4 18. 1 15. 7	0.82	44 46 52 58	10.94 11.01 10.80 10.35	8. 8. 8. SSW.	8.6 8.7 9.1 9.5	2,000	Few Ci.St., w.; 7/10 A.Cu., wsw
						2,750 3,000 3,250	737.0 715.5 694.0	13. 4 11. 0 8. 7		65 71 77	9. 99 9. 32 8. 66	SSW. SW.	9.9 10.3 10.7		
:50	965.3	32.6	46	sse.	11.2	3, 272 3, 500 3, 750 4, 000	692.3 673.0 652.8 633.3	8.5 6.7 4.8 2.9	0.94	78 84 90 96	8.66 8.24 7.74 7.23	SW. SW. SW. WSW.	10.7 11.1 11.6 12.0	3,500 4,400	
Р. М.	964.9	33.0	44	Se.	9.8	4, 136 4, 250	623.3 614.8	1.8 1.7	0.78	100 92	6.96 6.36	wsw. wsw.	12.3 12.2	4,800	
:32	964. 8 964. 7	33.1	43	SSO.	12.1	4,343 4,250 4,056 4,000	607.3 614.8 629.6 633.3	1.5 1.8 2.5 3.0	0. 24	85 88 94 93	5.79 6.12 6.87 7.05	WSW. WSW. WSW.	12.1 12.1 12.1 12.2		
						3,750 3,500 3,250	652.8 673.0 694.0	5.1 7.1 9.2		87 82 76	7.80 8.27 8.85	wsw. wsw. sw.	12.5 12.9 13.2		
:53	964.3	34.4	39	SS6.	12.1	3,038 3,000 2,750 2,500	711.5 715.5 737.0 759.2	11. 0 11. 3 13. 4 15. 5	0.83	71 70 65 60	9.32 9.37 9.99 10.57	SW. SW. SW.	13.5 13.3 12.3 11.3	2,700	
:19	964.0	34.1	39	sse.	11.6	2, 250 2, 000 1, 920	781.5 804.5 811.3	17.6 18.0 20.3	0.82	55 54 48	11. 07 11. 15 11. 43	SSW. SSW.	10.3 10.1 8.9	1,750	
			*******	*******	*******	1,750 1,500 1,250 1,000	827. 8 851. 0 875. 2 900. 5	21.7 23.7 25.8 27.8		48 47 46 45	12.46 13.78 15.29 16.82	88W. 8. 8. 890.	9.1 9.4 9.7 9.9	1,080	
:50	963.6	34.6	36	SSe.	11.6	782 750 500	923. 1 926. 4 952. 8	29.6 30.0 32.8	1.14	44 44 41	18. 25 18. 67 20. 40	596. 586. 586.	10. 2 10. 3 11. 2	0	
:00	963.5	34.0	40	SS0.	11.6	396	963.5	34.0		40	21. 28	sse.	11.6		Few Ci.Cu., wsw.; 2/10 A.Cu., ws
			I		1	1		July 26	, 1918.				1		
P. M. :54	968.6	28.1	64	nne.	3.6	396 500 750	968. 6 957. 2 930. 0	28.1 26.9 24.1		64 68 78	24. 34 24. 11 23. 42	nne. nne. ne.	3.6 4.7 7.4		10/10 St. Cu., w.
40	968, 3	28.8	62	ne.	4.0	903 1,000 1,250	914. 2 903. 9 878. 0	22. 4 22. 1 21. 4	1.12	84 82 76	22, 76 21, 81 19, 37	ene. ene. e.	9.1 8.6 7.1	0 860 1,400 1,900	9/10 St.Cu., w.
2	967. 9	28. 4	67	ene.	4.0	1,500 1,750 1,768	852. 8 828. 2 827. 3	20, 7 20, 0 19, 9	0, 38	70 63 63	17.00 14.73 14.64	90. 90.	5.7 4.3 4.2	*******	7/10 St.Cu., w.
15	967. 9	30. 5	62	ene.	4.5	1,750 1,500 1,405 1,250	828. 2 852. 8 862. 9 878. 0	20. 0 21. 1 21. 6 21. 6	0,00	63 61 61 73	14. 73 15. 27 15. 74 18. 83	20. 20. 20. 20.	4.5 8.8 10.4 11.2	1,470	
23	967. 9	29. 8	62	0.	4.5	1,110 1,000 750	892, 7 903, 9 930, 0	21. 6 22. 6 25. 0	0.95	84 81 77 71	21, 67 22, 23 24, 39	0. 0. 0.	11. 9 11. 1 9. 2	590	4/10 St.Cu., w.
38	967. 9 967. 9	30, 3	58	0. 0.	4.5	668 500 396	938. 8 957. 2 967. 9	25. 8 28. 5 30. 2	1,62	71 62 57	23, 59 24, 13 24, 47	6. 6.	8,6 6,1 4,5	********	1/10 A.Cu., wnw.; 3/10 St.Cu., w.

SUPPLEMENT NO. 14.

TABLE 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

						li .									
	8	Surface.						A	t differen	t heights	above :	en.			
		Tem-	Rela-	w	Ind.	Alti-		Tem-	Δε	Hum	ddity.	W	Ind.	Electric	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel-	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
A. M. 6:36	mb. 968, 8	°C. 24, 0	% 85	-	m. p. s.	703,	mb.	° C. 24. 0		% 85	mb.		m. p. s.	volts.	For Co. see borton
************				80.	4.5	396 500	968. 8 957. 6	24. 0		74	25, 36 23, 31	88. 556.	6.7		Few Cu., near horizon.
6:40	968. 8	24.0	85	80.	4. 5	695 750	936. 4 930. 8	26. 6 26. 4	-0.87	53 53	18, 46 18, 25	3. S.	10.7	0	
	********					1,000	905.0	25. 2		52	16, 67	S.	10.7	*******	
7:03		24.7	80	836.	4.9	1,250	879. 7 857. 9	24. 1 23. 1	0, 45	52 51	15. 61 14. 42	SSW.	10.6	760	
**************						1,500 1,750	855, 0 831, 5	22. 8 20. 8		51 52	14.16 12.78	ssw.	10.3		Few A.Cu., w.
8:45	968. 7	29. 6	56	SS0.	5. 4	1,858	821.1	19.9	0.82	52	12.08	SW.	8.1 7.2		
						2,000 2,250	808. 2 785. 0	18. 8 16. 9		54 57	11.72 10.97	SW.	7.5	*******	
0.05	600 0	20.0				2,500	762.2	15.0		60	10, 23	sw.	8.6	1,600	
9:05	968. 6	30.6	31	38W.	5. 4	2,709 2,750	743. 7 739. 9	13. 4	0, 76	63 64	9. 68 9. 65	SW.	9. 0 8. 9	2,200	Table 1 August 1
***********	******	******	******			3,000	718.0 697.2	11, 0 9, 0		71	9.32	SW.	8, 2	******	
						3,500	676.8	7.0		79 86	9, 07 8, 62	WSW.	7. 5 6. 8		
9:20	968. 6	30, 9	47	88W.	4, 5	3,699	659. 9 676. 8	5. 4	0, 81	92 86	8, 25 8, 62	WSW.	6, 2 6, 4	2,000 1,700	Few Ci.St., w.; 2/10 Ci.Cu., w.,
		*******				3,250	697.2	9, 0		78	8, 95	WSW.	6, 6		2 6 11 01.001, 11., 2/10 01.001., 11.,
**************	********	*******	*******	*******		3,000 2,750	718. 0 739. 9	11. 1 13. 0		71 63	9, 38 9, 44	WSW.	6,9		
0:06	968.6	31.1	45	88W.	6, 7	2,500 2,317	762, 2 777, 7	15.0	0, 91	56 50	9. 55 9. 44	SW.	7.4	1,400	
******	********					2,250	785.0	17.2	0. 91	49	9, 61	SW.	7. 6 7. 7	1,300	1/10 Cl.St., w.; 3/10 Cl.Cu., w.
**************	********	*******				2,000 1,750	808. 2 831. 5	19. 4 21. 7		46 43	10, 36 11, 16	SW.	8.0	890	
*************	*******					1,500	855.0	24.0		39	11.64	SSW.	8, 7		
0:39	968, 6	31.9	45	SSW.	6.3	1,250 1,022	879. 7 902. 9	26. 2 28. 4	-0.50	36 33	12, 25 12, 77	38W.	9. 0 9. 3	490	
0:47	968. 6	31.8	46	83W.	7.2	1,000 785	905, 0 927, 3	28.3 27.2	1. 21	34 49	13, 08	SSW.	9.4	0	
• • • • • • • • • • • • • • • • • • • •						750	930.8	27.6	4.41	49	17. 68 18, 10	SSW.	10.1 9.8		
0:51	968. 6	31.9	46	sw.	6,3	300 396	957. 6 968. 6	30.6		47 46	20.65 21.76	sw.	7.3 6.3	*********	3/10 Ci. St., w.; 1/10 Ci. Cu., w.
А. М.			1					July 28	, 1918.						
:01	967.9	24.6	59	nw.	4.0	396	967.9	24.6		59	18.25	nw.	4.0		4/10 Ci.St., w; 6/10 A.Cu., sw.
:08		25.3	60	nw.	3.1	500 610	956.1 944.8	24.7	-0.93	58 56	18.05 17.53	nw. wnw.			
****						750 1,000	929. 4 903. 8	25.2 25.9		53 48	16.99 15.95	W.	12.0		
:24		25.7	58	wnw.	1.8	1,030	901.0	26.0	-0.29	47	15.80	WSW.	14.2 14.5	0	
				*******	******	1,250 1,500	878.3 853.8	24.7 23.3		47	14.63 13.73	WSW.	14. 4 14. 2		
:39	968. 4	26.0	58	wnw.	1.3	1,704	834.3	22.0	0.59	48	12.69	SW.	14.1	950	3/10 Cl.St., w.; 3/10 A.St., w.; 4/1
						1,750	829.8	21.7		48	12.46	sw.	13.7	*********	A. Cu., sw.
***************		*******		*******		2,000 2,250	806. 2 783. 3	19.5 17.4		50 52	11.34 10.33	SW.	13. 2 12. 4		
:50	968.5	26.1	58	wnw.	1.8	2,286	779.9	17.0	0.86	52	10.08	sw.	12.3	1,600	
				*******		2,500	760. 2 738. 0	15. 2 13. 0		57 63	9.84	SW.	12.1 11.9	2,300	
**************						3,000 3,250	716.3 695.2	10.9		69 75	8.94 8.50	SW.	11.7 11.5		
:39		27.5	58	n.	4.9	3, 279	693.3	8.5	0.86	76	8. 44	SW.	11.4	2,800 3,600	3/10 Ci.St., w.; 2/10 A.St., w.; 4/1
						3,500	674.6	6.6		81	7.90	sw.	10.2		A.Cu., sw.
:02		27.2		nne.	7.6	3,750	654.3	4.4		87	7.28	SW.	8.8	3,500	000 1 00 000 1 00 000
	200.0	21.2	00	mie.	1.0	3,905	642.6	3.0	0.86	91	6.90	sw.	7.9	******	2/10 A.St., w.; 2/10 A.Cu., sw.; 5/1 St.Cu., sw.
						3,750 3,500	654.3 674.6			87	7.18 7.58	SW.		2,600	
						3, 250	695.2	8.4		80 73	8.04	sw.			Threatening conditions.
						3,000	716.3 738.8			60	8. 45 8. 64	SW.	8.5		
22	968.8	26.6	64	ne.	7.2	2,633 2,500	748.3	13.5	0.77	57	8.82	sw.	8.7	1,400	Sprinkling rain from 9:26 to 9:30 a. 1
						2, 250	761.0 783.3	15.2		56 55	9.18 9.50	SW. SSW.	8.8		
***************						2,000 1,750	806. 2 829. 8	18.3		52 49	10, 94 11, 74	8.	9.0		
						1,500	853.8	22.2		47	12.58	8. 880.	9.3		
37	969.0	26.6	64	ne.	8.0	1, 250 1, 167	878.8 887.3	24.1	-0.33	45	13.51 13.78	Se. Se.			
						1,000	904. 6 930. 6	24.3		53	16.11	636.	9.8		
44	969.0	26.4	65	ne.	7.6	750 619	944.8	23.0	1.66	67 74	19. 28 20. 79	ene. ne.	10.6	1,100	
:56	969. 2	26.7	64	ne.	6.3	500 396	957.3 969.0	25. 0 26. 7		69 64	21.86 22.43	ne. ne.	8.3	0	2/10 A.St., w.; 4/10 St.Cu., sw.; 2/1 Cu.Nb., sw.

TABLE 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 29, 1918.

	Si	urface.						At	differen	heights	above s	ea.			
	-		Rela-	W	ind.	-				Hum	idity.	W	Ind.		Remarks.
Time,	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	∆ t. 100 m.	Rel.	Vap.	Dir.	Vel.	Electric potential.	Around A.S.
6:17M.	mb. 974.2	°C. 16.3	% 83	n,	m. p. s. 3.1	m. 396	mb. 974. 2	° C. 16.3		% 83 77	mb. 15.38	n.	m. p. s. 3. 1	volta.	Few Cu., n.
6:22	974.3	16.4	83	D.	3.1	500 555	963.0 956.3	16.6 16.8	-0.31	77 74	14.55 14.16	n. n.	9.1		
6:42	974.5	16.9	81	nne.	4.0	750	935.0 916.2	16.0 15.3	0.41	68 62	12.36 10.78	n, n,	9.9	0	
						1,000 1,250	908. 0 881. 2	14.8 12.1		62 61	10. 43 8. 61	n. nnw.	8.6		
7:03	974.7	17.3	78	nne.	4.5	1,500	855. 2 847. 9	11.5 11.0	0.66	60	8.14 7.88	nnw.	13.8	1,350	
7:10	974.7	17.6	77	nne.	4.0	1,750	829.9 817.3	12. 2 13. 1	-0.68	46 35	6.54 5.28	nw.	12.5		
	********					2,000 2,250	805.0 781.6	12.7 11.9		32 25	4.70 3.48	nw.	11.4 12.7		
7:30		18.0	74	ne.	5.4	2,437 2,500	765.0 758.8	11. 2 10. 8	0.34	20 20	2.66 2.59	nw.	13.6 13.5	1,900	Cloudless.
						2,750 3,000	736.1 714.3	9.3 7.7		18 16	2.11 1.68	nw.	13.3	3,300	
		******	*** .***			3, 250	693.4 673.2	6.2		14 13	1.33	nw.	12.8 12.5		
8:19	974.8	19.6	69	ne.	4.5	3,743 3,750	653.1 652,8	3.1	0.62	11	0. 84 0. 84	nw.	12.3 12.3	5, 100 5, 000	
					*******	4,000 4,250	633.0 613.5	1.7		9 8	0.62 0.50	nw.	12.8 13.4	8,000	Few Cu., n.
10:02	975.0	21.1	58	n.	4.0	4, 499	594.8 613.5	- 0.9 0.7	0.60	6	0.34	nw.	13.9 13.0		
						4,000	633.0 652,8	2.4		6 5	0.44	nw.	12.2 11.3	********	
0:39	975.0	21.9	53	n,	5.4	3,500 3,315	673. 2 688. 3	5.7 6.9	0.58	5 5	0.46 0.50	nw.	10.4		
						3, 250	693.4 714.3	7.3 8.7		5 6	0.51 0.68	nw.	10.1 11.0	*******	
	*******	******			*******	2,750 2,500	736.1 758.8	10. 2 11. 6		7	0.87	nw. nnw.	12.0 13.0	3,400	
1:12	974.9	22. 2	48	n.	4.9	2, 250 2, 208	781.6 786.1	13.1 13.3	-0.50	8 8	1.21	nnw.	13.9	2,500	
						2,000 1,750	805.0 829.9	12.3 11.0		19 32	2.72 4.20	nnw.	13.3		
1:24	974.7	23.2	46	nne.	4.5	1,529 1,500	852.8 855.2	9.9	0.87	44	5.37 5.73	n. n.	11.6 11.3	1,700	
1:30		22.9	46	ne.	4.5	1, 250 1, 149	881. 2 892. 3	12.3 13.2	0.88	63 70	9. 02 10. 62	n. n.	8.9 7.9		
*************		******			*******	1,000	908. 0 935. 0	14.5		66 59	10.90 11.22	n. n.	8.3 9.0	0	
1:45	974.5	22.4	46	nne.	4.9	593 500	952. 4 963. 0	18.1 20.2	2.28	55 51	11. 42 12. 08	n. n.	9.4		
11:52	974.4	22.6	47	B.	4.5	396	974.4	22.6		47	12.89	n.	4.5		Few Cu., n.
								July 30	, 1918.						
A. M.	074.0	10.0	70			200	074.0	16.0		70	13. 82		6.3		Few Cu. near horizon,
3.56	974. 0	16.0	76	0.	6.3	396 500	974. 0 962. 0	16.0 15.6	0.00	76 74	13. 11	0.	6.3		Few Cal. Heat not non.
:10	974.0	16.7	71	0,	6.3	714 750	938. 2 934. 2	14.9	0.35	71 71	12.03	000.	5.9	620 950	
:25	974.3	18.9	61	50.	7.6	1,000	907. 4	12.7 12.4	0.00	75 75	11.02	650. 650.	3.3		
	074.9	10.0				1,000 750	907. 4 934. 2	12.6	1 49	75 75	10.94	686.	3.0 2.9 2.9	*********	
3:28	974.3	19. 2	60	80.	6.3	705 500	939. 5 962. 0	14.4	1.68	75 64	12.30	880,	5.1		Few Cl., w.
32	974.3	19. 6	58	86.	6.3	396	974.3	19.6		58	13. 23	90.	6.3		Few Clay W.
							July 3	1, 1918,	series (N	lo. 1).					
А. М.	970.4	16.3	77	880.	6.7	396	970.4			77	14. 27	880.	6.7		Cloudless.
:16	970. 4	16.4		880.	6.7	500 695	958.4 937.0	17. 0 18. 2	-0.64	71 60	13. 76 12. 54	880,	11. 4 20. 1		
						750 1,000	931. 0 903. 9	18.2 18.1		58 50	12. 12 10. 38	S. SEW.	18.9 13.7	0	
:38		17.1	74	8.	8.5	1,198 1,250	883. 8 877. 5	18.0 17.8	0.04	44	9. 08 9. 17	SSW.	9.5	1,300	
						1,500	852. 4 828. 2	16. 8 15. 8		49 53	9.37 9.51	SW, WSW,	8.5 7.7	2,000	
:08	970. 5 970. 2	19. 2 20. 9	65 59	8. 8.	10.7 10.7	1,825 1,861	821. 2 817. 6	15. 5 15. 1	0. 40 1. 11	54 58	9.51 9.95	WSW.	7.5	2,800 3,900	
35	970. 4	22.8	52	88W.	12.5	2,000 2,089	804. 1 796. 0	14.3 13.7	0.56	58 58	9.45	WSW.	4.1		
	010/4				12.0	2,000 1,750	804. 1 828. 2		0,00	57 53	9. 17 9. 27	wsw.	3.9		
59	970.6	22.9	53	8SW.	10.7	1,500 1,394	852. 4 864. 1	16.7 17.2	0.17	50 48	9.50 9.42	85W.	9.3	1,700	
					10.7	1, 250 1, 000	877. 5 903. 9	477. 4		52 58	10.33 11.90	35W.	10.7	1,500	
:16	970.5	23.3	52	8,	13.0	807 750	925. 4 931. 0	18.2	1.31	63 61	13. 17 13. 40	8. 8.	11.5	0	
***********				*******		500	959. 2	22.2		55	14. 72	5.	11.4		
24	970 5	23.6	52		11.2	396	970.5	99 6		52	15.15		11.2		Cloudless.

Table 7.—Free-air data from kite flights at Drexel Aerological Station, July, 1918—Continued.

July 31, 1918, series (No. 2).

							July 3	1, 1918,	series (N	0. 2).					
	S	lurface.						A	t different	heights	above	sea.			
		Tem-	Rela-	w	ind.	Alti-		Tem-	Δŧ	Hum	idity.	W	ind.		Remarks
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M. 10:05	mb. 970.2	°C. 25. 4	% 49	ssw.	m. p. s. 4. 9	m. 396 500	mb. 970. 2 958. 6	°C. 25. 4 23. 8		% 49 51	mb. 15. 90	ssw.	m, p. s. 4.9	solts.	Cloudless.
0:15	970.1	25. 7	48	8.	5.8	752 1,000	931. 2 905. 0	19. 8 18. 4	1.57	57 53	15. 04 13. 17 11. 21	83W. 8. 8.	5.9 8.3 10.5	0	
1:30		25. 5 28. 1	46	S.	6.7	1,025 1,250 1,455	902. 0 878. 7 857. 6	18.3 17.9 17.6	0.55	53 51	11. 15 10. 46	8,	10.7		F 1. C
*************	********			******	*******	1,500 1,750	852. 9 828. 0	17. 4 16. 4	0. 16	49 49 50	9, 86 9, 74 9, 32	8. 8. 88W.	6. 1 6. 0 5. 3	1,680 1,800 2,200	Few A.Cu., wsw.
P. M. 2:15	968. 9	27.8	42	S.	6.3	2,178	787. 4	15.3	0.36	51	8. 86 8. 48	sw.	4.7	*******	
	********		*******			2,000 1,750 1,500	804. 0 828. 0 852. 9	15. 2 16. 0 16. 8		53 56	9. 15 10. 18	SW.	4. 6 5. 3	********	
2:37	968.9	28. 6	41	8,	7.6	1,250 1,238 1,000	878. 7 879. 7 905. 0	17. 6 17. 6 20. 3	1.14	59 62 62	11. 29 12. 48 12. 48	SSW. 8. 8.	5.9 6.6 6.6	1,390	Cloudless.
2:56	968. 9	28.7	41	88W.	7.6	750 710	931. 5 935. 0	23. 2 23. 6	1.40	58 53 52	13. 82 15. 07 15. 15	S. S.	7.9 9.3 9.5	890	
1:02	968.9	28.0	42	SSW.	7.2	500 396	957. 7 968. 9	26.5	*******	45 42	15, 58 15, 88	SSW.	8.0 7.2		Cloudless.
1					1	1	July 31,	1918, 50	eries (No	. 3).		1.			
Р. М.	968. 4	29.3	20	GOSEP	8.7	208	069 4	00.0							
53	968.3	29. 5		SSW.	6.7	396 500 646	968. 4 957. 0 941. 3	27. 7 25. 5	1. 52	39 41 45	15, 90 15, 23 14, 69	SSW. SSW.	6.7 7.3 8.1		Cloudless.
	*********	******	*******	*******		750 1,000 1,250	930. 2 904. 0 878. 0	22.4	*******	47 51 55	14. 54 13. 82 13. 02	SSW.	7.7 6.9 6.1	0	
08	967. 8	30. 2	38	8.	5.4	1,473 1,500	855. 4 852. 2	18.2	0, 88	59 59	12.33 12.18	S. S.	5.3	950 1,500	
36	967. 5	30. 4		SSW.	6.3	1,750 1,946 1,750	827. 6 808. 9 827. 6	16. 0 14. 4	0. 84	60 61 60	10. 91 10. 00	SSW. SW.	5.3 5.3		
53	967.3	30.8		ssw.	5.8	1,500 1,263	852. 2 876. 4	18. 4 20. 5	1.02	58 57	11. 05 12. 27 13. 75	SW. SSW.	6. 0 6. 9 7. 7	1,500 500	
***********	********		*******		*******	1,250 1,000 750	978. 0 903. 3 929. 0		*******	57	13. 83 15. 07	SSW.	7.7 8.1	590	
15	967. 0	31.0		SSW.	6.7	623 500	942. 6 955. 2	27.0	1.72	48 46 42	15. 85 16. 40 16. 93	S. S.	8.4 8.6 7.6	0	
23	966. 9	30. 9	38	SSW.	6.7	396	966. 9			38	16. 98	SSW.	6.7		Cloudless.
	-		1				July 31,	1918, 56	eries (No	. 4).					
58	966. 5	31. 2	36	SSW.	5.8	396 500	966.5	31.2		36	16.37	SSW.			Cloudless.
08	966. 5	30.8	38	SSW.	4.9	695 750	954. 6 934. 5 927. 9	29. 4 26. 1 25. 6	1.71	38 43 44	15.58 14.54 14.45	85W. 8.	6.4 7.4 7.5	260	
00	966. 2	30.0	41	ssw.	4.5	1,000 1,250 1,398	902. 0 876. 7 861. 8	23.3 21.1 19.7	0.91	48 52 54	13.73 13.02 12.39	SSW. SW.	7.8 8 1. 8.3	1,500	
i2	966. 2	27.7		s.	2.7	1,500 1,749	851.8 827.4	19.5 18.9	0.46	51 45	11.56 9.83	WSW. WDW.	6.6	2,200 980	
19	966. 2	26.2	52	S.	3.1	1,500 1,250 1,092	851.8 876.7 802.6		0.42	46 47 47	11. 16	WSW. SW.	6.5	1,080	
*************	********					1,000 750	902.0 927.9	23.9	0.12	47	13.61 13.94 15.44	SSW. SSW. 8.	7.8 9.3 13.3	490	
0	966. 2 966. 2	25. 8		S.	3.6	738 500	929. 4 954. 6	25. 0 25. 1	0.06	49 54	15. 52 17. 21	S. 8.	13.5	0	
		20.2	00	3.	3.6	396	966. 2	25.2		56	17.95	8.	3.6	••••••	Cloudless.
. 1		- 1				-	July 31,	1918, 54	eries (No	. 5).					
P. M.	966, 4	24.6	54	s.	6.3	396 500	966. 4 954. 0	24.6 25.4		. 54	16.71	S.	6.3		Few Cu., nw.
50	966. 4	24.2	56	S.	6.3	588 750	945. 4 927. 7	26. 0 25. 4	-0.73	52 51 50	16.87 17.15 16.22	S. SSW.	9.8 12.7 10.3	0	
:43	966.5	23.2	1	8.,-	7.2	1,000 1,105 1,250	902.3 891.5	24.4	0.39	48	14. 67 14. 02	SW.	6.5	760 1,200	City - March
:15	966. 5	22.6		S.	7.2	1,250 1,500 1,701	877. 1 852. 4 832. 3	22.8 20.9 19.3	0.86	46 44 43	12.77 10.88 9.63	SW. WSW.	3.0	*********	Cloudless.
23	966.5	22.7	******	S.	6.7	1,500 1,277	852.4 874.1	21.1 .	0.38	43 43 42	10.76 11.94	W. WSW. SSW.	3.3	********	
*************		*******		*******		1,250 1,000	877.1 903.3	23.3 .	******	42 42 43	12 02 12.99	SSW.	3.7 7.2	560	
:49	966.5	22.4	58	S.	7.2	750 542 500	929. 6 950. 6 955. 7		-2.47	43 44 48	13.79 14.79 15.21	S. S.	10.9	0	
:54	966. 5	22.4	59	8.	8.0	396	966.5	00 4	******	59		S. S.	12.1 8.0	*******	Cloudless.

OBSERVATIONS AT DREXEL, AUGUST, 1918.

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.

August 1, 1918, series (No. 6).

	Su	irface.						At	different	heights	above se	6.			
	.			Wi	nd.		-			Humi	dity.	W	nđ.		Remarks.
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△ t.</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb.	°C.	% 59		m. p. s.	70.	mb.	°C.		% 59	mb. 14.58	SSW.	m. p. s. 6.3	volts.	2/10 A.Cu., nw.; few Ci.St., nw.
:58	965. 9 965. 9	20.9	59	SSW.	6.3	396 500 539	965. 9 954. 1 950. 3	20.9 23.1 28.0 27.3	-5.52	57 50 42	16. 11 18. 90 15. 25	SW. WSW. WSW.	8.3 13.7 12.8	0	472072.04.5
7:23	966.0	21.8	58	ssw.	6.7	750 1,000 1,183	927.7 902.3 883.6	26.6 26.0	0.31	32 25	11.15 8.40	WSW. WSW.	11.9 11.1	060	1/10 Cl.St., nw.; 6/10 A.Cu., nw
						1,250 1,500 1,750	877.1 852.5 828.4	25.5 23.7 21.8		25 27 28	8.16 7.91 7.31	WSW. WSW. W.	10.9 10.1 9.3	1,600	3/10 Cl.St., nw.; 6/10 A.Cu., nw
	*********					2,000 2,250	805.0 782.0	20.0 18.1		29 31 32	6.78 6.44 5.99	wnw.	8.5 7.7 7.0	1,300 2,300 2,700	1000
3:30	966.0	24.0	54	wsw.	3.1	2,470 2,500 2,750	762. 2 759. 5 737. 6	16.2 14.0		32 34	5.89 5.43	wnw.	6.9 5.7	3,000 2,800	3/10 CLSt., nw.; 4/10 A.Cu., nw.
):20		27.7	49	sw.	4.5	3,000 3,184 3,000	716.2 700.9 716.2	10.1	0.90	36 38 37	4.95 4.70 5.09	wnw. wnw. wnw.	4.6 3.7 4.2		a/10 Cl.St., hw., 4/10 A.Cu., hw.
		******				2,750 2,500	737.6 759.5	13.9 16.2		35 32 30	5.56 5.80 6.35	WDW. W. W.	5.0 5.7 6.5		
9:45	965.6	26.5	51	SW.	3.1	2,250 2,067 2,000	782.0 799.0 805.0	20.0	0.78	29 29 27	6.78	W.	7.0	460	8/10 A.Cu., nw.
						1,750 1,500 1,250	852.5	24.4		27 26 25	7.36 7.95 8.56	W. W. WSW.	7.3 7.5 7.7	730	
0:16		28. 4	46	ssw.	3.1	1,000	902.3 910.1	28.3	0.96	23 23	8.85 9.16	WSW.	7.9 8.0 6.3		
				ssw.	2.7	750 500 396	954.1	29. 3		29 38 42	11.69 15.49 17.22	8W. 88W. 88W.	3.7		8/10 A.Cu., nw.
10:27	965.4	29.4	122	Saw.	1 2		1	1		Ī		1	1	1	1
								Augus	t 2, 1918.			1	-	1	1
6:38	967.3	21.5	73	nne.	5.4	396	967.3	21.5		73	18.72	nne.	5.4		3/10 A.Cu., nw.
6:42	967.4	21.9			5.4	500 585 750	946.6	22.4	-0.15	70 54 53	18.17 14.63 14.62	nne. ne.	14.6 22.1 18.5	0	
7:00		22. 3	70		4.9	1,000	902.2	23.1	-0.18	52 52	14.70 14.79	ne.	13. 1 12. 3	1,470	
					4.5	1, 250 1, 500 1, 670	852. 8	21.7		47 42 38	12.81 10.90 9.51	nne, n. nnw,	11.6 10.8 10.3		2/10 A.Cu., nw.
7:10			1	nne,		1,750 2,000	828.8	3 20.8 1 19.9		36 28 20	8.85 6.51 4.39	nnw.	10.6 11.7 12.7		
7:30				nne.	4.0	2, 250 2, 459 2, 500	762.	5 18.2	0.37	14 15	2.93 3.08	nw.	13.6	3, 200	
						2,750 3,000	715.2	2 16.1	3	. 24	3.48 3.91 4.04	nw.	15.2 16.6 17.6	4,200	
7:45	967.6	23.	68	nne.	4.9	3,250	0 674.6	4 12.3	3	. 29	4.15	nw.	17. 16.	5,200	
						3,75 4,00 4,11	635.	0 5.1	5	. 45	4.10	nw.	16. 15. 15.	3	
9:03	007.0				5. 8 4. 5	4, 25	0 616.	0 3.1 1 3.	0.70	. 41 35	3.29	nnw.	13. 12.	9 5,800	
						4,25	0 635.	0 6.		. 34	3.22		12.	4,800	Cloudless.
9:27	967.9		4 58		4.9	3,50	0 674.	0 10. 8 11.	8 0.50	32	4.01	nw.	11.	4	o'
						3,00	0 715.	2 13.	7	27	4.23	nw.	10.	4	•
						2,50 2,25	0 758. 0 780.	2 16. 8 18.	7	. 20	3.5	n.	7.	7 2,700	
9:55	967.9	28.		ne.	4.5	. 1,75	0 828.	3 18.		30	6.43	nne.	8.	2 1,500	5
10:05						1,50	0 852. 0 877.	5 19. 0 21.	8	. 35	8.7	nne.	8-	8 4 59 9	0
10:27			4 5	ne,	4.	1,00 75 60	928. 945.	5 24. 3 25.	3 1.9	6	17.4	2 no. 8 no.	7.	2	Ď.
10:34				ne,	5.8	. 50			4	. 00			8.	8	Few Ci.St.
-		1	1		1	11		Augu	st 3, 1918						
	1	T	1	1	1	1	1	1	1	1	1				1
6:19		9 19.	6 8	6 se.	3.1	. 50	0 955.	9 10. 4 21.	6 0 -1.3	8 7 5	6 19.6 7 19.1	5 50.	5.	1	••
6:23	906.	0 19.	7 8	6 se.	3. (71	0 928.	3 24.	4	. 5	6 16.7 7 14.3	1 880.	9.	9 98	0
7:24	966.	9 21.	6 7	7 80.	4.1	1,2	50 877. 35 875.	7 24.	8 -0.1	3	9 12.2 8 11.9	1 8. 0 8.	6.	3 1,47	Ö
000000000000000000000000000000000000000								. 3 23.	7		0 10.8	4 s. 4 sew.	2	8	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 3, 1918—Continued.

							Augu	st 3, 191	8-Conti	nued.					
	£	Surface.						A	t differen	heights	above s	iea.			
Time.	Pressure	Tem-	Rela- tive		ind.	Alti-	Pressure.	Tem-	Δt.	Hum	idity.	w	ind.	Electric	Remarks.
211100	100000	ture.	humid- ity.	Dir.	Vel.	tude.	2100000	ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
8:08	mb. 966. 8	°C. 23. 2	%71	se.	m. p. s. 3. 6	m. 1,757	mb. 827.5	°C. 22.4	0.51	% 40.	mb. 10.84	SSW.	m. p. s. 2.7 2.7	volta.	Eno Ci Ci
*****************			*******	*******		1,750 1,500	828. 0 851. 0	22. 4 23. 8	*******	41	10, 84 12, 09	SSW.	4.5	1,500	7/10 Ci.St., nw.
9:34	966. 2	27.0	63	se.	3.6	1,250 1,100	875. 5 891. 9	25. 1 25. 9	-0.29	42 42	13.39 14.04	8.	6.3 7.3	1,400 425	
			*******			1,000 750	900. 8 927. 3	25. 6 24. 9		47 50	15. 43 18. 58	S90.	7.5	0	
9:50	********	27.3	62	SS0.	4.0	549 500	949. 4 954. 2	24. 3 25. 4	2.16	59 68 66	20. 67 21. 42	SS0.	7.0		
9:53	966, 0	27.6	63	sse.	4.0	396	966. 0	27.6	******	63	23. 27	560.	4.0	*********	6/10 Ci.St., nw.; few A.Cu., nw.
								August	4, 1918.						
5:25	959. 6	25. 0	50	sw.	6.7	396	959.6	25.0		50	15. 84	SW.	6.7		2/10 Ci.St., nw.
5.20		24. 9				500	948.3	28, 8	-0.37	43	17. 03 17. 36	SW.	13. 6 22. 6		ajio Ci.St., iiw.
0:24	959.6	******	50	SW.	6.7	636 750	934. 1 922. 3	33. 8 34. 6		33 27	14. 86	WSW.	24.3	********	
5:35	959. 6	24. 8	51	SW.	6.3	879 1,000	909. 5 897. 5	35. 4 34. 5	-0.66	20 19	11. 50 10. 39	W.	26. 3 24. 9	0	
5:47	959. 7	24. 9	49	sw.	5.8	1,162 1,250	881. 5 873. 2	33. 4 32. 7	0.70	18 19	9, 26 9, 40	W. W.	23.0	*********	5/10 Cl.St., nw.
						1,500 1,750	849.3 825.7	30. 5 28. 4		20 22	8. 74 8. 51	W.	21.3	330	
************						2,000 2,250	802. 5 780. 0	26. 3 24. 2		24 26	8. 21 7. 85	W.	18.7		
1-9g	959.9	26. 7	45	sw.	5.8	2,500 2,670	758. 0 743. 3	22. 0 20. 6	0.85	28	7. 40 7. 04	W. W.	16.1 15.2	1,170	
		20. 1	******		0.0	2,750	736.6	19.9		31	7. 20	W.	15.2	1,600	
		*******		*******		3,000 3,250	715. 7 695. 0	17. 5 15. 2		36 42	7. 20 7. 25	W. WSW.	15. 4 15. 5	2,300	
:46	960.3	29. 1	39	WSW.	6.7	3,500 3,653	675. 3 662. 5	12.8 11.3	0.94	48 51	7. 09 6. 83	WSW.		2,200	
						3,500 3,250	675. 3 695. 0	12. 7 15. 1		49 46	7. 20 7. 89	wsw.	15.7 15.8		
			*******			3,000 2,750	715. 7 736. 6	17. 4 19. 8		43	8, 54 9, 01	WSW. W.	15.9 15.9	1,600	2/10 Ci.St., nw.; few A.Cu., w.
*************						2,500 2,250	758. 0 780. 0	22. 1 24. 4	******	36	9.58	W. W.	16.0 16.0	1,100	
	060.9	20.0		*******	7 0	2,000	802.5	26. 8 27. 4	0.94	30	10.57	W.	16.1		
	960. 2	30, 9	35	wsw.	7.2	1,933 1,750	808. 8 825. 7	29.1	0.34	29 27	10. 59 10. 88	w. w.	16.5		
:00:	960.1	32.8	33	wsw.	8.0	1,500 1,291	849.3 869.0	31. 4 33. 4	0.19	24 22	11. 04 11. 32	W. W.	17. 0 17. 4	330	
						1,250 1,000	873. 2 897. 5	33. 5 34. 0	*******	22 22 24 24 32 32	11.38 12.77	W.	16. 4 10. 4	********	
0:06	960. 1 960. 1	32, 6 32, 6	34	WSW.	7. 2 7. 6	981 779	899. 2 919. 8	34. 0 28. 4	-2.77 0.99	24 32	12.77 12.38	W.	9.9		
**************						750 500	922.3 948.3	28.7 31.2		32	12.60 15.00	W. WSW.	m 0		
0:20	960. 1	32. 2	33	*WSW.	7.2	396	960. 1	32. 2		33	15. 87	wsw.			Few Ci.St., nw.
							August	5, 1918,	series (l	No. 1).					
A. M.	061.0	00 5	90		0.0	200	061.0	96 5		20	19 10	-	8.0		2/10 Cl Ct - weaver
6:21	961.0	20. 5	38	ssw.	8.0	500 500	961. 0 949. 6	28.3	1 70	36	13, 16	SSW.	12.0	********	3/10 Ci.St., wsw.
6:24	961. 0	26. 6	37	SSW.	8.5	740 750	924. 5 922. 8	32. 4 32. 3	-1.72	32	15. 57 15. 48	sw.	21.1		
		*******	*******			1,000 1,250	897. 4 873. 0	30, 8	*******	30	13, 33 11, 42	SW.	19.8		
6:45	960. 9	27.4	38	SSW.	8.9	1,384 1,500	860. 2 849. 2	28. 5 27. 4	0.61	27 28	10. 51 10. 22	SW.	19. 4 18. 7	0	5/10 Ci.St., wsw.
		*******	******			1,750 2,000	825. 0 801. 3	25. 2		29 31	9. 30 8. 66	SW.		1,470	
7:45	961.0	29. 1	39	sw.	7. 2	2, 230 2, 250	781. 1 778. 7	20.8	0.91	32 32	7. 86 7. 77	SW.	14. 4	2,000	
8:03	961. 1	30.1	38	SW.	7.6	2,497	757.6	18.6	0.82	37	7.93	SW.	12.1 12.5		1/10 Ci.St., wsw.
0:41	061 1	21 4		*******	0.0	2,750 3,000	735. 7 714. 2	16.3	0.00	41 44	7. 60	sw.	13. 2	2,700	ajad Cante, Wow.
8:41	961. 1	31.6	35	sw.	9.8	3,062	708, 8 714, 2	13.4	0, 88	45	6, 92	SW.		0.000	
					*******	2,750 2,500	735. 7 757. 0	18.1		42 40	7. 64 8. 31	SW.		2,000	
9:15	961. 1	32.5		sw.	8, 0	2,363 2,250	769. 2 778. 7	19.3 20.3	0.89	39	8, 73 9, 05	SW.	12.8 13.4	1,320	
				*******	*******	2,000 1,750	801. 3 825. 0	22.5		36 34	9. 81 10. 58	SW.	14.9		
9:39	961. 1	32.8		sw.	9.8	1,500 1,462	849. 2 852. 8	27.0	0.66	31 31	11. 05 11. 25	SW.		420	
***************		33.5				1,250	873.0	28.7		31	12. 21	sw.	17.2	0	
0+55		43434 43	32	SW.	9.8	1,145	883. 8	40. 4	-0.40	31	12.71	SW.	16.8	U	
9:55	961. 1					1,000	897.4	28.8		30	11.88	SW.			
9:55 0:05	961. 1	34.3			8.0	1,000 895 750 500	897. 4 909. 0 922. 8 949. 6	28.4	1.16		11. 88 11. 61 12. 81		12.7 11.6		

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 5, 1918, series (No. 2).

	8	urface.						At	differen	t heights	above s	ica.			
		Tem-	Rela-	W	nd.	4344		Tem-	1	Hum	idity.	w	ind.		Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	∆ t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
0:48	mb. 961.1	°C. 35.6	% 28	sw.	m. p. s. 8. 5	m. 396 500	mb. 961.1 950.4	°C. 35.6		% 28 29	mb. 16. 28 15. 78	sw.	m. p. s. 8.5 9.5	volts.	Few Ci.St., wsw.
0:55		36.0	28	sw.	7.6	750 800 1,000 1,250	924. 0 919. 0 899. 0 874. 2	31. 4 30. 8 29. 3	1.10	32 32 33 33	15.17 14.22 13.45 12.05	SW. SW. SW.	11.8 12.3 13.7 15.4	0	
1:19	961.0	36.9	25	sw.	11.6	1,500 1,750 1,869 2,000	849. 8 825. 8 814. 2 801. 8	25. 5 23. 6 22. 7 21. 5	0.76	34 35 35 35	11.10 10.20 9.66	SW. SW. SW.	17.1 18.9 19.7	1,280	
:34	960.9	37.6	25	SW.	11.2	2,250 2,423 2,500 2,750	779. 0 763. 9 756. 8 734. 8	19.3 17.8 17.1	0.88	36 36 37 39	8.98 8.06 7.34 7.22	SW. SW. SW.	19.3 19.2 18.0 18.1	2,200	Few Ci.St., sw.
P. M. 2:01	960.8	37.8	25	sw.	11.2	2,942 3,000 3,250	718. 4 713. 4 692. 4	12.8 12.4	0.96	41 39 32	6. 48 6. 06 5. 62	28W. 28W. 35W.	19.0 18.8	2,800	
2:28	960.5	39.0	23	ssw.	12.5	3,500 3,750 3,806	672.3 652.0 647.7 652.0	10.4 9.3 9.0	0.48	24 17 15	4.31 3.03 1.99 1.72	SW. SW. SW.	18.0 17.2 16.4 16.2	3,750 4,000	
2:52	960.2	39.5	19	sw.	10.3	3,750 3,500 3,431 3,250	672.3 677.5 692.4 695.6	10.6 11.0 9.9 9.6	-0.63 1.01	15 13 13 21	1.76 1.66 1.71 2.56	SW. SW. SW.	16.0 16.0 15.4	950	
1:15		39. 4	18	SW.	11.6	3, 208 3, 000 2, 750 2, 497 2, 250	713.4 734.8 756.9 779.0	11.7 14.2 16.8 19.3	1.02	23 31 38 46 43	2.75 4.26 6.15 8.80 9.63	SW. SW. SW.	15. 2 16. 6 18. 2 19. 9	1,040	Few Cu., sw.
1:35	959.7	39.8	18	ssw.	11.2	2,000 1,814 1,750	801.8 819.1 825.8	22. 3 23. 8 24. 5	1.05	40 38 37	10.77 11.21 11.38	SW. SW. SW.	17. 4 16. 5 16. 5	*******	
1:57	959.4	40.2	19	ssw.	10.3	1,500 1,250 1,000 827	849. 4 873. 2 897. 8 915. 1	29.7 32.4 34.2	1.35	34 31 28 26	12. 20 12. 93 13. 62 13. 99	SW. SSW. SSW.	16.4 16.4 16.4		
2:07	959.4	40.0	11	ssw.	14.3	750 500 396	922.8 948.0 959.4	38.6	*******	28 15 11	13.08 10.27 8.12	SSW. SSW.	16.0 14.8 14.3	**********	Few Cu., sw.
							August	5, 1918,	series (!	No. 3).					
Р. М.	959. 2	41.0	18	8.	11.6	396 500	959. 2 948. 3	38.7		18 18	14.01 12.39	8.	12.4	*******	Few Cu., sw.
48	959. 2	39.4				750 792 1,000 1,250	922.8 918.4 897.5 872.5	29.6	2.22	19 19 22 25	10.75 10.22 10.52 10.37	85W. 85W. 85W.	14.6 14.7	********	
						1,500 1,750 2,000 2,250	848.3 824.3 800.7 777.8	24.6 22.1 19.6		28 31 34 39	10. 04 9, 59 9, 04 8, 67	SSW. SSW. SSW.	14.8 14.9 15.0 15.1	0 1,105	
2		39.6	19	38W.	10.3	2,439 2,500 2,750 3,000	761.5 755.7 734.0 712.7	14.7	1.00	40 41 47 52	8.10 8.00 7.86 7.49	SSW. SSW. SEW. SW.	15. 2 15. 2 15. 2 15. 2	1,500	
01	958.7	39.6	19	ssw.	12.5	3, 250 3, 500 3, 514 3, 500	691.8 671.3 670.1 671.3	7.6 7.5 7.6	0.93	57 63 63 63	7.00 6.58 6.53 6.58	SW. SW. SW.	15. 2 18. 2	2,500	
:05		39.7	20	sw.	10.7	3, 273 3, 250 3, 000 2, 750	690.1 691.8 712.7 734.0	12.5 15.0	1.01	67 67 62 58	8.06 8.17 8.98 9.89	SW. SW. SW.	15. 2 15. 2 15. 3 15. 3	1,400	
53		39.0	22	SW.	10.7	2,500 2,250 2,000 1,810	755.7 777.8 800.7 818.8	20.0 22.6 24.5	1.04	53 49 45 41	10.60 11.46 12.34 12.61	88W. 88W. 88W.	15.4 15.4 15.5 15.6	1,700	
					*******	1,750 1,500 1,250 1,000	824.3 848.3 872.5 896.8	27. 7 30. 3 32. 9		40 36 32 27	12.75 13.37 13.82 13.51	SSW. SSW. SSW.	16.0	0	
39		38.8	21	ssw.	10.3	798 750 500 396	917.1 922.0 947.3 958.4	35. 4 37. 4	0.82	24 24 23 23	13. 50 13. 80 14. 76 15. 49	SSW. SSW. SW.	16.4 15.8 12.8 11.6	******	Cloudless.
			!				August	5, 1918,	series (N	No. 4).			1		
Р. М.	958.4	37.0	22	sw.	9.8	396	958. 4			22	13. 81				Cloudless.
30	958.4	36, 7		sw.	8.0	500 750 788 1,000	946. 9 921. 2 917. 9 896. 2	36, 3 34, 7 34, 4 32, 1	0.66	21 20 20 22 25 27	12, 69 11, 06 10, 88 10, 52	SW. SSW. SSW.	11. 5 15. 8 16. 4 16. 8	0	
			*******	******		1,250 1,500 1,750	872. 0 847. 9 824. 0	29. 6 27. 0 24. 4		30		85W. 85W. 55W.	17. 2 17. 7 18. 2	1,010	
05	050 8	35.3	30	35W.	8.5	1,885	811.0	23.0	1.04	31	8.71	SSW.	18.4	1,500	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

								4.	aice	halakt	ahema e			1	
	B	urface.				1		At	different	heights	above se	MG.			
TV	Decembe	Tem-	Rela-	Wi	nd.	Alti-	Pressure.	Tem-	<u> ∆ t.</u>	Humi	dity.	W	ind.	Electric	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	T Tessure.	ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
A. M.	mb.	°C.	%		m.p.s.	m. 2,000	mb. 800, 0	°C. 21.9		%33	mb. 8.67	ssw.	m. p. s. 18.5	volta.	
						2, 250 2, 500	777. 0 754. 8	19.6 17.3		40	8. 21 7. 90	SW.	18.8 19.1		
21	958. 6	34.9	24	ssw.	8.0	2,598 2,750	746. 8 733. 0	16.4 14.8	0.93	41 46	7. 68	SW.	19. 2 17. 5	2,400 2,800	
57	959.1	34.3	27	sw.	7.2	3,000 3,057	711.8	12.2 11.6	1.00	46 53 55 54 51	7. 53 7. 51	SW.	14. 6 14. 0	3,100	2/10 Cu., near horizon.
						3,000 2,750	711. 8 733. 0	12.1 14.5	*******	54 51	7. 62 8. 42	sw.	14.1	2,500	
						2,500 2,250	754. 8 777. 0	16. 9 19. 2		47 44	9. 05	sw.	15. 5 16. 2 16. 9	1 400	Distant lightning in n., 8:40 p.m.
42		32.6	30	8.	4.9	2,000 1,891	800. 0 811. 0	21. 6 22. 6	0.97	41 39	10. 58 10. 70 11. 04	SSW. SSW.	17. 2	1,400	Distant againing in hi, 6.10 p.m.
	*********	******		*******	*******	1,750 1,500	824. 0 847. 9	24. 0 26. 4	*******	37 34 30	11.71	SSW.	17.9	330	
				*******	6.7	1,250	872. 0 897. 0	28. 8 31. 3 33. 4	-1.03	26	11.89	89W. 88W.	18.8	000	
15		33.0	1	8.	6.7	783 750 500	919. 2 922. 8 948. 8	33. 4	-1.00	23 23 27	11. 84 13. 66	88W.	18.1		
19	959.5	33.0	28	S.	7.6	396	959. 5	33. 0		28	14.00	3.	7.6		2/10 Cu., near horizon.
							August	5-6, 1918	, series	(No. 5).					
P. M.	959.8	33.0	28	88W.	9.8	396 500	959. 8 948. 6	33. 0 32. 6		28 28	14.09 13.77	SSW.	9.8		Few Cu., near north horizon.
	959. 8	32.9	98	ssw.	10.3	750 795	922. 3 918. 0	31.8	0, 35	26 26	12. 23 12. 09	SSW.	26. 0 28. 1		
0:15	909, 8	02.9		33W.	10.0	1,000 1,250	897. 0 872. 0	29. 7 27. 5		28 31	11. 68 11. 38	SSW.	28. 2 28. 3	260	
0:42	959.8	32.4	27	SSW.	10.3	1,500 1,652	847. 5 833. 2	25. 2 23. 8	0.91	33 35	10.58 10.32	SSW.	28. 4 28. 5	780	
V-184						1,750 2,000	823. 3 800. 2	22. 9 20. 5		36 37	10. 05 8. 92	SSW.	27. 6 25. 2	1,280	
0:57	959, 8	31.9	30	SSW.	11.2	2,250 2,408	777. 8 763. 4	18.1 16.6	0.92	39 40	8. 10 7. 56	SW.	22. 8 21. 3	*******	
						2,250 2,000	777. 8 800. 2	18.0 20.2		40 39	8. 26 9. 24	SW.	21. 9 22. 8	2,700	
1:25	959. 9	31.3	32	ssw.	9.8	1,750 1,679	823.3 830.7	22. 5 23. 1	0, 95	38 38	10.36	SSW.	23.7	1 200	
						1,500	847. 5 872. 0 897. 0	24. 8 27. 2 29. 6		37 36 34	11. 58 12. 99 14. 10	SSW. SSW. SSW.	23.7 23.3 22.9	1,300 755	
A. M. 2:21	960. 2	30.3	34	ssw.	8.9	1,000	919.3	31.6		33	15.34	SSW.	22.6		Lightning in wnw.
						750 500	922.3 948.6	31. 5		33 35	15. 26 15. 20	SSW.	21. 4 13. 2	0	
2:34	960.3	30.0	36	ssw.	9.8	396	1			36	15, 28	83W.	9.8		Few Ci.St., wsw.
		1	1	1	1	11	Augus	t 6, 1918	, series ((No. 6).		1	1	1	
A. M.	960. 9	29. 8	38	ssw.	8.0	396				0.0	15.94	ssw.	8.0		
						750	923.7	30.5		37	16.13	SSW.	11. 1 18. 6 22. 6	********	Lightning in wnw
:50	. 961.0	29.7	38	ssw.	7.6	1,000 1,250	898. 2	29.5		37 38 39	16. 44 15. 67 13. 74	83W. 88W. 88W.	22. 3 21. 6		
46	960, 9	29. 2	38	SSW.	7.2	1,500 1,685	848.7	24.1		40 41	12.01 10.91	sw.	21. 0	1,700	
:46 :19	960.9		41		6.7	1,564 1,500	841.4	22.7	0, 40	43 43	11.86 12.08	SW.	20, 5 20, 2		3/10 Ci.St., w.
						1,250	873. 2	24.0		44	13. 13 13. 94	SW. WSW.	19. 2 18. 1	1,280	
:18		27.1	46	sw.	4.5	796 750	918.9	25.8		45	14. 95 15. 40	wsw.	17. 2 16. 9	0	
1:23	. 961. 6	26.6	47		4.0	551 500	944.9	27.7	-1.49	45 47	16.72 16.66	Wsw.	11.8		
:26		25. 4	50		3.6	396	960, 5	25. 4		50	16, 22	w.	3.6	********	6/10 Ci.St., wsw.
						Н	Augus	it 6, 1918	s, series	(No. 7).	1	1		1	1
A. M.	962.6	25.2	51	ssw.	3.6	394	6 962.6	3 25.		. 51	16.35	SSW.	3.6	3	. 8/10 Ci.St., wsw.; few St.Cu., s
5:22	962.6				3.6		0 956.7	7 27.	4 -4.07	47	17.16 16.86	SW.	16. 15.	3	
5:26	962.6				3.6	70	7 929.3 0 925.2	3 25.1 2 25.1	-0.62	47	15.62 15.34	SW.	13.9 14.0	0	
						1,000	0 899.7 0 874.2	7 23.1 2 22.1		- 48	14. 24 12. 85	sw.	14.1 15.		
						1,500	0 849.3 0 824.8	3 20.0 8 19.0		. 50	10.98	SW.	16.	5	
1:03	962.8		7 51	ssw.	3.1	. 2,000	0 800.7	16.	0.65		9.45	SW.	18.	3,500	
						2,250	776.0 750.8	3 13.1	3	. 55	8.68	sw.	18.	1	
3:54	962.8	29.1	43	ssw.	4.9	2,500 2,750 2,980	726.0 712.8	12.0	0.76	60		SW.	15.	8 4,800 5 4,900	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 6, 1918, series (No. 7)—Continued.

	8	lce.						At	different	heights	above s	06.			
				w	ind.		1			Hum	Mitw	w	ind.		
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.		Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	Electric potential.	Remarks.
ж. м.	mb. 962.8	° C. 30.1	% ₄₀	SSW.	m. p. s. 5. S	78. 2,951 2,750 2,500 2,250	mb. 715.8 726.0	° C. 10.6 12.1	0.77	% 63 60 56 53	mb. 8.05 8.47	sw.	12.2 13.5	volts. 3,900	4/10 Cl.St., wsw.; few Cu., sw.
						2,500 2,250	750.8 776.0	14.1	*******	56 53	9.01 9.64	SW.	15.1	*********	
				******		2,000 1,750	800.7 824.8	17.9		45	10.05	SW.	18.3	2,300	The City of the Ci
:28	962.8	30.1	40	88W.	7.2	1,651 1,500	834.3 849.3	20.6	0.47	44	10.68	SW.	20.5	1,600 780	Few Ci., wsw.; 1/10 Cu., sw.
****************	000.0	20.0	40		10.9	1, 250 1, 000 758	874. 2 899. 7 924. 1	22.5 23.7 24.8	1.71	47 48 50	12.81 14.07 15.66	SW. SSW.	17. 2 15. 1 13. 1	780	
:57	. 962.8	30.6	40	83W.	10.3	750 500	925. 2 951. 1	24.9		50 41	15.75 16.62	SSW.	13.0		
:04	962.8	31.0	38	SSW.	8.9	396	962.8	31.0	*******	38	17.08	SSW.	8.9	*********	Few Cu., sw.
							August	6, 1918,	series (No. 8).					
A. M.	962.8	31.8	37	sw.	10.3	396	962.8	31.8		37	17.40	sw.	10.3		Few Cu., sw.
						500 750	951.7 925.0	30.5 27.4		37 38	16.16 13.87	SW.	10.4		7-11
47	. 962.8	32. 2	35		9.8	796 1,000	920.4 899.8	26. 8 25. 5	1.25	38 38 38	13.39 12.40	SW.	10.7	*********	
						1,250 1,500	874.2 849.4	23.8 22.2		39	11.50 10.44	SW.	13.1	1,600	
0:19	962.8	33.7	31	wsw.	10.7	1,750 1,979	825. 2 803. 9	20.5 19.0	0.66	- 40 - 40	9.65	SW.	15.7		
***********						2,000 2,250	801.7 778.8	18.9 17.3	******	40 43	8.74	SW.	16.8 15.9	2,400	
1:05		33.9	31	sw.	9.8	2,500 2,635	756.3 744.7	15.7	0.64	46 48	8.21	SW, SW.	15.0	2,400	
			********			2,750 3,000	734.3 712.8 692.2	13.8 11.5 9.2		49 50 51	7.73 6.78 5.94	SW. SW.	14.5 14.4 14.3	2,600 4,800	
	000 0	24 9	91		9.0	3, 250 3, 500	672.0 662.1	6.9	0.84	52 53	5.17	SW. SW.	14.2	*,000	1/10 Cu., sw.
1:43	. 962.6	34.3	31	SW.	8.0	3,614 3,500 3,250	672.0 692.2	6.8	0.04	53 54 55	5.24	SW.	14.3	********	
						3,000	712.8	10.7 12.6		55 55	7.08	SW.	14.8 15.0	3,800	
						2,750 2,500	756.3	14.5		56	9. 25	SW.	15.2		
P. M.	962.4	35.4	28	wsw.	5.4	9 438	762.3	15.0	0.91	56	9.55	sw.	15.3	2,700	
2:07						2,438 2,250 2,000	778.8 801.7	16.7 19.0		55	10.46 11.64	sw.	14.4	1,300	
						1,750 1,500	825. 2 849. 4	21. 2 23. 5		53 51 49	12.84 14.19	SW.	12.1 11.0	0	
*************						1,250 1,000	874. 2 899. 8	25.8 28.0		49 47 45 44	15.62 17.01	sw.	9.8	********	
2:39	962.0	36.0	26	sw.	5.4	894 750	810. 2 925. 0	29.0 31.3	1.61	39	17.63 17.83	SW.	8.2 7.8	*********	
12:51	961.9	37.0	26		6.7	500 396	950.6 961.9	35.3 37.0		30 26	17.16 16.32	SSW.	6.7	*********	2/10 Cu., sw
	1	1 0	1 -	11					series (No. 9).				1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
P. M. 1:29	961, 5	37.4	25	sw.	7.6	396	961. 5	37.4		25	16.04	sw.	7.6		Few Cl.Cu., sw.; 2/10 Cu., sw.
1:39		37.3	26	******	7.6	500 703	950, 5 929, 4	35. 9 33. 1	1.40	27 32 32	15.96 16.19	SW.	8.2 9.4	********	
******				******		750 1,000	924. 0 898. 8	32.6 30.1		35	15. 74 14. 94	SSW.	9.4		
						1,250 1,500	873. 8 849. 2	27.6 25.1		38 41	14.04 13.07	SSW.	10.0	0	
2:04	. 961.1	37.8	25	sw.	8.5	1,553 1,750	844.3 825.0	24.5 22.6	1.01	42 45	12. 92 12. 34	SSW.	10.4	********	
	* ********				* *******	2,000 2,250	801.3 778.5	20.1 17.6		50 54	11.76 10.87	SSW.	12.1 13.1	950	
2:29	961.0	38.4	22	SSW.	11.2	2,500 2,528	755.9 754.2	15.2 14.9	0.98	50 54 58 59 63	10.02	SW.	14.1	1,600	1/10 Ci.St., sw.; 4/10 Cu., sw.
			1			2,750 3,000	733. 8 712. 3	13.0 10.9	******	63 68	9, 44 8, 87	SW.	15.0 15.9	3,000	
						3,250	691.0 670.7	8.8		68 72 77	8, 16 7, 55	SSW.	16.9 17.8	********	
3:07		39.3	22	88W.	10.7	3,750	650.8 647.0	4.6	0.84	81 82	6.87	SSW.	18.7	4 900	Altitude of Cu. base about 3,850 m
3:15	960.7	39. 2	22	ssw.	10.7	4,000 4,120	622.3	3.6	-0.76	60 46 43	4.75 3.54	SSW.	17.1	4,200	
3:18	. 960. 7	39.1	22	ssw.	9.8	4,087	624.4	2.6		57	3.17 4.29	SSW.	15. 2	3,800	
3:29	. 960, 6	39. 6	22	83W.	8.5	3,800 3,750	647. 0 650. 8	3.6		90 88	7.12	SSW.	14.8	********	
						3,500 3,250	691.0	8.7		73	7.69 8.21	SSW.	14.5	********	,
3:42	960.5	38, 2	22	ssw.	10.3	3,000 2,948	712.3 717.1	11.0	0, 98	90 88 80 73 65 63 58 51	8. 53 8. 55	SSW.	14.0	1,900	
		******				2,750 2,500	733. 8 755. 9	13. 4 15. 9			8, 91 9, 22	ssw.	13.7	1,200	
						2,250	778.5	18.3		44	9, 25	ssw.	13.3		1

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 6. 1918, series (No. 9)-Continued.

	8	urface.				-		At	t different	theights	above s	ea.			
		Tem-	Rela-	w	ind.			Tem-		Hum	idity.	w	ind.		Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
4:02	mb. 960, 4	° C. 38. 6	%23	ssw.	m. p. s. 6. 7	m. 2,235	mb. 780.0	° C. 18. 5	0.98	% 44	mb. 9.37	85W.	m. p. s. 13. 3	volts.	Threatening in nw.
						2,000 1,750 1,500	801, 3 825, 0 849, 2	20, 8 23, 2 25, 7		41 38 35	10, 07 10, 81 11, 56	SSW. 8. 9.	13.9 14.5 15.1	0	
						1,250 1,000	873. 8 898. 8	28. 1 30. 6	0 9 9 0 9 9 0 9 0	32 29	12.17 12.74	8. 350.	15.7	********	Lightning in nw.
***************				8.		750 741	924. 0 924. 2	33. 0 33. 1	1.19	26 26	13.08 13.16	550. 550.	17.0		Mighting in aw.
4:34		37. 2			9.4	500 396	950. 0 960. 0	36.0		25 25	14.86 15.87	S. S.	11.7		1/10 Cl.St., sw.; 5/10 St.Cu., wsw.
4:40	900.0	91.2	20	3.	0.1	000				. 20	10,01	1	1 6.7		1/10 011011, 0111, 0/10 011011, 11011.
	1			1		Ý	,	August	7, 1918.			1	1	1	
P. M.		29.0	51	s.	1.8	396	965.1	29.0		51	20. 44	8.	1.8		10/10 St.Cu., sw.
1:19	964.3	29.4	51	9.	5.4	500 743	953. 5 927. 1	27. 4 23. 6	1.56	. 53	19.35 16.90	8.	7.4	330	
		*******	*******	*******	*******	750 1,000	926, 0 899, 9	23. 5 21. 6		58 60	16, 80 15, 48	8.	7.5	*********	
1:37	964, 1	29.8	49	ssw.	6.3	1,207 1,250	878. 8 874. 7	19.6	0,80	61 61	14. 18 13. 91	8.	12.1 12.2	1,170	
						1,500 1,750	850.5 827.2	16.6		62 63	12.88 11.90	S. S.	12.8 13.3	2,500	
	********					2,000 2,250 2,500 2,558 2,500	804. 7 782. 7	15. 1 13. 6		65 66	11.15 10.28	88W.	13. 9 14. 4		
2-24	963. 7	30.9	43	ssw.	6.7	2,500 2,558	760. 7 750. 5	12.1 11.8	0,76	67 67	9. 46 9. 27	SSW.	15, 0 15, 1	4,500	
2:24	*********					2,500 2,250	760. 7 782. 7	12.3 14.7				SSW.	14.9 14.3	3,000	
• • • • • • • • • • • • • • • • • • • •						2,000 1,750	804.7 827.2	17.0 19.3				SSW.	13. 7 13. 0	1,800	
					9.8	1,500 1,321	850, 3 867, 6	21. 6 23. 3	0, 84				12.4	2,000	
3:13		31.6	30	SW.		1,250	874. 7 899. 9	23. 9 26. 0				SW.	11.7	860	
3:31	963.3	30.8	37	sw.	7.2	1,000 786	921.9	27.8	0.69		*******	sw.	10.8	0	
•••••		********	********	******		750 500	925. 7 952. 0	28, 0 29, 8				SW.	9.7		10/10 74 7-
3:38	963.3	30.5	38	sw.	6.3	396	963. 3	30.5		38	16, 60	SW.	6.3		10/10 St.Cu., sw.
								August	8, 1918.						
A. M.	007.0	10.0	01		4.0	900	067.0	10.0		01	20.05		1 40		10/10/54 (
7:53		19. 2	91	nw.	4.0	396 500	967. 8 956. 0	19. 2 18. 4		91 92	20. 25 19. 47	nw.	5.4		10/10 St.Cu., nw. Altitude of St.Cu. base about 700m.
8:00		19.3	90	nnw.	4.5	746 1,000	929.3 902.7	16, 6 16, 4	0.74	96 81	18. 13 15. 11	nnw.	8. 8 6. 5	260 420	
8:55		20, 0	85	nw.	4.9	1,141 1,250	887.3 876.9	16.3 16.1		73 71	13. 53 12. 99	nnw.	5.3	950	
9:25		20. 4	83	nw.	4.0	1,500 1,517	851.0 849.0	15. 5 15. 5		66 66	11. 62 11. 62	nw.	4.5		
**************					*******	1,500 1,250	851. 0 876. 9	15.5		67 79	11.80 14.00	nw.	4.5	0	
10:17	968.0	21.9	76	n.	3.1	1,000	902. 7 908. 7	15. 8 15. 8		91 94	16, 33 16, 87	n. n.	5.4	0	
**************		******		******		750 500	928.8	18.0		87 77	17, 96 19, 15	n.	4.5		
10:25	968.0	22, 2	73	nnw.	2.7	396				73		nnw.			10/10 St.Cu., nnw.
								August	9, 1918.						
6:43	965.6	17.6	89	30.	3.1	396	965, 6	17.6		89	17.92	50.	3.1		2/10 Ci.9t., wsw.; 2/10 Ci.Cu., wsw
0.10					0.1	500 750	954.3 926.4	18. 1 19. 2		89 90	18. 49 20. 02	390. S.	4.6	0	a, 15 Calony mann, ajau Caloun, Non
6:56	965.5	18.0	89	30.	2.2	784 1,000	920. 4 922. 9 900. 2	19.3 18.9	-0.44	90 79	20. 15 17. 25	S.	8.7		
7:04	965.5	18.6	88	30.	2.7	1,096	890.0	18.7	0.19	74	15.96	S. S.	8.0	920	
8:11	965.4	22.3		S.	3.6	1, 250 1, 451	-874.7 854.2	18.0 17.2	0.42	72 70	14.86	S. S.	7.3 6.4	1,080	3/10 Cl.St., wsw.; 3/10 St.Cu., ssw
************	********			******	*******	1,500 1,750	849.8 825.0	17. 1 16. 6		68 57	13. 28 10. 77	S. S.	6.8 8.6	2,000	
8:36	965.3	23.1	78		3.1	2,000 2,028	800.8 798.2	16. 1 16. 0	0. 21	45 44	8. 24 8. 00	S. S.	10.7		
***************						2, 250 2, 500	777.8 755.0	12.3		54 65	8.74 9.30	SSW.	10.5		
8:41		23.4		SSW.	3.1	2,750 2,849	732.5 724.3		0.79	76 80	9.52 9.50	SW.	10.3		Altitude of St.Cu. base about 800 m
•••••••						3,000	710.6 689.4	8.8 7.7		71 55	8.04 5.78	sw. wsw.	10.4	5,000	
		99.0		COVE	7 0	3,500	668. 8 661. 7	6.6		40	3.90 3.22	wsw.	11.2		
8:52		23.9	1	SSW.	7.6	3,595	668.8	6.9	0.60	33	3.28	wsw.	11.2		
9:03		24.4	76	83W.	5.8	3, 250 3, 096	689. 4 702. 8	10.0	0.11	31	3.51	sw.	10.9		
						3,000	710.6	10.1		43 77	5.31	SW.	10.7		
9:10	965.1	24.3	******	ssw.	5.4	2,750 2,651	732.5	10.5	0.64	91	9. 71 11. 56	SW.	10. 2		9/10 St.Cu., ssw.

OBSERVATIONS AT DREXEL, AUGUST, 1918.

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 9, 1918—Continued,

							Augus	st 9, 191	8—Contii	rueu,					
	8	urface.						At	different	heights	above s	00.		+	
	-	Marm	Rela-	-Wi	nd.			Tem-		Hum	dity.	W	nd.	Whatele	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	Δt 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb.	°C.	%		m. p. s.	m. 2.500	mb. 755.0	° C. 11.5		% 90	mb. 12.21	sw.	m. p. s. 10. 4	volta.	
		******		******	******	2,500 2,250 2,000	777.8 800.8	13.1		87 85	13. 12 14. 22	SW.	10.7 11.1	2,300	
					******	1,750 1,500	825.0 849.8	16.3 17.9		83 81	15.38 16.61	SW.	11.4		Altitude of St.Cu.base about 850 m
9:34	. 965.0	24.0	77	SSW.	5.8	1,403 1,250	859.1 874.7	18.5 18.6	0.10	80 84 92 95	17.04 18.00	SW. 35W.	11.9 10.4	1,470 1,240	
9:55		24.7	75	S.	4.5	1,000	900. 2 911. 4	18.9 19.0	1.29	92 95	20.09 20.87	S. S.	8.0 7.0		
y.Ju						750 500	928. 4 954. 3	20.8 24.1		88 76	21.62 22.82	8. 86W.	6.1	*********	AMA 4 G
0:01	964.8	25.4	71	ssw.	4.0	396	964.8	25.4		71	23.04	55W.	4.0	********	3/10 A.Cu., wsw.; 5/10 St.Cu., asv
							Au	igust I	, 1918.				1		
P. M.	963.9	27.9	69	nne.	3.6	396	963.9	27.9		69	25.94	nne.	3.6		
8:44		27.9	60	nne.	3.6	500 645	952.3 937.3	27.4 26.6		69 68	25. 19 23. 68	nne. ne.	6.6		Threatening conditions.
8:48		27.4			3.6	750 882	926.0 912.8	26.5 26.3		65 61	22.51 20.87	ne. ene.	9.6 8.1		
9:15		21.3				1,000 1,250	900. 7 875. 8	25. 2 22. 8		63 68	20. 20 18. 88	0.	7.6		
		97.0	99	ne.	3.1	1,500 1,626	851. 0 838. 2	20.5		73 76	17.61 17.02	88. 880.	5.5 5.0		2/10 Cu., wnw.
9:32					******	1,500 1,250	851.0 875.8	20.2	******	74 70	17.52 18.40	800.	6. 2 8. 7		
				******		1,000	900. 7 926. 0	23.6		66 62	19.23 20.00	e. eze.	11.1		Thunderstorm passed to south
				******		730	920.0	20.0			20.00				station. First thunder to sw. station at 7:05; last thunder to of station at 11:00 p. m.
9:42		26.8	72	ne.	3.1	710 500	930. 8 953. 3	25.6 26.3		61	20.03 23.61	one. ne.	13.9 7.3		
9:53		26.7	73	ne.	4.0	396	964.5			73	25.58	ne.	4.0		2/10 Cu., wsw.
								August	11, 1918.				1	1	1
P. M.	966. 8	28.6	61	ene.	5.4	396	966. 8				23. 88 23. 09	ene.	5.4		5/10 Ci.St., wsw.; 2/10 Cu., sw.
						500 750	928.8	23.7		71	20. 81	690.	8.9	0	+
:17			61	050.	5.4	906 1,000	902.6	21.9		78 71	18, 66	80.	9. 7	********	
						1,250 1,500	852.0	19.3		65	16.50 14.55	8.	10. 4		
:51	966.3			50.	6.3	1,754	827. 0	17.1		62 62	12.80	sw.	15. 1		
:00				86.	6, 3	2,250 2,493	782. 2 759. 0	15. 3	0.37	61	11. 24		23. 8		
						2,500	758. 8 738. 0				10.53 9.80		23.8		3/10 Ci.St., wsw.; 4/10 A.Cu., sv 2/10 Cu., see.
						3,000	716.4	11.0		. 68	8.93		23. 8		
						3,250		6.7		. 76	8, 16 7, 46	WEW.	23. 8		
						3,750 4,000	654.3			79 83 86	6, 03	SW.	23.8	8,500	
2:47			1	80.	7.6	4,214	617. 1	0.6	0.94	. 82	5. 49 6. 13		23. 8	9,000	
							654. 3	5.4		. 78	7.00	SW.	23. 1		
						3,250	695, 5	10.6	3	70 65	8. 95 9. 80		21.5		
					8.0	2,750	738.0	15.7		. 61	10.88	SW.	21. 8		
3:03 3:35					8.0	2,541	756.6	18.1	0,66	52	10.94	SW.	22.0	4,800	
						2,500	782.2	20.	3	52	12.31	SW.			×
:49	965. 6	31.4	55	Se.	8.0	1,938	811.2	22.	0.51	53	14. 27 15. 16	gw.	14.7		. 7/10 A.Cu., sw.
						1,750	852.0	24.		. 53	16.30	BEW.	13.8	1,400	
						1,250	901.8	27.		. 53	17. 61	550.	1 3.26. 0		6
1:11	965, 3	30.7	56	86.	7.2	760	928.7	28.	1	. 53		80.	12,	0	
:18	965.2	31.0	57	80.	8.9	396				56			8.1		
	1	1	1	1	1	0		August	12, 1918						
A. M.			1	_	1 40	900	004.4	97.4		. 54	19, 26	sw.	4.1		. 2/10 Cl.St., w.; 3/10 A.Cu., sw.
7:18	964. 4	27.0	54	sw.	4.9	396 500	952.5	27. ()	. 52	18.54	SW.	9. 20.		•
7:24	964. 4	26.6	56	sw.	5.8	750 809	920, 4	27.0	0.00	48 47 44	16.76 15.60	SSW.	23.	8 0	
***************						1,000	875.4	26.1		. 39	13.74	SW.	24.1		.]
7:37	964.6	26.2	57	wnw.	2.2	1,268	874.0	26.1	6 0.04	39	1 20.79	sw.	and the	940	,

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 12, 1918—Continued.

	Sı	urface.			-			At	different	heights	above s	ea.			

Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Wi Dir.	Vel.	Alti- tudo.	ressure.	Tem- pera- ture.	$\frac{\Delta t}{100 \text{ m}}$.	Humi	Vap.	Dir.	Vel.	Electric potential,	Remarks.
	mb.	° C.	61	-			-mh	9.0						- 24-	
A. M.	780.		%		m. p. s.	m. 1,500 1,750	mb. 851. 3 827. 6	°C. 24. 8 22. 7		% 41 44	mb. 12.84	sw.	m. p. s. 25. 2 25. 5	volts. 1,170	
						2,000 2,250	804. 0 781. 0	20.6 18.5		46 48	12, 14 11, 16 10, 22	SW. SW.	25.8 26.1	2,600	
p m q q q n q q q q q q q q q q q q q q q						2,500 2,750	758. 8 736. 3	16.4		51 53	9. 51 8. 64	SW.	26. 4 26. 7	3,500	
8:18	964. 6	27. 9	54	sw.	3.6	2,851 3,000	728. 0 715. 3	13. 4 12. 2	0.85	54 57	8. 30 8. 10	sw.	26. 8 23. 2	3,700	2/10 Ci.St., w.; 3/10 A.Cu., sw.
9:03		30.5	45	sw.	6.7	3,250	694. 0 680. 8	8.9	0.80	66	7. 84	SW.	17. 0 13. 1	4,800 5,100	12 17 18 18 18 18 18 18 18 18 18 18 18 18 18
************	********	******		******	******	3,250 3,000 2,750	694. 0 715. 3 736. 3	10. 2 13. 2 14. 2		64 61 58	7.97 9.25	sw.	16.5	2 700	Few Ci.St., w.; few A.Cu., sw.
						2,500 2,250	758. 8 781. 0	16. 1		55 52	9.39 10.06 10.80	SW. SW.	18.6 20.6 22.7	3,700	
9:57		33.0	37	sw	8.9	2,077 2,000	797. 2 804. 0	19. 5 20. 7	1.08	50 49	11.34	8W. 8W.	24, 1	3,000	
10:10	964.1	33.6	36	sw.	8.9	1,750 1,524	827. 6 849. 5	23, 0 25, 5	0.84	45 42	12, 64 13, 71	ssw.	25. 6 26. 6	********	
p • • • • • • • • • • • • • • • • • • •						1,500 1,250	851.3 875.4	25.7 27.8		42 39	13. 87 14. 57	\$8W.	26. 3 23. 1		
						1,000 750 500	900, 2 925, 7 952, 5	29.9 32.0 34.1		36 33 30	15. 19 15. 69	88W. 88W.	20, 1 16, 9	********	
10:30	963.8	35. 0	29	ssw.	12.5	396	963. 8	35.0	******	29	16, 05 16, 31	SSW.	13. 8 12. 5	********	1/10 Ci.St., w.
						1	,	August	13, 1918.		1	1	1	1	1
A. M.						-					The state of the s	1			
6:58		23.8	82	nnw.	2.2	396 500	968.6 957.0	23.8 23.2		82 80	24.18 22.75	nnw.	2.2 5.4		3/10 Ci.St., s.; 3/10 A.Cu., s.
7:09		23.8	82	nne.	3.1	722 750	933. 2 930. 0	22.0 21.9	0.55	75 74	19.83 19.45	nne.	12.2 12.2		
7:31	968.8	24.5	79	nne.	3.1	1,000	903. 7 887. 3	21.3 20.9	0.25	69 66	17.48 16.32	ne.	10.8	0	3/10 Ci.St., s.; 1/10 A.Cu., s.; Few St., ne.
7:30	963.8	24.5	79	n.	3.1	1,250 1,500 1,730	877.6 852.3 830.6	20.1 17.9 15.8	0.90	69 79	16. 24 16. 20 15. 80	ne.	10.0 10.1 10.2	3 040	
						1,750 2,000	828. 0 804. 4	15.8 15.6		88 87 79	15. 62 14. 00	ne. ne. nnw.	9.9	1,240 1,320 1,900	
8:40	968. 9	26.0	72	nne.	4.0	2,089 2,000	796.7 804.4	15.6 16.2	0.34	76 75	13.47 13.82	nw.	4.3		
• • • • • • • • • • • • • • • • • •						1,750 1,500	828.0 852.3	17.7 19.3		71 68	14.38 15.23	nnw. n.	5.6 6.5	1,100	
9:13	968.9	26.7	66	ne.	4.9	1,250	877.6 897.3	20.8 22.0	-0.20	65 62	15.97 16.39	nne.	7.5 8.2	420	2/10 Ci.St., s.; Few A.Cu., s.; Few
9:17	968.9	27.0	65	nne.	4.0	1,000 811 750	903.7 924.1 930.0	21.9 21.5 22.4	1.42	67 83 80	17.61 21.29 21.67	ne. nne. nne.	7.9 7.0 6.7		Cu., on nw. horizon.
9:30	968.9	27.4	65	"ne.	4.9	500 396	957. 0 968. 9	25. 9 27. 4		67 65	22.39 23.73	ne.	5.4	0	1/10 Ci.St., s.; 1/10 A.Cu., s.; Few
			1			1									Cu., ne.
	1	1	T	1		1	1	August	14, 1918.			1	1	1	1
8:10	974.3	18.6	88	ene.	3.6	396	974.3	18.6		88	18.86	ene.	3.6		6/10 A.Cu., wsw.; 4/10 St.Cu., s.
8:14	974.2	18.6	88	ene.	3.6	500 750 786	961. 9 934. 2 931. 0	18.8 19.1 19.2	-0.15	81 64 62	17. 58 14. 15 13. 80		5.7 10.8 11.5	0	
						1,000 1,250	907. 5 881. 8	18.8 17.5		67 73	14. 54 14. 60	ese.	9.3	420 1,170	3/10 A.St., wsw.; 2/10 A.Cu., wsw.
8:42		19.7	83	е.	4.5	1,312 1,500	875. 8 856. 2	17.3 16.1	0.36	75 78	14.81 14.27	80. 660.	6.2	2,000	3/10 A.St., wsw.; 2/10 A.Cu., wsw. 3/10 St.Cu., s.
9:59		23.3	66	ene.	3.6	1,601 1,500	846. 3 856. 2	15. 4 16. 1	0.68	80 73 71 71 69	14.00 13.36	686.	3. 2 5. 2	1,800	2/10 A.Cu., wsw.; 8/10 St.Cu., s.
10:18	973. 6	23.8	64	ene.	5.4	1,311 1,250 1,000	875.8 881.8 907.5	17. 4	0.36	71 71	14.11	686. 686.	9.0	1,550	10/10 St. Cu., s.
10:40	973. 6	23.4	62	e.	5.8	749 500	934.8 961.9	18. 5 19. 4 22. 1	1.10	67 63	14.70 15.10 16.76	e. e. ese.	9.8 10.5 6.3	0	
10:47	973.6	23. 3	62	ese.	4.5	396	973. 6	23.3		62	17.74		4.5	********	10/10 St.Cu., s.
							Aug	ust 16,	1918 (No.	1).					
6:52	966. 5	24.0	76	35W.	5.8	396	966. 5	24.0		76	99.60	DO THE			4/10 A Ch
6:57	********	24.5	73	******	6.3	500 750	954. 5 928. 4	24. 9 27. 0	-0.85	69 53	22. 68 21. 74 18. 90	SSW. SW. WSW.	5.8 7.8 12.7		4/10 A.Cu., waw.
				******		1,000 1,250	902.2 876.9	25. 2 23. 4	-0.00	53 52	16.99 14.97	WSW.	13.8		
• • • • • • • • • • • • • • • • • • • •	*********	*******		*******		1,500 1,750	852.2 827.8	21.6 19.8		53 52 52 52	13. 42 12. 01	WsW.	15.3 16.2	*******	
7:33	066 5	95.0		******		2,000	804.2 781.0	18.0 16.3		51 51	10. 53 9. 45	WSW.	17.0 17.9	*********	
	966. 5	25.6	67	SSW.	6.3	2,250 2,285 2,500 2,750	778. 0 758. 0 736. 3	16.0 14.3	0.72	51 57 65 65	9. 27 9. 29	WsW.	18.0 15.4	2,200	Few A.Cu., wsw.
7:47	966. 5	26.0	67	ssw.	6.7	2,757 3,000	735. 9 714. 7	12.3 12.2 10.4	0.81	65	9.30 9.24 8.57	WSW,	12.4	2,800	4/10 A Cm
*************					*******	3,250	693.8	8.6		68	8.57 7.82	WSW.	13.5	3,500	4/10 A.Cu., wsw.

TABLE 8 .- Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 16, 1918 (No. 1)-Continued.

		Surface.						Λ	t differen	t height	s above	sea.			
	-	Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.		Remarks.
Time.	Pressure		humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>Δt</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
8:52	mb. 966. 5	°C. 27.9	% 60	SSW.	m. p. s. 7. 6	m. 3,387 3,250	mb. 682. 5 693. 8	°C. 7.6 8.6	0.74	% ₇₂	mb. 7.52 7.93	waw.	m. p. s. 15. 5 14. 7	volts. 3,500	5/10 A.Cu., wsw.
9:25	966. 5	28.7	56	ssw.	7.6	3,000 2,750 2,665	714.7 736.3 744.0	10. 5 12. 5 13. 1	0.70	68 66 65	8.64 9.56 9.80	WSW, WSW,	13. 2 11. 8 11. 3	2,400 2,700	
9:40	966. 5	29.4	55	88W,	7.6	2,500 2,250 2,184	758.0 781.0 787.5	14. 4 16. 4 16. 9	0.65	65 64 64	10.66 11.94 12.32	WSW. WSW. WSW.	12.3 13.8 14.2	1,900	1/10 A.Cu., wsw.
**************	*********	*******	*******	*******		2,000 1,750 1,500	804. 2 827. 8 852. 2	18. 1 19. 7 21. 4		63 62 61	13.09 14.23 15.55	WSW, WSW,	13. 9 13. 5 13. 1	1,240	
10:18	966, 3	30.3	52	sw.	8.0	1, 250 1, 000 789 750	876. 9 902. 2 924. 5 928. 4	23. 0 24. 6 26. 0 26. 5	1.20	59 58 57 57	16. 58 17. 95 19. 16	sw. sw.	12.7 12.2 11.9	490	M. Comments
10:25	966. 3	30.7	52	sw.	7.6	500 396	954. 5 966. 3	29.5	0000000	53 52	19.74 21.86 22.97	sw. sw. sw.	11. 5 8. 7 7. 6		2/10 A,Cu., wsw.
					1		Augu	st 16, 1	918 (No.	2).					AND THE RESERVE ASSESSMENT OF THE PARTY OF T
A. M. 11:32	965.7	33.1	44	sw.	6.7	396 500	965.7 953.9			44 46	22. 26 20. 79	EW.			2/10 A.Cu., wsw.
P. M. 12:03	965. 5	33.4	44	58W.	5.8	608 750	943.0 927.4	29.1 27.9	1.89	48 49	19.34 18.42	83W. 83W.	7.6 8.5		
12:22		33.5		sw.	8.0	1,000 1,123 1,250	901.7 889.5 876.4	25.8 24.8 23.8	0.83	50 51 52	16.62 15.97 15.33	8W. 8W. 8W.	11.1		4/10 A.Cu., wsw.; few Cu., sw.
		*******	*******	*******		1,500 1,750 2,000	851.7 827.0 802.7	20. 0 18. 1		53 54 56	13. 93 12. 63 11. 63	8W. 8W.		2,200	
1:05	964.8	35.3	34	8W.	7.6	2,250 2,500 2,568	779. 7 757. 4 752. 0	14.3	0.76	57 59 59	10.50 9.62 9.31	sw. sw.	12.7 13.1 13.2	3,300	
0.1K	*********				8.9	2,750 3,000 3,250 3,453	736.0 714.8 693.2	8.3	0.76	62 66 70	8.87 8.27 7.66	SW. SW.	13.0 12.8 12.5	3,800 3,600 4,300	Fow A.Cu., wsw.; 2/10 Cu., sw.
2:15		36.1	28	wsw.	10.7	3,250 3,000 2,886	676. 1 603. 2 714. 8 724. 2	6.7 8.2 10.0 10.8	0.76	70 73 71 68 67	7. 16 7. 72 8. 35 8. 68	3W. 3W. 3W.	12.3 12.6 13.0 13.2	3,200	Thunderstorm forming about 5 m
						2,750 2,500	736.0 757.4	12.1		66 63	9.32 10.33	sw. sw.	12.8 12.2	1,800	nw. of station.
2:47	963.9	36.7	26	8W.	10.3	2,250 2,000 1,757	779.7 802.7 826.8		1.03	61 58 56	11.60 12.74 14.10	sw. sw.	44 #	0	Cu.Nb. cloud about 1 mi, nnw. o
				*******		1,750 1,500	827.0 851.7	21.3		56 51	14. 18 15. 13	sw. sw.	10.2		head kite.
				*******		1,250 1,000 750	876. 4 901. 7 926. 7	29. 0 31. 6		47 42 37	16.08 16.83 17.20	sw. sw.	10.2	0 260	
3:10	963. 6 963. 5	36. 7	27	wsw.	8.0	729 500 396	928.8 952.2 963.5		1.38	37 31 27	17.40 16.96 16.40	sw. wsw. wsw.	9.3		2/10 Cu., sw.; 1/10 Cu.Nb., sw.
			1				Augu	st 16, 1	918 (No.	3).					
P. M. 4:01	962.8	37.0	30	sw.	6.3	396	962.8	37.0		30	18.83	sw.	6.3		3/10 Cu., sw.; 1/10 Cu.Nb., sw.
4:13	962.8	36.2	27	wsw.	9.8	500	951. 3 932. 6		1. 92	31	17.44	sw.		0	Thunderstorms forming to n. o station.
						750 1,000 1,250	925. 6 900. 3 875. 0	30.8 28.4		34 38 42	15.11 14.71 14.04	SW. SW.	14.4 14.6 14.9	360 760	2/10 Cu., sw.; 2/10 Cu.Nb., sw.
4:39	962.8	36.4	28	wsw.	8.0	1,500 1,547 1,750	850. 4 845. 9 826. 0	23.5 23.0	0.98	45 46 52	13.03 12.93 12.93	SW. SW.	15. 2 15. 2		4
*************				******		2,000 2,250 2,500	802. 2 779. 0 756. 6	18.4 15.9 13.4		50 67 74	12.48 12.11 11.37	SW. SW.	13.7 12.9 12.0	1,800 3,000	
5:23	962. 7	36.4	29	wsw.	5.4	2,750 2,756	735. 0 734. 6	10.8	1.00	82 82	10.69	sw.		2,100	Few Cl., wsw.; 1/10 Cu., sw.; 3/16 Cu.Nb., sw.
5:58	962.5	35.4	28	wsw.	3.6	3,000 3,250 3,437	712. 7 691. 6 676. 7	7.3	0.66	81 79 78	9.36 8.08 7.29	SW. SW.	11.3 11.4 11.5	3,000 2,200	Few Cf., wsw.; 3/10 Cu., sw.
6:06	962.5	35.4	30	wsw.	3.6	3,250 3,177 3,000 2,750	691. 6 698. 0 712. 7 735. 0	7.6	0.95	82 84 80 75	8.33 8.77 9.38 10.31	sw. sw. sw.	12.5	********	ren Oli, wow., o/10 Oli, sw.
************						2,500 2,250 2,000	756. 6 779. 0 802. 2	16.4		70 64 59	11. 19 11. 94 12. 80	SW. SW. SW.	11.9	1,400	
6:34	962.5	34.3		sw.	2.7	1,750 1,620 1,500	826. 0 838. 5 850. 4	21.2	1.00	54 51 49	13. 60 13. 82 14. 27	sw. sw. sw.	11.2	640	
**************		*******				1,250 1,000 750	875. 0 900. 3 925. 6	26.1 . 28.6 .		45 42 38	15. 22 16. 44 17. 18	sw. sw.	11.0	0	
7:02	962.5	32.7	42	ssw.	3.1	680 500	932.6 951.3	31.8	1.41	37 41	17.40	SW. SSW.	10.9	*******	

TABLE 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918.—Continued.

August 17, 1918 (No. 1).

					1).	918 (No.	ist 17, 1	Augi							
			08.	above s	heights	different	At						irface.	81	
Remarks.	Electric potential.	vel.	Wi	Vap.	Humi Rel.	Δt 100 m.	Tem- pera- ture.	Pressure.	Alti-	nd.	Wi	Rela- tive humid- ity.	Tem- pera- ture.	Pressure.	Time.
0110 A CA 7110 A Cn	volts.	m. p. s. 2.7		mb.	% 64		*C.	mb.	m.	m. p. s.		% ₆₄	° C.	mb.	A. M.
2/10 A.St., sw.; 7/10 A.Cu., sv 1/10 St.Cu., sw.	0	5. 0 7. 0	50. 8. 58W.	19.68 18.95 18.65	62 61	0.05	24. 5 24. 4 24. 4	965.3 954.2 944.0	396 500 593	2.7	50. 50.	62	24. 5	965. 4	7:12 7:19
	0	7.5 8.0 6.9 6.0	88W. 88W. 8. 88e.	17. 73 16. 51 18. 06 19. 15	58 54 57 59	0.16	24. 4 24. 4 25. 0 25. 4	927. 5 909. 2 927. 5 942. 7	750 929 750 611	1.8	880. 880.	60 59	26. 6 26. 9	966. 0 966. 0	8:15 8:25
5/10 A.Cu., sw.; 4/10 St.Cu., s Rain began at 8:48 a. m.	********	3.8	56.	19.85 20.93	58 58		26.3 27.2	954. 2 966. 0	500 396	1.8	80.	58	27. 2	966.0	8:28
					2).	1918 (No.	ıst 17,	Aug				8			
3/10 A.Cu., w.; 2/10 St.Cu., s 2/10 Cu.Nb., sw.	********	4.5	ese.	20.92	45		31.6	965.2	396	4.5	060.	45	31.6	965. 2	P, M. 5:30
6/10 A.Cu., w.; 2/10 St.Cu., st. 1/10 Cu.Nb., sw.	*********	7.7	ese. ese	20. 97 20. 36	48 52	1.00	30. 5 28. 6	954.4 936.0	500 671	4. 8	688.	45	31.9	965. 2	5:39
Thunderstorm forming to ssw. station.	0	7. 4 6. 7 5. 9	98. 98.	19.66 18.26	52 54 56		28. 0 26. 1 24. 3	927. 8 902. 0 876. 9	1,000 1,250	******	• • • • • • • •				
	730	5.1 4.3 3.6	880. 8. 8.	15. 44 14. 23 13. 18 13. 88	57 59 60 59	0.65	22. 4 20. 5 19. 0 20. 1	852. 2 827. 7 807. 8 827. 7	1,500 1,750 1,957 1,750	6.3	88.	50	29.7	965.6	6:32
	0	6.1 7.5 8.8	880. 80. 80.	14.88 15.92 16.91	58 57 56		21.5 22.9 24.2	852, 2 876, 9 902, 0	1,500 1,250 1,000						
Thunder in ssw. 3/10 A.Cu., w.; 5/10 St.Cu.,		10. 2 7. 8	ese. se. se.	17. 73 18. 26 19. 83 20. 63	54 54 54 53	0.91	25. 6 26. 1 27. 5 28. 5	927.8 937.3 954.4 965.9	750 661 500 396	6.3	ese.	53	29.1 28.5	965.8	8: 52 7: 00
1/10 Cu.Nb., w.						18, 1918.	ugust								
															A. M.
10/10 St.Cu., s.	0 380		50. 50. 50. 50.	23.30 21.68 20.15 17.14	92 91 90 61	0.95 -2.76	21.3 20.3 19.3 23.0	970. 0 958. 3 946. 6 932. 3	396 500 607 741	5.8 10.3 10.7	se. se.	92 91 90	21.3 21.4 21.5	970. 0 970. 0 970. 2	7:08
6/10 A.Cu., sw.; 4/10 St. Cu., sa Threatening condition sw. station.	860	7.4 8.6 9.7	se. se.	17.14 16.18 15.08	61 59 56		23. 0 22. 6 22. 3	931.7 905.6 879.6	750 1,000 1,250		******	******		*********	
station.	730	10.3 9.9 9.0	80. 80. 880.	14.63 14.34 13.50	55 58 63	0.14	22.1 20.9 18.6	868.1 854.4 829.9	1,370 1,500 1,750	14.3	set	86	22. 4	*********	8:19
4/10 A.Cu., sw.; 5/10 St.Cu., st Rain from 8:47 to 8:55 a. m.	1,430	8.2 7.4 7.4 7.5	S. SSW. SSW.	12.79 11.98 12.56 13.36	69 74 70 66	0.82	16.3 14.2 15.8 17.7	806.1 785.5 806.1 829.9	2,000 2,227 2,000 1,750				22.7	970.9	8:27
	950	7.5 7.6 7.6 7.6	SSW. 8. 8.	14.06 14.69 15.07 15.16	62 58 53 53	-1.43	19.5 21.3 23.2 23.3	854. 4 879. 6 905. 6 908. 0	1,500 1,250 1,000 980	10.7	sse.	84	23.0	971.2	8:52
4/10 A.Cu., sw.; 5/10 St.Cu., ss	0	12.4 13.1 7.0 4.0	Se. Se. Se.	19. 41 19. 95 22. 62 23. 89	53 53 83 88 84 82	1.29	20. 0 19. 5 22. 3 23. 6	932. 4 936. 2 959. 6 971. 5	750 715 500 396	4.5	se.	83. 82	23.1	971.3 971.5	8:57 9:07
420 20000, 000, 0120 20000, 00		1	30.	20100		19, 1918.			1						
0/10 A Cr. Trans. 1/10 PA				en en	05		00.7	070 5	206	5.4	CO.	95	20.7	972.5	7:10
9/10 A.Cu., wsw.; 1/10 St., se. Altitude of St. base about 550	950 1,170	5.4 15.1 10.7 9.6	50. 50. 50.	23. 20 22. 26 17. 70 17. 37	95 94 69 60	0.47 -0.90	20.7 20.2 21.5 21.2	972.5 960.4 944.8 934.2	396 505 649 750	5. 4 5. 4 5. 8	se. se.	95 95	20.7 20.7	972.5 972.6	7:11 7:15
10/10 St., se.	1,170 1,280 2,000	6.9 6.5 6.1 6.4	se. se. se.	15.96 15.87 15.90 15.13	67 67 68 68	0, 33 0, 33	20. 3 20. 2 20. 0 19. 3	907. 8 903. 7 897. 5 882. 2	1,000 1,040 1,100 1,250	4.5 4.9	se.	91 89	21. 2 21. 4	973.4 973.5	8:16 8:43
Altitude of St. base about 600	2,300 1,800	7. 0 7. 5 8. 1 8. 4 8. 6	580. S. S. SSW. SSW.	13.65 12.50 11.25 10.69 11.23	67 67 66 66 65	0.62	17. 8 16. 4 15. 0 14. 2 15. 2	857.1 832.7 808.5 794.7 808.5	1,500 1,750 2,000 2,142 2,000	4.0	se.	91	21.0	973.6	9:07
	1,390	8.9 9.2	SSW. S. S.	12. 24 13. 21 13. 74 15. 58	64 62 61 70	-0.22	16.8 18.5 19.4 19.2	832.7 857.1 870.2 882.2	1,750 1,500 1,365 1,250	4.0	se.	86	22.3	973.6	9:41
	680	12.3 12.1 11.5	880. 880.	18.55 18.67 18.82	86 85 81 88	0.83 -0.53	18.7 19.0 19.9	903.7 907.8 919.0	1,041 1,000 896	3.6	80.	83 82	22.7	973. 6 973. 6	9:47 9:55
3/10 A.Cu., wsw.; 7/10 St.Cu., 5/10 A.Cu., wsw.; 2/10 St.Cu.,	0	9.8 8.8 5.3 3.1	5e. 5e. 5e.	19.46 19.84 21.16 21.87	88 92 82 76	1.72	19.1 18.7 21.6 23.4	934. 2 943. 5 961. 8 973. 6	750 669 500 396	3.6	se.	82 76	22.7	973.6 973.6	0:01

OBSERVATIONS AT DREXEL, AUGUST, 1918.

TABLE 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 20, 1918.

									different	heighte	ahore e	00.			
	8	urface.						At	dmerent	nethura	above s	cu.			
Time.		Tem-	Rela- tive	Wi	nd.	Alti-	Pressure.	Tem-	Δt	Humi	dity.	W	ind.	Electric	Remarks.
	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude	I ressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
A. M.	mb. 971.3	° C. 25. 6	% ₇₈	s,	m. p. s. 4. 9	m. 396	mb. 971.3	° C. 25. 6		% 78	mb. 25.62	8,	m. p. s. 4. 9	volts.	10/10 St.Cu., wsw.
13	971.2	26. 2	74	8.	5.4	500 740 750	959. 8 933. 9 932. 8	24.6 22.3 22.5	0.96	81 79	24.44 21.81 21.54	S. S. S.	5.7 7.4 7.6		
16	971.2	26.5	72	8,	5.4	921 1,000 1,250	914.7 906.4 880.7	25. 1 25. 0 24. 5	- 1.56	50 49 45	15.94 15.52 13.84	8, 8, 88W,	10. 2 10. 5 11. 3	0	
27		26.2	71	8,	4. 9	1,411 1,500 1,750	864.9 855.9 831.8	24. 2 24. 1 21. 1	0.18	43 43 46	12.99 12.91 11.51	85W. 85W. 85W.	11.9 11.9 11.9	1,280	
48		27.0	71	S.	4.5	2,000 2,109 2,250 2,500	807.8 798.0 784.4	18.8 17.8 16.7	0.92	48 49 51	10.42 9.99 9.70	SSW. SSW.	11.8 11.8 11.1	1,600	8/10 St.Cu., wsw.
						2,500 2,750 3,000	761. 7 739. 8 718. 4	14.7 12.7 10.7		55 60 64	9. 20 8. 81 8. 24	SSW. SW.	9.9 8.7 7.5	1,800 2,600	7/10 St. Cu., w.
Р, М,						3, 250	697. 2	8.7		68	7. 65	sw.	6.4		
05	970.3	32.6	55	880.	4.9	3, 262 3, 250 3, 000	696.1 697.2 718.4	8.6 8.7 10.7	0.81	68 68 65	7.60 7.65 8.37	SW. SW. SW.	6.3 6.3 7.0	1,900	6/10 St. Cu., w.
26	970.1	32.8	52	8.	5.4	2,750 2,500 2,274	739.8 761.7 782.5	12.8 14.8 16.7	0.71	61 58	9.02 9.76 10.46	SW. SW.	7.6 8.3 8.9	1,400	4/10 St. Cu., w.
***********		*******				2,250 2,000 1,750	784.4 807.8 831.8	16.9 18.6 20.4	*******	55 55 52 48	10.59 11.14 11.51	SSW. SSW.	8.9 8.8 8.8	1,170	
52		32.7	50	S.	5.4	1,500 1,334 1,250	855.9 872.3 880.7	22.2 23.4 23.8	0.48	45 43 47	12.05 12.38 13.86	S. S.	8.7 8.7 8.8	********	1/10 A.Cu., w.; 3/10 St. Cu., wsv
59	969.9	33.0	48	8,	4.9	1,000 917 750	905.9 914.7 931.8	25. 0 25. 4 26. 9	0.90	58 62 61	18.37 20.12 21.62	S. S.	9.2 9.3 8.1	0	
05 15		32.5	50	8,	3.6	550 500 396	953.4 958.0 969.7	28.7 30.0 32.7	2.60	60 57 51	23, 63 24, 19 25, 23	S. S. S.	6.6 5.8 4.0		3/10 A.Cu., w.; 3/10 St.Cu., wsw
			*			11	August	21, 1918	, series	(No. 1).	1	1			
A, M. 50	968.6	24.5	72	S.	3.6	396 500	968.6 957.0 930.2	24.5 25.5 27.9		72 66 52	22.14 21.54 19.55	8, 8, 8W,	3.6 7.4 16.4		3/10 Cu., sw.
12		24.5	72		3.6	750 818 1,000 1,064	923.5 904.3 898.2	28.6 27.7 27.4	-0.97	48 46 45	18.79 17.09 16.43	SW.	18.9 22.5 23.8		
19	968.6	24.6	71	8. 8.	3.1	1,250 1,500 1,716	879.3 854.8 834.1	25.7 23.5 21.6		49 54 59	16. 18 15. 64 15. 22	SW. SW. SW.	21.9 19.4 17.2	490	3/10 Cu., sw.
		20.2				1,750 2,000 2,250	830.8 806.7 784.0	21.4 19.8		59 56 53	15.04 12.94 11.08	SW. SW.	16.9 14.5 12.1		
4	968.6	25.6	70	S.	3.1	2, 268 2, 500 2, 750	782.4 761.4	18.1 16.2	0.63	53 56 60	11.01 10.32 9.65	SW. SW.	11.9 11.8 11.7		
14	968.6	26.0	68	S.	3.6	3,000 3,045 3,250	717. 7 714. 1	12.0 11.6	0.84	63 64 66	8.84 8.74 8.00	SW. SW.	11.5 11.5 11.1	3,000	4/10 Cu., sw.
49	968.6	27.3	64	S.	4.0	3,500 3,750 3,782	676.3 656.2	7.6		68 70 70	7.10 6.28 6.15	SW. SW.	10.6 10.2 10.1		
*************				******		3,750 3,500 3,250	656. 2 676. 3	7.5		70 67 64	6.28 6.95 7.65	SW. SW.	10.2 10.7 11.2	000000000000000000000000000000000000000	
*************						3,000 2,750 2,500	717.7 739.3 761.4	13.9 16.0		61 50 56	8.44 9.37 10.18	SW. SW.	11.6 12.1 12.6		
19		28.9	58	8.	4.5	2,317 2,250 2,000	777.8 784.0 806.7	17.6 18.2 20.3	0.84	54 53 51	10.87 11.08 12.15	SW. SW.	14.2		
12	968.3	29.3	56	s.	4.0	1,750 1,500 1,246	854.8 . 879.6	24.5 26.6	-0.43	. 49 . 47 . 45	13. 27 14. 45 15. 67		15.2 16.2 17.2	0	-
51		29.5		se.	4.9	1,000 778 750	927.4 930.2	24.6 25.0	1.54	55 64 63	17. 96 19. 80 19. 96	280,	5.9		
04	968. 2	30.5	56	ese.	4.0	500 396				58 56	23. 11 24. 46		4.5		
							August	21, 191	8, series	(No. 2).			1	-	
A. M.	967.7	31.5	54	50.	7.6	396 500	967. 7 956. 2	31.5 30.1		54 56	24. 97 23. 91	80. 86.	8.4		3/10 Cu., sw.
02		31.9	54	330.	8.0	750 944 1,000	929.9 900.7	26.8 24.2 24.4	1.33	62 66 63	21.85 19.93 19.26	880. 860. SS6.	10. 2 11. 6 12. 1	0	
10	967.5	32.0	54	0.	7.6	1,250 1,290	878.0	25.2	- 0.34	50 48	16.03 15.58	SSW.	14.5		

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 21, 1918, series (No. 2)-Continued.

	8	urface.						A	t differen	t height	s above	90a.			
mi				w	nd.					Hum	idity.	W	ind.		
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude,	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	Electric potential.	Remarks.
A. M.	mb.	° C.	%		m. p. s.	m. 1,500	mb. 853.3	° C.		% 46	mb. 13.76	ssw.	m. p. s. 14. 4	solts.	Fow Cl., wsw.; fow A. Cu., sw.
11:24		32.1	52	80.	7.6	1,750 1,896	829.5 815.7	22. 2 21. 2	0.70	44 43 44	10.83	sw.	13.6 13.2	1,300	a on only warry town an outry aw,
						2,000 2,250	806.0 782.2	20.3 18.1		47	10.48 9.76	SW.	13. 4 13. 8		
• • • • • • • • • • • • • • • •						2,500 2,750 3,000	759. 7 737. 7 716. 4	15.9 13.6 11.4		50 53	9.04 8.26 7.55	SW. SW.	14. 2 14. 7 15. 1	2, 200	
1:47	967.1	33.0	51		8.9	3, 129 3, 250	705.6 695.5	10.3	0.88	56 58 59	7.27 6.91	SW.	15.3 14.9	3,100	
						3,500 3,750	674. 9 654. 8			62 66	6.34 5.88	SW.	14. 2 13. 5	3,400	Few A.Cu., sw.
Р. М. 2:22	966.6	33. 4	50	50.	8.9	3,872	644.7	4.3	0.85	67	5.57	sw.	13.1		
						3,750	654. 8 674. 9	5.4 7.6		66 63	5.92 6.58	SW.	12.9 12.6		
						3, 250 3, 000	695. 5 716. 4	9. 8 12. 1		60 58	7. 27 8. 19	SSW.	12.3 11.9	1,500	
2:45				80.	8.5	2,762 2,750 2,500	736. 6 737. 7	14.3	0.75	58 55 55 53 51	8.90 8.96	SSW.	11.6	1 700	
						2, 500 2, 250 2, 000	759. 7 782. 0 805. 1	16. 2 18. 0 19. 9		51 49.	9.76 10.53 11.39	SSW.	12.3	1,700	
1:10				88e,	8,9	1,750 1,695	828. 9 834. 0	21.8 22.2	- 0.04	47 47 53	12.28 12.58	S. S.	14.2	680	
		33.7	47	8.	8.9	1,500	853. 3 858. 6		0.99	53 67	14. 10 17. 82	990. 980.	14.6	*******	
1:15						1,250 1,000	878.0 903.3	24. 0 26. 5	*****	64	19.10 20.78	890. 90.	14.5 14.2	0	
1:34		35.1	42	380.	8.0	787 750	925. 0 928. 8	28.6 29.2	1.60	56 55	21.92 22.29	50. Se.	13.6	********	
1:45		35.2	44	8.	10.3	500 396	955. 0 966. 0	33.4 35.2	*******	47 44	24. 19 25. 02	880. S.		********	Few Ci.St., wsw.; few Cu., sw.
							August :	21, 1918,	series (No. 3).					
Р. м.	965.5	35. 1	44	se.	8.9	396	965. 5	35.1		.44	24.89	se.	8.9		
	965. 5	35.0	44		10.7	500 702	954.7	33.3	1 79	47 52	24.05 21.82	50.	11.4	*******	few Cu., sw.
		30.0	44		10.7	750 1,000	933.3 928.4 902.4	29.4	1.73	53 58	21.73 20.80	550. 550. 550.		********	
:52		34 8	44	s.	10.3	1, 250 1, 479	877.0 854.6	24.9	0.90	63 68	19.84 18.88	S. S.	19.5 20.8	0	
* • • • • • • • • • • • • • • • • • • •						1,500 1,750	852.3 828.0	22. 7 21. 3		67 61	18.49 15.45	S. SSW,	20.8 20.5	620	
						2,000 2,250	804.5 781.3	20.0 18.6		54 48 44	12.63 10.29	SSW. SW.	20. 2 19. 9		*
:10		35. 2			8.9	2,399 2,500	768. 2 758. 8	17.8 16.9	0.54	44 46 49	8.97 8.85	SW.	19.7 19.6 19.4	1,280	Few Ci.St., wsw.; few Cu., sw.
• • • • • • • • • • • • • • • • • • •						2,750 3,000 3,250	736. 8 715. 6 694. 4	14.6 12.2 9.9		53 57	8.14 7.53 6.95	SW. SW.	19. 1 19. 1 18. 9	1,700 2,500	rew Cl.St., wsw.; lew Cd., sw.
:55	964.6	35.4	43	SS0.	10.3	3, 361 3, 250	685.0 694.4	8.9 9.9	0.91	59 58	6.73	SW.	18.8 18.6		
						3,000 2,750	715.6 736.8			55 53	7.77 8.64	SW.	18.0 17.5	1,800	
:27	964.5	35.0	42	s.	11.6	2,500 2,303	758.8 776.4	16. 6 18. 3	0.66	50 48	9.44 10.09	SSW.	16.9 16.5	1,100	
• • • • • • • • • • • • • • • •						2, 250 2, 000	781.3 804.5	18.7 20.3		48 47	10.35 11.20	SSW. SSW.	16.8		
• • • • • • • • • • • • • • • •						1,750 1,500 1,250	828. 0 852. 3 877. 0	21. 9 23. 6 25. 2		47 46	12.35 13.40 14.75	8SW.	20.0 21.6 23.2	590	
:54	964.5	34.7	44	s.	8.9	1, 161 1, 000	885.3 902.2	25. 8 27. 4	1.00	46 46 45	15. 29 16. 43	S. S.	23.8	0	
:10		34.6	42	S.	9.4	750 680	927. 2 934. 5	29. 9 30. 6	1.34	45 45	18. 99 19. 77	SSO.	21.8 21.5		
5:17	964.5	34.4	44		9.4	500 396	953. 2 964. 5	33.0		44	22.14 23.94	8. S.	13.8		1/10 Cu., sw.
							August	21, 1918,	series (No. 4).	-				
Р. М.															,
12	964.5	33.3	44	SSC.	8.5	396	964.5	33.3		44	22.51	880.			2/10 Cu., sw.; thunder in nw. at 6:0 p. m. from storm about 8 m away.
:15	964.5	33.2	43	830.	6.3	500 693	953. 2 933. 1	32.5	0.81	44	21.53 19.22	SS0.	23.0	*********	
						750 1,000	927. 2 901. 7	30. 4 28. 1		46	19.11 17.49	880. 880.	21.8	0	
57		32.0	47		8.0	1,250 1,500 1,586	876.3 851.8 843.3	25.8 23.5 22.7	0.92	52 53	16. 28 15. 06 14. 62	S. S.		950	1/10 Cu., sw.
601		32.0	31	S	8.0	1,750 2,000	827.3 803.9	21.8	0.92	49 42	12.80 10.13	8. 8. 83W.	20.5 22.0	1,500	
:26		31.4	47	8.	7.6	2, 250 2, 345	780.8 772.5		0.54	38 36	8. 40 7. 71	SSW.	23.4 24.0	2,000 2,200	1/10 Cu., sw.
			-			2,500	758.5	17.1		40	7.80	SSW.	22.4	-,	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

						II.	ust 21, 19	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(,,0,	, 00116	- Autorita				
	S	urface.						A	t differen	height	s above s	iea.			
		Tem-	Rela-	w	ind.	4144		Tem-		Hum	idity.	w	ind.		Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M.	mb. 965.1	°C. 31.0	%48	s.	m. p. s. 7. 2	m. 2,856	mb. 728.1	*C. 13.6	0.94	% 48	mb. 7.48	sow.	m. p. s. 18. 6	volts.	Lightning in wnw from 7.50 p.
	*********		******	*****		2,750 2,500	736.9 759.2	14.6 16.8		46 42	7.65 8.03	88W.	18.6 18.7		to end of flight.
15	965.3	30.5	51	8.	6.7	2, 250 2, 082	782.0 797.3	19.1	0.58	39 36	8. 62 8. 74	88W.	18.8	2, 200	2/10 Cu., sw.
						2,000 1,750	805. 2 828. 8	21.1 22.5		37 41	9. 26 11. 18	88W.	19.8		
	007.4	*******				1,500 1,250	853.2 877.8	24.0 25.4	*******	45 49	13. 43 15. 90	8.	25.6 28.7		
49	965.4	30.1	53	S.	7.6	1,221	880. 2 902. 4	25.6 27.7	0.95	49	16.09 18.20	S. S.	29.4	*********	
06	965.5	29.9	53	8.	6.7	750 714	927. 7 931. 8	30.1	-0.16	48	20. 49 20. 85	S. S.	29.9 30.0	330	
16	965.5	29.9	53	8.	6.3	500 396	954.4 965.5	30.1 20.9		51 53	21.77 22.37	8.	6.3		Few Cu., sw.
	,						August 2	-22, 191	8, series	(No. 5)			1	1	
P. M.															
):16	********	29. 2	53	5.	7.2	396 500	965.5 954.2	29. 2 29. 1		53 52	21.48 20.96	8.	7. 2 10. 7		1/10 A.Cu., wsw.; fow Cu., sw.
:21	965.5	29.3		S.	6.7	750 900	928. 2 912. 4	28.7 28.5	0.14	49 47	19.30 18.29	8.	24.4		
· · · · · · · · · · · · · · · · · · ·		*******				1,000 1,250	902.3 877.0	27.8 26.1		47	17.56 15.90	S. S.	21.5	0	
:18	965.5	29. 2	51	S.	6.7	1,500 1,662 1,750	852, 3 836, 7 828, 0	24. 4 23. 3 22. 6	0.68	47 47 47	14.37 13.45 12.89	88W.	19.4	1,010	
	*********					2,000 2,250	804.5 781.3	20.7 18.9	******	49 50	11.97 10.92	SSW. SSW.	17.5 15.9 14.4	2,000	
:36	965.5	29.2	51	S.	8.0	2, 297 2, 250	777.6 781.3	18.5 18.8	0.70	50 50	10.65 10.85	88W. 88W.	14.1		1/10 A.Cu., wsw.; few Cu., sw.
						2,000 1,750	804.5 828.0	20.4		49 48	11.75 12.77	56W. 58W.	17.7 20.7	2, 200	
A. M.		20.0	51	S.	8.0	1,686	834.2	22.5	0.58	48	13.08	88W.			
**************	*******			******	*******	1,500 1,250	852.3 877.0	23.6 25.0	*******	48 48	13.98 15.21	88W. 8.	21.9 22.5	0	
:41	965.8	28.7	52	3.	8.0	1,000 888	902.3 913.7	26.5 27.1	0.28	48	16.62 17.22	8.	23.1	*********	
:50	965.8	28. 5	52	s.	7.2	750 500 396	928. 2 954. 8 965. 8	27.5 27.9 28.5		49 50 52	17.99 18.80	8.	18.8		1/10 A Cm to- Cm
					1	000					20. 24	8.	7.2		1/10 A.Cu., wsw.; few Cu., sw.
	1						August	44, 1910,	series (NO. 0).			1		
4		27.8	54	35W.	10.7	396	965.9	27.8		54	20.18	ssw.	10.7		1/10 A.Cu., wsw.; few Cu., sw.
	965.9	27.6		SSW.	8.5	500 699	954.3 933.3	26.5	0.43	54 54	19. 72 18. 70	85W.	24.8		
	********	• • • • • • • •		******	******	750 1,000	927. 8 902. 2	25.6	*******	54 54	18.59 17.63	26W.	24.9 25.5	0	
4		27.5	EG	SSW.	7 4	1,250	876. 9 852. 2	24.2		53 53	16.70 16.01	SSW.	26.1 26.7	********	
		21.0		38W.	7.6	1,605 1,750 2,000	842.1 828.0 804.5	23.9 22.7 20.6	*******	53 54	14.90	88W.	27.0 26.3	2,000	
1		27.0	59	ssw.	8.0	2, 250 2, 418	781. 5 766. 6	18.6 17.2	0.84	54 55	13.11 11.79 10.99	88W. 8W. 8W.	25, 2 24, 0 23, 2	3,400 3,700	1/10 A.Cu., wsw.; few Cu., sw.
				******		2, 250 2, 000	781.8 804.5	18.6	0.03	56 55 54 52	11.79 13.27	SW.	22.8 22.3	3,500	1/10 A.Cu., waw., 10w Cu., aw.
			*******	*******	******	1,750 1,500	828. 0 852. 2	22.9		52 51	14.52 16.25	sw.	21.8	2,000	
0	965.9	27.0	59	SW.	6.3	1,390 1,250	863. 0 876. 9	26. 0 25. 9	-0.50	50 52	16.81 17.38	SW.	21.0 22.2		
7	965.9	26.9	60	sw.	6.7	1,000 785	902. 2 924. 3	25.7	0. 26	55 57	18. 28 18. 83	sw.	24. 4 26. 2	********	
6	965.9	26.7	60	sw.	6.3	750 500 396	927.8 954.3 965.9	25. 8 26. 4	*******	57 59	18.94 20.31	sw.	24. 4 11. 6	0	1/10 A Con summer to form Con some
		20.1	00		0.0	350	540.5	26.7		60	21.03	sw.	6.3		1/10 A.Cu., wsw.; few Cu., sw.
							August 2	12, 1918,	series (!	No. 7).					
A. M.	965.9	25.9	64	ssw.	5.4	396	965.9	25.9		64	21.39	SSW.	5.4		2/10 Cu., sw.
08	966.0	25.8	64	ssw.	5.4	500 656	954.4 937.9	26. 0 26. 1	-0.08	61 57	20.51 19.28	88W. 8W.	10.4	0	
15	966.1	25.9	64	ssw.	6.3	750 977	928. 2 904. 6	26.5	-0.37	55 49	19.05 17.79	SW. WSW.	18.0 18.1	******	
	*********	******			*******	1,000 1,250	902. 2 877. 0	27.1		49	17.58 14.98	W8W. W.	17.8	780	
41	966.3	25.4	64	sw.	6.3	1,500 1,612	852.7 841.5	22.2	0.80	46	13.00		12.3	1,500	4/10 Cm . cm
42	966.8	26.1	64	sw.	4.5	1,750 1,836	828.7 820.7	19.4	1.25	48 50	11.58 11.26	wnw.	9.1 7.8	2, 200	4/10 Cu., sw.
						2,000	806.3 782.8		*******	51 52	10.79	WIW.	8.1	2, 200	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 22, 1918, series (No. 7)—Continued.

	S	urface.						At	different	heights	above s	08.			
		793	Rela-	Wi	ind.			m		Hum	idity.	w	ind.	Electric potential.	
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap. pres.	Dir.	Vel.		
A. M.	mb.	° C.	%		m. p. s.	m.	mb.	° C.		% 54	mb.		m. p. s.	volts.	
						2,500 2,750	760. 6 738. 1	15.4 13.8		54 55	9.45 8.68	W.	8.9 9.3	*********	
						3,000 3,250	716. 4 695. 0	12.3 10.8		57 59	8.16 7.64	WSW.	9.7		
6:55	966.9	26. 2	64	SW.	4.5	3,332 3,500	688.1	10.3	0.61	89	7.39	WSW.	10.2	5,000	
7:07		26.1		sw.	4.0	3,750 3,911	674.0 653.8 640.9	8.6 6.0 4.3	. 0. 94	62 68 71	6.93 6.36 5.90	SW.	11.3 12.9 13.9	5, 200	
						3,750	653.8 673.5	5.6		69 66	6.28	SW.	14.2	*******	Few Cu., sw.
						3, 250	694.0	9.8		64	7.76	SW.	15.1	3,900	200 04., 600
	*********		*******		*******	3,000	715.0 736.8			61 58	8.50 9.27	WSW.	15.6	*******	
7:42	967.1	25.7	64	nw.	4.5	2,500 2,483	759. 0 760. 1	16.1 16.2	0.60	85 85	10.07 10.13	WSW.	16.5 16.5		
						2,250	781.5	17.6	******	53	10.67	WSW.	13.5		
7:55		25.6	56	nnw.	5.8	2,000 1,886	804.0 814.7	19.8	0.27	51 50	11. 28 11. 55	WSW.	10.4	********	
				******		1,750 1,500	927. 4 851. 4			52 56	12.31 13.76	WSW. W.	8.6	*********	
o.o.	0.67 0	0. 30			4.0	1, 250	876.0	21.5		59	15.13	wnw.	7.5	*******	
8:05	907.2	25.0	52	м.	4.9	1,148	887.1 902.2	21.6	-0.12	61 59	15.93 15.22	nw.	7.3 8.0	0	
8:23	967. 2	24.6	43	n.	4.5	750 664	928. 2 937. 9	21.3	1.42	54 53	13.68 13.35	nnw.	9.1		
						500 396	954.4	23.5		47 43	13.61	nnw.	6.4		1/10 Ci., sw.; 1/10 Cu., sw.
8:29	967. 2	25.0	43	nnw.	4.5	390	967.2	20.0	••••••	40	13. 62	nnw.	4.5		1/10 O1., 5w., 1/10 Ott., 5w.
							August	22, 1918,	series (No. 8).					1/10 CL, sw.; few Cu., sw.
9:23	967. 6	26.6	34	n,	4.5	396	967.6	26.6		34	11.84	n.	4.5		1/10 Ci sw · few Cn sw
						500	956.0	24.9	1 00	34	10.71	n.	6.9		I/IO CL, SW., IEW CU., SW.
9:29	967. 7	26. 2	31	ne.	5.4	685 750	936.1 929.0	21.8 21.7	1.66	35 34	9.14 8.83	nne.	11.2	********	
9:42		26.8	30	nne.	6.3	1,000 1,060	903. 0 896. 7	21.3 21.2	0.16	30 29	7.60 7.30	nne.	11.8	0	Few C.St., sw.; 2/10 A.Cu., st 2/10 Cu., sw.
0:36.	968. 2	26.2	31	nne.	3.1	1, 250 1, 282	877.5 874.3	20.7 20.6	0.27	32 32	7.81 7.77	nne.	9.0 8.5	680 660	
0:50	968.2	26.8	33	nne.	3.6	1,500 1,554	852.5 847.3	20. 0 19. 8	0.21	47 51	10.99 11.78	n. n.	5. 2 4. 4	0	1/10 ACu., sw.; 7/10 St.Cu., sw.
						1,500 1,250	852.5 877.5	19.9 20.2		48 36	11.16 8.52	n, nne.	7.3	********	
1:16	968.3	26.8	32	nne.	3.6	1,173	885.5 903.0	20.3 21.2	0.54	32 34	7.62 8.56	nne.	8.0 9.1	*******	
**************	********					750	929.0	22.6		37	10.15	nne.	10.7		
1:36		26.3	33	n.	4.5	692 500	936. 1 956. 9	22.9 25.2	1.18	38 35	10.61 11.22	nne. n.	6.5		2/10 St.Cu., sw.; 4/10 Cu., sw.
1:45	968.5	26.4	34	n.	4.0	396	968.5	26.4		34	11.71	n.	4.0	********	
							August	22, 1918,	series (No. 9).					
Р. М.	969.0	28.9	31	n.	2.2	396	969.0	28.9		31	12.35	n.	2.2		1/10 St.Cu., sw.; 5/10 Cu., sw.
•••••						500 750	957. 7 930. 8	27.4		32 35	11.68	nnw.	4.0		
1:08	969.1	28.5	33	nnw.	6.3	793 1,000	926.3 904.6	23. 1	1.46	35 38	9. 89 9. 75	nw. nw	9. 2 8. 8	0	9/10 St.Cu., sw. Sprinkling rain from 1:27 to 1:
1:35	968.8	26.2	27	nnw.	5.4	1, 250	878.7 858.7	19.5 18.0	0.68	41 44	9. 29 9. 08	nnw.	8.2 7.8	0	p. m.
A-00	900.0	20.2	37		0.1	1,441 1,250	878.7	19.1		43	9.51	n. n.	8.6		
1:43	968.8	26.4	38	nnw.	4.0	1,000 861 750	904.6 918.5 930.8	21.3	1.16	42 42 41	10. 13 10. 64 11. 25	n. n. n.	9.5 10.1 8.8	0	
1:58.	968.6	26.7	38	n.	4.5	500 396	957. 7 968. 6	25.5		39	12. 73 13. 22	n. n.	5.8	********	9/10 St.Cu., sw.; sprinkling rai
															from 1:58 to 2:15 p. m.
							A	ugust 2	23, 1918.						
Р. М.															
	969. 6	30.0	28	0.	4.5	396 500	969, 6 958, 2	30.0 28.7		28 29	11. 88 11. 42	0. 0.	4.5		Few Ci.Cu., sw.; 2/10 A.Cu., sw.
35			000000000												
:35	969 6	29.5	30	080.	4.9	750 937	931.1	25, 6 23, 3	1.20	32 34	10.51	ene.	5.3	0	
35	969. 6	29. 5	30	ese.	4.9	750 937 750 500	931. 1 911. 9 931. 1 958. 2	25. 6 23. 3 25. 5 28. 4	1.20	32 34 33 31	10. 51 9. 73 10. 77 12. 00	ene. ene. ene.	5.3 5.7 5.0 4.0	0	

Table 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 24, 1918.

							1	lugust	24, 1918.						
	Si	urface.						A	different	heighte	s above s	ea.			S-1-3
		Tem-	Rela-	w	ind.			Tem-		Hum	idity.	W	ind.		Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M.	mb. 973, 3 973, 3	° C. 20. 4 20. 4	% 62 62	ne.	m. p. s. 1. 8 1. 8	m. 396 495	mb, 973, 3 962, 3	° C. 20, 4 22, 0	-1.62	% 62 54	mb. 14, 86 14, 28	ne. ne.	m. p. s. 1. 8 7. 4	volts.	Few Cl.St., sw.
08 58	973. 6	22, 6	55	ne.	1.8	750 928	934. 3 915. 9	21.5 21.1	1.26	54 52 50 51	13.34 12.52	ne.	5. 5 4. 1	0	
09	973. 6	23. 4	52	ene.	1.8	750 500 396	934.3 962.1 973.6	21. 9 22. 9 23. 4		51 52 52	13, 40 14, 52 14, 97	ene.	3.3 2.2 1.8	********	Few Cl., sw.
							1	1	25, 1918.						
А. М.						,									
3:10	970. 9	19. 2	71	sw.	4.0	396 500	970, 9 958, 9	19.2 21.8		71 65	15, 80 16, 98	sw.	8.1		3/10 Cl.St., sw.
:13	970, 9	19.3	71	sw.	4.0	588 750	949. 6 931. 5	24. 0 23. 1	-2.50	59 56	17. 61 15. 83	SW.	11.6 10.4	********	
:05	970.9	21. 2	61	wsw.	3.1	1,000 1,230	905, 5 882, 2	21. 6 20. 3	0.58	51 47	13, 16 11, 20	WSW.	8.6 7.0	620	.2
3:35	970.7	24.2	53	w.	3.6	1,250 1,354	880. 0 869. 8	20.1	0, 81	48 52	11. 29 11. 64	WBW,	6.9	700	
):21		26. 4	45		4, 9	1,500 1,625	855, 0 842, 8	18.1 17.0	0. 85	53 54	11.01 10.47	wsw.	6.4	680 380	Few Cl., sw.; few A.Cu., sw.
						1,750 2,000	830, 2 805, 9	16.0 13.9		55 56	10.00 8.89	WSW.	6.9	890	
	********					2,250 2,500	782.3 759.3	12.9		58 60	8. 63 7. 27	WSW.	7.6	******	
				******		2,750	736.4	9.8 7.8		61	6, 45	W.	8.3		
	********	*******	*******			3,000	714.2 691.8	5.7		63 64	5, 77	w.	9.1	2,000	
):33		27.2	43	W.	4.9	3,342	683. 9 691. 8	2.9 3.6		65 65	4, 89 5, 14	W.	9, 2	*********	
						3,000	714. 2 736, 4	5. 5 7. 5		64	6, 64	W.	9.7	*********	1/10 Cl.St., sw.
		******				2,500 2,250	759, 3 782, 3	9, 4 11, 3		64 63	7. 55 8. 44	WSW.	10.3		
:58	970.3	28.3	41	w.	4.5	2,147 2,000	792.0	12.1 13.4	0.89	63 61	8.90 9.38	WSW.	10.8		
		*******		******		1,750	830, 2	15. 6		57	10.10	WSW.	10.4	0	
):19		29.0	38	w.	4.9	1,500 1,373	867.4	17. 9 19. 0	0.84	53 51	10. 87 11. 20	WSW.	10. 2 10. 1	********	
						1,250 1,000	880. 0 905. 5	20. 0 22. 1		50 49	11.69	WSW.	9.4		
0:36		29.0	38	wsw.	4.0	750 695	931.5 937.9	24. 2 24.7		47 47	14.19	WSW.	6.6		
		******				500 396	958.5	27.8		40 37	14.95 15.17	sw.	5.7 5.4		1/10 Ct.St., sw.
0:44	970.3	29.4	37	sw.	5.4	300	1 :	29. 4	1	91	40. 11		0.4		1,10 0,100, 041
	1	1	1	1	1	1	1	August	26, 1918.			1	T	1	
A. M.	971.7	18.6	71	ne.	4.0	396	971.7	18.6		71	15. 22	ne.	4.0		Cloudless.
41	971.8	18.6	71	ne.	4.0	500 706	960. 1 937. 4	19. 1 20. 0		64 50	14. 15 11. 60	B0.	8, 6 17, 8		
	971.9	19.0	71		3.1	750 886	932. 8 918. 2	20.4		52 58	12, 46 15, 15	ne. ne.	15. 4 8. 1	020000000	
52						1,000 1,215	906. 2	21. 2 20. 0		58 50	14. 60 13. 79	nne.	7.5	0	
34	972. 2	20.0	63	ne.	4.5	1,250	880. 5	19.7		59	13.54	nnw.	6.3	810	
				******		1,500 1,750	830.7	17. 6 15. 6		60	12, 08 10, 81	nnw.	6.5	2,500	0-10
:40		21.7	54	ne.	3.6	2,000 2,142	793. 1	13.5	0.18	63	9, 59 9, 02	nnw.	7.0	*******	
44		21.9	53	ne.	4. 5	2,250 2,482		11.5		60 53	8. 14 6. 47	nw.	6.8	*********	
************		21.0		******		2, 250 2, 000	783. 4	11. 8 13. 8		51 40	7.06	nw.	5.9	********	
		******		******		1,750	830.7	15.8		47	8.44	nnw.	5.8	1 000	
33		23. 2	47	ne.	4.5	1,500 1,386	867. 2	17. 9 18. 8	0.00	45 44	9, 23 9, 55	nnw.	5.7	1,200 380	
31	972.4	25. 3	45	ne.	3.1	1,290 1,250	877. 0 880. 5	18.8	0.06	31 33	6. 73 7. 16	n. n.	8.4	********	
):39		25. 4	46	nne.	3.6	1,000	907. 0 911. 8	19. 0 19. 0	1. 22	48 51	10.55 11.20	nne.	6, 8	0	
		25. 8	46		3.6	750 500 396	961.3	24.5		49 47 46	12.57 14.45 15.29	nno. nno.	5.5 4.2 3,6	*********	Cloudless.
0:50	972.4	20.0	40	nne.	0.0	350	1	1		-	20.20	44100	1		
			1		1	1		Lugust	27, 1918.		1		1		
A. M.	968.1	17.9	80	550.	4.0	396	968, 1	17.9		80	16, 41	200.	4.0		6/10 Cl., wnw.
25		17.9	80	886.	4.0	500 537	956. 4 952. 6	22.0 23.5	-3.98	72 69	19.04 19.98	8.	17. 6 22, 2	0	
*************						750 1,000	929. 1 903. 0	22. 8 21. 9		63	17. 49 14. 45	ssw.	18, 8 14, 8		
	*********	10.0			4.0	1,250	877. 8 864, 2	21. 1 20. 6		55 23 44 42	12.01	SW.	10.8	2,100 3,000	
:47	968.0	19. 2	78	50.	4.0	1,384 1,500	852.8	19.8	******		9.70	SW.	7.8	3,800	eliteria de la ligación de la companya de la compan
	967.3	23.8		888.	6.3	1,750 1,783	828. 2 825. 0	18.0 17.8		38 38	7.84	SW.	5.9	4,000	5/10 Cl., wnw.

TABLE 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 27, 1918—Continued.

	8	urface.						At	different	t heights	above s	iea.			
		Tr.	Rela-	W	ind.			F		Hum	idity.	w	ind.		
Time.	Pressure.	Tem- pera- ture,	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>Δt</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M.	mb.	° C.	%		m. p. s.	111.	mb.	° C.		% 40	mb.		m. p. s.	volts.	
**************				*******		2,000 2,250	803. 9 780. 0	15. 9 13. 8		41	7. 23 6. 47	SW.	6.7 7.8		
						2,500 2,750	757. 5 735. 5	11.7 9.5		43 45	5. 91 5. 34	SW.	8.9	********	
8:24		24. 2	67	sse.	5.8	2,860 3,000	726, 0 713, 8	8, 6 8, 3	0.85	46 40	5. 14 4. 38	SW.	10.5	3,500	
			********			3,250	692. 3	7.8		30	3.17	wsw.	8.0		
8:37	900, 9	25, 4	, 63	sse.	5.8	3,277 3,250	690, 0 692, 2	7.7	0.36	29 30 37 45	3.04	WSW.	7.8		
**************		******				3,000 2,750	713. 8 735. 5	9.1	******	37 45	4, 28 5, 64	WSW, SW.	8.1	2,100	
8:52	966. 6	26. 2	59	s.	5.8	2,500 2,342	757. 5 771. 4	11. 5 12. 3	0.96	52 57	7.06 8.16	SW.			
********						2,250	780.0	13. 2		58	8, 80	sw.	10.0	*********	670 Gt 64
9:02	966, 5	26. 7	58	S.	6.7	2,103 2,000	793. 7 803. 3	14. 6 15. 4	0.81	60 59	9. 97 10. 32	SW.	12.2		6/10 Ci.St., wnw.
	*******				*******	1,750 1,500	828, 0 852, 8	17.5 19.5		59 56 54	11. 20 12. 24	SSW. SSW.	12.4 12.6	2,400	
*************	********	*******	*******		*******	1,250	877.8	21.5		51	13.08	ssw.	12.7	1,400	
9:34	966. 2	27.5	54	s.	6.3	1,000 765	903. 0 926. 7	23. 6 25. 5	0,60	48 46	13, 98 15, 01	S. S.	12.9 13.0		
*************			******	******		750 500	928. 2 954. 6	25. 6 27. 1		46 50	15. 11 17. 94	8.	12.7 7.6	0	
9:45	966. 1	27.7	52	S.	5.4	396	966, 1	27.7	•••••	52	19. 32	8.	5.4		9/10 Ci.St., wnw.
							- A	ugust	28, 1918.						
A. M.	967. 2	24.9	50	n	3.6	396	967. 2	24.9		50	16.75		3.6		Throatening in ways 5/10 4 54
8:40			******	n.		500	955.9	23.5	*******	52	15.75 15.06	n. n.	6.0		Threatening in wnw. 5/10 A.St., wnw.; 2/10 St.Cu., wsw. 2/10 A.St., wnw.; 7/10 St.Cu., wsw.
8:56		24.8	51	n.	3.1	694 750	935.0 928.4	20.8	1.38	57· 58	14.00 13.90	n. n.	10.4	0	2/10 A.St., wnw.; 7/10 St.Cu., wsw
			******			1,000 1,250	902.1 876.6	18.7 17.0	******	62 65	13.37 12.60	n. n.	11.9	260	
9:13	967. 9	24.5	53	n.	4.5	1,416	860.0	15.8	0.69	68	12.21	n.	14.0		
*****************						1,500 1,750	851.6 827.0	15.8 15.8	*******	65 56	11.67 10.05	n. n.	13. 2 10. 6	1,700	
9:45	968.6	23.9	54	n.	6.7	1,916 2,000	811.3 803.0	15.8 15.2	0.00	50 51	8.98 8.81	n. n.	8.9	1,600	1/10 A.St., wnw.; 9/10 St.Cu., waw Threatening conditions to west.
		00 0	54		7.2	2,250 2,345	780.0	13.3	0.59	54	8.25	n.	4.9		The continue of the second
9:56	968.8	23.8		n.	1.2	2,250	771.1 780.0	12.6 13.0	0.09	55 55	8. 02 8. 24	n. n.	3.7 5.3	10,000	
					*******	2,000 1,750	803.0 827.0	14.1 15.2		54 53	8.69 9.15	n. n.	9.7	5,300	Sprinkling rain began 10:13 a.m and continued at end of flight.
10:18	969.0	22.6	52	n.	8.0	1,716 1,500	830. 6 851. 6	15.3 16.2	0.40	53 53 54 55	9. 21 9. 85	n. n.	14.6	8,000	
***************	*********		*******	*******	*******	1,250	876.6	17.1		55	10.72	n.	14.6		
				*******		1,000 750	902.7 929.9	18. 1 18. 8		56 56	11. 63 12. 15	n. n.	14.6		
10:23	969.0	22.5	51	n.	7.6	634 500	942.7 957.7	19.6 21.1	1.09	57 52	13.00 13.02	n. n.	14.6	(*)	
10:35	969.1	22. 2	48	n.	8.9	396	969. 1	22. 2	******	48	12.85	n.	8.9		1/10 A.St., wnw.; 9/10 St.Cu., w.
							A	lugust	29, 1918.						
6:29 M.	973.8	13.6	77	56.	4.0	396	973.8	13.6		77	12.00	se.	4.0		Cloudless.
						500	961.6	15.7	1 00	67	11.95	50.	9.9		Few A.Cu., wnw.
6:32	973.8	13.6	77	86.	4.0	587 750	952. 1 933. 8	17. 4 16. 5	-1.99	58 59	11. 52 11. 07	50.	14.8 11.6	0	
7:33	973.6	16.8	57	se.	5.4	1,000 1,050	907. 1 901. 9	15.1 14.8	0.56	60 60	10.30 10.10	50. 50.	6.8	2,000 2,500	
8:11	973.2	18.7	48	50.	5.4	1,130	893.2	15.0	-0.25	55	9.38	se.	6.2	3,400	
***************			*******			1,250 1,500	880.8 855.2	14.7 14.0		54 52	9.03 8.31	96. 96.	5.9 5.2		
8:17	973.2	19.0	48	50.	6.7	1,750 1,969	830.0 808.5	13. 2 12. 6	0.29	50 48	7.58	880. 880.	4.6		
				*******		2,000	805.4	12.4		49 55	7.06	sse.	4.1		
**************	*********	*******		*******		2,250 2,500	782.0 759.3	10.9 9.3		61	7. 17 7. 15	S. SSW.	5.4		
8.27	973.2	19.5	49	50.	7.2	2,620 2,750	748. 2 736. 9	8.6 7.9	0.61	64	7. 15 6. 82	sw.	5.7 7.1	********	
*************				******		3,000 3,250	715.0 693.6	6. 4 5. 0		65 65	6. 25 5. 67	wsw.	9.9 12.6	7,700	
0.05	**********	********		*******		3,500	672.7	3.6		66	5. 22	W.	15.4		
9:05	973.0	21.3	43	880.	6.3	3,665 3,750	659. 1 652. 2	2.6	0.57	66 65	4.86	W. W.	17.2		
9:13	972.9	21.0	43	sse.	7.2	41000 4,126	632.2 622.5	0.4 -0.4	0.68	62 60	3.90 3.55	W. W.	18.3 18.7	11,000	
				******		4,000	632.2	0.5		61	3.86	W.	18.5		
**************				*******		3,750 3,500	652. 2 672. 7	2.3 4.0		63 65	5. 26 5. 28	w. wsw.	18.2 17.8	8,800	
9:42	972.7	22.5	40	£80.	5.8	3,349 3,250	685, 6 693, 6	5. 1 5. 9	0.78	66 57	5. 80 5. 30	WSW. WSW.	17.6 16.6	********	
************	********	******	*******	*******	******	3,000	715. 2	7.8		56	5. 92	WSW.	14.2		
9:51	972.7	23.0	39	sse.	6.7	2,798	733. 2	9.4		50	5.90	WSW.	12.3	5,400	Few A.Cu., wnw.

TABLE 8.—Free-air data from kite flights at Drexel Aerological Station, August, 1918—Continued.

August 30, 1918

						30, 1918.	ugust								
			8.	above se	heights	different	At						rface.	St	
Remarks.	Pleatele	nd.	Wi	dity.	Humi	Δŧ	Tem-		Alti-	nd.	Win	Rela-	Tem-		
	potential.	Vel.	Dir.	Vap. pres.	Rel.	100 m.	pera- ture.	Pressure.	tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
3/10 A.St., w.	volts.	m. p. s. 3.1	n.	mb. 14.15	% 73		° C. 17.0	mb. 967.5	m. 396	m.p.s. 3.1	n.	% ₇₃	°C.	mb. 967.5	8:20
	0	7.3 14.1 14.4	n. nne. nne.	14.88 15.82 15.00	73 72 70	-0.74	17.8 19.0 18.6	955. 2 937. 3 928. 0	500 668 750	3.1	n.	70	17.3	967.6	6:24
6/10 A.Cu., wnw.	1,700	15, 2 15, 6 14, 7	nne. nne. nne.	12.72 11.74 12.34	64 61 67	0.47	17.4 16.9 16.2	901.7 890.4 875.8	1,000 1,111 1,250	4.5	n.	70	17.5	967.9	6:37
7/10 A.Cu., wnw.; 3/10 St.Cu., n	2,800	13.0 11.9 11.3	n. nnw. nnw.	12.96 13.34 13.05	77 84 86	0.53	14.8 13.9 13.2	850.8 833.8 826.0	1,500 1,674 1,750	5.4	n.	72	17.7	**********	6:54
5/10 A.Cu., wnw.; 5/10 St.Cu., n Altitude of St.Cu. base about 2,4 m.	4,000 5,100	9.3 7.8 8.1	nnw. nnw. nnw.	12.13 11.33 8.89	93 98 79	0.92	10.9 9.1 8.7	802.0 783.5 778.5	2,000 2,198 2,250	3.6	nne.	72	17.9	968.8	7:10
2/10 A.St., w.; 8/10 St.Cu., nw.	4,000 (*)	8.8 8.5 8.0	nw. nw. nw.	4.23 4.15 4.01	40 42 46	0.83	7.8 6.8 5.0	769.4 755.8 733.8	2,354 2,500 2,750	5.4	nne.	70	17.8	969. 6	8:09
. Altitude of A.St. base about 3,6	(*)	7.5 7.0 6.8	wnw. wnw. wnw.	3.84 3.65 3.56	50 54 55	0.58	3.2 1.4 0.8	711.4 689.0 681.7	3,000 3,250 3,340	4.9	nne.	69	17.7	969.7	
m. Rain from 8:22 to 8:37 a. m.		10.0 11.4 10.2	W. W. W.	4.06 4.26 4.50	61 63 59	0.81	1.2 1.4 3.1	689.0 692.7 711.4	3,250 3,211 3,000	4.9	n.	69	17.7	969.7	8:25
Thunderstorm passed to south station from east to west.	8,000	8.7 7.2 6.0	wnw. wnw.	4.69 4.88 4.99	53 48 44	0.61	5. 2 7. 2 8. 8	733.8 755.8 774.1	2,750 2,500 2,301	4.5	n.	69	17.7	969.8	8:34
		6. 4 8. 5 10. 6	wnw. nw. nnw.	5. 09 5. 24 5. 54	44 41 39		9.1 10.6 12.2	778. 5 802. 0 826. 0	2,250 2,000 1,750		*******				
	1,600	12.7 14.8 15.6	n. nne. nne.	5. 64 5. 87 5. 92	36 34 33	0.54	13.7 15.2 15.8	851.0 877.0 886.7	1,500 1,250 1,161	4.0	nne.	64	17.9	969.9	8:59
	0	15.2	nne, nne, nne,	6. 46. 7. 22 7. 50	34 35 35 43	-3.14 0.92	16.7 18.0 18.6	903.3 930.0 942.5	1,000 750 640	4.9 4.9	nne.	59	18.0	969. 9	9:14
2/10 A.St., w.; 8/10 St.Cu., nu sprinkling rain began 9:26 a.		0.75	nne. nne. nne.	8. 02 9. 50 12. 18	49 59	0.02	16.4 17.0 18.0	950.3 958.0 969.9	570 500 396	4.5	nne.	59	18.0	969. 9	9:17
						31, 1918.	lugust	,							
. Cloudless.		5.4	sw.	10.50	80		11.0	972.0	396	5.4	SW.	80	11 0	972.0	A. M. 6:37
	560	7.1 7.2 8.1	W3W. W3W. W8W.	10.72 10.68 9.86	50 48 49	-7.33	18 6. 19. 2 17. 6	960.0 959.2 932.2	500 508 750	4.0	sw.	82	10.7	972.0	6:55
	3,200	9. 1 10. 0 10. 0 10. 9	w. w.	9, 22 8, 48 8, 37 7, 22	51 52 52 55	0.68	15. 9 14. 3 14. 1 12. 0	905. 7 881. 2 879. 7 853. 9	1,000 1,232 1,250	3.6	sw.	73	12.6	972.0	7:17
	6,200	11.9 12.8 13.7	wnw. wnw. nw.	6.95 6.31 5.60	57 60 62		9. 9 7. 7 5. 5	828.8 804.0 779.6	1,500 1,750 2,000 2,250		*******	*******			
		14.0	nw. nw. nw.	5. 49 5. 33 5. 08	63 66 70	0.85	5.0 3.9 2.4	773. 2 756. 3 733. 5	2,317 2,500 2,750	3.6	sw.	64	14.9	972.0	7:44
	9,300	22.1 19.5	nw. nw. nw.	4.93 5.15 5.42	73 69 63	0.71	1.4 2.8 4.8	718.5 733.5 756.3	2,917 2,750 2,500	4.5	sw.	59	16.5	972.0	8:03
	5,300 6,500 3,700	13.9 13.1 11.6	nw. nw. wnw.	5. 53 5. 73 6. 12	60 58 54	0.79	5.8 6.8	767.3 779.6 804.0	2,382 2,250 2,000	4.0	W.	55	17.1		
	2,000	11.1 10.3 9.2	wnw. wnw. wnw.	6. 25 6. 73 7. 39	53 52 50	0.81	9.4 10.8 12.8	811.3 828.8 853.0	1,923 1,750 1,500	4.5	WsW.	56	18.2	971.6	:00
	950	8.3	W. W. W.	8. 08 8. 18 9. 07	48 48 48	0.70	14.8 15.0 16.6	878.7 881.2 905.2	1,250 1,229 1,000	4.5	W.	50	19.8	971.5	:15
*	260	7.0	W. W. W.	10.11 10.06 10.33	49 55 54	0.41	18. 0 16. 1 16. 8	926.6 926.6 932.2	801 801 750	4.9	W. W.	46	20. 2 21. 0	971.4 971.4	9:3 0
	********	5.2 4.5	W. W.	11. 67 12. 28	49		20.3	959.8 971.4	500 396	4.5	w.	47	21.8	971.4	9 41

^{*} More than 50,000 volts

Table 9.—Free-air data from kites flights at Drexel Aerological Station, September, 1918.

September 1, 1918 (No. 1).

			ea.	above se	heights	different	At						urface.	Bi	
		nd.	Wi	dity.	Humi					ind.	w	Rela-			
	Electric potential.	Vel.	Dir.	Vap. pres.	Rel.	∆ t. 100 m.	Tem- pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	Tem- pera- ture.	Pressure.	Time.
5/10 CL, wnw.	volts.	m. p. s. 8.0	8.	mb. 10, 53	%51		°C. 18.0	100 b. 967. 9	m. 396	m. p. s. 8.0	8.	% ₅₁	°C. 18.0	mò. 967, 9	6:27
one on which	0	13. 7 22. 2	sw. sw.	10. 20 9. 34 8. 47	47 38 36	-0.78	18. 8 20. 8 20. 1	956, 3 928, 6 902, 5	500 753 1,000	7.6		51	18.0		6:38
***************************************	4,000	20.6 19.7 16.7	SW. SW.	7. 89 7. 12 6. 63	35 33 34	0. 28	19. 4 18. 7 17. 1	876. 7 852. 0 827. 0	1, 250 1, 495 1, 750	7. 2	8.	51	18.0		6:47
7/10 Ci., wnw.	*4,700 *5,800	13.7 12.3 11.3	sw. sw.	6. 20 6. 10 6. 41	35 36 42	0.62	15. 6 14. 9 13. 3	803. 1 792. 3	2,000 2,112 2,250	6.7		55	18.4	967. 9	7:00
Solar halo, 22° radius, from a. m. to end of flight.	*6,300	9. 4	sw.	5.82	52 40	1. 14	9.5		*2,500 2,750	9.8	88W.	46	22. 5		0:13
		11.4	wsw.	5. 07 4. 43	46 43 42	********	7.4		3,000	*******		*******			***************************************
5/10 Ci., wnw.; 4/10 Ci.St., wnv	*6,000		WSW. WSW. WSW.	4. 27 4. 36 5. 12	42 44 44 45	0. 55	7. 2 7. 5 9. 2		*3,300 3,250 3,000	9.4	38W.		23. 1	967. 6	9:25
		12.6	sw.	5. 91 6. 90	47		11.0 12.7		2,750	*******	*******	*******	*******		************
	*4,800	14.2	sw. sw. sw.	7. 13 6. 96 6. 38	47 43 36	0.55		762.7 779.5 803.1	2,432 2,250 2,000	8.9	38W.	42	24. 2	967. 6	9:46
	8,900	16.6	SW.	5. 81	30		17.0	826, 8 851, 0	1,750 1,500		*******	*******	*******	********	************
	*********	18. 2 18. 2	sw.	6.02	22 29	-0, 42	18. 8	859. 3 876. 4	1,418 1,250	9.4	89W.	39	25. 0		0:05
	0	18.1	sw.	7. 46 8. 30	38 41	1.09	17. 2 17. 7	897. 8 902. 2	1,041	13. 4	ssw.	32	25. 5	********	0:13
		15, 2	sw.	10.92 11.51	50 48	1.09	18. 9 20. 4	914. 4 929. 0	885 750	12.5	88W.	33	25. 9		0:34
	*********	13.5	SW. SSW.	11. 98 11. 99	30	1.96	21. 4	939. 0 956. 3	656 500	14.8	ssw.	34	26, 2	967. 4	0:34
		11.2	SSW.	11. 43	33		26, 5	967. 4	396	11. 2	ssw.	33	26. 5	967. 4	0:39
					. 2).	1918 (No	nber 1,	Septer							
7/10 Ci.St., wnw.; 3/10 Ci., wnw			ssw.	11.14	30		27.7	966.6	396	9.8	88W.	30	27.7	966. 6	1:37
	0	13.9	38W.	10.71	33	2. 17	25. 4 22. 5	955. 2 940. 3	500 636	9.8	ssw.	34	27.5	966, 4	1:45
	640	14. 2 14. 9	8.	9. 80 9. 18	38 40		21. 6 19. 7	927. 7 901. 0	750 1,000					*********	
,		15. 5 15. 7	S. S.	8. 67 8. 26	42 40	0.78	18.0 18.0	879. 3 875. 8	1,212 1,250	8.9	ssw.	33	28.0	966. 2	NOON. 2:00
		17. 1 17. 2	8.	6. 02 5. 82	29 28	-0.03	18. 1 18. 1	850. 4 848. 6	1,500 1,518	9.8	ssw.	33	28.2	966, 2	2:03
2/10 Ci., wnw.; 8/10 Ci.St., wnv	2,300	17.3 17.3	35W. 83W.	3.95 3.73	29 28 20 19 24	0.34	17. 3 17. 2	825. 3 822. 8	1,750 1,779	10.7	ssw.	33	28. 3	966. 1	2:11
	3,800	16.0 14.5	83W. 88W.	4. 28	24 29 34		14.0	801. 3 778. 0	2,000 2,250 2,500						
	5,000	13. 0 11. 5	SSW.	4. 87 4. 98	39		10.6	755. 0 733. 3	2,750						
	5,100 5,300	10.0 9.7 8.7	88W. 88W.	5.03	44 45 38	0, 68 0, 19	8.9 8.6 7.9	711. 5 707. 8 690. 8	3,000 3,043 3,241	8.5 8.0	ssw.	. 34	28. 4 28. 1	965. 9 965. 8	1:00
	5,000	17. 8 19. 7	SSW.	4, 61 4, 72 4, 90	43	0.80	8.0 8.0 9.6	711. 5 715. 7	3,000 2,950	7.6	ssw.	37	28.1	965. 7	1:14
	4,400	19. 5 19. 2 19. 1	SSW. SSW.	5. 19	41 38 37	0.68	11.6	733, 3 755, 0 759, 7	2,750 2,500 2,453	6.3	ssw.	36	28.5	965. 6	1:29
	To WARE I	18.0		4 00	90		13, 4 15, 1	778. 0 800. 8	2,250 2,000						
6/10 Ci.St., wnw.; 4/10 A.St., w	3,000	16.7	SSW.	4. 92 4. 12	24			822.8	1,775	8.5	88W.	35	29. 6	965, 3	1:52
6/10 Ci.St., wnw.; 4/10 A.St., w		16. 7 15. 5 15. 5	88W. 88W.	4. 12 3. 21 3. 38	38 37 32 24 17 18	-0.27	16. 6 16. 5	825. 3					29.5	965. 2	1:56
6/10 Cl.St., wnw.; 4/10 A.St., w		16. 7 15. 5 15. 5 15. 5 12. 0	SSW. SSW. SSW. SSW.	4. 12 3. 21 3. 38 5. 09 5. 63	24 17 18 28 30	-0. 27 0. 98	16. 5 16. 0 16. 5	825. 3 844. 9 850. 4	1,550 1,500	11. 2	ssw.	34			
6/10 Ci.St., wnw.; 4/10 A.St., w		16. 7 15. 5 15. 5 15. 5 12. 0 13. 4 11. 6	SSW. SSW. SSW. SSW. SSW.	4, 12 3, 21 3, 38 5, 09 5, 63 8, 30 12, 24	18 28 30 38 48	0.98	16. 5 16. 0 16. 5 18. 9 21. 4	825. 3 844. 9 850. 4 875. 4 900. 6	1,550 1,500 1,250 1,000				90 1	065.0	0-19
6/10 Ci.St., wnw.; 4/10 A.St., w	3,000	16. 7 15. 5 15. 5 15. 5 12. 0 13. 4 11. 6 11. 5	\$5W. \$5W. \$5W. \$5W. \$5W. \$5W. \$5W. \$5W.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 16	18 28 30 38 48 48	0.98	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3	825, 3 844, 9 850, 4 875, 4 900, 6 901, 8 926, 8	1,550 1,500 1,250 1,000 989 750	8.5	ssw.	35	29. 1	965. 0 964. 9	2:13
	3,000	16. 7 15. 5 15. 5 16. 5 12. 0 13. 4 11. 6 11. 5 11. 4 9. 8	SSW. SSW. SSW. SSW. SSW. SSW.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 16 13. 53 14. 46	18 28 30 38 48 48	0.98	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 4	825. 3 844. 9 850. 4 875. 4 900. 6 901. 8	1,550 1,500 1,250 1,000 989				29. 1 28. 6 28. 3	965. 0 964. 9 964. 8	2:13 2:26
6/10 Cl.St., wnw.; 4/10 A.St., w	8,000	16. 7 15. 5 15. 5 16. 5 12. 0 13. 4 11. 6 11. 5 11. 4 9. 8	\$\$W. \$\$W. \$\$W. \$\$W. \$\$W. \$\$W. \$\$W. \$\$W.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 16 13. 53 14. 46	18 28 30 38 48 48 46 44 42 39	0. 98 0. 77 1. 86	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 4 28. 3	825. 3 844. 9 850. 4 875. 4 900. 6 901. 8 926. 8 942. 9 953. 5 964. 8	1,550 1,500 1,250 1,000 989 750 600 500	8. 5 7. 2	83W. 8.	35 38	28.6	964. 9	2:13 2:26
10/10 A.St., wnw.	8,000	16, 7 15, 5 16, 5 15, 5 12, 0 13, 4 11, 6 11, 5 11, 4 11, 4 9, 8 7, 2	SSW. SSW. SSW. SSW. SSW. SSW. SSW. SSW.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 53 14. 46 15. 01	18 28 30 38 48 48 46 44 42 39	0.98	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 4 28. 3	825, 3 844, 9 850, 4 875, 4 900, 6 901, 8 926, 8 942, 9 963, 5 964, 8	1, 550 1, 500 1, 250 1, 250 1, 250 1, 250 989 750 600 500 396	8.5 7.2 7.2	\$3W. 8, 8.	35 38 39	28.6	964. 9	P. M.
	8,000	16. 7 16. 5 16. 5 16. 5 12. 0 13. 4 11. 6 11. 5 11. 4 11. 4 9. 8 7. 2	SSW. SSW. SSW. SSW. SSW. SSW. SSW. SSW.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 16 13. 53 14. 46 15. 01	18 28 30 38 48 48 46 44 42 39	0. 98 0. 77 1. 86	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 4 28. 3	825, 3 844, 9 850, 4 875, 4 900, 6 901, 8 926, 8 942, 9 953, 5 964, 8	1,550 1,500 1,250 1,000 989 750 600 500 396	8.5 7.2 7.2	ssw. s. s.	35 38 39	28.6	964. 9 964. 8	2:13
10/10 A.St., wnw.	3,000	16. 7 16. 5 16. 5 12. 0 13. 4 11. 6 11. 5 11. 4 11. 4 9. 8 7. 2	SSW. SSW. SSW. SSW. SSW. SSW. SSW. SSW.	4. 12 3. 21 3. 38 5. 09 5. 63 8. 30 12. 24 12. 31 13. 16 13. 53 14. 46 15. 01	18 28 30 38 48 48 46 44 42 39	0.98 0.77 1.86 r 2, 1918.	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 5 28. 3 24. 5 28. 3	825, 3 844, 9 850, 4 875, 4 900, 6 901, 8 926, 8 942, 9 953, 5 964, 8 966, 9 955, 5 941, 3 928, 0	1,550 1,500 1,250 1,000 989 750 600 500 396	8.5 7.2 7.2	\$3W. 8, 8.	35 38 39	28.6	964. 9	2:13
10/10 A.St., wnw.	8,000	16. 7 15. 5 16. 5 12. 0 13. 4 11. 6 11. 4 11. 4 9. 8 7. 2	SSW. SSW. SSW. SSW. SSW. SSW. SSW. SSW. S. S. S.	4. 12 3. 21 5. 09 5. 63 8. 30 12. 24 12. 31 13. 15 13. 15 14. 46 15. 01 18. 20 18. 15 18. 25 18. 10 17. 56	18 28 30 38 48 48 46 44 42 39	0.98 0.77 1.86 r 2, 1918.	16. 5 16. 0 16. 5 18. 9 21. 4 21. 5 23. 3 24. 5 26. 4 28. 3 24. 5 26. 4 28. 3	825, 3 844, 9 850, 4 875, 4 900, 6 901, 8 926, 8 942, 9 963, 5 964, 8	1,550 1,500 1,250 1,000 989 750 600 500 396	8.5 7.2 7.2	ssw. s. s.	35 38 39	28.6	964. 9 964. 8 966. 9	2:13

Table 9.—Free-air data from kite flights at Drezel Aerological Station, September, 1918.

September 2, 1918—Continued.

			08.	above s	heights	different	At						urface.	8	
Remarks.		ind.	W	dity.	Humi		Tem-			nd.	Wi	Rela-	Tem-		
	Electric potential.	Vel.	Dir.	Vap. pres.	Rel.	Δt 100 m.	pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	pera- ture.	Pressure.	Time.
4/10 St.Cu., sse.; 6/10 St., nw. Altitude of St. base about 1,350	volts.	m. p. s. 4 8 5. 8	nw.	mb. 14.31 14.48	% 100 98	0.62	°C. 12.3 12.8	mb. 842. 2 850. 0	m. 1,580 1,500	m. p. s. 4. 0	n.	% ₆₀	° C. 23. 2	mb. 967. 6	A. M. 3:01
			nnw. nnw. n.	14. 92 15. 27 15. 40	91 84 77	1. 26	14.4 16.0 17.5	875. 8 902. 0 927. 0	1,250 1,000 769	3.1	n.	60	22.7	967. 9	1:28
3/10 St.Cu., ase.; 6/10 St., nw.		0.0	n. n. n.	15.38 16.32 16.60	76 66 62		20.9	929, 0 956, 8 968, 0	750 500 396	5.4	n.	62	22. 2	968.0	3:35,
						r 3, 1918	ptembe	Se							
1010 04		9.0		10.00			10.0	074.6	200	2.0		90	10.0	071.0	Р. М.
10/10 St., nw. Light rain from beginning of fli to 3:42 p. m.		6.3	ene. ene.	10, 36 9, 52 7, 66	80 77 69		10, 1 8, 5	974, 6 962, 7 934, 0	396 500 750	3.6	ene.	80	10.8	974. 6	1:21
	890	15.8 14.5 12.1	eno. eno.	6.83 7.16 7.72	65 69 76	0, 66	7.2	921. 1 906. 4 879. 3	863 1,000 1,250	5. 4	ene.	77	10. 6	974.5	
	920	9.7 7.3 5.0	ene. ene.	8. 36 8. 87 9. 36	91 98	0.33	6. 9 6. 6 6. 3	853.3 827.8 803,1	1,500 1,750 1,993	5. 4	one.	77	11. 2		:20
	0	5.1 5.2 8.0	ene.	9, 40 9, 46 9, 20	90 87 89	-0.45	7.6 8.2 7.6	827. 8 838. 1 852. 9	1,750 1,642 1,500	4.9	ene.	76	11.2	974.3	1:25
	•••••	8.7 11.0	ene.	9. 17 8. 52	89	0.22	7.4	856. 6 878. 9	1,463 1,250	4.0	ene.	78	11.2	974.3	1.33
	*******	15.6	ene.	7.71 7.14 7.74	70 63 66	0.58	8.4 8.8 9.3	905. 9 925. 0 933. 5	1,000 828 750	4.9	eue.	79	11.2		1:50
10/10 St., w.			ene.	9, 52	74 78		31 0	962. 0 974. 3	500 396	3.6	ene.	78	11.3	974.3	4:58
						r 4, 1918	ptembe	Se							
Few A.Cu., wnw.		3.1	nne.	8.56	73		9.3	974.1	396	3.1	nne.	73	9.3	974.1	A. M.
	0	11. 4 16. 4 15. 8	ne. ene.	7. 19 6. 30 5. 77	57 48 47	-1.02	10.4 11.0 10.0	962. 0 954. 7 933. 2	500 563 750	3.1	nne.	72	9. 4	974.1	3:45
	1,500 2,900 3,600	14.9 14.1 13.4	ene. ne.	4. 44 3. 63 2. 99	40 36 32 35	0, 56	8.5 7.1 6.0	905. 0 879. 0 857. 2	1,000 1,250 1,453	3.1	nne.	68	10.1	974.3	:16
*	5,000	13. 2 12. 2	ne. nne.	3. 25 4. 33	35 48 62		5.9	853. 0 827. 6 802. 5	1,500						************
	**********	11.3 10.3 9.8	nne. n. n.	5, 45 6, 49 6, 90	76 82	0.16	5.1 4.7 4.5	778. 1 766. 7	2,000 2,250 2,369	3.6	nne.	64	11.1	974.3	:42
Few A.Cu., wnw.	9, 200 9, 300 10, 200	9. 2 8. 1 7. 0	n. n. nnw.	6. 71 6. 33 5. 99	83 84 86		3.9 2.9 1.8	754. 4 731. 6 709. 5	2,500 2,750 3,000	*******					••••••
	*********	6.3 6.5 7.2	nnw. nnw. nw.	5. 79 5. 30 4. 09	87	0.42	1.2 0.6 -0.7	696. 4 688. 2 667. 5	3, 151 3, 250 3, 500	4.5	ne.	52	13.7	974.3	:50
	9,000	7.4	nw.	3. 67 4. 03	83 71 67 70	0.58	$\begin{bmatrix} -1.3 \\ -0.7 \end{bmatrix}$	658. 7 667. 0	3,599	4.5	no.	51	14.0	974.3	3:58
	*********	6.4	nw. nw. nw.	5. 79 5. 80	77 82 81	0.45	0.8 2.0 2.2	688. 2 705. 4 709. 5	3, 250 3, 051 3, 000	5.4	ne.	50	13.9	974.3	:10
	8,000	7.1 7.7 8.4	nnw. n. nne.	6. 23	81 78 74 71 69 50 40 23 25 39 50 50	******	4.5	731. 6 754. 4 778. 1	2,750 2,500 2,250	*******					*************
2/10 CICu., w.		0.79	nne. nne. ne.	6. 54 5. 71	69 59	0. 27	5.6 6.2 6.5 7.2	790. 3 802. 5 827. 6	2, 125 2, 000 1, 750	5. 4	nne.	49	14.7	974.1	:34
	4,700	10.2	ne. ne.	2.43	23 25	-0.17	7.8	848. 6 853. 0	1,540	5, 4	no.	45	15.1	974.0	:57
1/10 CL8t., w.	2,300	10.9 11.3 11.2	ne. ne.	0. 22	50 50	1.03	7.0	879. 0 899. 3 905. 8	1, 250 1, 060 1, 000	5.8	ne.	43	15.7	973. 9	:08
	6	10.8 10.5 8.8	ne. ne.	7.16	51 51 48	1. 97	12.0	933, 2 953, 4 962, 0	750 574 500	4. 9	ne.	43	15.3	973. 8	:22
1/10 Ct.St., w.		6.3	ne.	7. 57	43			973. 8	396	6.3	ne.	43	15.5	973.8	:26
		1				6, 1918.	ptembe	Se		1					
Few St.Cu.,nw.		8.8 .	sw. wsw.	8, 89 9, 16	70 62	0.01	12.8	975. 0 962. 9	396 500	4.5	sw.		10.5	975. 0	57
	1,280	13.1	W. W. W.	9, 26 8, 90	53 55 60	-2.21	14. 8 13. 0	948, 6 934, 8 907, 0	627 750 1,000	4.5	SW.	68	11.3	975.0	W
Few St.Cu.,nw.	2,600 3,200	9. 2 7. 4	W. W.	8. 64 8. 25	65 69 69 68	0.70	9.6	880. 7 856. 5 855. 0	1,250 1,486 1,500	4.9	sw.	56	14.9	975.0	9
		7.8	W. W.	7. 05 6. 10	68 67 66 66		5.6	829, 8 805, 0	1,750 2,000						
	********	8. 5 8. 6 8. 5	w. w.	5. 22 4. 93 5. 22	66 66	0.78	2.8	780, 5 770, 9 780, 5	2,250 2,349 2,250	4.5	wsw.	53	17.0	974.9	1

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 6, 1918—Continued.

	St	irface.			İ			A	different	heights	above s	ea.			
			Rela-	W	nd.				1	Hum	idity.	w	ind.		Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	AND AND A COLUMN TO A COLUMN T
A. M.		° C.	%			79. 2,000 1,750	mb. 805. 0 829. 8	°C. 5.5 7.4		% 67 68	mb. 6.05 7.00	W. WSW.	m. p. s. 8. 3 8. 1	rolts.	
	,					1,500	855. 0	9. 4		69	8. 14	WSW.		*******	
8		17.5		W.	4.5	1,368	868, 8 880, 7 907, 0	10.4 11.2		69 67 63	8. 70 8. 91 9. 44	WSW.	7.8 7.7	3,400	Cloudless.
************				wsw.	3, 6	1,000 750 627	934. 8 948. 6	14.7	1. 13	59 57	9. 87 10. 10	WSW. W.	7.3	120	
18		18.3		WSW.	3, 6	500 396	962.9 974.8	17.0		53 49	10. 27 10. 24	WSW.	5. 2		Cloudless.
	-						1								
							Se	eptemb	er 7, 1918	•				,	
Р. М.	967. 6	23. 4	20	sse.	2.2	396	967.6	23. 4		29	8, 35	850.	2.2		1/10 St.Cu., nw.
19		22.7			2.2	500 662	956. 2 938. 3	22.7	0,68	29 30	8.00 7.74	sse.	3.8		apar oc. ca., uw.
						750 1,000	929. 0 902. 3	20, 8		31 34	7.62 7.19	se.	6.2	950	
55	967. 9	20.0		586.	2.7	1,164	885, 0 876, 0	16. 4 15. 7	0.96	37 57	6, 90	89e. 88e.	5.3 4.9		Few Ci. St., nw.
		*******				1,500 1,750	850. 5 825. 5	13.5		38 38	5. 88 5. 12	sse.	3.8		
97	967. 9	19.6	37	890.	2.7	1,794	821. 1 825. 5	11.0	0, 87	38 38	4. 99 5. 12	880.	2.5	******	
************						1,500	850. 5 876. 0	13. 6 15. 7		37 37 37	5. 76 6. 60	sse.	3.9		
*************	0.000		********			1,000 750 723	902. 3 929. 0 931. 8	17. 9 20. 1	-0.15	36 36	7. 59 8. 47 8. 58	SSO.	6. 2 7. 4	200	
12	967. 9 967. 9	19.8	43	8.	3.1	500 396	956. 2 967. 9	20.0		41 43	9. 59 9. 93	896. 8.	7.5 4.8 3.6		Few Ci. St., nw.
10	801.8	10.0	10					1			0.00	0.		1	100 000,100
1			1				56	eptemb	er 5, 1918	•			1	1	
A. M.	968, 2	17.6	55	SSW.	6.7	396	968. 2	17.6		55	11.07	ssw.	6.7		Few Ci. St., nw.
:07	968, 2	17.8	55	sw.	5, 8	500 706	956. 5 934. 0	20, 8	-1.03	49 37	10. 57 9. 09	SSW.	12. 5 24. 0	0	
						750 1,000 1,250	929. 5 903. 0 877. 0	18.4		37 39 41	8, 87 8, 25 7, 60	SW. SW.	23. 3 19. 7 16. 0	1,900	
:29						1,500 1,524	851. 4 848. 9	14.3	0.82	43	7. 01 6, 92	SW.	12.3	3,500	
:50		19.6		wsw.		1,750 1,995	826. 3 802. 7	12. 2 10. 1		46	7.96 6.18	SW.	11.2	5,400	Few Ci. St., nw.; few Ci. Cu., nw.
			*******			2,250 2,500	778. 0 755. 8	8.1 6.1		50 55 60	5. 94 5. 65	SSW.	10.3 10.1	*******	
:40	968. 2	23.0	40	sw.	6.7	2,674 2,750	740. 4 733. 9	4.7	0.80	64 62	5. 47 5. 19	8.	10.0 9.7		2/10 Ci. St., nw.
***************						3,000 3,250	712.0 690.2	2.3		55 48	4, 26 3, 46	SSW.	8, 8 7, 8	9,500	
:33	968. 0	24. 9	37	sw.	8.5	3,500	668, 7	1.3	0.48	41 39	2.75 2.56	WSW.	6, 9		011001 04 0110 4 0
						3,500 3,250 3,000	668. 7 690. 2 712. 0	1.4 2.7 4.1		40 43 45	2, 70 3, 19 3, 69	wsw.	9.1	7,000	2/10 Cl. St., nw.; 3/10 A. Cu., nw.
						2,750 2,560	733. 9 755. 8	5.4	*******	48 51	4. 31 5. 04	SW. SW.	11. 1 13. 1 15. 1	6,300	
:10	967. 9	25. 3	35	SW.	8.5	2, 250 2, 239	778.0 778.9	8.1	0.91	54 54	5. 83 5. 87	SSW.	17. 1 17. 2	4,500	
						2,000 1,750	801. 4 825. 5	10. 4 12. 6		51 48	6. 43 7. 00	SSW.	17. 5 17. 7	3,800	
						1,500 1,250	850. 6 877. 0	14.9 17.2		45 42	7, 62 8, 24	SSW.	18. 0 18. 3	********	*
:35	967. 9	27. 6	32	SW.	8.5	1,212	880, 9 903, 0	17. 5 19. 4		42 42	8, 40 9, 46	SSW.	18. 3 16. 7	1,800	
:51	967. 9	27.4	30	ssw.	9.8	750 708	929. 5 934. 0	21. 6 22. 0	1.73	42 42	10.84 11.10	SSW.	14.9	700	
:58	967. 9	27. 4	30	SSW.	10.3	500 396	956. 5 967. 9	25, 6 27, 4		34 30	11. 17 10. 95	SSW.	11.7 10.3		3/10 Cl. St., nw.; 3/10 A. Cu., nw.
			1	-			Se	eptemb	er 9, 1918		-		1	1	
А. М.										-		1	1		
:32	974.5	17.9	69	nne.	3.6	396 500	974. 5 962. 8	17.9 16.6		69 67	14.15 12.66	nne.	3.6 5.5		4/10 A.St., w.; 6/10 St.Cu., s.
:35	974. 5	17. 8	68	nne.	4.0	571 750 1,000	954. 7 935. 0 908, 0	15.7 14.9 13.8	1. 26	66 68 71	11, 77 11, 52 11, 20	ne. ne.	6, 8 5, 1 2, 8	330	3/10 A.St., w.; 7/10 St.Cu., s.
P. M.	975. 6	16.2	70	no.	4, 9		895, 9		-						one many was state to the the b.
:25	010.0	16.3	76	D0.	4.9	1,115	906.0	13.3		72 76	10, 99	ne. ne.	1.7 2.7	380	Rain began 12:37 p. m., and co
:49		15.5	80	nne.	4.0	750 731	936. 0 937. 8	12.0 11.9	0.99	85 86	11.93 11.98	ne. ne.	4.9 5.1	6,000	
:53	975. 9	15.2	82	nne.	3.6	500 396	964. 4 975. 9	14. 2 15. 2		83 82	13. 44 14. 16	nne.	4.1 3.6		10/10 St., s.

TABLE 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

	8	urface.						Ai	differen	t heights	sahoves	ien.			
	1		1			-			- dinoren			7C4.		ī	
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	nd. Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	$\frac{\Delta t}{100 \text{ m}}$.	Hum Rel.	Vap.	Dir.	Vel.	Electric potential.	Remarks.
А. М.	mb. 973.4	°C. 19.3	% 80	ssw.	m. p. s. 7. 2	m. 396	mb. 973.4	°C.	******	% 80	mb. 17. 91	SSW.	m. p.s.	volts.	10/10 St.Cu., sw.
52		19.3	81	ssw.	5, 8	701 750	961. 8 939. 1 934. 0	18. 0 15. 6 15. 4	1, 21	99 99	17.75 17.54 17.32	SSW. SSW.	8.3 10.3 10.9	0	Sprinkling rain at beginning flight ended 2:45 p. m.
14		19. 5	79	S.	5.8	1,000 1,250 1,363 1,500	907. 0 880. 5 868. 7 854. 4	14.7 13.9 13.5 13.4	0.32	98 97 97 68	16, 40 15, 40 15, 01 10, 45	SSW, SW, SW,	13. 8 16. 7 18. 0 18. 6	1,200	Altitude of St. base about 1,050
30		19. 4	79	8. 88W.	5, 8	1,556 1,750 2,000 2,250	849. 0 829. 4 805. 4 781. 5	13. 4 12. 3 10. 8 9. 4	0, 05	56 63 72 81	8, 61 9, 02 9, 32 9, 55	SW. SW. SW.	18.9 18.4 17.8 17.2	2,700	
47	973.1	19.7	82	ssw.	5.8	2,500 2,750 2,975 3,000	758. 1 735. 1 715. 5 713. 1	7.8 6.2 4.8 4.6	0, 64	86 91 95 95	9, 10 8, 63 8, 17 8, 06	SW. SW. SW.	17.3 17.3 17.4 17.2	5,200	2/10 St.Cu., sw.; 8/10 St., sw. Rain from 3:57 to 4:10 p. m.
03	973.0	19.5	83	ssw.	5.8	3, 250 3, 350 3, 250 3, 000	691. 9 683. 1 691. 9 714. 0	3. 0 2. 3 3. 0 4. 6	0, 66	94 94 94 93	7, 13 6, 78 7, 13 7, 89	SW. SW. SW.	15. 6 14. 9 15. 4 16. 7	7,500	
25		19.8	81	ssw.	6.3	2,750 2,592 2,500 2,250 2,000	736. 5 751. 1 759. 0 782. 0	6.3 7.3 7.8 9.1	0.54	92 92 89 79	8.79 9.41 9.42 9.13	SW. SW. SW.	17. 9 18. 7 18. 1 16. 6	*********	
33	1	19.7	82	sw.	6.3	1,750	805, 4 829, 4 830, 6 854, 4	10.5 11.8 11.9 11.9	0.00	70 61 60	8.89 8.44 8.36 12.68	sw.	15. 0 13. 5 13. 4 11. 9		Light rain began 4:46 p. m. and c tinued at end of flight.
38	972.7	19.7	81	sw.	7.2	1,500 1,432 1,250 1,000 756	861. 3 880. 0 906. 3 932. 6	11.9 13.1 14.7 16.3	0.65	91 99 95 89 83	13. 79 14. 33 14. 89 15. 38	SW. SW. SW. SSW.	11.5 12.5 13.9 15.2	0	Altitude of St. base about 1,000
05		19.3	80	sw.	7.2	750 500 396	933. 5 960. 8 972. 6	16. 4 18. 4 19. 3	******	83 81 80	15. 48 17. 14 17. 91	SSW. SW. SW.	15.1 9.5 7.2		10/10 St., sw.
A. M.	969.9	12.3	97	w. w.	4.0	396 500 587 750	969. 9 958. 0 948. 2 930. 0	14.9 17.0	-2.46	97 82 70 73	13.88 13.89 13.57 13.27	w. nw. nnw.	4.0 6.4 8.4	********	Cloudless. Light fog began during night, a. and ended at 6:58 a. m.
35			0000000	******		1,000 1,250	902.7 876.4	13.0		78 83	12.88 12.43	nw.	8.6 8.9 9.2	0	
		13.0	93	nw.	4.9	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500	876, 4 865, 8 850, 9 825, 7 901, 4 777, 9 757, 4 754, 9	13.0 12.3 11.9 11.1 10.4 9.7 9.0 8.7		78 83 86 80 69 58 48 38	12. 88 12. 43 12. 31 11. 14 9. 11 7. 31 5. 77 4, 36 4. 28	nw. nw. nw. nw. nw. nw. nw. nw.	8, 9 9, 2 9, 4 11, 0 13, 9 16, 7 19, 6 22, 1 22, 1	0	
**************			*******	*******		1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 2, 750 3, 000 3, 152 3, 000 2, 750 2, 750 2, 500	876. 4 865. 8 850. 9 825. 7 901. 4 777. 9 732. 4 710. 0 696. 6 710. 0 732. 4 754. 9	13. 0 12. 3 11. 9 11. 1 10. 4 9. 7 9. 0 8. 7 6. 6 4. 4 3. 1 4. 2 6. 0 7. 8	0.61	78 83 86 80 69 58 48 38 38 37 37 37 37	12. 88 12. 43 12. 31 11. 14 9. 11 7. 31 5. 77 4, 36 4. 28 3. 70 3. 10 2. 82 3. 05 3. 55 4. 02	nw.	8.9 9.2 9.4 11.0 13.9 16.7 19.6 22.1 22.3 22.6 22.7 22.5 22.1 21.7	1,800	Few Ci.St., wnw.
25	969.6	13.3	93	nw.	6.3	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 2, 750 3, 000 3, 152 3, 000 2, 750	876. 4 865. 8 850. 9 825. 7 801. 4 777. 9 732. 4 710. 0 696. 6 710. 0 732. 4 801. 4 801. 4 805. 7	13. 0 12. 3 11. 1 10. 4 9. 7 9. 0 8. 7 6. 6 4. 4 3. 1 4. 2 6. 0 7. 8 9. 6 10. 6 9. 0 10. 5 12. 3 14. 1	0.61	78 83 86 80 69 58 48 38 38 37 37 37 37 38 39 63 72 70 68	12. 88 12. 43 11. 14. 9. 11 7. 31 5. 77 4. 36 4. 28 3. 70 3. 10 2. 82 3. 55 4. 02 2. 82 7. 43 8. 27 8. 89 9. 73 10. 46	DW.	8. 9 9. 2 9. 4 11. 0 13. 9 16. 7 19. 6 22. 1 22. 3 22. 6 22. 7 22. 5 22. 1 21. 7 21. 1 18. 6 17. 7 16. 7 15. 4	1,800 3,700 5,100 2,200 1,200	Few Ci.St., wnw.
52. 25. 36. 33.	969. 6 969. 6 969. 6 969. 7	13.3	93	nw.	5.8	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 3, 000 2, 750 2, 750 2, 250 2, 105 2, 100 2, 100 1, 956 1, 750 1, 500	876. 4 865. 9 825. 7 901. 4 777. 9 757. 4 770. 0 696. 6 710. 0 732. 4 754. 9 777. 9 790. 4 801. 4 806. 0 825. 7 850. 9	13. 0 12. 3 11. 1 10. 4 9. 7 9. 0 8. 7 6. 6 4. 3. 1 4. 2 9. 0 10. 5 12. 3 14. 1 15. 9 17. 9 17. 9 17. 9	0.61	78 83 86 80 69 58 48 38 38 37 37 37 38 39 39 63 72 70 68	12. 88 12. 43 12. 31 11. 14 9. 11 7. 31 5. 77 4. 28 3. 70 3. 10 2. 82 3. 05 3. 55 3. 55 4. 66 4. 98 8. 27 8. 89 9. 73	DW.	8, 9 9, 2 9, 4 11, 0 13, 9 16, 7 19, 6 22, 1 22, 3 22, 6 22, 7 22, 5 22, 1 21, 3 21, 1 21, 1	1,800 3,700 5,100 2,200 1,200	Few Ci.St., wnw.
5	969. 6 969. 6 969. 7 969. 7	13.3 14.5 16.5 17.0	93 86 84 83 69 69	nw. nw. npw. nw. nw.	5.8 5.4 7.2 5.4 4.9	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 3, 152 3, 000 3, 152 3, 152 3, 152 2, 150 2, 250 2, 150 2, 150 1, 956 1, 550 1, 550 1, 550 1, 550 1, 550 1, 550 1, 550 396	876. 4 865. 8 850. 9 825. 7 901. 4 777. 9 732. 4 740. 0 686. 6 710. 0 732. 4 740. 4 801. 4 806. 0 790. 4 903. 0 930. 6 930. 8	13. 0 12. 3 11. 9 11. 1 10. 4 9. 0 8. 7 6. 6 4. 4 3. 1 2 6. 0 7. 8 9. 6 10. 6 9. 0 10. 5 12. 3 14. 1 15. 9 17. 9 17. 9 17. 9 17. 9 18. 9 19. 9 1	0.61 0.30 0.80 -1.01 0.73	78 83 86 80 96 58 48 38 38 38 37 37 37 38 39 63 72 70 68 65 65 63 60 80 76 69	12. 88 12. 43 11. 14 9. 11 7. 31 5. 77 4. 36 4. 28 3. 70 3. 10 2. 82 2. 22 2. 24 66 4. 98 4. 98 7. 43 8. 27 8. 89 9. 73 10. 46 61 11. 38 12. 23 12. 31 15. 70 15. 88 15. 94	DW.	8. 9 9. 2 9. 4 11. 0 13. 9 16. 7 19. 6 22. 1 22. 1 22. 3 22. 6 22. 7 22. 5 22. 1 21. 3 21. 1 18. 6 17. 6 17. 6 17. 6 17. 7 18. 6 11. 5 11. 5 17. 7	1,800 3,700 5,100 2,200 1,200 260	
2	969. 6 969. 6 969. 6 969. 7 969. 8 969. 9	13.3 14.5 16.5 17.0	93 86 84 83 69 69	nw. nw. npw. nw. nw.	5.4 7.2 5.4 4.9 5.8	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 3, 100 2, 2750 3, 100 2, 750 3, 100 2, 750 2, 105 2	876. 4 865. 8 50. 9 825. 7 901. 4 777. 9 732. 4 734. 9 732. 4 710. 0 666. 6 710. 0 732. 4 866. 6 806. 0 807. 7 800. 4 806. 0 807. 8 808. 9 876. 4 903. 0 909. 9 969. 9 968. 5 931. 0 929. 6	13. 0 12. 3 11. 9 11. 1 10. 4 9. 0 8. 7 6. 6 4. 4 3. 1 4. 6. 0 7. 8 9. 6 10. 6 9. 0 10. 5 12. 3 14. 1 15. 9 17. 2 18. 2 19. 8	0.61 0.30 0.80 -1.01 0.73 -0.43 1.52	78 83 86 80 9 58 88 38 38 38 37 37 37 38 38 39 63 27 70 68 65 63 60 60 60 76 69 15 55 58 58 58	12. 88 12. 43 11. 14 9. 11 7. 31 7. 31 7. 31 8. 37 9. 3. 10 12. 3. 10 12. 3. 10 12. 3. 10 12. 3. 10 13. 10 14. 28 15. 10 16. 10	DW.	8.9 9.2 9.4 11.0 13.9 16.7 19.6 22.1 22.1 22.3 22.6 22.7 22.5 22.1 21.7 21.3 21.1 18.6 17.7 15.4 14.1 12.9 11.6 11.5 7.7 7.0 5.8	1,800 3,700 5,100 2,200 1,200 260	
2 5 6 3 3 8 6	969. 6 969. 6 969. 7 969. 8 969. 9 969. 9	13.3 14.5 16.5 17.0 20.0 19.9 19.8	93 86 84 83 69 69 69	nw. nw. nw. nw. nw. nw.	5.8 5.8 7.2 5.4 4.9 5.8	1, 250 1, 357 1, 500 1, 750 2, 000 2, 250 2, 471 2, 500 3, 000 3, 152 3, 152 3, 152 3, 152 2, 750 2, 250 2,	876. 4 855. 8 850. 9 825. 7 901. 4 777. 9 737. 4 747. 9 732. 4 740. 0 686. 6 710. 0 732. 4 740. 0 866. 6 710. 0 97. 850. 9 747. 9 97. 850. 9 97. 850. 9 98. 6 98. 8 98. 0 989. 9 988. 5 988. 0 989. 9	13. 0 12. 3 11. 9 11. 1 10. 4 9. 0 8. 7 6. 6 4. 4 3. 1 4. 6. 0 7. 8 9. 6 10. 6 9. 0 10. 5 12. 3 14. 1 15. 9 17. 2 18. 2 19. 8 17. 2 18. 2 19. 6 10. 6 1	0.61 0.30 0.80 -1.01 0.73 -0.43 1.52	78 83 85 86 80 69 58 48 38 38 37 37 37 38 38 39 63 72 70 68 65 63 60 80 76 69 10 54 55 56	12. 88 12. 43 11. 14 9. 11 7. 31 7. 31 7. 31 6. 77 4. 36 4. 28 3. 70 3. 10 2. 2 3. 05 3. 55 4. 02 4. 66 4. 98 7. 43 8. 89 9. 73 8. 89 9. 73 10. 46 11. 38 12. 31 15. 70 15. 88 15. 94	DW.	8. 9 9. 2 9. 4 11. 0 13. 9 16. 7 19. 6 22. 1 22. 3 22. 6 22. 7 22. 5 22. 1 21. 7 21. 3 21. 1 18. 6 17. 7 7. 15. 4 14. 1 12. 9 14. 6 11. 5 7. 7 7. 0 5. 8	1,800 3,700 5,100 2,200 1,200 260	1/10 Cl.St., w.

TABLE 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued

				inued.	?)—Con	es (No.	911, ser	mber 11, 1	Septe				note and a		
			a.	above se	heights	different	At						ifface.	Su	
Remarks.	Electric	nd.	Win	dity.	Humi	Δt -	Tem-		Alti-	nd.	Wi	Rela- tive	Tem-	1	
	potential.	Vel.	Dir.	Vap. pres.	Rel.	100 m.	pera- ture.	Pressure.	tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
	volts. 8,000	m. p. s. 25. 6 24. 2	nw.	mb. 0.88 0.94	% 13 13	0.54	° C. 1. 4 2. 3	mb. 651.8 667.7	m. 3,692 3,500	m. p. s. 5. 4	nnw.	% 37	° C. 23. 1	mb. 969.4	P, M, 2:33
	*********	(20 ×	nw.	1.02	13 13	******	3.5	688. 4 709. 6	3,250				*******		
	5,000	18.7 16.9	nw.	1.21	13 13		5.9	731.6 754.2	2,750 2,500	*******		*******		********	
	*********	16.5 15.2	nw.	1.34 2.91	13 32	-0.93	7.4 5.6	758.8 777.3	2,448 2,250	5.8	nnw.	33	23.8	969.2	1:10
	********	14.9 14.9	nw.	3. 19 6. 31	36 63	0.85	5. 2 7. 0	781.0 801.3	2, 212 2, 000	4.9	nnw.	31	24.2	969.1	1:16,.,
	2,100 1,900	14.9 14.1	nw.	6.46	64 59	0.91	7.1 9.3	802. 4 825. 6	1,989 1,750	5.8	nnw.	28	23.2	969.1	1:25
	780	13. 2 12. 3	nw.	7.38 7.78	54 49		11.6 13.9	850.7 876.4	1,500 1,250			*******			
		11.4 10.5	nw.	8. 05 8. 25	39		16.1 18.4	903. 0 930. 4	1,000 750		******	*******			
	560	10.5	nw.	8.31 8.36	39 32	1.36	18.5 21.8	930.9 957.5	742 500	5.4	nw.	30	23.8	968.9	1:58
1/10 Ci.St., wnw.; few Cu., nw.			nnw.	8. 25	29		23. 2	968.9	396	4.9	nnw.	29	23. 2	968.9	2:05
					(No. 3	18, series	er 11, 19	Septemb							
Faw Cl Cu waw faw Cu		8.5	nw.	8 16	28		24.2	968, 9	396	8.5	nw.	20	24. 2	968, 9	P. M. 2:47
Few Cl.Cu., wnw.; few Cu., r	********	9. 6 12. 3	nw.	8, 46 7, 82 6, 43	28 28		22, 9 19, 7	957, 4 930, 0	500 750	0.0			21.2	200.9	e.tf
	0	13.1	nw.	6.08	28	1, 27	18.8	922, 5	821	8.0	nw.	1	23. 9		2:52
	520	13. 4 13. 7	nw.	6.59	34 42		17.0	903, 5 877, 4	1,000	*******	*******		*******	*********	
	1,320	14.1	nw.	7, 20 7, 10	51 59		12.1 9.7 7.2	851. 7 826. 4	1,500	*******	******	******	******	********	
Altitude of Cu. base about 2,700	2,200	14. 8 15. 2	nw.	6. 91	68 76	0,98	4.8	802, 0 778, 2	2,000 2,245	5.4	nw.	31	24.0	968, 9	3;50
		17.6 20.0	nw.	5. 04 3. 79	62 49		4, 0 3, 3	754. 4 731. 3	2,500 2,750		*******	*******	*******		
Few Ci.Cu., wnw.; few Cu., r	6,000	22.3 24.7	nw.	2. 65 1. 53	36 22		2, 6 1, 8	709.1 687.7	3,000 3,250		*******				
	7,000 5,500	26. 1 25. 7	nw. nw.	0, 95	14 13	0, 34	1. 4 2. 0	674, 6 687, 7	3, 401 3, 250	10.3	nnw.	28	23, 6		4:39
		25. 0 24. 8	nw.	0, 90	12 11	-0.51	2, 9 3, 2	709, 1 715, 8	3,000 2,922	6.3	nnw.	31	23. 3	969. 2	5:03
	*********	20, 0 16, 6	nnw.	1. 37	19 25	0, 81	2.3	731, 3 742, 1	2,750 2,630	5.8	nnw.	30	23, 1	969.3	5:09
	3,000	16. 4 16. 1	nnw.	2, 52 4, 39	34 51		2.7 4.8	754. 4 778. 5	2,500 2,250		*******				
Few Cu., nw.	*********	15.8 15.8	nnw.	6, 39 6, 47	66 65	1,04	6, 5	798, 3 802, 4	2,040 2,000	4.9	nnw.	31	23.1	969, 3	5:22
	1,100	15, 7 15, 6	nnw.	7.12 7.62	60 54		9. 5 12. 1	827. 0 852. 4	1,750 1,500		******		******		
	420	15, 5 15, 4	nnw.	8. 20 8. 49	49		14.7 17.3		1,250 1,000	*******			******		
	0	15.2	nnw.	8, 79 8, 78	39 38	0,69	19.4	930, 9	803 750	4.5	nnw.	34	22.3	696.6	6:03
Few Ci.St., wnw.	*********	17.2	nnw.	8, 98 9, 10	35 34		21, 5 22, 2		396	4.5	nnw.	34	22. 2	969.6	6:06
		1	1		(No. 4	us soules	- 11 11	Septemb	11		1	1	1	1	-
	1	1)•	(140. 4	16, Series	er 11, 19	Septemb	11		1	1 .		1	P. M
Few Ci.St., wnw.		1.8	n.	9, 82	42 40	1	20.0 19.2	969, 6 958, 4	396 500	1.8	n.	42	20, 0	969.6	6:53
	0	10.7	n. nnw. nnw.	8. 90 7. 25 6. 95	36 35		17. 6 17. 4	930. 5	750 783	1.8	n.	42	19. 7	960.6	7:01
	980	13.3	nnw.	6, 65 6, 33	38 42	0.01	15. 4	903.4	1,000						
		17. 4	nnw.	5. 83	45 49		10.8	851.6	1,500						
	2,300	21. 5 23. 6	nw.	4. 93 4. 52	52 56		6.2	801.8	2,000 2,250			1			
		25, 4	nw.	4, 11	59 58	0.92	1.8	756. 2	2, 478 2, 500	2, 2	1		18.4	970.1	7:47
	4,600	25. 4 25. 8	nw.	4. 01 3. 14 9. 40	50		0.4	731.3	2,750 3,000						
	7,300	26, 1 26, 4 26, 8	nw.	2.40 1.76	42 34 26		-0.8 -2.0 -3.3	687.9	3,250						
		27.2	nw.	0.71	17		-4.5	645.0	3,750				19 1		0.49
		27.3	nw.	0.61	15		-4.9 -4.5	645, 0	3,826	1					8:43
	*******	25. 7 24. 4	nw.	0, 71 0, 80	15 15		-3.1 -1.7	687.4	3,500	1		1			
		23, 2	nw.	0, 83	14	1	-0.3 1.1	731.3	3,000						
		21.0	nw.	1.00	14 16	0, 83		754.3	2,56 2,500	2.7	n.		15.6	. 969, 9	9:35
		21. 4 21. 6	nw.	1.96 3.06	23 31		6.8	801.8	2,250 2,000						
	2,600	21.9 22.0	nw.	4. 33	38 40	0, 77	8.9 9.3	826. 5 831. 1	1,750	2.2	wnw.	63	12.5		10:07
		20 0 17. 4	nw.	5, 05 5, 62	39 38		10.8	851.6	1,500 1,250						
				6. 19	37		14.7	903.4	1,000						****
		14.9	nw.	6, 80	36		16.6	930, 5							
	0	14. 9 12. 4 9. 9 9. 4	nw. nw. nw.	6. 80 7. 50 7. 64		-4, 92	16. 6 18. 6	958. 4	500 450	2. 2	nw.	64	12. 1	969, 9	10:47

TABLE 9 .- Free-air data from kite flights at Drexel Aerological Station, September, 1918-Continued.

							eptember							-	
	St	urface.						At	different	heights	above s	en.			
Time,	Pressure.	Tem- pera-	Rela- tive	W	ind.	Alti-	Pressure.	Tem-	Δt	Hum	idity.	W	ind.	Electric	Remarks.
	102000	ture.	humid- ity.	Dir.	Vel.	tude.		ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
A. M. 2	mb. 969.9	°C. 12.6	% 62	nw.	m. p. s. 2. 7	m. 396	mb. 969.9	° C. 12.6		% 62	mb. 9.05	nw.	m. p. s. 2. 7	volts.	Few Ci.St., wnw.
6	969.9	12.5	62	nw.	2.7	403 500	969. 0 958. 8	16.3 15.8	-5.28	54 53	10.01 9.51	nw.	7.0	********	,
						750	930.9	14.6		49	8.14	nw.	10.6	0 420	
**********	*******					1,000	903.3	13.3		46	7.02	nw.	13.2	120	
A. M. 5	970.3	10.1	73	nw.	3.1	1,083	894.3	12.9	0.50	45	6.70	nw.	14.1		
						1,250 1,500	876.5 850.7	11.5 9.5		46 48	6. 24 5. 70	nw.	15.4 17.5	2,000	Cloudless.
						1,750	825.4 800.8	7.4		49 51	5. 05 4. 57	nw.	19.5		
7	970.3	9.8	73	nw.	3.1	2,000 2,141 2,000	786. 9 800. 8	4.2 5.2	0.78	52 52	4.29	nw.	22.7	4,100	
**********						1,750	825. 4 850. 7	7.1		52 52	5. 25 5. 93	nw.	17.9	2,200	
5		9.3	1	nw.	4.0	1,500	868.3	10.2		52	6.47	nnw.	12.7	********	
						1,250	876.5 903.3	10.8		51 48	7.00	nnw.	12.2	********	
4		9.2	76	nw.	4.0	750 536	930.9 954.5	14.4		45 42	7.38	nw.	8.9 7.5		
5	970.5	9. 2	76	nw.	4.0	500 396	958. 8 970. 5	9.2		51 76	8. 26 8. 85	nw.	6.6		Cloudless.
						1		1			1		1		
							September	r 12. 191	8, series	(No. 6)	•		1		
A. M.	070 0	0.0			1.0	200	000 0	0.0			0 55		10		Claudless
7 8		8.9	75 76	nw.	1.8	396 427	970.6 967.0	8.9 15.9	-22.58	75 49	8, 55 8, 85	nw.	1.8		Cloudless.
6		8.1	80	nw.	1.8	500 742	958.9 931.7	15.6	0.68	47	8.33 6.98	nw.	8.3		
		******	******			750 1,000	931.0	14.5	*******	42 45	6.93	nnw.	8.4		
						1,250 1,500	876.9 851.1	11.1		47 50	6. 21 5. 90	nnw.	12.3		
**********		7.2		nnw.	1.8	1,750	826. 0 805. 1	7.7	0.36	58 55	5. 57 5. 28	nw.	16.3	3,900	
8				muw.	1.0	2,000	801.5	6.2		54 48	5.12 4.25	nw.	18.1		
	********	*******				2, 250 2, 500	777.5	4.3		42	3.49	nw.	20.7		
				******		2,750 3,000	730.4	3.4		36 30	2.81	DW.	23.3		
						3, 250 3, 500	686. 6 665. 9	1.6		23 17	1.58	nw.	24.6 25.9		
6	971.0	8. 2	79	n.	2.7	3,557	661.3 646.0	0.5		16 22	1.01	nw.	26. 2 27. 3	*******	
0		9.1	80	nnw.	2.2	4,000	626.4	-2.5 -3.1		30 32	1.49	nw.	28.7 29.2		
						4,000 3,750	626. 4	$-2.5 \\ -0.7$		33 37	1.64 2.13	nw.	28.6 26.7	15,500	
	971.3	10.3	7.0	nne.	1.8	3,500	667.0 675.7	1.1		40 42	2.65 2.94	nw.	24.8		
8	971.0	10.0		une.	1.0	3,250	687.6	2.5		39 35	2.85	nw.	23. 2 22. 0		
***********		******				3,000 2,750	706. 4 730. 4	4.4		30	2.51	DW.	20.7		
*****						2,500 2,250		6.3		26 21	2.33	nw.	19. 4	6, 200	
51	971.3	13.1	63	nne.	0.9	2, 236 2, 000	778.8 801.8	6.4 5.8		21 31	2.02	BW.	16.4		-
5	971.3	13.6	61	ne.	1.3	1,990 1,750		5.8 8.0	0. 93	31 39	2.86 4.18	nw.	16.3		
0		14.0	60	ne.	1.3	1,500	852.0 856.4	10.4		47 49	5.98	nw.	14.5 14.3		*
						1,250	877.9	12.0 13.4		47 45	6.50	nw.	12.3	1,240	
7	971.3	14.9	59	ne.	1.3	750 725		14.8		42 42	7.07	n.	7.5		
						500	959.8	15.7		50	8.92	nne.	3.2		Cloudless.
01	971.3	16.0	54	ne.	1.3	396	971.3	16.0	1	54	9.82	ne.	1.0		Charles
							Se	ptemb	er 13, 191	8.					
A. M.	965.9	16.6	55	SSW.	6.3	396	265.9	16.6		55	10.39	ssw.	6.3		7/10 A.8t., waw.: 2/10 A.Cu., wa
					6.3	500 618	954.2	19.8		48	11.00	SSW.	11.8		
07	965.9	16.5	54	SSW.	0.3	750	926.8	22.7		38 35	10.48	SW.	16.7		4/10 A.St., wnw.; 6/10 A.Cu., wn
************						1,000 1,250	874.9	21.5		33	7.86		11.5	760	The second second second second second
02	965.5	17.4	51	SSW.	5.4	1,500 1,528	847.1	19. 0 18. 9	0.49	30 30	6.55	WSW.	9.0	1,600	2000 Ct was - 200 t Ct
09		20.9			6.7	1,750 1,802	825.7	17.3 16.9		30 30	5.78	WSW.	3.8	4,000	3/10 Ci.St., wnw.; 3/10 A.St., wnv 2/10 A.Cu., wnw.
	********					2,000 2,250	801.8	15. 2 13. 0		32 34	5.53	WSW.	6.2		
**********	********					2,500	755.5	10.8		36 38	4.66	W.	7.5		
						2,750 3,000	711.3	6.5		40	3.87	wnw.	10.1		
25	965.3		39	sw.	5.8	3,250	688.5	4.3	0.94	42 42	3.46	Wnw	11.4		9/10/C) Gt mmm - 0/10 t Gt mms
						3, 250		4.3		42	3.40	WhW.	11.5		3/10 Ci.St., wnw.; 2/10 A.St., wnv 3/10 St.Cu., wnw.

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 13, 1918—Continued.

							918Cont		-							
				a.	above se	heights	different	At					urface.	8		
Remarks.			nd.	Wi	dity.	Humi		Tem-			nd.	Wi	Rela-	Tem-		
		Electric potential.	Vel.	Dir.	Vap. pres.	Rel.	Δt 100 m.	pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
-		volts. 3,800	m.p.s. 9.7	wnw.	mb. 4.81	%41		°C.	mb. 733.0	m. 2,750	m.p.s.		%	°C.	mb.	А. М.
kling rain from 9:45 to			8.8	W. W.	5. 67 6. 52	41 40		11.8 14.3	755. 5 778. 0	2,500						
n.		1,300	7.6 8.4	W. W.	6.91 7.27	40 39	0.70	15. 2 16. 4	786.5 801.8	2,164 2,000	5.4	sw.		22.2		9:40
ude of St. Cu., base about 3	. A	810		WSW. WSW.	7.68 8.13	37 35		18.1 19.9	825.7 850.0	1,750 1,500	*******	******	******	******		
	4		12.3 13.6	WSW.	8.51 8.92	33		21.6 23.4	874.9 900.5	1,250 1,000	2-2-2-2-2	*******				
L.St., wnw.; 8/10 St.Cu., w	w 2		14.0	SW.	9.17 8.46	30	-2.24	24. 4 22. 0	915.5 926.8	857 750	4.0	SW.		22.5		9:58
		0	7.8	sw.	8. 01 9. 58	33 36	0.82	20.6 22.1	933.5 953.8	687 500	4.5	SW.		22.7		10:08
St.Cu., wnw.	- 10		4.5	sw.	10.40	37		23.0	965.3	396	4.5	sw.	37	23.0	965.3	10:13
							r 14, 1918	ptembe	Se							
Ci.St., nw.; 1/10 A.Cu., n	. 8		2.2	n.	12.31	79		13.6	965.1	396	2.2	n.	79	13.6	965.1	6:48
St.Cu., nnw.				nnw.	13.08 13.40	71 67	-2.57	16. 2 17. 5	953.6 948.0	500 548	2.2	n.	******	13.7		6:50
		0	11.4	nnw.	11.56 9.28	56 43		18.0 18.7	925.7 899.1	750 1,000		*******				
. clouds moving very rapid	A	4, 200	12.0	nnw.	6.94	31	-0.27	19.3	876.3 873.8	1,223 1,250	3.1		80	14.0	965.1	7:22
to a de la company de la compa		4,300	12.9 13.8	nnw.	6. 28 5. 78	32		17. 2 15. 4	848.7 824.2	1,500 1,750			******			
Ci.St., nw.; 4/10 A.Cu., nw			14.6	nnw.	5. 26 4. 78	34		13.5	800.5 776.9	2,000 2,250						
		6,500 8,600	16.3 17.1	nw.	4.33	36 37		9.7 7.9	753.5 731.0	2,500 2,750		*******	******		********	
M.St , nw.: 2/10 A.Cu., nw			18.0 18.4	nw.	3.55	38 39	0.75	6.0	709.0 697.4	3,000 3,134						8:14
and y are a second to		11,500	18.5	nw.	3.63	44 54		4.2	68S. 0 667. 3	3,250 3,500						
			18.7	nw.	4.25	65 75		1.0	647.3 627.2	3,750 4,000		******				
		15,700		nw.	4.33	81 80	0.70	-1.6	616.2 627.2	4,138 4,000	3.1	nne.	64	17.4	964.6	8:31
	-		19.4	nw.	5. 23	78 76		1.3	647.3 667.3	3,750 3,500						
		9,000	19.9	nw.	6.37	73 73	0.74	5.0	688.0 692.9	3,250 3,193	2.2		56	20. 2	964.5	9:29
			19.5	nw.	6.42	65 56		6.8	709.0 731.0	3,000 2,750		******		******		
Ci.St., nw.: 1/10 A. Cu., nv		6,000	18.1	nw.	5. 88 5. 79	46 45	0.72	10.6 10.7	753.5 755.2	2,500 2,481	2.7	n.	51			9:43
, ,,			16.4 14.6	nw.	6.05	42 39		12.4 14.1	776. 9 800. 5	2,250 2,000		******		******	********	
		3,500	12.8	n. n.	6.51	36	0.27	15.9 17.6	824. 2 846. 7	1,750 1,516	3.1	n.		22.1		10:20
			11.2	n. n.	6. 64 8. 20	33		17.6 18.3	848.7 873.8	1,500 1,250						
		1,000	10.4	n. n.	9.89	45 51		19.0 19.7	899.1 925.7	1,000 750		*******				
			9.8	n. nne.	12.32 12.98	53 50	1.12	19.9 21.7	935.0 952.8	664 500	3.1	n.	49	22.7	964.3	10:39
A.St., nw.: few A.Cu., nw	- 7		3.6	nne.	13. 41	48		22.9	964.3	396	3.6	nne.	48	22.9	964.3	10:43
						3.	г 15, 1918	ptembe	Se							
St.Cu., w.	. 1		2.7	nnw,	13. 46	87		13.5	966.4	396	2.7	nnw.	87	13. 5	966. 4	6:11
nkling rain at beginning tht, ended 6:18 a. m.	S	0	5.7	nnw.	12.67	88	*****		954. 8	500	*******	*****	*******			
			13.1 15.2	nne.	10. 95 10. 49	91 92	1.07	9. 7 8. 9	926. 9 918. 4	750 824	4.0	nne.	88	13. 3	966.6	6:25
	*	1,140	16.6 17.0	nne.	8. 47 7. 89	69	-0.64	10. 0 10. 3	899. 4 894. 4	1,000 1,044	4.0	nne.	87	13.3	966.8	6:33
		2,200 2,600	15.6 13.9	nne.	7. 86 7. 73	69 74		9.1 7.6	872.8 847.0	1,250 1,500		*******	******	******		************
	-	5,300	12.2	n, n,	7. 63	81 86	0.59	6.1	822. 0 800. 2	1,750 1,970	4.0	nne.	86	13.1		7:15
St.Cu., w.; 4/10 St., ne.	6		10.6	n. n.	7. 34 6. 49	86 82		4.7	797. 6 773. 4	2,000	*******	*******	*******			
		5,300 8,700	9.4	n. n.	5. 66 5. 03	78 75		2. 4 1. 3	750. 0 727. 0	2,500 2,750				******		
	*		8.3 8.8	n. n.	4, 56	72	0. 46	0. 5	710. 5 727. 0	2,938 2,750	5.8	ne.	85	. 13. 0		8:12
St.Cu., w.		5,700	9. 5 10. 2	n. n.	5. 41 5. 89	74		2.5	750. 0 773. 4	2,500 2,250				******		
St., ne.		5,000 4,500	10. 9 11. 5	n. n.	6. 50 7. 06	75 76	0.38	4. 9 5. 9	797. 6 819. 4	2,000 1,778	6.3	ne.	83	13. 3	968, 1	8:44
		3,200	12.0 16.0	n. n.	7. 01 6. 61	75		6.0	822. 0 847. 0	1,750 1,500						*****************
			20.1	n. n.	6. 07 5. 94	66 57 55 71	0. 20	7.9 8.1	873.5 878.3	1,250 1,206	6.7	ne.		13.1	968. 2	9:02
		1,800	18.3 15.2	n. nne.	7.88	90	1. 20	8. 5 9. 0	900. 7 928. 7	1,000 746	7.2	ne.		13. 2	968.4	9:14
		0	9.2	ne.	11.08	79		12.0	957.0	500	(968. 7	9.28

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 16, 1918.

			Surface.					A	different	heights	above s	iea.			
		Tem-	Rela-	W	ind.	4.144		Tem-		Hum	idity.	W	ind.	731	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb. 969.8	° C. 20. 7	% 24	wnw,	m. p. s. 3. 1	m. 396	mb. 969. 8	° C. 20. 7		% 24	mb. 5, 86	wnw.	m. p. s. 3. 1	volts.	1/10 Cu., nw.
	969. 5	20.7	24	wnw.	5. 4	500 750 834 1,000	957. 9 930. 4 920. 9 903. 2	19.1 15.3 14.0 12.4	1.53	26 26 28	5.31 4.52 4.15 4.03	WDW, W. W.	4. 5 8. 1 9. 2 9. 4	330 620	Few Ci.St., wnw.; 1/10 Cu., nw.
10	969. 2	21.0	22	nw.	5. 4	1,250 1,500 1,571 1,750	876. 5 850. 2 842. 6 824. 6	9.9 7.4 6.8 5.3	0.98	30 32 33 35	3. 66 3. 30 3. 26 3. 12	wnw. wnw. wnw.	9. 7 9. 9 10. 0 9. 7	4,700	
55	969. 2	20.3	19	Whw.	4.0	2,000 2,250 2,299	799.8 775.0 770.5	3.1 0.9 0.5	0.94	38 41 42	2. 90 2. 67 2. 66	wnw, wnw, wnw,	9.3 8.9 8.8	2,900	SABOS St. venus for Cu. vu
20	969. 3	19.6	22	nnw.	5.8	2,250 2,000 1,828 1,750	775. 0 799. 8 816. 9 824. 6	1.0 3.5 5.2 5.9	0.94	42 42 42 41	2. 78 3. 30 3. 72 3. 81	wnw. wnw. wnw.	8. 8 8. 9 8. 9 8. 7	3,200 2,800	5/10 Ci.St., wnw.; few Cu., nw.
30	969. 4	19.1	23	nw.	3.1	1,500 1,266 1,250 1,000	850. 2 874. 5 876. 5 903. 2	8.3 10.5 10.7 13.1	0.97	38 35 35 32	4. 16 4. 44 4. 50 4. 83	nw. nw. nw.	8. 2 7. 7 7. 7 7. 7	860	
:44	969. 5	18.7	24	nnw.	2.2	750 646 500	930. 4 941. 6 957. 9	15.5 16.5 17.7	0.84	30 29 27	5. 28 5. 44 5. 47	nw nw. nnw.	7. 6 7. 6 3. 9	*********	8/10 Ci.St., wnw.; 2/10 Cu., nw.
:48,	969. 5	18.6	25	nnw.	1.3	396	909. 5	18.6	, 1918 (N	25	5. 36	nnw.	1.3	*******	
	1						Septer	************	, 2720 (14	04 274				1	
A. M. 1724		8.7	65	ssw.	5. 4	396 500 627	969.9 957.5 943.5	8.7 11.0 13.9	-2.25	65 58 50	7.31 7.62 7.94	SSW. SW. WSW.	5.4 12.8 21.9		5/10 A.St., w.; 5/10 A.Cu., w.
49		8.6	*******	sw.	4.5	750 1,000 1,187	929. 7 902. 5 882. 5	13.8 12.0 11.1	0.50	50 42 38	7.89 5.89 5.02	WSW. WSW.	21.6 17.5 15.3	2,000	3/10 Ci.Cu., w.; 3/10 A. St.,w.; 3 A.Cu., w.
*************		********	*******		*******	1, 250 1, 500 1, 750 2, 000	876. 0 850. 0 824. 0 800. 0	10.5 8.3 6.0 3.7		39 42 45 48	4.95 4.60 4.21 3.82	wsw. wsw. wsw.	15. 2 14. 9 14. 5 14. 2	5,600	Few Cl., w.; 5/10 A.Cu., w.
32	970.1	8.6	68	sw.	4.9	2,250 2,443 2,500 2,750	775. 8 757. 0 752. 0 729. 1	1.5 -0.3 -0.7 -2.5	0.91	52 54 55 59	3. 54 3. 22 3. 17 2. 93	WSW. WSW. WSW.	13.9 13.6 13.7 13.9	8,500 10,000	
14	970.1	11.9		sw.	6.3	3,000 3,091 3,250	705. 1 697. 4 683. 5	-4.3 -5.0 -6.6	0.72	63 64 57	2.68 2.57 2.00	wsw. wsw. wsw.	14. 2 14. 3 13. 0	13,000	Few Ci., w.; 3/10 A.Cuw.
	970.0	12. 4	54	sw.	6.7	3,292 3,250 3,000 2,750	679.7 683.5 704.6 728.6	-7.0 -6.7 -4.9 -3.1	0.86	56 56 58 59	1.89 1.94 2.35 2.78	WSW. WSW. WSW.	12.7 12.8 13.7 14.6	10,500	
37	969.9	14. 2	49	5W.	8.0	2,611 2,500 2,250 2,000	740, 8 752, 0 775, 8 800, 0	-2.1 -1.1 1.1 3.4	0.90	58 54 50	3. 08 3. 23 3. 57 3. 90	WSW. WSW. WSW.	15. 1 15. 2 15. 3 15. 4	8, 900	
:07	969.6	16.8	42	ssw.	8.9	1,750 1,719 1,500	824.0 827.2 850.0	5.6 5.9 7.6	0.78	46 45 43	4. 19 4. 18 4. 49	SW. SW.	15.6 15.6 16.8	6,500 6,500	Few Ci.St., w.; few A.Cu., w.
24	969.6	16.9	39	SSW.	10.7	1,250 1,069 1,000 750	876. 0 895. 0 902. 5 929. 7	9.6 11.0 11.4 12.7	0.53	40 38 40 47	4. 78 4. 99 5. 39 6. 90	SW. SW. SW.	18.1 19.1 18.0 13.9	2,900	
35	969. 6 969. 6	17.1	40	SSW.	9.4	709 500 396	934. 4 957. 5 969. 6	12.9 15.9 17.4	1.44	48 43 40	7. 14 7. 77 7. 95	SSW. SSW.	13. 2 10. 9 9. 8		Few Ci.St., w.; few A.Cu., w.
							Septer	mber 12	, 1918 (N	(o. 2).					
A. M.	969.2	18.5	38	sw.	11.2	396	969. 2	18.5		38	8.09	sw.	11.2		Few Cl.St., w.; few A.Cu., w.
21	969.1	18.5	38	SSW.	10.7	500 713 750 1,000	957. 9 933. 6 929. 9 902. 1	16. 9 13. 7 13. 4 11. 4	1.51	37 36 37 42	7. 12 5. 64 5. 69 5. 66	SW. SW. SW.	17.8	840	
53	968. 4	18.8	36	ssw.	13.4	1, 250 1, 500 1, 729	875.3 849.2 825.5	9.5 7.6 5.8	0.78	47 52 57	5, 58 5, 43 5, 26	SW. SW.	16. 9 16. 5 16. 1	2,000	6/10 Ci.St., w.; few A.Cu., w
************		*******	*******	*******	********	1,750 2,000 2,250 2,500	823. 5 798. 3 774. 0 750. 7	3,5		57 62 67 71	5. 19 4. 87 4. 53 4. 05	SW. SW. SW. WSW.	15.9 15.6 15.4	8,500	
21	967. 8	20.6	30	ssw.	13. 4	2,750 2,774 3,000 3,250	727. 8 725. 3 705. 0 683. 4	-2.9 -3.1 -4.1 -5.1	0.85	76 76 .71 66	3, 65 3, 58 3, 07 2, 63	WSW, WSW, WSW,	15. 2 15. 2 16. 1	10,000	7,10 Ci.St., w.: few A.Cu , w.
13		21. 1	30	SSW.	15. 2	3, 412 3, 250 3, 000	669. 5 683. 4 705. 0	-5.8 -4.8 -3.2	0. 52	63 67 73	2. 36 2. 73 3. 42	w. w. w.	17. 7 17. 6 17. 5	12,500 7,500	
P. M. 04	967.0	21.4	31	SSW.	12.5	2,858 2,750 2,500	717.5 727.0	-2.3 -1.5 0.4	0.75	76 75	3.83 4.01 4.65	W. W.	17. 4 17. 4	********	8/10 Ci.St., w.; 1/10 St.Cu., w

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 17, 1918 (No. 2)—Continued.

	S	urface.						At	different	heights	above s	.89			
		Tom	Rela-	Wi	nd.			(Tame		Hum	idity.	W	ind.		Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel-	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△ t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb.	°C.	%		m.p. s.	m. 2,000	mb. 796. 8	°C.		% 71	mb. 5.81	wsw.	m. p. s. 17. 2	volts.	
2:35	965.8	20.8	32	85W.	14.3	1,750 1,727 1,500 1,250	821, 6 824, 2 847, 0 872, 3	6. 0 6. 2 8. 5 11. 0	1.00	70 70 64 58	6. 54 6. 64 7. 10 7. 62	sw. sw. sw.	17. 2 17. 2 17. 0 16. 9	3,000	Threatening conditions in west.
		21. 2		sw.	15. 2	1,000 750 677	898. 6 925. 4 933. 6	13. 5 16. 0 16. 7	1.81	52 45 43	8. 04 8. 18 8. 17	SSW. SSW.	16. 7 16. 5 16. 5	********	4/10 Ci.St., w.; 4/10 St.Cu., w. 2/10 St.Cu., wsw.
1:13		21. 8	32		15. 2	500 396	953. 0 964. 6	19.9		36 32	8.37 8.36	sw. sw.	15.7	*******	aju ot. ca., wav.
							Se	ptembe	r 18, 1918						
A. M. 7:26	969. 2	3.6	91	n.	2.7	396	969. 2	3.6		91	7.18	n.	2.7		3/10 A.Cu., nw.
7:39	969. 2	3.7	92	nne.	4.0	500 719 750	956. 9 931. 4 928. 0	3.3 2.6 2.5	0.31	85 73 73	6, 58 5, 38 5, 34	n. nne. nne.	8.1 8.1	890	
8:13	969.3 969.3	6.0	73	ne. ne.	4.9	1,002 750 686	899. 4 928. 0 935. 3	1.7 2.5 2.7	0.32	69 69 69	4.77 5.04 5.12	ne. ne.	7.8 6.8 6.5	*********	
8:23	969.4	6.3	73	ne.	3.6	500 396	956. 9 960. 4	5. 0 6. 3		71 73	6. 19 6. 97	ne. ne.	8. 4 3. 6	*********	3/10 A.Cu., nw. Clouds movi
			1			1	Se	ptembe	er 19, 191	8.				1	
я. м. 9:59	974.3	8.3	62	n.	4.5	396	974.3	8.3		62	6.79	n,	4.5		2/10 Cu., nnw.
10:22	974.3	8.9	57	n,	4.0	500 729 750	962.3 935.6 933.4	7.1 4.5 4.3	1.14	64 69 69	6. 46 5. 81 5. 73	n. n. n.	6.1 9.8 9.8	0	
						1,000 1,250 1,500	905. 0 877. 7 850. 7	2.4 0.3 - 1.7		74 80 85	5.37 4.99 4.50	n. n. n.	10. 1 10. 3 10. 6	1,390 2,000	3/10 Cu., n.
11:50		11.0	46	n.		1,590 1,750 2,000	840. 9 824. 5 799. 1	- 2.4 - 3.2 - 4.5	0.80	87 77 62	4.35 3.60 2.60	n. n. n.	10.7 10.3 9.8	6,000	4/10 Cu., n. Altitude of Cu. base about 1,600
P. M. 12:18		11.3	47	nne.	5.4	2, 250 2, 365	774. 0 762. 3	- 5.7 - 6.3	0.50	47	1.78	n. n.	9.3		
						2,500 2,750 3,000	749. 4 725. 5 702. 5	- 7.0 - 8.4 - 9.8		39 37 35	1.32 1.11 0.92	n. nnw. nnw.	9.9 11.6 13.4	13,000	
						3, 250 3, 500 3, 750	680.5 659.0 638.0	-11.1 -12.5 -13.8		33 31 29	0.78 0.64 0.53	nw. nw. nw.	15.1 16.8 18.5	14,000	
1:34		11.1	45	nne.	5.4	4,000 4,054 4,000	617.0 612.7 617.0	$ \begin{array}{r} -15.2 \\ -15.5 \\ -15.2 \end{array} $	0.56	27 27 27	0.44 0.42 0.44	wnw. wnw. wnw.	20. 2 20. 6		
× × • • • • • • • • • • • • • • • • •						3,750 3,500	638. 0 659. 0	-13.8 -12.4		28 28	0.52 0.59	wnw.	18.9 17.4	*********	
* * * * * * * * * * * * * * * * * * * *		0 0 0 0 0 0 0 0				3, 250 3, 000 2, 750	680. 5 702. 5 725. 5	-10.9 - 9.5 - 8.1		29 30 30	0.69 0.81 0.92	nw. nw. nw.	16.0 14.6 13.2	10,000	
2:13				nne.		2,500 2,250 2,022	749. 4 774. 0 797. 5	$ \begin{array}{r r} -6.7 \\ -5.2 \\ -4.0 \end{array} $		31 31 32	1.08 1.21 1.40	nnw. nnw. nnw.	11.7 10.3 9.0	5, 900	6/10 Cu., n. Strong convectional winds.
* * * * * * * * * * * * * * * * * * * *						2,000 1,750 1,500	799. 1 824. 9 851. 0	- 3.8 - 2.0 - 0.3		34 52 71	1.51 2.69 4.23	nnw. nnw. n.	9. 0 9. 4 9. 8	********	
2:35	974.5	10.6	49	ne.	6.7	1, 296 1, 250 1, 000	872.9 877.7 905.0	1.2 1.6 4.0	0.94	86 84 74	5.73 5.76	n. n.	10.1 10.3		
2:54		11.1	50	n.	4.9	750 712	933. 4 938. 2	6.3	1.43	64 63	6. 02 6. 11 6. 18	n. n.	11.3 12.3 12.5	0	
2:57	974.7	11.2	50	n.	5.4	500 396	962.3 974.7	9.7	*******	54 50	6. 50		7.7 5.4		7/10 Cu., n.
	1		1			rl .	Si	eptemb	er 20, 191	8.	Ţ		7		
A. M. 6:39		-0.7	86	nnw.	1.8	396 500	981.3 969.5	- 0.7	******	86 70	4.95 4.91		1.8	******	Cloudless.
6:50	981. 4	-0.4	82	nnw.	1.8	565 750	961.0 939.4	3.5	-2.49	60 61	4.71 4.40	nne.	6. 1 8. 8 10. 6	0	
7:04	981.4	0.3	81	nnw.	1.8	1,000 1,134 1,250	910. 7 895. 6 883. 0	- 0.1 - 0.4		63 64 59	4. 05 3. 88 3. 21	n. n. n.	13.1 14.4 14.2		
7:17		1.5	77	nnw.	1.8	1,500 1,750 1,931	856.0 829.9 811.0	- 1.1 - 1.7 - 2.2	0.26	50 40 33	2.78 2.12 1.68	n.	13.8 13.5 13.2	8,000	
* * * * * * * * * * * * * * * * * * * *						2,000 2,250 2,500	804.5 779.9 755.5	- 2.5 - 3.6		32 30 28	1.59 1.36	n. n.	13. 4 14. 0	11,500	
8:00	982.1	3.6	67	n.	2.2	2,750 2,996	732.1 709.5	- 5.8 - 6.9	0.44	25 23	1.15 0.94 0.78	nnw.	14.7 15.4 16.0	19,000	
9:27	982.1	7.5	52	n,	3, 1	3, 250 3, 500 3, 620	687. 9 666. 7 656. 3	- 8,1	0. 24	21 19 18	0.68 0.58 0.54	nnw.	14.7 13.5 12.9	20,000	

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 28, 1918—Continued.

	Si	urface.				-		At	different	heights	above a	ea.			
		Tem-	Rela-	W	ind.	1111		Tem-		Humi	dity.	Wi	nd.		Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb.	°C.	%		m. p. s.	m. 4,000	mb. 625.0	°C. - 9.5		% 15	mb. 0.41	nnw.	m. p. s. 19. 1	volts. 25,000	
9:47	982.1	8.1	51	n.	3.6	4, 250 4, 289 4, 250	604.1 601.0 604.1	-10.3 -10.4 -10.1	0.58	14 14	0.35 0.35 0.36	nnw. nnw. nnw.	23.2 23.8 23.3	*********	
0:13	982.0	8.9	50	nw.	5.4	4,000 3,971 3,750	623.6 625.2 643.8	- 7.9 - 7.7 - 8.5	-0.35	12 12 13	0.37 0.38 0.38	nnw. nnw. nnw.	19.9 19.5 16.1		
0:29	982.0	9.3	48	nnw.	4.5	3,500 3,482 3,250	664.5 666.1 686.2	- 9.3 - 9.4 - 8.3	0.51	14 14 15	0.39 0.38 0.45	nnw. nnw. nnw.	12.2 11.9 11.2	20,500	
	*********	*******	*******	******		3,000 2,750 2,500 2,250	708. 0 731. 3 755. 5 779. 9	- 7.0 - 5.7 - 4.4 - 3.1		15 16 16 17	0.51 0.60 0.68 0.80	nnw. nnw. nnw.	10.5 9.7 9.0 8.3	16,700	
				******		2,200 2,000 1,750 1,500	805. 0 831. 0 857. 3	- 0.1 - 1.9 - 0.6 0.7		18 18 19	0.94 1.05 1.22	n. n. n.	7.5 6.7 6.0	9, 400	
1:17 1:23	981. 8 981. 8	10.8 11.1	39 37	n. n.	4.9 3.6	1,474 1,257 1,250	859. 8 883. 2 884. 4	0.8 0.5 0.6	-0.14 0.92	19 32 32	1. 23 2. 03 2. 04	n. n. n.	5.9 8.9 8.9	3,900	
:35	981.8	11.9	35	n.	4.0	1,000 810 750	912. 2 933. 7 940. 7	2.9 4.6 5.4	1.39	40 46 46	3.01 3.90 4.13	n. n. n.	7.5 6.4 6.3	0	
1:55 1:58	981.8	11.0	38	nnw.	3.1	584 500 396	959. 7 970. 0 981. 8	7.6 9.9 11.8	2.23	45 40 36	4.70 4.88 4.98	n. n. n.	6.2 4.8 3.1	********	Cloudless.
	1						Se	ptembe	r 21, 1918	3.			1		
А. М.	979.7	4.4	54	s.	4.5	396	979.7	4.4		54	4.52	8.	4.5		Cloudless.
6:42	979.7	4.5	54	8.	5.8	466 500 750	979.7 971.5 967.4 938.8	10.6 10.5 9.8	-8.86	45 44 35	5.75 5.59 4.24	8. 8.	15.5 14.9 10.9	260	
3:52	979.7	4.8	52		5.4	773 1,000 1,250	936. 1 910. 9 884. 0	9.7 8.7 7.5	2.93	34 36 38	4.09 4.05 3.94	8. 8. 8.	10.5 9.4 8.1	5,000 6,200	
.27	980. 1	9.7	44	ssw.	9.8	1,500 1,744 1,750	858, 1 833, 5 832, 9	6.3 5.2 5.2	0.46	40 42 42	3.82 3.72 3.72	SSW. SSW.	6.9 5.7 5.7	9,500 12,000	
9:38	979.7	14.2	34	ssw.	10.7	2,000 2,043 2,250	808. 4 804. 3 784. 5	4.2 4.1 4.1	0.37	45 46 41	3.71 3.77 3.36	SSW. SSW.	7.6 7.9 8.1	*********	
	070 5	15.0				2,500 2,750 3,000	760.6 737.3 714.6	4.0 4.0 3.9	0.10	32 23 24	2.60 1.87 1.94	SW. SW. WSW.	8.3 8.5 8.8 8.9		
2.52		15.0		#3W.	8.9	3,142 3,000 2,750 2,500	701.8 714.1 736.7 760.0	3.9 4.2 4.7 5.2	0. 19	21 23 26 29	1.70 1.90 2.22 2.57	WSW. WSW. SW.	8.6 8.1 7.6	11, 000	
						2,250 2,000 1,750	783.8 907.8 832.3	5. 7 6. 2 6. 6		33 36 39	3. 02 3. 41 3. 80	SW. SSW.	7.1 6.6 6.2	*********	
1:24	979.3	16.2	32	SSW.	12.1	1,635 1,500 1,250	843. 4 857. 5 883. 5	6.9 7.6 8.9	0.53	41 40 38	4.08 4.18 4.33	88W. 88W.	5.9 6.3 7.1		
0:57	979.1	17.6	28	8.	14.3	1,000 750 705	910.5 938.5 943.9	10. 2 11. 6 11. 8	1.84	37 35 35	4.61 4.78 4.84	8. 8. 8.	7.9 8.6 8.7	2,900	
1:03		17.5		8.	12.5	500 396	967. 4 979. 1	15.6		30 27	5. 32 5. 40		11.2 12.5	********	Cloudless.
			,				Se	ptembe	r 22, 191	8.					
A. M. 6:08	975.3	8.3	62	8.	4.5	396 500	973.3 961.6	8.3 9.6		62 60	6.79 7.17	S. S.	4.5		Cloudless.
6:18	975.3	8.5	62	8.	5.4	750 870 1,000	934.5 921.4 907.6	12.8 14.3	-1.27	54 52 52	7.98 8.48 8.10	SSW. SSW. SSW.	15.3 18.9 16.8		
7:21	*********	10.3	56	ssw.	7.2	1, 250 1, 500 1, 500	880.7 855.0 848.0	12.4 11.1 10.8	0.50	53 53 53	7. 63 7. 05 6. 86	88W. 88W. 88W.	12.9 8.9 7.8	6,400	
3:29		13.9	49	SSW.	8.5	1,750 2,000 2,137	829.5 805.0 792.3	10. 2 9. 4 8. 9	0.33	54 55 55	6.72 6.48 6.27	SSW. SW. SW.	7.5 7.2 7.0	12,600 12,000	
:57		15.1	47	SSW.	9.4	2, 250 2, 500 2, 704	758.5 739.7	8.7	0.11	52 45 40	5.89 5.06 4.47	wsw. w. wnw.	6.6 5.8 5.2		
0:24		16.5		asw.	10.7	2,500 2,250 2,014 2,000	758. 5 782. 4 804. 3 806. 3	9.4		44 49 52 53	5. 05 5. 78 6. 42 6. 47	w. wsw. sw.	5.3 5.5 5.7 5.8	9,000 6,700	
		*******	*******	******	********	1,750 1,500 1,250	830. 2 855. 0 880. 7	10.8		52 51 50	6. 73 7. 01 7. 34	SW. SW. SSW.	7.3 9.8 10.3	7,500 5,600	
0:02		18.1	42	SSW.	9.4	1,000 784 750	907. 6 931. 6 935. 5	13.6		49 48 49	7. 63 7. 87 7. 88	8. 8. 8.	11.8 13.1 13.4	3,400	
0:08	975.3	18.5	40 36	ssw.	8.5 9.4	690 500 396	942.0 963.7 975.3		2.07	50 41 36	7.84 8.20 8.21	8. 88W. 8W.	13.9 11.0 9.4	330	Cloudless.
0:16	975.3	13.0	30	SW.	0.4	390	910.0	19.0		90	0.41	- w.	1		

${\tt Table 9.-Free-air\ data\ from\ kite\ flights\ at\ Drexel\ Aerological\ Station,\ September,\ 1918--Continued.}$

September 23, 1918, series (No. 1).

	S	urface.						At	different	heights	above s	ea.			
		m	Rela-	W	ind.					Hum	idity.	W	ind.		Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel-	Alti- tude.	Pressure.	Tem- pera- ture.	∆ t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M. 6:25	mb. 972.2	°C.	% 69	3.	m. p. s. 4. 5	m. 396	mb. 972. 2	°C. 12.3		% 69	mb. 9.87	8.	m. p. s. 4.5	volts.	6/10 Ci., wnw.
3:30	********	12.2	70		4.0	500 520	960.1 958.0	15.1	-2.66	57 55	9.78 9.75	SSW.	19.6 22.5		,
:52	972.5	12.3	68	S.	4.5	750 946	932.6 911.6	16.8 17.8	-0.52	51 48	9.76 9.78	SW.	17.6 13.5		
*************			*******			1,000 1,250	906.0 879.9	17.4 15.7		49 53	9.74 9.46	SW.	13.3 12.3		
			*******			1,500 1,750	854.3 829.4	12.2		57 62	9.11 8.81	SS'A'.	11.3 10.3		
		13.7	63		5.4	1,769 2,000	827.5 805.0	12.1 10.9	0.69	62 58	8.75 7.56	SSW.	10. 2 10. 2		5/10 Ci., wnw.
	********	*******	*******	******	*******	2,250 2,500	781. 2 758. 4	8.2		55 51	6.53 5.54	SSW.	10. 2 10. 2		
3:09		15.6	56		5.8	2,750 2,756	736.0 735.3	6.8	0.54	47	4.64	SSW.	10. 2 10. 2	10,400	
	*******				*******	3,000 3,250	714.1 692.7	3.8		46	4.10 3.53	SW.	9. 4 8. 6	10,500	
3:49	972.1	17.3	47	g.	8.0	3,500	671.2 660.2	1.4	0.61	43	3.08 2.81	SW.	7.3	********	4/10 Cl., Wnw.
		********				3,500	671.2 691.6	3.9		42	3.03	SW.	7.9 9.0	*******	
E07	********	*******	******	38W.	8.9	2,999 2,750	712 5 734.0	5.6 7.1		43 48	3.91 4.84	SW.	10.9	9,200	
				*******	******	2,500	756.4 779.8	10.1	******	53 58	5.92 7.17	SW.	11.7		
9:32	972.0	19.2	42		7.6	2,000 1,923	804.0 811.8	12.1	0.62	64	8.80 9.18	SSW.	13.4	6,200	
		******				1,750 1,500	828.7 853.9	14.7	******	62 59	9.41	SSW,	13.8	4,100	
			*******			1,250 1,000	879.9 906.0	17.8	*******	55 51	10.19 10.39	SSW.	14.4	2,600	
):02	*********	20.9	37		8.0	935 750	912 8 932 6	17.1	-0.58	50 49	10.45 9.56	SSW.	14.8	*********	
):12		21.2		******	8.5	661 500	942.4 960.0	16 6 19.3	1.66	49	9.26 9.40	8877.	9.5 8.6	0	
0:18	971.9	21.0	38	SSW.	8.0	396	971.9	21.0		38	9.45	88/17.	8.0	********	3/10 Ci., wnw.
A, M,	970.9	23.2	33	SSW.	8.5	396	970.9			33	9.39	ssw.	8 5	*******	1/10 Cl., wnw.: 2/10 Cl.St., wn
1:01	970.8	23.9	32	S.	8.5	5 00 678 750 1,000 1,250	939 5 931 4 904 5 878 7	21.6 18.8 18.5 17.3 16.1	1.56	34 35 36 40 43	9.39 8.77 7.60 7.67 7.90 7.87	SSW. S. S. S.	9.3 10.7 11.8 14.6 17.6	3,000	1/10 CL, wnw.: 2/10 CLSt., wn
1:01				S.		5 00 678 750 1,000 1,250 1,361 1,500	95 9 . 0 939 5 931 . 4 904 5 878 7 867 . 5 853 . 5	21.6 18.8 18.5 17.3 16.1 15.6 14.8	1.56 0.47	34 35 36 40 43 45 47	9.39 8.77 7.60 7.67 7.90 7.87 7.97 7.91	SSW. S. S. S. S.	9.3 10.7 11.8 14.6 17.6 18.9 17.6	3,000 5,000	
1:07 A. M. 1:07	970. 8	23.9	32	<u>S.</u>	8.5	5 00 678 750 1,000 1,250 1,361 1,500 1,750 2,000	939 5 931 4 904 5 878 7 867 5 853 5 828 6 804 0	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8	0 47	34 35 36 40 43 45 47 50 54	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.64 7.47	SSW. S. S. S. S. S. S. S.	9.3 10.7 11.8 14.6 17.6 18.9 17.6 15.3	3,000 5,000 6,800	
1:01 1:07 1:32	970. 8 970. 6	23.9	31	S.	6.3	5 00 678 750 1,000 1,250 1,361 1,500 1,750 2,000 2,176 2,250	95 9 . 0 939 5 931 . 4 904 5 878 7 867 5 853 5 828 6 804 0 787 2 780 2	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.8	0 47	34 35 36 40 43 45 47 50 54 56 54	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.64 7.47 7.25 6.86	SSW. S.	9.3 10.7 11.8 14.6 17.6 18.9 17.6 15.3 13.0 11.4 10.9	3,900 5,000 6,800	
1:01 1:07 1:32 1:54	970. 8 970. 6	23.9	31	S. S.	6.3	5 00 678 750 1,000 1,250 1,361 1,500 1,750 2,000 2,176	939 5 931 4 904 5 878 7 867 5 853 5 828 6 804 0 787 2	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.8	0 47	34 35 36 40 43 45 47 50 54	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.64 7.47 7.25	SSW. S. S. S. S. S. S. S. S. S. S. S.	9.3 10.7 11.8 14.6 17.6 18.9 17.6 15.3 13.0	3,000 5,000 6,800	
1:01 1:07 1:32 1:54	970. 8 970. 6 970. 4	24.8	31 30 31	<u>S.</u>	6.3	5 00 678 750 1,000 1,250 1,361 1,500 1,750 2,000 2,176 2,250	959.0 939.5 931.4 904.5 867.5 867.5 828.6 804.0 787.2 780.2 757.0	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.8 10.5 9.6	0.47	34 35 36 40 43 45 47 50 54 56 48	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.64 7.47 7.25 6.86	SSW. S.	9.3 10.7 11.8 14.6 17.6 18.9 17.6 15.3 13.0 11.4 10.9	3,900 5,000 6,800	
1:01 1:07 1:32 1:54 1:54	970. 8 970. 6 970. 4	23.9 24.8 25.3	31 30 31 31	s. s. ssw.	8.5 6.3 4.9	5 00 678 750 1,000 1,250 1,361 1,750 2,000 2,176 2,250 2,516 2,516 2,750 3,000 3,250	959.0 939.5 931.4 904.5 878.7 867.5 833.5 828.6 804.0 787.2 780.2 757.0	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.5 9.6	0.47	34 35 36 40 43 47 50 54 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.91 7.47 7.25 6.86 6.5.74	\$8W. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$	9.3 10.7 11.8 14.6 17.6 17.6 15.3 13.0 11.4 10.9 9.2	3,000 5,000 6,800 8,000 7,500 9,800	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 P. M.	970. 8 970. 6 970. 4 969. 9	23.9 24.8 25.3	31 31 30 31 31	S. SSW. SSW.	6.3	5 00 678 778 1,000 1,250 1,361 1,500 2,176 2,250 2,516 2,516 2,750 2,516 3,503 3,250 3,503 3,250 3,250	959.0 939.5 931.4 904.5 878.7 867.5 833.5 828.6 804.0 787.2 780.2 757.0 755.5 734.2 712.0 190.7 669.3	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.5 9.6 9.5 8.0 6.3 4.7 3.4 7.3	0.47 0.59 0.38	34 35 36 40 43 45 47 50 54 48 48 48 48 48 35 30	9.39 8.77 7.60 7.97 7.90 7.87 7.91 7.47 7.25 6.86 6.86 5.74 5.70 4.83 4.01 3.25 3.33	28W. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	9.3 10.7 11.8 14.6 17.6 18.9 17.8 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7	3,000 5,000 6,800 8,000 7,500 9,800 8,000	
1:01 1:07 1:32 1:54 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9	23.9 24.8 25.3 25.9	31 31 30 31 31	S. SSW. SSW.	8.5 6.3 4.9 7.2	5 00 678 750 1,000 1,250 1,361 1,500 2,176 2,250 2,500 2,516 2,750 3,250 3,250 3,250 3,250 3,250 3,250 3,250 3,250	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 750.2 757.0 755.5 734.2 712.0 90.7 711.8 690.7 711.8	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.8 10.8 10.8 10.8 4.7 3.4 4.7 6.3 8.0	0.47 0.59 0.38	34 35 36 40 43 45 47 50 54 48 48 48 45 42 38 35 39 46	9.39 8.77 7.60 7.67 7.90 7.87 7.91 7.64 7.25 6.5.74 5.70 4.83 4.01 3.25 2.3 3.33 4.11	28W. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	9.3 10.7 11.8 14.6 17.6 18.9 17.8 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7 10.7	3,000 5,000 6,800 8,000 7,500 9,800 8,000	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3	23.9 24.8 25.3 25.9 26.6	31 31 30 31 31 29	S. SSW. SSW. SSW.	8.5 6.3 4.9 7.2	5 00 678 7750 1,000 1,250 1,361 1,500 2,000 2,176 2,250 2,500 2,516 2,750 3,000 3,250 3,503 3,250 3,000 2,750 2,500 2,750 2,500	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 757.0 755.5 734.2 712.0 90.7 669.3 690.7 711.8 733.8 736.5 752.5	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.5 11.8 10.5 9.6 3.0 4.7 3.0 4.7 3.0 9.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	0.47 0.59 0.38	34 35 36 40 43 45 47 50 54 48 48 48 45 42 38 35 39 46 50 51	9.39 8.77 7.60 7.790 7.87 7.91 7.47 7.25 5.74 5.74 5.74 5.74 5.74 6.33 4.01 3.25 3.33 4.94 6.02	25W. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.1 9.1 9.2 9.1 9.5 9.0 10.7 10.6 10.6 10.6 10.6 10.5	3,000 5,000 6,800 8,000 7,500 9,800 8,000	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3	23.9 24.8 25.3 25.9 26.6	31 31 30 31 29	S. SSW. SSW.	8.5 6.3 4.9 7.2	5 90 678 750 1,000 1,250 1,361 1,590 2,176 2,250 2,176 2,590 2,500 3,250 3,503 3,503 3,503 3,503 3,503 3,250 3,503 3,250 2,435 2,435 2,250 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750 2,500 2,750	959.0 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 757.0 755.5 734.2 712.0 90.7 600.7 711.8 733.8 756.5 779.5 803.0	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.8 10.8 10.8 10.8 4.7 3.0 4.7 3.0 4.7 3.0 4.7 10.1 10.1	0.47 0.59 0.38	34 35 40 40 43 45 47 50 54 48 45 42 48 35 35 39 43 46 50 50 51 50 50 50 51 50 50 50 50 50 50 50 50 50 50 50 50 50	9.39 8.77 7.60 7.67 7.90 7.97 7.91 7.64 7.47 7.25 6.86 5.74 4.01 3.265 3.33 4.01 4.94 6.30 6.52 7.06	28W, 28, 28, 28, 28, 28, 28, 28, 28, 28, 28	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.6 10.5 5 11.5	3,900 5,000 6,800 8,000 7,500 9,800 8,000	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3	23.9 24.8 25.3 25.9 26.6	31 31 30 31 31 29	S. SSW. SSW. SSW.	8.5 6.3 4.9 7.2 11.2	5 00 678 750 1,000 1,250 1,361 1,500 2,100 2,176 2,250 2,500 2,500 3,250 3,503 3,503 3,503 3,503 3,200 2,750 2,435 2,500 2,435 2,200 2,176 2,500 2,176 2,000 2,175 2,000	959.0 939.5 931.4 904.5 858.5 853.5 828.6 804.0 787.2 780.2 757.0 755.5 734.2 711.8 733.8 756.5 7711.8 733.8 756.5 772.5 773.3	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.5 9.6 3.5 8.0 4.7 6.3 8.0 9.7 10.1 10.1 10.1 10.1 10.1 10.1 10.1 10	0.47 0.59 0.38 0.66	34 35 36 40 43 45 50 54 56 54 48 48 42 38 35 39 34 46 50 50 50 50 50 50 50 50 50 50 50 50 50	9.30 8.777 7.60 7.90 7.90 7.91 7.64 7.725 6.86 5.74 8.33 4.01 3.255 3.33 4.11 4.94 4.94 6.52 6.30 6.52 6.30 6.52 7.87	28W. 28. 28. 28. 28. 28. 28. 28. 28. 28. 28	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.5	3,900 5,000 6,800 8,000 7,500 9,800 8,000 6,800	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1	23.9 24.8 25.3 25.9 26.6	31 30 31 31 29 28	S. SSW. SSW. SSW.	8.5 6.3 4.9 7.2 11.2	570 678 7750 1,000 1,250 1,361 1,560 1,750 2,000 2,250 2,500 2,516 2,750 3,000 3,250 3,250 3,000 2,435 2,250 2,500 2,435 2,250 2,000 1,750 2,1	959. 0 939. 5 931. 4 904. 5 878. 7 867. 5 838. 6 804. 0 787. 2 750. 2 757. 0 755. 5 734. 2 712. 0 90. 7 669. 3 690. 7 711. 8 733. 8 733. 8 756. 5 762. 5 762. 5 762. 5 803. 0 827. 2 828. 6 838. 6 849. 0 859. 0 869. 0 877. 2 878. 0 879. 0	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8	0.47 0.59 0.38 0.66	34 35 36 40 43 45 50 54 48 45 42 35 35 34 46 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.79 7.91 7.64 7.47 7.47 7.47 7.47 3.25 2.65 3.33 4.11 4.94 4.94 4.94 4.94 7.48 8.38 4.01 8.38 8.38 8.38 8.38 8.38 8.38 8.38 8.3	28W. S.	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.5 10.5 11.5 12.8 14.2 15.8 16.0 16.0 16.0 16.0 16.0 16.0 16.0 16.0	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1	23.9 24.8 25.3 25.9 26.6	31 30 31 31 29 28	S. SSW. SSW.	8.5 6.3 4.9 7.2 11.2	5 00 678 750 1,000 1,250 1,361 1,560 1,750 2,176 2,250 2,500 2,516 2,750 3,000 3,250 3,000 2,435 2,750 2,500	959.0 939.5 931.4 904.5 878.7 867.5 828.6 804.0 787.2 750.2 757.0 755.5 734.2 712.0 790.7 660.3 690.7 711.8 756.5 762.5 762.5 779.5 803.0 861.3 877.4 903.3 877.4	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.5 9.5 8.0 3.4 4.7 6.3 8.0 9.7 10.9 11.3 10.9 10.9 11.3 11.3 11.3 10.9 10.9 10.9 10.9 10.9 10.9 10.9 10.9	0.47 0.59 0.38 0.66	34 35 40 40 43 45 47 50 54 48 48 45 48 48 45 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.79 7.91 7.64 7.47 7.47 6.86 5.74 5.70 4.83 4.11 3.25 2.63 3.3 4.11 4.02 6.30 6.30 7.87 8.08 8.58 9.13	25W	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.6 10.5 11.5 12.8 14.2 15.5 16.0 16.0 16.0 16.0 16.0 16.0 16.0 16.0	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100	3/10 Ci., w.; 4/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 1:23 P. M. 1:33 1:48	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1	23.9 24.8 25.3 25.9 26.6	31 30 31 31 29 28	S. SSW. SSW. S.	8.5 6.3 4.9 7.2 11.2	5 00 678 750 1,000 1,250 1,361 1,500 2,176 2,250 2,176 2,250 2,500 3,250 3,000 3,250 3,503 2,500 2,750 2,750 2,750 2,750 2,750 2,135 2,250 2,250 2,250 2,750	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 750.2 757.0 755.5 734.2 712.0 90.7 711.8 733.8 756.5 779.5 803.0 827.2 852.0 827.2 853.0 827.2 853.5 853	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.5 9.5 8.0 4.7 3.0 4.7 6.3 8.0 9.7 10.1 10.9 11.3 2.1 11.3 10.9 10.9 10.9 11.3 11.3 11.3 10.9 10.9 10.9 10.9 10.9 10.9 10.9 10.9	0.47 0.59 0.38 0.66	34 35 36 40 43 45 47 50 54 48 45 48 45 48 45 47 48 48 46 46 48 48 48 48 48 48 48 48 48 48 48 48 48	9.30 8.77 7.60 7.67 7.90 7.97 7.91 7.64 7.47 4.83 3.25 5.70 4.83 4.01 3.25 2.65 3.33 4.11 6.02 6.52 7.46 8.58 9.11 9.63 9.63 9.63 9.63 9.63 9.63 9.63 9.63	25W	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.1 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.5 16.0 16.2 16.4 16.7 16.8	3,900 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
:01	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1	23.9 24.8 25.3 25.9 26.6	31 30 31 31 29 28	S. S	8.5 6.3 4.9 7.2 11.2	5 00 678 750 1, 250 1, 361 1, 550 2, 102 2, 176 2, 250 2, 176 2, 500 3, 250 3, 503 3,	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 757.0 755.5 734.2 711.8 733.8 736.5 7711.8 733.8 762.5 779.5 803.0 861.3 877.4 903.3 930.0 942.1	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.5 9.5 8.0 4.7 3.0 4.7 6.3 8.0 9.7 10.1 10.9 11.3 2.1 11.3 10.9 10.9 10.9 11.3 11.3 11.3 10.9 10.9 10.9 10.9 10.9 10.9 10.9 10.9	0.47 0.59 0.38 0.66	34 35 36 40 43 45 47 50 54 48 48 45 42 38 46 50 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.777 7.607 7.907 7.97 7.97 7.25 6.86 5.74 4.01 3.265 3.33 4.01 4.94 6.02 6.52 7.43 7.80 8.80 8.80 8.81 9.75 9.75	25W	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.1 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.5 16.0 16.2 16.4 16.7 16.8	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 1:23 P. M. 1:33 1:48	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1	23.9 24.8 25.3 25.9 26.6	31 30 31 31 29 28	S. SSW. SSW. S.	8.5 6.3 4.9 7.2 11.2	5 90 678 750 1,000 1,250 1,361 1,590 1,750 2,176 2,250 2,500 2,516 2,750 3,000 2,435 3,250 3,000 2,435 2,250 2,500 2,435 2,250 2,500 2,435 1,750 2,500 1,750	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 750.2 757.0 755.5 734.2 712.0 90.7 711.8 733.8 756.5 779.5 803.0 827.2 852.0 827.2 853.0 827.2 853.5 853	21.6 18.8 18.5 17.3 16.1 15.6 14.8 10.5 9.5 8.0 6.3 4.7 3.0 9.5 8.0 9.7 10.1 10.9 11.0 10.9 11.0 11.0 11.0 11.0	0.47 0.59 0.38 0.66 0.46	34 35 40 40 43 45 47 50 54 48 45 48 45 48 45 48 45 48 48 46 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.79 7.91 7.64 7.47 7.47 7.45 6.86 5.74 5.70 4.83 4.11 3.25 2.63 3.33 4.11 4.02 6.30 6.30 7.87 8.08 8.58 9.11 9.11 9.11 9.11 9.11 9.11 9.11 9.1	25W	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.1 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.5 16.0 16.2 16.4 16.7 16.8	3,900 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Cj.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M. 2:23 1:13 1:48	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1 968. 4 968. 4	23.9 24.8 25.3 25.9 26.6 27.5 26.3 26.3	31 31 30 31 29 28 30 31 30	S. S	7.2 11.2 10.7 9.4	5 90 678 750 1,000 1,250 1,361 1,750 2,176 2,250 2,176 2,500 3,000 3,250 3,000 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503 3,250 3,503	959.0 939.5 931.4 904.5 878.7 867.5 853.5 828.6 804.0 787.2 750.2 755.5 734.2 712.0 90.7 711.8 733.8 756.5 771.8 733.8 756.5 779.5 803.0 827.2 852.0 857.4 903.3 930.0 942.1 957.0 968.4	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.5 9.5 8.0 3.4 7.7 6.3 8.0 9.7 10.1 11.3 2 11.4 8 11.3 11.3 8 10.9 10.9 11.3 11.3 11.3 11.3 11.3 11.3 11.3 11	0.47 0.59 0.38 0.66 0.46	34 35 36 40 43 45 47 47 56 54 48 48 45 42 38 35 39 46 50 49 48 48 46 50 48 48 46 50 48 48 46 50 48 48 46 50 46 46 46 46 46 46 46 46 46 46 46 46 46	9.39 8.777 7.60 7.677 7.90 7.97 7.97 7.25 6.86 5.74 101 3.25 2.65 3.33 4.11 4.94 6.02 6.52 7.43 7.87 8.98 9.91 9.63 9.75 9.75 9.75 9.75 9.75 9.75 9.75 9.75	25 T	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.6 10.5 11.5 12.8 14.2 15.6 16.2 16.2 16.7 16.8	3,900 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 2:23 P. M. 2:23 P. M.	970. 8 970. 6 970. 4 969. 9 969. 3 969. 3 968. 7 968. 4 968. 4	23.9 24.8 25.3 25.9 26.6 27.5 26.3 26.4	31 31 30 31 29 28 30 31 30	S. S	7.2 11.2 10.7 9.4 7.6	5 90 678 750 1, 200 1, 361 1, 550 2, 102 2, 176 2, 250 2, 176 2, 500 3, 250 3, 503 3, 250 3, 503 3, 250 3, 503 3, 250 2, 435 2, 435 2, 250 2, 435 2, 250 2, 500 1, 750 1,	959. 0 939. 5 931. 4 904. 5 878. 7 867. 5 853. 5 828. 6 804. 0 787. 2 757. 0 755. 5 734. 2 712. 0 9 90. 7 711. 8 733. 8 756. 5 771. 8 733. 8 756. 5 779. 5 803. 0 861. 3 877. 4 903. 3 930. 0 942. 1 957. 0 968. 4 967. 6 956. 0	21. 6 18. 8 18. 5 17. 3 16. 1 15. 6 14. 8 13. 3 11. 8 10. 5 9. 6 3. 3 4. 7 3. 8 0. 9 4. 7 6. 3 8. 0 9. 5 13. 3 14. 8 10. 5 10.	0.47 0.59 0.38 0.66 0.46	34 35 36 40 43 45 47 50 54 48 48 45 42 38 45 42 38 46 50 51 50 49 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.97 7.97 7.25 6.86 5.74 4.01 3.265 3.33 4.01 3.265 3.33 4.11 4.94 6.30 6.52 7.06 6.7.43 7.87 7.87 8.08 8.85 8.91 9.75 10.27 10.33	25 T	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 16.0 16.2 16.4 16.7 16.8 11.6 7.6	3,900 5,000 6,800 8,000 7,500 9,800 8,000 4,600 1,100 0	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
1:01 1:07 1:32 1:54 2:23 P. M. 2:23 P. M. 2:53.	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1 968. 4 968. 4 968. 4	23.9 24.8 25.3 25.9 26.6 27.5 26.3 26.3	31 30 31 31 29 28 30 31 30	S. S	7.2 11.2 10.7 9.4	5 00 678 750 1, 200 1, 361 1, 550 2, 100 2, 176 2, 250 2, 500 3, 250 3, 200 3, 250 3, 500 2, 750 2, 435 2, 250 2, 435 2, 250 2, 500 1, 750 2, 100 1, 750 1, 500 1, 750 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 3, 260 1, 500 3, 260 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 3, 260 1, 500 3, 260 1, 500 1, 500 3, 260 1, 500 1,	959. 0 939. 5 931. 4 904. 5 878. 7 867. 5 853. 5 828. 6 804. 0 787. 2 757. 0 755. 5 734. 2 712. 0 9 0. 7 711. 8 733. 8 756. 5 7711. 8 733. 8 756. 5 779. 5 803. 0 827. 2 852. 0 861. 3 877. 4 903. 3 930. 0 942. 1 957. 0 968. 4 Septembe	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.5 9.6 3 4.7 6.3 4.7 6.3 4.7 6.3 4.7 10.1 10.9 12.1 13.2 14.8 24.7 25.4 24.7 26.6 24.9 22.9 21.6	0.47 0.59 0.38 0.66 0.46 0.99	34 35 36 40 43 45 47 47 50 54 48 48 45 42 38 45 42 38 46 50 51 50 49 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.30 8.77 7.60 7.60 7.90 7.97 7.97 7.97 7.25 6.86 5.74 8.33 4.01 3.265 3.33 4.11 4.94 4.94 6.52 6.30 6.52 6.52 6.52 6.52 6.52 6.52 6.52 6.52	25W	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.3 16.0 16.0 16.0 16.0 16.0 16.0 16.0 16.0	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100 0	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
1:01 1:07 1:32 1:54 2:23 P. M. 2:23 P. M. 2:53 1:13 1:48 4:00 4:15 4:00 6:15 6:00	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1 968. 4 968. 4 968. 4	23.9 24.8 25.3 25.9 26.6 27.5 26.3 26.4	31 31 30 31 29 28 30 31 30	S. S	10.7 9.4 9.8 7.6	5 90 678 750 1, 250 1, 361 1, 590 1, 750 2, 176 2, 250 2, 500 2, 500 3, 250 3, 503 3, 503 3, 503 3, 503 3, 250 3, 503 3, 250 3, 250 2, 500 2, 750 2, 500 2, 500 2, 500 1, 750 1, 500 637 590 396 590 637 590 1, 131 1, 131 1, 132 1, 132	959. 0 939. 5 931. 4 904. 5 878. 7 867. 5 853. 5 828. 6 804. 0 787. 2 757. 0 755. 5 734. 2 712. 0 1 90. 7 711. 8 736. 5 7711. 8 736. 5 772. 5 803. 0 827. 2 861. 3 877. 4 903. 3 930. 0 942. 1 957. 0 968. 4 Septembe	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.8 10.5 9.5 8.0 9.5 8.0 9.5 8.0 9.7 10.1 11.2 11.3 2.4 14.8 2.4 2.4 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7	0.47 0.59 0.38 0.66 0.46 0.99 1.66	34 35 36 40 43 45 47 50 54 56 54 48 48 42 38 46 50 50 49 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.30 8.77 7.60 7.60 7.90 7.97 7.97 7.97 7.64 7.725 6.86 8.74 5.74 4.01 3.265 3.33 4.01 3.265 3.33 4.11 4.94 4.94 4.94 6.50 8.95 1.00 9.75 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	22 N	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 11.4 10.9 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 10.5 11.5 16.0 16.4 16.4 16.4 16.4 16.4	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100 0	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.
1:01 1:07 1:32 1:54 1:54 1:23 1:48 1:48 1:48 1:48 1:48 1:48 1:48 1:48 1:48	970. 8 970. 6 970. 4 969. 9 969. 3 969. 1 968. 4 968. 4 968. 4	23.9 24.8 25.3 25.9 26.6 27.5 26.3 26.3 26.4	31 31 30 31 29 28 30 31 30	S. S	10.7 9.4 9.8 7.6	5 90 678 750 1,000 1,250 1,361 1,500 2,176 2,250 2,176 2,250 2,500 2,516 2,750 3,000 3,250 3,250 3,000 2,750 2,500 2,750 2,143 2,250 2,750 2,500 2,750 2,143 2,500 1,750 1,408 1,250 1,000 33 3,250 3,000 3,250 3,000 3,250 3,000 3,250 3,000 3,250 3,000 3,250 3,000 1,750 1,	959. 0 939. 5 931. 4 904. 5 878. 7 867. 5 853. 5 828. 6 804. 0 787. 2 757. 0 755. 5 734. 2 712. 0 90. 7 711. 8 736. 5 762. 5 772. 8 736. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 827. 2 852. 0 842. 2 952. 0 968. 4	21.6 18.8 18.5 17.3 16.1 15.6 14.8 13.3 11.8 10.8 10.8 10.6 9.5 8.0 9.5 8.0 9.7 10.1 11.0 9.7 10.1 11.2 11.3 2 14.4 2 14.7 2 3 4 2 17.7 17.7 17.0 15.4	0.47 0.59 0.38 0.66 0.46	34 35 36 40 43 45 47 47 50 54 48 48 45 42 38 45 42 38 46 50 51 50 49 49 48 48 48 48 48 48 48 48 48 48 48 48 48	9.39 8.77 7.60 7.67 7.90 7.97 7.91 7.64 7.47 4.7 4.7 4.7 4.01 3.25 2.65 2.65 2.65 2.65 2.65 2.65 2.65 2	22 T T T T T T T T T T T T T T T T T T	9.3 10.7 11.8 14.6 18.9 17.6 15.3 13.0 9.2 9.1 9.5 9.9 10.3 10.7 10.6 10.5 11.5 12.8 14.2 15.5 16.7 16.2 16.4 16.7 16.4 16.6 17.6	3,000 5,000 6,800 8,000 7,500 9,800 8,000 4,600 2,500 1,100 0	3/10 Ci., w.; 4/10 Ci.St., w. 8/10 Ci.St., w.

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 23, 1918, series (No. 3)-Continued.

				tinued.	J)—Con	1162 (140)	Proj ac	mber 23,	ocpec						
			ea.	above s	heights	different	At						urface.	St	
Remarks.		nd.	Wi	lity.	Humie		Tem-		Alti-	nd.	Wi	Rela- tive	Tem-	Daggara	Time
	Electric potential.	Vel.	Dir.	Vap. pres.	Rel.	∆ t. 100 m.	pera- ture.	Pressure.	tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
1/10 Ci.St., w.; 8/10 A.St., w.	volts. 4,700	m. p. s. 7. 9 7. 7	SW.	mb. 6.99 6.60	% 47 48	-0.58	°C. 12.9 11.7	mb. 794. 7 778. 0	m. 2,073 2,250	m. p. s. 10. 7	ssw.	. % ₃₁	°C. 25. 7	mb. 967.3	A. M. 4:28
	4,700	7.4	SW. SW.	5. 98 5. 33 5. 08	49 49 50	0, 64	9. 9 8. 2 7. 2	754. 9 732. 5 720. 0	2,500 2,750 2,891	7.6	SSW.				4:58
	*********	7. 6 8. 7	SW.	5. 26	49 47 44		8.0 9.5 11.0	732. 5 754. 9 778. 0	2,750 2,500 2,250	*******				*********	
	3,200	11.1	SSW. 8.	5. 78 6. 05 6. 26	42	0, 60	12. 4 13. 3	801. 7 815. 1	2,000 1,855	6.3	s.		25. 1	966. 7	5:28
	2,000	12. 2 13. 2 14. 2	8. 8. 886.		41 40 40		15.4	825, 5 850, 4 875, 7	1,750 1,500 1,250	*******			******		
	860	15.2	856. 856.	8. 46 9. 05	40 39		18.4 19.9	901. 5 928. 0	1,000 750	5.4	8.	32	24.0	966.5	6:00
Warr Cl Cl	0		886. 8.	9.60	39 35 33	1, 18	20. 2 22. 6 23. 8	933, 1 955, 0 966, 5	701 500 396	6.7	8.		23.8	966. 5	6:09
Few Ci.St., wsw.; 1/10 A.St., w	********	6.7	0.	2. 10				September	6	-					
		-			(100, 4).	o, series	20, 191	* premiber		1		1			Р. М.
Few Ci.St., wsw.: 1/10 A.St., w			s.		37			966. 5 955. 0	396 500	5.4	s.	37	22. 2	966. 5	6:56
	0		S. SSC. SSC.	9. 77	38 41 41	0.57	20.3	929, 8 927, 8	731 750	5. 4	350.		22.1	966. 5	7:02
	1040	1/2 2	8.	8. 56 8. 17	42	0.94	17. S 16. 7	901.1 889.0	1,000	4.5	\$36.		21.9	966.6	7:15
		19.5 17.6	£. S.	7.56	47	0.00	15.8	875, 5 850, 0 839, 7	1,250 1,500 1,598	4.0	sse.		20, 8	966.7	7:28
	3,000	16.9	S. S.	7. 93	48 49 50	0.66	13.5 14.2 14.9 [825, 0 809, 1	1,750 1,911	4.5	sse.		20.3	966.9	7:54
	3,400 5,000	8,3 7,9 6,9	S. S. SSW.	8.31	51 53		14.3	801.0 777.3	2,000 2,250	******		******	*******		
1/10 Ci.St., wsw.		5.9	SSW.	7. 12 6. 63	55 * 57	0.66	9.2	754. 5 733. 6	2,500	5.4		44	19.5	967. 2	8:56
Few Cl.St., wsw.		6.5 8.2	SSW.	8.01	56	0.00		754. 5 777. 3 704. 7	2,500 2,250 2,068	5.8	s		19.0	967.4	9:23
	4,000 3,900	9.4	SSW. SSW.	8.51	55 55 51		40 0	801. 0 825. 0	2,000 1,750					*******	**************
		16.8	s. s.	7.58	49 48	0.40	13.5 14.2	837. 2 850, 0	1,628 1,500	4.5		45	18.9	967, 5	9:45
	560	20.0	S. 8.	8.31	44		16.6	875. 5 901. 1	1,250	******	******	******		********	
		00.0	S.	8, 73	41 40	-0.31	18.5 .	928, 2 935, 0	750 689	4.5		48 8	18.0	967.6	0:10
Few Cf.St., wsw.	********		S. B.	9. 25	44	******		956. 0 967. 6	396	5.4	l.	46 8	13.0	967. 6	0:22
	-				(No. 5).	18, series	3-24, 19	otember 2	Sej						
				T			1		*			50	16.9	967, 6	P. M. 1:15
Few Ci.St., wsw.	********	12.5	8	9. 62 s 9. 62 s	50		16.9	967, 6 956, 0 939, 5	396 500 647	4.5	*****	50 s	16.9	967. 6	1:20
	0	23, 8	š.	9.67 s 9.61 s	50 49	-0.04	17. 0 17. 2 17. 7	928, 0 907, 4	750 943	4.5	*****	50 s	16.7	967. 6	1:30
	1,010	25, 8	š.,	9.72 S 9.60 S 9.01 S	48 48 48		400 0	901. 3 875. 3	1,000 1,250	******				********	
	2,600	21, 0 17, 0 13, 1	SW.	8, 45 8	48		15.5 .	850, 0 825, 1	1,500 1,750	******	******	******	******	007 0	1.5K
	4,900	9.7	SW.	7.37 s 7.28 s	47	0.39	13. 7	804.3 801.1	1,966 2,000	4.5					1:55
	5,500 5,900	8.8 7.9	SW.					777. 5 754. 6	2,250 2,500		******				
110 1 0		7.1	sw.	5.98 s	55	0.71	8.2	731. 5	2,754	4.0	se.	55 S	14.9	967.6	2:54
/10 A.Cu., sse.	********	7.7	SW.	6.51 s	53		10.0	754.6 777.5	2,500 2,250						
		8.8	SW.	7.81 S	50	-0.38	14.4	800, 8 810, 3	2,000 1,898	4.5	30.	57 S	14.8	967. 6	:12
	3,000	13.1	SW. SW.	8,04 st	49		14.4	824. 5 849. 2 862. 8	1,750 1,500 1,369	4,9	ie.		15. 1	967. 6	:36
	2,600	16.0	SW.	7.98 55	48		14.6	802, 8 874, 8 900, 8	1, 250 1, 000	2.3					************
	860	19. 8 22. 6 23. 2		8. 15 s. 8. 26 s. 8. 36 s.	44	-0.65	16.5	928. 0 933. 0	750 705	4.5	ie.	56 ss	14.8	967.6	:01
	U	10.5	se.	9. 28 88		1	15.4	956.0	500 Î					967.6	:08

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 24, 1918, series (No. 6).

Time. 1 2:54 A. M. 3:05	967. 2 967. 1 966. 8 966. 7	13. 2	59 60 59	Dir. S56. S56. S56.	4, 0	M. 396 500 750 838 1,000 1,566 1,566	mb. 967. 2 955. 2 927. 4 918. 1 900. 1 874. 1	"C. 14. 2 15. 1 17. 2 17. 9	<u>△ t</u> 100 m.	Humi Rel. % 58 56	Vap. pres.	Dir.	Vel.	Electric potential.	Remarks. Few A.Cu., sse.
2:54 A. M. 3:05 3:27 3:30	mb. 967. 2 967. 2 967. 1 966. 8 966. 6	°C. 14. 2 13. 9 13. 7 13. 2	58 59 60 59	SS6.	m. p. s. 4. 5	750 838 1,000 1,500 1,566	mb. 967. 2 955. 2 927. 4 918. 1 900. 1	°C. 14.2 15.1 17.2 17.9	100 m.	% 58 56	mb. 9.39	58e.	m. p. s. 4. 5	potential.	
2:54 3:27 3:27 3:30	967. 2 967. 2 967. 1 966. 8 966. 7	13. 9 13. 7 13. 2	59 60 59	\$80. \$30.	4.0	396 500 750 838 1,000 1,250 1,500 1,566	967. 2 955. 2 927. 4 918. 1 900. 1	14. 2 15. 1 17. 2 17. 9		90 [9.39		4.5		Few A.Cu., 886
:05 ::27 ::14 ::30	967. 2 967. 1 966. 8 966. 7	13. 7	59 60 59	\$80. \$30.	4, 0	750 838 1,000 1,250 1,500 1,566	927. 4 918. 1 900. 1	17. 2 17. 9		90 [a con serving moon
30	967. 1 966. 8 966. 7	13. 7	60	830. S0.	4, 0	1,000 1,250 1,500 1,566	900.1			52	9, 61 10, 20	sse.	7. 9 16. 3	0	
:27	967. 1 966. 8 966. 7	13. 7	59	830. So.	4.0	1,500 1,566	874.1	16.9	-0.84	50 51	10, 26 9, 82	8.	19. 2 17. 2	810	
30.	966. 8	13. 2	59	S0.	4.9		848.8	15. 4 13. 8		53 54	9. 28 8. 52	SSW.	14.0	2,400	
30	966. 8 966. 7	13. 2		50.	1	1,750	842, 5 823, 8 800, 0	13. 4	0. 62	55 46	8. 45 7. 12	SSW.	9.3	5 000	Cloudless.
30	966, 6	13. 2	********			2,000 2,124 2,250	788. 1 776. 3	13. 7 13. 8 12. 6	-0.07	34 28 31	5. 33 4. 42	SSW.	8. 2 7. 7	5,000 6,000	
51	966. 6		61	******		2,500 2,500 2,750	753. 5 731. 3	10.3		36 42	4. 52 4. 51 4. 47	88W.	7. 5 6. 9	6,500	
51	966. 6			Se.	4.9	3,000 3,102	709. 2 700. 4	5.6	0.88	48 50	4. 37	SSW. SSW.	6. 4 5. 9 5. 7	6,000	
	*******			******		3,000 2,750	709. 2 731. 3	5.4		48 44	4. 31	8SW. SSW.	6. 2		Cloudless.
	*******			******		2,500 2,250	753. 5 776. 3	9. 6 11. 6		41 37	4. 90 5. 05	SSW.	8.6 9.8	********	Cividicas.
		13.0	62	sse.	4.9	2,024 2,000	797. 7 800. 0	13. 5	0, 16	33 34	5. 11 5. 26	SSW.	10.9	5,500	
					******	1,750 1,500	823. 8 848. 8	13. 9 14. 3		41 49	6, 51	SSW.	11.8		
:05	966. 5	13.0	63	Se.	4, 5	1,392 1,250	859. 7 874. 0	14.5	0.71	52 50	8. 59 8. 80	S. 8.	12.9 13.6	3,100	
:22		12.3	65	88.	4.9	1,000	900. 0 924. 5	277 (2	-1.78	46 43	9. 08 9. 39	8. S.	14. 7 15. 8	760	
			******			750 500	926, 8 954, 1	18. 5 14. 1		60	9. 37 9. 65	s. sse.	15. 1 7. 3	0	
:36		12. 2	66	S0.	4.0	396	966, 3	12. 2		66	9. 38	se.	4.0	********	Few Cl., wsw.
,							Septembe	r 24, 191	8, series	(No. 7)					
A. M.	966. 2	12.1	67	sse.	3.1	396	966. 2	12.1		67	9.46	sse.	1.3		Few Ci., wsw.
:32	966.2	12.4	65	sse,	3.6	500 565	954.5 947.1	15.5 17.2	- 3.02	55 48	9. 68 9. 42	sse.	24. 2		
						750 1,000	927. 8 900. 9	15.7		48 47	9. 07 8. 38	sse.	20.2	*********	
		*******	*******	*******		1,250 1,500	874. 4 848. 7	14.0		47	7. 96 7. 35	see.	15.6	4,500	
:43	966.2	12.4	67	se.	3.6	1,750 1,778	823, 2 820, 8	13.1	0.34	46	6. 98	sse.	13.1		1/10 Ci., wsw.; few A.Cu., sse.
58,	966. 2	12.5		se.	4.0	2,000	799, 0 778, 8	10.0	- 0.07	35 24	5. 65	sse.	12.8	7,000	
	*******	*******		*******	*******	2, 250 2, 500	776. 0 753. 0	11.0		25 32	3.82 4.12	sse.	11.9		
31	966.4		62	sse.	5. 4	2,750	730. 8 718. 4	7.5	1.05	40	4. 48	S. S.	11.0	9,100	0/10 Gi St form 1 Co
	*******					3,000	709. 0 688. 0	5.1		44	4. 35 3. 87	S. S.	10. 4	10,500	2/10 Ci.St., wsw.; few A.Cu., sse
	ogg 4					3,500	667. 5 646. 9	1.8	0.04	44	3.45	S.	10.1	12,000	
:12					5. 4	3,781	644.0		0.64	44	3. 02 3. 06	S.	9.9	*********	
						3,500	667. 5	4.8		39 37	3.17	8.	10.2	10,300	*
35	066.3	16.9	53		6.7	3,000 2,750 2,552	709. 0 730. 8		- 0.66	35 33	3.56	sse.	10.9		
41		17.2	52	sse.	6.7	2,500 2,323	748.4 753.0 769.5	8, 8	0.89	39 58	3. 81 4. 42 6. 06	sse.	11.4 12.2 14.8	9,100	
			*******			2, 250 2, 000	776. 0 799. 0	8.2		57 54	6. 20	sse.	15. 1 16. 3		
	*******	******				1,750	823. 0 847. 9	12.7		52 49	7.64	sse. sse.	17. 4 18. 6		
						1,250	873. 4 899. 8	17.1		46 44	8. 97 9. 91	sse.	19.8	2,000	
:52	966. 2 966. 2	16.7 17.2	56 53	S. S.	6.3 8.5	851 778	916.1 923.8	20.7	- 2.33 - 1.70	42 36	10. 26 7. 91	sse.	21.6 20.7	2,000	
:14	966.1	17.8	51	sse.	6.7	750 577	927. 0 945. 8	18.5	1. 22	38 49	8, 09 8, 68	sse.	20. 0 15. 5	490 0	
:22	966.1	17.8	49	8.	6.7	500 396	954. 2 966. 1	16.5		49	9. 20 9. 99	sse. s.	11.8		8/10 Ci.St., sw.
							Septembe							1	
А. М.															
9:58	965. 9	19.2	47	sse.	6. 7	396 500	965. 9 954. 1	18.0		47 46	10. 46 9. 49	880. 880.			8/10 Ci.St., sw.
0:03	965. 8	19.2	47	850.	7.6	685 750	933. 6 926. 6	15. 8 16. 1	1.18	45 45	8 08 8.24	88e. 88e.	16. 4 16. 6	0	
0:18	965.6	19.2	47	sse.	8.0	1,000 1,150	899. 7 883. 9	17.2	- 0.43	43 42	8, 44 8, 56	3.	17.6 18.1	2,400	
	********		*******	******		1,250 1,500	873. 4 847. 4	17.0		44 51	8, 53 8, 81	S. S.	17. 9 17. 5	4,500	
	********		******		*******	1,750	822. 2 798. 6	13.3		57 63	8. 70 8. 49	S.	17.1		
0:46	965.1	19.5	45	880.	8.9	2, 250 2, 453	775. 1 756. 6	0 5 1	0.75	69 74	8. 19 7. 94	8.	16. 3 15. 9	8,500	1/10 Ci.St., sw.; 3/10 A.St.,

Table 9.— Free-air data from kite flights at Drexel Acrological Station, September, 1918—Continued.

September 24, 1918, series (No. 8)—Continued.

			n	above s	heights	different	At						rface.	St	
Remarks.		nd.	wi	dity.	Humi		Tem-			nd.	Wi	Rela-	Tem-		
	Electric potential.	Vel.	Dir.	Vap.	Rel.	<u>△ t.</u> 100 m.	pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	pera- ture.	Pressure.	Time.
X X X X X X X X X X X X X X X X X X X	volts.	m.p.s.		mb.	% ₇₀		°C.	mb.	m.	m. p. s.		%	°C.	mb.	A. M.
	10,500	14.8 15.2	8.	7.51 5.36	70 51		8.0 7.7	752. 4 729. 8	2,500 2,750						
	11,500	14.6 14.3	38W.	3.30 2.46	32 24	0.11	7.4	707.8 699.0	3,000	8.9	530.		20.6	964.8	1:10
	12,500	14.0 13.5	SSW.	2.83 3.36	30 41		6.1	686.8 666.2	3,250 3,500						
) Cl.St., sw.; 3/10 A.St., sv		13.2	88W. 88W.	3.59	48 52	0.64	2.8	652.3 666.2	3,668 3,500	7.2	sse.	42	21.3		[1:35
/10 A.Cu., sw.		14.0	ssw.	4, 99	58		4.8	686.8	3,250						
	9,000	14.5	8.	6.03	64 70			707.8 729.8	3,000 2,750						
	*******		8.		76		8.5	752.4	2,500			******		***********	
	7,800	15.6	3.	8.72	77	0.67	8.8	757.8	2,439	7.2	890.	44	21.3	964.5	P. M. 12:03
•		15.6 15.5	8.	9. 21 9. 76	75 71		10.0 11.7	774. 9 798. 0	2,250						
	3,700	15.5	530, 380.	10. 45 11. 15	68 65		13. 4 15. 1	821. 8 846. 5	1,750 1,500						
	510	15. 4 15. 4	330. 330.	11. 79 12. 05	62 61	0.00	16. 7 17. 3	872.4 881.4	1,250 1,165		890.		21. 9		12:30
		14.7	880.	11. 46 10. 47	58 53		17.3 17.3	898. 7 925. 6	1,000						
	0	13.5	880. 880.	10.27	52 44	2.30	17.3	928. 4 953. 0	722 500	7.2	590.		22.4		12:39
Ci.St., sw.; 4/10 A.St., sv	*********	7.2	330. 380.	10.81	40		22. 4	964.3	396	7.2	890.	40	22.4	964. 3	12:45
/10 A.Cu., sw.															
				•	(No. 9)	8, series	r 24, 191	Septembe							
		0.0		11 01	-		94.9	002.0	204	0.0	00	97	24.2	963.9	P. M.
0 A.St., sw.; 3/10 A.Cu., sw.		12.1	80. 80.	11. 24 10. 42	37 38	*******	22.6	963.9 952.5	396 500	8.9	90.	37	24.3		1:14
	0	17.0	390. 330.	9. 29 9. 63	39 43	1.62	20.3 19.3	936.7 925.4	643 750	8.9	\$30.	37	24.4	963.8	1:19
0 A.St., sw.; 5/10 A.Cu., sw.	810	18.5 18.7	8.	10.14 10.14	53 54	0.97	16.8 16.5	898. 6 894. 7	1,000 1,035	9.4	880.	36	24.9	963.6	1:33
	3,600	18.7 18.8	S. S.	9. 91 9. 53	57 60		13.9	872.5 846.5	1,250 1,500		******	*******			
A.Cu., sw.; conditions fav- ble for thundershowers.	********		8.	8. 84	63			821.3	1,750						******
	8,000	18.9 19.0	SSW.	8. 72 8. 42	66 70		9.7	797.1 773.8	2,000 2,250						
A.Cu., sw.; 6/10 St.Cu., sw.	10,000	19. 1 19. 1	33W. 38W.	7.99 7.83	73 74	0.56	8.3 7.8	750.9 742.8	2,500 2,591	8.9	880.	41	23.9	963.1	2:08
	22,500	14.4 13.9	SSW.	6.56	62	0.10	7.8	729.0 727.6	2,750 2,765	8.9	880.	41	23.9		2:22
O A.Cu., sw.; 8/10 St.Cu., stain from 2:35 to 2:45 p. hunderstorm developed in st 4:45 p. m. Kites broke aw t 2:30 p. m.	* * * * * * * * * * * * * * * * * * * *		88W.	7.30 8.10	68 74			729. 0 750. 9	2,750 2,510	11.2	8,	41	24. 2	962. 9	2:30
						25, 1918.	tember	Sep							
inhine cale from 7:05 to 7		4.0		14.56	87		14.7	966.2	396	4.9		87	14.7	966. 2	8:00 A. M.
inkling rain from 7:06 to 7 m.; 2/10 Ci.St., wsw.; 5	980	6.3 9.9	0.	14. 20 13. 35	86 83		14.5	954.1 926.5	500 750		0.				*************
t.Cu., se.		13.4	e. e.	12.62	81	0.16	13.6	899. 6 883. 6	1,000 1,152	4.9		86	15. 2	966.3	8:19
	3,500	15.6	0.	12.06 11.82	79 81	0.18	13.3 12.6 10.9	873. 4 847. 9	1,250 1,500	2.0	0.		10.2		
Ci.St., wsw.; 2/10 St.Cu., se.	6,600	16. 2 16. 5	ese, ese,	11.08	85 89	0.68	9.5	827.1 823.0	1,708 1,750	6.7	θ.	78	16.7	966.4	8:38
			890. 50.	10.08	89 86 70 70	0.39	8.4	799.4	1,991	8.0	θ.	75	17.4	966.5	8:58
	8,300	10.4	50. 50.	7.66	74		6.6	798.6 774.6	2,000 2,250	*******					*************
	9, 200	10.8	90.	6.71	78 83		3.1	750. 8 728. 0	2,500 2,750					*********	*************
	12,500	11.6	50.	5.84	87 91		-0.4	706. 0 685. 0	3,000				10.0	000 7	0.94
	11,000 8,900	12.4 12.4	50.	5.35	92	0.67	-2.2 -0.6	664. 2 685. 0	3,501	7.2	0.	68	18.9	966.7	*************
		12.4 12.5	50. 50.	5.85 6.26	85		2.6	706. 0 728. 0	3,000 2,750						*************
		12.5 12.5	50.	6.76 7.13	82	0.90	5.3	751.2 767.5	2,500 2,331 2,250	10.3	6.	68	18.8	966.9	9:55
	*******	12.7 13.4	50. 650.	7. 29 8. 10	95 92 89 85 82 80 78 74 70		6.0 8.3	775.1 799.2	2,000						***************************************
Ci.St., wsw.; 2/10 St.Cu., a	8, 200	13.9 14.2	6.	8, 60	70 71 77	0.35		817.4 823.8	1,811 1,750	9.8	ese.	62	19.5	967.0	0:12
		15.5 16.9	0.	10.17 11.64	88		11.1	848.8 874.5	1,500 1,250	*******	*******				
	3,800	17. 2 15. 7	0.	12.08 12.67	85 83	0.62	12.2	881.1 901.0	1,186	0.8	ese.	60	20.9	967.1	0:30
	1,040	13.7	0.	13.72 13.99	81 81	1.72	14.9 15.2	928.0 932.9	750 704	8.9	ese.	60	20.5	967.1	0:47
		11.6	050. 050.	14.45	67		18.7	955.6 967.2	500 396	10.7	656.	60	20.5	967.2	0:54
Ci.St., wsw.; 3/10 A.St., ssv	********			14.47	60										

TABLE 9.-- Free-air data from kite flights at Drexel Aerological Station, September, 1918--- Continued.

E.	40000	-	20	
Sep	tem	per	20,	1312

	8	urface.						At	different	heights	above s	ea.			
		/Porm	Reia-	W	ind.			(Frame)		Humi	idity.	W	ind.		Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel-	Alti- tude.	Pressure.	Tem- pera- ture.	∆ t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
A. M. 7:20	mb. 978.6	°C. 9.7	% 78	ne.	m. p. s. 3. 1	m. 396	mb. 978.6	°C. 9.7		% 78	mb. 9.38	ne.	m. p. s. 3. 1	volts.	Cloudless.
7:23		9.9	77	ne.	3.1	500 604	966.6 954.7	11.5	- 1.73	64 51	8.68 7.79	ne.	7.4		
		******				750	938.0	12.7		48	7.05	ene.	11.8	1,800	
				******	******	1,000	910. 4 883. 7	11.7		40	6.05 5.15	ene.	12. 2 12. 6	3,100	
	*********					1,500 1,750	857.8 832.3	9.8		35	4. 24 3. 51	ene.	13.0 13.5	6, 200	
						2,000 2,250	807.5 783.6	7.9 6.9		27 22	2.88	ne. ne.	13.9	10,200	
97	979.2	12.5	60	ne.	2.7	2,500	760.4 744.9	5.9 5.2	3.92	18 15	1.67	ne.	14.8		
					4.1	2,750	737.3	4.8	0.92	15	1.55	ne.	14.6		
						3,000	714.7 693.1	3.7		14	0.96	ne.	13.5 12.4	13,000	
129	979.5	15.4	51	ne.	3.6	3,500	672.5 653.4	1.5 0.5	0.44	12	0.82	nne.	11.4	17,000 9,500	
						3,750	652.0	0.4		12	0.75	nne.	10.3		
	********					4,000	632.3 612.9	-1.1 -2.7		12	0.67	nne.	8.8	20,000	
):43					4.9	4,299 4,250	609. 0 612. 9	- 3.0 - 2.7	0.61	12	0.57	nne.	7.0	18,000	
						4,000	632.3 652.0	- 1.2 0.3		12 12	0.66 0.75	nne,	8.3 9.4		
						3,500	672.5 693.1	1.8		11	0.77	nne.	10.6		
1:18	979.6	19.1	28		5.4	3, 250 3, 089	707.3	3. 2 4. 2	0. 21	11	0.85	nne.	11.7 12.4	11,500	
						3,000 2,750	714.7 737.3	4.4		11	0.92	nne.	12.2		
						2,500 2,250	760. 4 783. 6	5.4		11	0.99	nne.		8,600	
*********						2,000	807.9	6.5		12	1.16	ne.	10.5		
1:48		19.4		ene.	5.4	1,796 1,750	828.6 833.4	6.9 7.2	0.71	13	1. 19	ne. ne.	10. 1 10. 0	7,700	
						1,500 1,250	858.9 885.1	9.0		18 23	2.07 2.98	ne.	9.7		
Р. М.						-,									
						1,000	912.4	12.6		28	4.09	nne.	9.1	2,000	
2:13	979.4	20.0		ene.	5.4	750 719	940.1 943.8	14.6	1.70	33	5. 25 5. 48	nne.	8.8	680	
2:20	979.4	20.1	27	ne.	4.5	500 396	968. 0 979. 4	18.3		29 27	6. 10 6. 35	ne. ne.	5.9		Cloudless.
					1		9-								
					1 1		Sej	prembe	r 27, 1918	•			1		
A. M.	980.1	5.0	78	wsw.	4.0	396	980.1	5.0		78	6.80	wsw.	4.0		Few Ci., ese.
7:03	980.1	5.4	77	WSW.	4.0	500 596	968. 0 956. 7	9.0	- 3.80	66 55	7.58 8.02	WSW.	6. 9 9. 6	1,500	
						750 1,000	939. 2 911. 9	12.2		52 48	7.39 6.56	w. nw.	7.6 4.5	3,000 7,000	
:41	979.7	12.0	50	W.	5.4	1,063	905. 2	11.5	0. 24	47	6.38	nw.	3.7	7,000	
:44		12.3	47	W.	4.9	1,250 1,378	885. 2 871. 6	9.5	0.72	48	5. 70	wnw.	2.8 2.2		
:03	979.7	13.6	46	W.	4.9	1,250 1,003	885. 2 911. 5	10.5 12.5	0.49	48 48	6.10	wnw.	2.7		
:19	979.6	14.3	44	W.	4.9	750 619	939. 0 954. 1		0.26	45 44	7.06	wnw.	4.5 10.2	2,200	
	979.6	15.0	42		4.9	500 396	967.9 979.6	14.7		43	7.19 7.16	W.	7.4	********	Four Ci one
1:24	070.0	10.0	32	W.	2.0	330	915.0	10.0		20	1.10	₩,	2.0		Few Ci., ese.
							Sej	tember	28, 1918						
A. M.	968.8	11.1	59	w.	4.5	396	968.8	11.1		59	7.79	W.	4.5		Cloudless.
		11.1		wnw.	4.5	500 723	957.1 932.3	14.0	-2.82	53 39	8.47 9.29	W.		0	
		11.1		wnw.	4.0	750	929.5	20.1		39	9.18	nnw.	13.9		
:58			*******			1,000 1,250	902. 1 876. 0	16.0		43	8.93	nnw.	12.5	2,200	
:58			56	wnw.	4.5	1,500 1,674	850.9 833.8	14.0	0.81	50 52	7.99	nw.		4,500	
:58		12.4			4.0	1,750	826.0	11.9		54	7.52	nw.	11.4		
:21	969.0						801.7	7.1		60	7. 12 6. 46	wnw.	11.9 12.4		
:58	969.0					2,250	777.7	1 . 4							
7:21	969. 0			nw.		2, 250 2, 320 2, 500	771.6 754.4	5.8	0.96	68	6. 53 5. 53	wnw.	12.5 12.3	9,500	
:21	969. 0	13.0	55	nw.	3.6	2, 250 2, 320 2, 500 2, 750	771. 6 754. 4 731. 9	5. 8 5. 1	0.96	60	5. 53 4. 31	wnw.	12.5 12.3 11.9	9,500	
::58 ::21 ::48	969. 0 969. 1	13.0	55	nw.	3.6	2, 250 2, 320 2, 500 2, 750 2, 996 3, 250	771.6 754.4 731.9 710.3 688.7	5. 8 5. 1 4. 3 3. 3	0.96	60 49 38 36	5. 53 4. 31 3. 16 2. 79	wnw. nw. nw. nw.	12.5 12.3 11.9 11.6 12.6	9,500	
:58 ::21 ::48 ::10	969. 0 969. 1 969. 3	13.0	55	nw.	3.6	2, 250 2, 320 2, 500 2, 750 2, 996 3, 250 3, 500 3, 750	771. 6 754. 4 731. 9 710. 3 688. 7 668. 0 647. 9	6. 4 5. 8 5. 1 4. 3 3. 3 2. 3	0.31	60 49 38 36 33 31	5. 53 4. 31 3. 16 2. 79 2. 38 2. 08	wnw. nw. nw. nw. nw.	12.5 12.3 11.9 11.6 12.6 13.5 14.4	9,500 11,000 12,500	
7:21 7:48 8:1 0	969. 0 969. 1 969. 3	13.0	55	nw.	3.6	2, 250 2, 320 2, 500 2, 750 2, 996 3, 250 3, 500 3, 750 3, 867	771. 6 754. 4 731. 9 710. 3 688. 7 668. 0 647. 9 638. 5 628. 1	6. 4 5. 8 5. 1 4. 3 3. 3 2. 3 1. 3 0. 8 — 0. 2	0.31	60 49 38 36 33 31	5. 53 4. 31 3. 16 2. 79 2. 38 2. 08 1. 94	wnw. nw. nw. nw. nw. nw.	12.5 12.3 11.9 11.6 12.6 13.5 14.4 14.9	9,500	
:21 :48	969. 0 969. 1 969. 3	13.0	55	nw.	3.6	2, 250 2, 320 2, 500 2, 750 2, 996 3, 250 3, 500 3, 750	771. 6 754. 4 731. 9 710. 3 688. 7 668. 0 647. 9 638. 5 628. 1 608. 8	6. 4 5. 8 5. 1 4. 3 3. 3 2. 3	0.31	60 49 38 36 33 31	5. 53 4. 31 3. 16 2. 79 2. 38 2. 08	wnw. nw. nw. nw. nw. nw. nw. nw. nw. nw.	12.5 12.3 11.9 11.6 12.6 13.5 14.4 14.9 15.2	9,500 11,000 12,500	

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 28, 1918—Continued.

	S	urface.						A	t different	heights	above s	ea.			
		Tem-	Rela-	. Wi	nd.	A 141		Tem-		Humi	idity.	W	ind.		Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>△ t.</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Electric potential.	
А. М.	mb.	°C.	%		m. p. s.	m. 4,750	mb. 571.8	°C. - 5.7	******	% 39	mb. 1.47	nw.	m. p. s. 16. 6		
:18	969.8	22.9	37	nw.	3.6	5,000 5,118 5,000	553.5 545.3 553.5		0.61	41 42 42	1.36 1.31 1.39	nw. nw. nw.	16.7 16.7 16.2	********	
				*******		4,750 4,500 4,250	571.8 590.0 608.8	$ \begin{array}{r} -5.6 \\ -4.0 \\ -2.5 \end{array} $	*******	42 42 42	1.60 1.84 2.08	nw. nw. nw.	15, 2 14, 1 13, 1	*********	
:53	969.6	24.0	33	nw.	4.0	4,000 3,750 3,635	628.1 647.9 657.1	- 0.9 0.7 1.4	0.53	42 42 42	2.38 2.70 2.84	nw. nw. nw.	12.0 11.0 10.5	10,000	
:16	969.5	24.9	34	nnw.	8.6	3,500 3,250 3,032	668. 0 689. 1 708. 1	2.1 3.4 4.6	0.46	41 38 36 37	2.92 2.96 3.05 3.16	nw. nw. nw.	11.1 12.1 13.0	8,200	
			1	*******		3,000 2,750 2,500 2,250	711.1 733.4 756.0 779.1	5.9 7.0 8.2	*******	42 47 53	3.90 4.71 5.76	nw. nw. nw.	13.0 13.0 13.0	5,500	
			31	nnw.	4.5	2,000 1,750 1,719	803.0 827.4 830.1	9.3 10.5 10.6	0.99	58 63 64	6.80 8.00 8.18	nw. nw. nw.	13. 1 13. 1 13. 1 13. 1	2,000	
:47	********	******			*******	1,500 1,250 1,000	852.3 878.0 903.9	12.8 15.3 17.7	0.00	60 54 50	8.87 9.39 10.12	nw. nw. nw.	12.6 12.1 11.5	700	
P. M.				******		750	931.0	20. 2		44	10.42	nw.	10.9		
:14		25. 4 25. 3	31	n.	4.5	733 500 396	932.3 958.2 969.1	20. 4 23. 8 25. 3	1.46	44 34 30	10.55 10.03 9.68	nw. nnw. n.	10.9 6.1 4.0	0	Cloudless.
.41	000. X	20.0		11.	4.0					1	0.00	м.	1 4.0	*********	Cividioso.
							Sel	ptembe	r 29, 1918						

A. M. 3:17	970.7	8.6	66	sw.	4.9	396	970.7	8.6	******	66	7.37	sw.	4.9		Cloudless,
	970.7	9.0	63	sw.	4.5	500 666	958. 9 940. 0		-2.89	61 52	8. 33 9. 70	SW.	7.3	1, 280	
	********					750	931.0		*******	53	9.64	SW.	11.2	*******	
		******	******	******	*******	1,000	904.1 877.5	W 100 100	******	55 58	9.38 9.21	Whw.	11.4	4,500	
45		9.6	61	SW.	4.5	1, 268	875.6	13.8	0.43	58	9. 15	wnw.	11.7	4, 300	
			1			1,500	852.0	11.9		61	8.50	wnw.	12.6		
	********		******	******	******	1,750	826.8	9.8		65	7.88	wnw.	13.6	8,000	
	*******		******	******	******	2,000	802. 5 778. 8	7.7 5.6	******	69 72	7. 25 6. 55	nw.	14.7	*******	
3		11.2	55	SW.	4.9	2, 431	761. 2	4.1	0.83	75	6. 14	nw.	16. 4	********	
		-	-			2,500	755.0	3.8		- 73	5.85	nw.	16.5	11,500	
						2,750	732.0	2.9		66	4.97	nw.	16.7		
******						3,000	709.7	1.9	*******	59	4.14	nw.	16.9	*********	
		10.0	40	******	4.0	3, 250	688. 0 668. 3	0.9	0.39	52	3.39	nw.	17.1 17.3	14,500	
44		13.6		SW.	4.0	3,485	667.0	- 0.1	0.39	46	2.79	nw.	17.3	*********	
			******		*******	3, 750	646.7	- 1.7	*******	44	2.33	nw.	17.7	16, 400	
						4,000	626.5	- 3.2		42	1.97	nw.			
			******			4, 250	607.0	- 4.8	******	41	1.67	nw.	18.5	18, 200	
		*******				4,500	588.6	- 6.3		39	1.40	nw.	18.9		
36		16.6	42	SW.	6.3	4,622	579.6 588.6	- 7.1 - 6.3	0.66	38	1. 27 1. 36	nw.	19.1	20,500	
*************				******	*******	4, 250	607.8	- 4.5		38	1.59	nw.	18.6		
			*******			4,000	627.4	- 2.8	*******	38	1.84	nw.	18.3		
02		18.6	36	SW.	9.8	3,912	634.7	- 2.2	0.54	38	1.93	nw.	18.2	*********	
					*******	3,750	647.9	- 1.3		39	2.14	nw.	17. 2		
			1	******	******	3,500	668.3 689.2	0.0	*******	42	2.57	nw.	15.7	12,000	
					*******	3,000	710. 9	2.7	*******	46	3. 41	nw.		12,000	
:30		20.3	31		8.0	2,760	732. 1		0.27	48	3.90	nw.	11.1		
			******	*******		2,750	733.3	4.0		49	3.98	nw.	11.1	********	
					*******	2,500	756.1	4.7		70	5.98	Wnw.	10.5	8,500	
:40		19.9		SW.	8.9	2,393	765. 9	5.0	0.96	79	6.89	Wnw.	10. 2 10. 6	********	
			******	******	******	2,250	779. 4 803. 0			72	7.30 8.16	wnw.	11.4		
			******	*******	*******	1,750	827.2		*******	67	8.91	W.	12.2	5,000	
						1,500	852.8			62	9.59	W.	13.0	********	
:57		20.2	31	SW.	8.5	1, 264	876.9	15.8	0.68	58	10.41	W.	13.7	********	
				******		1, 250	878.2		*******	58	10.48	W.	13.8	3,000	
:08		20.7	32	SW.	8.5	1,014	903.0 903.3	17.5	- 1.11	51	10. 20 10. 07	W. W.	15. 2 15. 0	********	
:12		20.6	31	wsw.	8.0	789	927.1	15.0	1.63	46	7.84	W.	12.1	********	
16		20.0	91	maw.	0.0	750	930.5		1.00	45	7.97	W.	11.8	1,080	
*******						500	958.9	19.7		36	8. 26	WSW.	9.7		
:23	970.9	21.4	32	wsw.	8.9	396	970.9	21.4		32	8.16	WSW.	8.9	********	Cloudless.

Table 9.—Free-air data from kite flights at Drexel Aerological Station, September, 1918—Continued.

September 30, 1918.

	S	urface.						A	differen	t heights	above s	ю.			
		Tem-	Rela-	W	ind.	Alti-		Tem-		Hum	idity.	W	ind.	Electric	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	<u>△ t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	potential.	
6:11	mb. 976. 9	°C. 7.8	% 56	ne.	m. p. s. 4.0	m. 396 500	mb. 976.9 964.5	°C. 7.8 7.9		% 56 56	mb. 5.92 5.96	ne.	m. p. s. 4.0 6.8	volta.	10/10 St. Cu., wsw.
6:22	977.1	7.9	52	ne.	4.0	702 750 1,000	941. 5 936. 0 908. 3	8.0 7.6 5.6	- 0.65	56 56	6. 01 5. 85 5. 10	ne. ne.	12.1 12.0 11.7	0	
6:34	977.3	7.9	52	nnw.	3.1	1, 161 1, 250 1, 500	890. 5 881. 3 854. 9	4.3	0.81	56 56	4. 65 4. 69 4. 90	nnw.	11. 5 12. 5 15. 3	1,500	Rain began 6:33 a. m., and continued at end of flight.
6:50	977. 5 977. 7	7.9	52 55	nne.	4.0	1,673 1,750 2,000	836. 3 828. 7 803. 6	5. 1 4. 4 2. 2	- 0.16 0.89	58 66	5. 10 5. 52 6. 73	n n. nnw.	17. 2 16. 5 14. 1	10,500	
7:13		7.7	56	nne.	4.9	2, 250 2, 388 2, 250	779. 0 765. 7 779. 0	1. 2 0. 6 1. 4	0.50	% 56 56 56 56 56 56 56 57 58 66 94 96 97 92 83 78	6. 39 6. 19 6. 22	nnw.	10. 4 9. 3 11. 0	8,000 12,000	
7:25	978.0	7.3	60	no.	5.8	2,000 1,863 1,750	803. 4 816. 8 828. 7	2.9 3.7 3.6	-0.12	83 78 81	6. 25 6. 21 6. 41	n. n. n.	14.0 15.7 14.8	*********	
7:32	978.1	7.0	65	ne.	5.8	1,500 1,438 1,250	854. 2 860. 9 880. 8	3.3 3.2 2.8	-0.23	87 88 - 64	6. 73 6. 77 4. 78	n. n. n.	12.9 12.4 12.2		
7:37	978.1	6.9	67	no.	5.8	1, 220 1, 000 750	884.3 908.3 937.0	2.7 3.8 5.0	0.49	63 57 49	4. 67 4. 57 4. 27	n. nne. ne.	12. 2 13. 3 14. 9	28,000 30,000	10/10 St.,wsw.
7:44	978. 2	6. 2	74 76	ne.	5.8	710 500 396	941.5 966.7 978.3	5. 2 5. 7 6. 0	0. 25	48 67 78	4. 25 6. 14 7. 11	ne. ne. ne.	14.7 7.9 4.5	30,000	10/10 St.,wsw.

TABLE 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918.

July 1, 1918.

	Surfac	10.			4,000	1		At diffe	rent heig	hts abov	'e sea.			
		Tem-	Rela-	Wi	nd.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	lean lean
A. M. 7:16	mb. 963. 7	°C. 14.0	%80	ssw.	m. p. s. 4.5	W. 444	mb. 963.7	°C.		% 80	mb. 12.78	asw.	m. p. s. 4.5	4/10 Ci.St., w.
				******		500 750	957.1 929.7	14.6 17.4		1.4	11.97 7.75	SSW. SW.	5.6	4
7:25	963.7	14.7	76	ssw.	4.0	784 1,000	925.9 902.7	17.8 16.6	-1.12	39 34 39	6.93 7.37	SW.	11.1	
7:51	963.5	16.3	71	ssw.	4.5	1, 250 1, 308	876. 2 870. 6	15.2	0.55	44 45 45	7.60 7.62	SW.	8.5	
	963.4	18.0	65	SSW.	5.8	1,500 1,750 1,851	851.0 826.1 816.6	14.3 12.7 11.4	0.64	46 47	7.34 6.76 6.34	WSW.	8.2 8.1 8.0	
	******					2,000 2,250	802.1 778.2	10.2	******	47 46	5.85 5.04	W. W.	7.7	
0:07	962.4	22.0	54	S.	7.2	2,500 2,516	755.1 753.4	6.3	0.90	46 46	4.39	W. W.	6.5	5/10 C.St., w.
						2,500 2,250	755.1 778.2	6.4 8.9	******	46 44	4.42 5.02	w. w.	6.5	
1:03	961.8	23.5	53	S.	6.7	2,000 1,968	802.0 804.4	11.5	0.85	41	5.56	wsw.	6.9 6.9 7.1	
			*******	******	7.6	1,750 1,500 1,251	825.8 850.3	13.7 15.8	-0.59	40 38 37 49 50	6.27	wsw.	7.3	
II:18 II:22	961.6 961.5	23. 7 23. 8	51 51	S.	6.3	1,065 1,000	875.3 894.4 901.1	17.9 16.8 17.3	0.74	49	7.59 9.37 9.88	SW. SW.	7.5 7.8 7.8	
1:35.	961.4	24.0	48	8.	5.8	750 739	928.0 929.3	19.1 19.2	1.80	55 55	12.16 12.24	S. S.	7.9	
11:44	961.3	24.5	48		7.2	500 444	955.3 961.3	23.5 24.5	******	49 48	14.19 14.76	8.	7.3	4/10 Cl.St., w.
					1	Ju	ly 2, 1918	(No. 1).						I .
6:28	960.9	13.3	86	nne.	6.3	444	960.9	13.3	******	86	13.13	nne.	6.3	Few Ci.St., w.
			******			500 750	954.8 927.2		*******	75 27	12.14 5.68	nne, ene,	7.0	
6:40	961.0	14.7	85	ne.	5.8	784 1,000	923.3 900.5	18.3	-1.65	20 17	4.37 3.58	ene.	10.5 8.8	
6:55	961.1	16.2	79	ne.	5.8	1,098 1,250	890.2 874.4	18.0 17.3	0.29	16 20	3.30 3.95	ene.	8.1	,
7:54	961.1	18.4	58	ene.	5.4	1,500 1,530	849.2 846.2	16. 2 16. 1	0.54	20 25 26 25 21	4.60	0.	4.7	Few Ci.St., w.
8:47	001 1	20.0			7.2	1,500 1,250 1,099	849.2 874.4 890.2	16.3 17.9 18.8	-0.80	21 18	4.63 4.31 3.91	0, 0, 0,	6.1 6.9	
9:03	961. 1 961. 1	20.3	54	6,	8.0	1,000 850	900.5 916.6	18.0	0.94	23 31	4.75	0. 0.	7.2	No.
				*******		750 500	927.2 954.8	17.7 20.1	*******	36 49	7.29 11.53	6.	8.4 10.3	
9:13	961.0	20.6	52	0.	10.7	444	961.0	20.6	*******	52	12.62	0,	10.7	2/10 CLSt., w.
						Ju	ly 2, 1918	(No. 2).						
P. M.	070 0	07.0	42		7.0		959.3	25.3		42	13.87		7.6	0/10 (%) \$4
	950.3	25.3	43	86,	7.6	444 500 750	953.4 926.0	24.6 21.3	******	43 43	13.30	90, 56, 86,	8.0 9.7	9/10 CLSt., w.
2:53	959.2	25.2	42	90,	8.0	784 1,000	922.6 899.2	20.9 20.1	1.29	45 45 39	11.12	30, 380,	9.9	
**********		******		******		1,250 1,500	873.0 848.0	19. 2 18. 3		32 26	7.12 5.47	880. 8.	10.5	E
1:20	958. 9	25.8	40	80.	11.2	1,528 1,750	845.7 823.8	18.2 17.8	0.36	25 21	5.22 4.28	S. SSW.	10.7	6/10 Cl.St., w.; 3/10 St.Cu., wnw.
1:43	958. 6	25. 5		80.	8.5	1,922 2,000	807.4 799.9	17. 5 16. 9	0.18	18 19	3.66	SW.	8.9 9.4	
*******************		*******	*******	*******	******	2, 250 2, 500	776.1 753.7	15. 0 13. 1	******	21 23	3.58	WSW.	10.9	
2:00	958.4	25.4	48		7.2	2,750	731.5 726.8	11.1	0.77	23 25 25 27	3.30	wsw. wsw.	14.1 14.4 15.0	
			*******		*******	3,000 3,250 3,500	710.0 689.0 668.8	9. 2 7. 3 5. 4	******	29 31	3.14 2.97 2.78	WSW. WSW. W.	15.7	-
2:32		25.4	50	SO.	8.9	3,750	648.3 646.2	3.5	0.86	33	2.59 2.55	W.	17.2 17.3	
******************			******			3, 750 3, 500	648.3 668.8	3.6	******	33 33 30 31	2.37 2.90	W. W.	17. 2 16. 4	
***********					******	3, 250 3, 000	689.0 710.0	8.4 10.9		30 28	3.31	W. W.	15.7 14.9	
3:11	957.6	26.8	46		8.5	2, 966 2, 750	713.6 731.5		0.72	28 26	3.72 3.97	W. WSW.	14.8	100
3:32	957.4	26.5	46	0.	10.3	2,500	753.7 774.0	16.1	0.68	25 23 23	4.13	wsw. sw.	14.5	
*********		*******	*******	******	******	2, 250 2, 000 1, 750	776.1 799.2		******	19	4.26 3.92 3.67	SW.	14.3 14.6 14.8	and the same of th
3:52	0.77.0	25.8	51	080,	8.5	1,750 1,739	823.0 824.2 847.3	19. 8 19. 6	-0.07	16 16 31	3.67 3.70 7.01	8. 8. 890.	14.8	Solar halo, 22° radius, from 4:00 to 4:20 p. m.
4:06		25.9	49	090,	8.5	1,500 1,330 1,250	864.3 872.5	19.5	0.64	42	9.52	880. 880.	12.4 12.3	P. 100.
4:20	957.0	26.5	50	86.	8.5	1,000	898.5 909.2	21.6 22.3	0.85	50 52	12.90 14.00	86. 86.	11.8	
*******************	301.0					750 500	924.7 950.9	23.5 25.6	******	52 51	15.06 16.75	88,	10.7	
4:35	956.9	26.1	51	686,	8.9	444	956.9		******	51	17.25	686,	8.9	4/10 Cl.St., wnw.; 6/10 A.St., wnw

Table 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

	Surf	ace.						At	different	heights	above se	n.		
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M.	mb. 948, 1	° C. 31. 1	% 51	в.	m. p. s. 5, 4	m. - 444 800	mb. 948. 1 942. 2	° C. 31. 1 30. 7		% 51 51	mb, 23, 05 22, 53	g. g.	m. p. s. 5. 4 6. 6	7/10 St. Cu., sw.
4:20	948, 1	31. 2	49	85W.	13. 4	750 841	916, 5 907, 0	28.9 28.3	0.71	49 48	19. 52 18. 47	88W.	12.0	
4:28		31.9	50	8.	12.1	1,000	890, 8 882, 2	27. 5 27. 1	0.40	46 45	16, 89 16, 14	SSW.	13, 4	
						1,250 1,500	865, 4 841, 1	26, 2		41 35	13.95 11.02	sw. wsw.	12.6 11.9	
4:55		31.1	46	8.	11. 2	1,750 1,760	817.8 816.7	23. 6 23. 5	0, 53	28 28	8.16	W. W.	11.1	Lightning in w.
*						2,000 2,250	794.5	21. 3 18. 9		28 27	7.09	W. WSW.	12.3 13.6	
5:07		30.9	47	8.	9.4	2,500 2,545	749. 5 745. 6	16. 6 16. 2	0, 94	27 27	5. 10 4. 97	WSW.	14. 9 15. 1	
						2,500 2,250	749, 5 771, 2	16. 6 19. 0		27 27	5. 10 5. 93	WSW.	14. 9 13. 7	9/10 St.Cu., wsw.
						2,000 1,750	793. 7 817. 0	21. 4 23. 8		28 28	7. 14 8. 26	WSW. WSW.	12.5 11.3	
5:24	947. 6	30.7	48	8.	9.4	1,500	840. 9 852. 1	26. 2 27. 2	0. 42	29 29	9. 87 10. 46	WSW.	10. 1 9. 6	
***************************************						1,250 1,000	865, 0 889, 6	27. 8 28. 8		32 37	11. 96 14. 66	SW.	12. 2	
5:42	947. 4	31. 2	45	8.	7.6	917 750	898, 6 915, 8	29. 2 29. 9	0.42	39 42	15. 81 17. 72	SSW.	18.4	
						500	942. 2	31.0		47	21. 12	8.	7.8	Lightning in w. and n. 9/10 St.Ct
5:58	947. 3	31, 2	48	8.	5.8	444	947. 3	31, 2		48	21. 82	8.	5.8	
							July 4, 1	918.						
6:46	962. 4	16. 5	74	nw.	7.2	444 500	962. 4 955. 8	16. 5 16. 7		74 67	13. 89 12. 74	nw.	7. 2 7. 9	8 10 A.St., w.
a.co	069 7	16.5	74	9150	6.7	750 804	928. 2 923. 0	17. 7 17. 9	-0.39	37 30	7.49	nw. nnw.	11.3	
6:58	962.7	16.5	74	DW.	0.1	1,000 1,250	901. 8 875. 9	16. 8 15. 3	-0.39	27	6. 15 5. 17 4. 00	nnw.	12.0	
0.00	3 290	17 1	es.	**************************************	6.3	1,500 1,528	850. 5 848. 0	13. 9 13. 7	0,58	23 19 19	3. 02 2. 98	nw. wnw.	8.9 7.2	
8:02	963. 5	17.1	65	nnw.	0.3	1,750 2,000	825, 6	12.3 10.7		19 19	2.72 2.45	wnw.	7.0 8.5	
**********					*******	2,250	801. 7 778. 0	0.1	******	18	2, 08	wnw.	10. 2 11. 8	7
		********				2,500	755. 0 732. 1	7.5 5.9		18	1. 87	wnw.	13. 5 15. 2	
8:12	963.6	17.7	61	nnw.	8.5	2,965 3,000	713, 1	4.5	0, 64	18	1, 52 1, 50	wnw.	16, 6	
		*******	********		*******	3,250 3,500	688. 9 667. 8	2.6	A 20	21 23	1.55	wnw.	20.0	4 10 A.St., w.; 2/10 A.Cu., w.
8:54	964. 1	19.4	49	nnw.	6.3	3,593	660, 0 667, 8	0.3	0.58	24 22	1. 50 1. 42	W. W.	24, 1	
9:32	964.5	20.6	45	nnw.	7.6	3,250	688, 9 701, 7	2.0	0.70	18 16	1. 27	W. W.	17. 7 14. 9	
			*******	*******		3,000 2,750	710, 1 732, 1	3. 4 5. 1		17 20	1. 33	W. W.	14.9	
9:47	964.7	21.3	46	nnw.	8.5	2,500 2,481	755. 0 757. 1	6. 9 7. 0	-0.48	23 23	2. 29 2. 30	W. W.	14.8	
		*******				2,250 2,000	778. 0 801. 9	5.9 4.7		24 26	2. 23 2. 22	wnw.	14. 8 15. 0	-
0:12		21.5	40	nnw.	7.6	1,750 1,602	826, 2 841, 8	3. 5 2. 8	9.04	27 28	2. 12 4. 45	nw.	15. 1 15. 2	
0:18	964.9	21.8	40	nnw.	7.2	1,508 1,500	851. 1 851. 5	11.3		24 24	3. 21 3. 24	nw.	10.1	
		********	*******			1,250 1,000	878. 0 904. 8	10.4		32 38	4. 92 6. 65	nw.	8.8 7.6	
0:39	965, 1	22.1	40	nnw.	7.2	796 750	926, 4 932, 0	17. 1 17. 8	1.51	44	8, 58 8, 76	nw.	6.6	
0:52	965.1	22.4	35	nnw.	8,5	500 444	959. 2 965. 1	21.6	******	36 35	9. 29 9. 48	nnw.	8.2	2/10 A.St., w.
							July 5, 1	918.	1			1		
9:05	969.9	19.3	52	nnw.	4.5	444	969.9	19.3		52	11.64	nnw.	4.5	Few St.Cu., w.
9:33		20.4	40	nnw.	6.3	500 691	963. 5 942. 2	18.6 16.4	1.17	49 38	10.50 7.00	nnw.	4.7	
						750 1,000	935.6 908.2	15.9 13.8		38 40	6.87	nnw.	5.8 7.0	
9:59	969.9	21.0	35	nnw.	6.7	1,076 1,250	900.3 881.5	13. 1 12. 0	0.86	40 39	6.03 5.47	nnw.	7.4	
***************************************	********		*******			1,500 1,750	855. 4 830. 2	10.5		36 34	4.57	nnw.	13.6	
0:28	970.1	22.1	34	nw.	6.7	1,789	826.9 805.5	8.7 7.7	0.62	34 34	3.82 3.57	nnw.	17.8	
0:45	*******	22.3	32	hw.	7.2	2,250 2,433	781.8 764.9	6.4		35 35	3.36	nnw.	23.0	
1:31	*******	23.6	28	nw.	8.5	2,250 2,046	782.2 802.5	# 6		36 37	3.34 3.56	nnw.	19.9	
A:01	********	23.0	20		8.0	2,000	807.0	6.8		37 40	3.66	nw.	13.9	
1:52		23.8	27	nw.	8.5	1,750	832.0 856.1	11.0	1.16	42	4, 66 5, 70	nw.	9.1	
*******************	********				******	1,500 1,250	858.0 883.9	11.0		42 38	5.74 6.27	nw.	9.1 8.4	41414

Table 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

July 5, 1918—Continued.

	Burface	B.						At diffe	rent heig	hts abov	e sea.			
innel		Tom	Rela-	w	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
Р. М.	mb.	* C.	% ₂₆		m, p, s, 7.6	m. 933	mb.	° C. 18.2	0.57	%33	mb. 6.90		m. p. s. 7. 6	P-1- 21 11
12:13	970. 2	24.1	20	nw.	7.0	100	916. 7 936. 7	19.2	0. 57	00	7.34	nw. nw.	8.1	
12:21	970.2	24.4	28	nw.	8.0	619 500	950.9 963.5	20.0 23.1	2.57	30	7. 01 8. 48	nw.	8.4 7.0	
12:25	970.1	24.5	30	nw.	6.3	444	970.1	24.5		30	9. 22	nw.	6.3	Few St.Cu., w.
							July 6, 1	918.						311
А. М.														
9:50	967.0	13.1	89	ene.	8.0	444 500	967. 0 960. 8	13.1 12.7		89 89	13. 42 13. 07	ene.	8.0	10/10 St.Cu., e.
10:01	966.9	13.4	87	ene.	7.6	750 793	931.7 927.5	11.2	0.63	92 92	12. 24 12. 00	θ.	8.6 8.7	Altitude of St.Cu. base abou
201001111111111111111111111111111111111						1,000	904.0	10.2		95	11.83	A.	8.2 7.5	750 m.
i0:53	966.9	14.0	87	ene.	6.7	1,250 1,410	877. 2 861. 3	9.4	0.32	98 100	11.55 11.40	0.	7.5	
	********					1,500	851.3	10.3		93 90	11.65	090.	5.9 5.5	
11:08	966.9	13.7	86	ene.	10.3	1,530 1,750	848.9 825.9	10.8	-1.58	91	11.66 10.80	698. 690.	5.6	
11:38	966.9	13.6	87	6.	5.4	1,990 1,750	803. 0 825. 9	8.0 9.3	0.58	92 93	9.87 10.90	690.	5.8 6.2	10/10 St.Cu., esc. Rain from 12:01 to 1:06 p. m.
P. M.	966.8	13.6	88	ene.	4.9	1,665	835.1	9.8	0.02	94	11.39	080.	6.3	Altitude of St.Cu. base abou
12:14	300.0	10.0	00	Care.		1,500	851.3	9.8		94	11.39	ese.	7.9	1,550 m.
			*******		*******	1,250	877.2	9.9		94	11.47	090. 090.	10.2	
12:37	966.7	13.8	88	ene.	6.3	1,244	878. 5 904. 0	9.9	0.27	98	11. 47 11. 89	090.	10.8	
12:49	966.6	14.4	88	ene.	7.6	837 750	922.4 931.7	11.0 11.8	0.87	92 91	12.08 12.59	ego. ego.	11.1	
***********************		*******			7.2	500 444	960. 8 966. 5	13.9 14.4		89 88	14.13 14.43	ene.	7.8	10/10 St.Cu., ess.
1:01	966.5	14.4	88	ene.	1.2	223	800.0	24.4	*******	60	24.40	OHO.	1	avjao natvanj ugo
			1				July 7, 1	1918.			,			
	1			1	1	1	1	1					1	
A. M. 11:10	967.9	16.3	83	90.	4.0	444 500	967. 9 961. 3	16.3 15.9		83 84	15.38 15.18	90. 90.	4.0	10/10 St.Cu., se.
P. M.	047.0	10 4	27	80.	5.4	663	943.2	13.9	0.64	- 86	13.06	80.	5.5	
12:18	967.8	18.4	77			750	933.4	13.4		89	13.68	80.	5.2 4.9	
12:50	967.6	18.6	73	86.	4.5	848 750	922. 6 933. 4	12.8 13.8	0.79	93	13.75 14.20	36,	4.9	111111111111111111111111111111111111111
12:57	967.6	18.8	72	80.	4.0	615	948.4	15.1	2.16	80 75	13.73 15.10	90. 90	4.9	No.
1:00.	967.6	18.8	72	80.	4.0	500 444	961.3 967.6	17.6 18.8		72	15.62	50.	4.0	10/10 St.Cu., se.
					1		July 8, 1	1918.	1					
А. М.								1					1	and the Con-
8:02	970.3	17.0	78	nw.	4.5	444 500	970.3 964.5	16.4		79	15.12 14.78	nw.	5.3	9/10 St.Cu., nnw.
	070 8	17 0	70		7.2	750 828	936.1 927.6	13.5	1.15	85 87	13.15 12.69	nnw.	6.1 7.4	
8:50		17.8		nnw.		1,000	908.5			90	11.82	nw.	7.9	Altitude of St.Cu. base about 1,150 m.
* * * * * * * * * * * * * * * * * * * *						1,250	881.8	8.6		95 100	9.49 9.61	nw, wnw,	8.6 9.2	,,
9:27		18.5	70	nnw.	6.7	1,486 1,500	857. 4 855. 8	6.4		98	9.56	wnw.	9.3	,
9:28	970.7	18.6	69	nnw.	6.7	1,679 1,750	837.4 830.5	8.6	-1.13	69 66	7.71 7.23	WhW.	11.2	
· · · · · · · · · · · · · · · · · · ·		******			******	2,000	805.6	7.5		58 49	6.01 4.78	W. W.	14.0	
9:40	970.8	18.4	70	nnw.	7.6	2,250 2,296 2,500	781.2 776.8 757.6	6.4	0.36	47 37	4.52 3.47	W. W.	16.5 16.5	
* * * * * * * * * * * * * * * * * * * *		18.4		nnw.	7.2	2,750 2,860	734.9 725.3	6.0		24 18	2. 24 1. 67	W. W.	16.6	
9:55						3,000	712.4	4.9		18 19	1.56	W.	16.9 17.5	
* * * * * * * * * * * * * * * * * * * *	********	******	*******		*******	3,250	609. 7	1.4		19	1.28	W.	18.1	
		18.3	70	nnw.	7.6	3,750	649.0	-0.3 -0.5	0.70	20	1.19	W.	18.7	
10:14	970.9	10.0			*******	4,000	629.0	-1.5		20 21	1.08	W. W.	19.6	10/10 St.Cu., nw.
*********************					*******	4,250	610. 2 501. 9	-3.7	0.81	21 21	0.94	W. W.	21.3	Altitude of St.Cu. base abou
10:40	970.9		1		6.3	4,630	582.1 502.0	-4.3	0.81	21	0.95	w.	21.2	1,550 m.
* * * * * * * * * * * * * * * * * * * *					******	4,250	610.2 629.9	-2.2		21 21	1.07	W.	20.3	
		******				4,000 3,750	650.0	0.7		21	1.35	W.	18.5	
* * * * * * * * * * * * * * * * * * * *									0.66	21	1.42	W.	18.0	
11:32	970.9	19.0	66	nnw.	7.2	3,619	660, 8	1.4			1.50	W.	17.6	
	970.9		66	nnw.	7.2	3,500 3,250	670.2	2.2 3.7		21 20 18	1.50 1.59 1.63			

Table 10.—Free-air data from kete flights at Ellendale Aerological Station, July, 1918—Continued.

July 8, 1918-Continued.

						July	8, 1918—0	Antinue						
	Surfac	e.						At diffe	erent heig	hts abov	e sea.			
		Tem-	Rela-	W	ind.			Tem-		Humi	dity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir,	Vel.	
2:05	mb. 970.9	° C. 19. 0	% 64	nnw.	m, p, s. 3.6	m. 2,665 2,500	mb. 742.9 757.6	°C. 7.7 7.5	-0.13	% 17 31 52	mb. 1.79 3.21	wnw. wnw.	m. p. s. 15.0 13.3	
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					2,250 2,000 1,750	781. 2 805. 6 830. 5	7.1 6.8 6.5		52 83 95	5. 25 8. 20 9. 20	wnw. nw. nw.	10.7 8.0 5.5	Altitude of St.Cu. base about
2:20		19.1	63	nw.	6.3	1,686 1,500	837. 4 856. 3	6. 4 8. 1	0.89	100 95	9.61 10.26	nw.	4.8 5.0	1,500 m.
2:37	. 971.1	19. 2	62	BW.	7 2	1,316 1,250 1,000	882. 8 909. 6	9.7 10.3 12.6	0.92	90 88 81	10. 83 11. 03 11. 82	nw. nw. nw.	5. 1 5. 7 8. 0	
2:57	. 971.3	19.0	62	nw.	8.0	913 750 500	919. 2 936. 5 964. 5	13, 4 15, 4 18, 4	1.22	78 73 66	11. 99 12. 78 13. 97	nw. nw. nw.	8.8 8.7 8.5	Care Camping
1:12	971.3	19.1	64	nw.	8.5	444	971.3	10, 1		64	14. 15	nw.	8.5	9/10 St.Cu., nw.
							July 9,	1915.						11-1
A. M. 6:25		12.5	89	nnw.	5. 4	444 500 736	972. 8 966. 0 939. 5	12.5 12.6 13.2		89 84 64	12.90 12.26 9.71	nnw. nnw. nne.	5. 4 5. 9	4/10 St.Cu., nnw.
6:57	973.0	12.8	87	nnw.	5.4	750 981 1,000	938. 0 912. 9 911. 0	13.1 12.3 12.1	0.37	63 48 49 58	9.50 6.87 6.92	nne. nnw. nnw.	8.0 8.0 8.0 8.0 8.5	
7:23					8.9	1,250 1,500 1,750	884. 2 858. 0 832. 3	10. 2 8. 2 6. 2 5. 9		67 76 77	7. 22 7. 28 7. 20 7. 15	nnw. nnw. nnw.	9. 0 9. 4 9. 5	
7:50		14.7	81 76	n. nne.	7.2	1,784 2,000 2,215	786. 2	5. 7 5. 6	0, 07	48 20 20	4. 40 1. 82	nnw. nnw. nnw.	9.1	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	********			0000000		2,250 2,500 2,750 3,000	783. 0 759. 0 735. 6 713. 5	5. 5 4. 5 3. 6 2. 6		18 16 14	1. 81 1. 52 1. 27 1. 03	nnw. nnw. nnw.	8.7 8.8 9.0 9.1	
9:22	973. 2	17.7	61	nne.	6.7	3, 250 3, 464 3, 250	692.1 674.3 692.1	1.7 0.9 1.9	0.44	12 11 11	0. 83 0. 72 0. 77	nnw. nnw. nnw.	9. 2 9. 3 9. 2	2/10 Ct.St., w.
9:57	973.0	18.4	60	nne.	7.2	3,000 2,750 2,662 2,500	735. 6 744. 9	3.2 4.4 4.8	0.49	11 11 11	0, 85 0, 92 0, 95 1, 00	n. n. n.	9. 2 9. 1 9. 1 9. 8	
						2, 250 2, 000	783. 0 807. 5	5, 6 6, 8 8, 0	*******	11 11 12	1.09 1.29	n. n. nnw.	10.9 12.0	
10:31	972.6	19.0	54	n.	6.7	1,750 1,602 1,500	847.1 858.0	9.3 10.0 8.7	-1.24	12 12 13	1.41 1.47 1.46	nnw. nnw. n.	13. 1 13. 8 9. 1	
10:39		19. 0	52	n. n.	6.3	1,481 1,250 1,040	884.2	8. 5 10. 3 12. 0		13 42 68	1. 44 5. 26 9. 54	n. n. n.	8.2 8.5 8.8	
11:04	972.3	19.7	50	nne.	7.2	1,000 752 500	911.0 937.8	12.3 14.2 19.1	1.95	67 57 52	9.59 9.23 11.50	n. nne. nne.	8.7 8.4 7.0	
11:13		20. 2	51	nne.	6.7	444	972. 2	20. 2		51	12.08	nne.	6.7	8/10 Cl.St., w.
							July 11,	1918.						
Р. м.	970.7	24.3	39	30.	6.3	444 500		24. 3 23. 6		39 40	11. 85 11. 65		6.3	4/10 Ci.St., wnw.; 2/10 Cu., see.
1:22	970.5	24. 6	40	850,	5.8	750 874 1,000	937.0 923.5	20.3	1.30	45 47 50	10.72 10.14 9.94	50. 50. 80.	6. 4 6. 5 6. 6	
2:02		25. 4	43	880.	6.7	1,250 1,314 1,500	883.1 876.6	14.7 14.0 12.3	1.07	56 57 63	9. 37 9. 11 9. 02	50.	6. 8 6. 9 6. 8	,
3:54	909. 9	26.1	40	80.	6.7	1,750 1,876 2,000	831.8 819.6 807.2	10.0 8.8 9.1	0.93	72 76 63	8. 84 8. 61 7. 28	896. 886. 886.	6. 6 6. 5 5. 7	5/10 Ci.St., wnw.; 2/10 Cu, sse 1/10 St.Cu., sse.
4:19	969.9	25. 3	40	80.	7.6	2, 250 2, 362 2, 250	772.7	9. 7 10. 0 7. 4	-1.29	36 24 68	4. 33 2. 95 7. 00	SS0. SS0.	4.0 3.3 6.0	
4:30	969.9	25. 2	41		8.0	2,190	789.2	6. 0 8. 1	1.11	92 84	8. 60 9. 07	880. 880.	6.0 7.4 7.4	Altitude of St.Cu., base about 2,30 m.
4:55	969.9	24.8	44	50.	7.2	1,750 1,587 1,500	848.7 857.1	12. 7 13. 5	0, 96	74 68 65	9, 65 9, 99 10, 06	36.	7.3 7.3 7.8	
5:18	969. 8	24. 0	44	50.	6.7	1,250 1,000 899	909.6	19.3	1.08	58 50 47	10, 48 10, 52 10, 52	36.	7.3 7.4 7.4	The state of the s
<i>6</i> :30	969.7	24. 2	44	30.	5.8	750 500 444	964.7	23.6		46 44 44	11. 37 12. 82 13. 29	50.	6, 9 6, 0 5, 8	4/10 Cl.St., wnw.; 3/10 A.St., wnw 1/10 St.Cu., sse.

Table 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

July 12, 1918.

							July 12,	1918.						
	Surfa	ce.				111111	h I h	At diffe	rent heig	hts abov	e sen.			
•		Pom	Rela-	w	ind.			Tom		Hum	idity.	w	in 1.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>Δt</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
7:34. A. M.	968.2	° C. 16.8	%84	36.	m. p. s. 6.3	m. 444 500	mb. 968, 2 961, 9	° C. 16.8 17.0		% 84 80	mb. 16.07 15.50	80.	m, p, a, 8.3 8.4	10/10 St., see.
7:42	968.1	17.1	83	30.	5.8	750 828 1,000	934.0 925.7 907.0	17.8 18.0 16.9	-0.31	% 84 80 60 54 50	12. 23 11. 15 11. 36	886. 886. 886.	18.0 21.0 20.0	
8:05	967.9	17.2	81	SSO.	8.0	1,250 1,305 1,500	881.1 875.1 855.8	15.3 14.9 13.8	0.65	67 69 68	11.64 11.60 10.73	888. 888.	18.6 18.3 18.1	
8:30	967.8	18.2	-74	880.	8.0	1,750 1,856 1,750	830, 4 819, 4 830, 4	12.4 11.8 12.4	0. 57	67 66 66	9, 65 9, 13 9, 50	8. 8. 8.	17.7 17.6 18.8	
9:13	967.5	18.2	73	390.	8.0	1,500 1,301 1,250	855.8 875.1 881.1	13.9 15.0 15.2	0.48	67 67 67	10.64 11.42 11.57	8. 8. 8.	21.8 24.1 23.2	
9:32	967.4	18.4	72	sse.	7.6	1,000 822 750	907. 0 925. 7 934. 0	16.4 17.3 17.7	0.58	66 65 66	12.31 12.84 13.36	8. 8. 8.	18.6 15.4 14.4	
10:25	967.2	19.5	68	880.	10.3	500 444	961.7 967.2	19. 2 19. 5		68 68	15. 13 15. 42	300.	11.1	10/10 St., see.
		1				ji .	July 13,	1918.						A. A
8:06	962.1	20.3	78	nnw.	6.3	444	962, 1 956, 0	20.3 19.0	******	78 80	18.58	nnw.	6.3	1/10 A.St., w.
9:44	962.5	21.9	66	nnw.	6.3	500 750 890	928.0 913.3	13.4 10.2	2.26	90 96 97	17. 58 13.83 11.95	nnw, nnw, nnw,	5.3 4.9	7/10 St.Cu., wnw.
10:10	962. 6	21.6	71	nnw.	7.6	1,000 1,191 1,250	901.0 880.7 874.2	9.4 8.0 8.9	0.73	97 100 89	11.44 10.73 10.15	nnw. nnw. nnw.	4.8 4.6 5.7	Altitude of St.Cu, base about 1,150
10:44	962.7	21.8	68	nnw.	6.3	1,500 1,523 1,750	848.4 846.4 823.8	12.5 12.8 11.8	-1.45	44	6.38 5.91 4.43	wnw. wnw.	10.3 10.7 11.0	
10:58		21.0	67	nnw.	4.5	2,000 2,021 2,250	799.8 797.4	10.7	0.44	32 23 22 22 22 22 22	2.96 2.81 2.54	wnw. wnw. wnw.	11. 4 11. 4 10. 2	
11:39		22.3	66	nnw.	4.0	2,500 2,630 2,500	776.2 753.9 742.1 754.8	9.1 7.5 6.6 8.3	0.99	22 22 22	2. 28 2. 14 2. 41	wnw. wnw. wnw.	9.0 8.3 8.1	
P. M.		22.8	62	n.	4.5	2,337	770.1	10.5	0.15	22 24	2.79	wnw.	7.0	
12:35	962.9	23.0	61	n.	4.9	2, 250 2,000 1,748	778. 7 802. 0 826. 4	10.6 11.0 11.4	0000000	31 37	3. 07 4. 07 4. 99	wnw. wnw. wnw.	7.8 7.3 6.9	4/10 St.Cu., wnw.; all kite fell in field at 12:40 p. m.
							July 14,	1918.						
9:12A. M.	965.3	18.4	80	ne.	7.6	444 500	965.3 959.5	18.4 17.8	0000000	80 83	16.93 16.92	ne. ne.	7. 6 7. 6	10/10 St.Cu., n.
9:21	965.3	18.5	80	no.	5.8	750 801	931.3 925.7	14.9 14.3	1.15	96 99	16. 26 16. 14	nne.	7.3	Attitude of St Co been about 1 000
10:28	965.5	19.0	81	ne.	4.0	1,000 1,096 1,000	904.3 894.2 904.3	12.9 12.2 13.2	0.86	100 100 07	14.88 14.21 14.71	ne. ne.	6.0 5.4 4.5	Altitude of St.Cu. base about 1,000 m.
10:35	965.5	19.0	81	ne.	3.6	927 750	912.3	13.9 15.8	1.10	94 89	14.93 15.98	ne. ne.	3.9 3.9 4.0	
10:38	965.5	19.2	79	ne.	4.0	500 444	959, 5 965, 5	18.6 19.2	0000000	81 79	17.36 17.58	ne.	4.0	10/10 St.Cu., ne.
							July 15,	1918.						
6:30A. M.	965.3	16.7	95	nnw.	6.7	444	965.3	10.7		- 95	18.06 17.68	nnw.	6.7	2/10 A.Cu., w.; 8/10 St.Cu., no.
6:40	965.4	16.6	94	nnw.	5.8	500 755 1,000	958.8 930.9 904.0	16.7 16.8 15.1	-0.03	98 85 90	17.68 16.26 15.44	nnw. nne. nne.	9.0	
7:45	965.8	18.6	88	nnw.	6.7	1,250 1,419 1,500	878. 4 861. 3 853. 0	13.4 12.3 12.0	0.68	95 99 92	14.60 14.17 12.91	nne. nne.	8.4 7.7 7.3 7.4	Altitude of St.Cu. base about 1,250 m.
8:09	965.9	19.3	84	nnw,	7.2	1,750 1,758	828.3 827.4	11.2 11.2	0.32	71 70	9.44	nne.	7.4 7.7 7.7	6/10 A.St., w.; 3/10 St.Cu., nne.
8:15. 8:20.	966. 0 966. 0	19.5 19.7	84 83	nnw. n.	5. 8 6. 3	2,000 2,155 2,202 2,000	804. 2 789. 3 784. 8 804. 2	12.9 14.0 12.8 13.1	-0.71 1.34	47 32 29 44 62 81	6.90 5.11 4.29 6.64	ne. ne. ne.	7.6 7.5 8.0 7.4	
8:46	966.1	20.9	77	n.	6.7	1,750 1,500 1,379	828.3 853.4 865.9	13.5 13.8 14.0	0.62	62 81 90 89	9, 59 12, 78 14, 38	nne. nne.	6.7 6.0 5.6 5.9	11 04
9:20	966.2	22.3	73	n.	6.3	1,250 1,000 766	879.0 905.5 930.9	14.8 16.3 17.8	1.43	87 85	14.98 16.12 17.32	nne.	6.6 7.2 7.2	
9:31	966.2	22.4	72	n.	6.7	750 500 444	932.7 960.3 966.2	18.0 21.6 22.4		84 74 72	17.34 19.09 19.50	nne. n. n.	6.8 6.7	3/10 A.St., w.; 5/10 St.Cu., nne.

TABLE 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

July 16, 1918.

	Surfac	10			- 1			At differ	ent heigh	te ahove	200			
	Suriac	70.		100				at dine	one neigh					
Time.	Pressure.	Tem- pera-	Rela- tive	Wi	nd.	Alti-	Pressure.	Tem- pera-	Δt	Humi	dity.	Wi	nd.	Remarks,
A ABMOS	1 1 Castino	ture.	humid- ity.	Dir.	Vel.	tude.		ture.	100 m.	Rel.	Vap, pres.	Dir.	Vel.	
A. M.	mb. 970.3	*C.	% 84	nnw.	m. p. s. 4. 5	m. 444	mb. 970.3	° C.		% 84	mb. 13.42	nnw.	m. p. s. 4.5	8/10 St.Cu., nne.
:27		14.0		muw,	4.0	500	964.1	13.5		85 80	13. 15 11. 92	nnw.	4.8 6.0	g a control of the co
-38	970.3	14.0	83	nnw.	4.5	750 841	935. 9 925. 5	11.3	0.88	90	11.43	nne. ne.	6.5	
						1,000 1,250	908. 2 881. 0	9.5 7.9		93 98	11.04 10.44	ne.	6.9 7.6	3/10 Cl.St., nw.; 2/10 St.Cu., nne.
:10	970.3	18.2	68	ne.	4.5	1,312 1,500	874.9 855.0	7. 6 10. 0	0.62	99 70	10. 34 8. 60	no.	7.8 7.3	
:15	970.3	18.3	68	ne.	4.9	1,752	829.9 855.0	13.3	-1.42	30 76	4.58 9.14	nne. n.	6.7 5.2	
:23	970.3	18.4	68	no.	4.9	1,372	868.6	9.7	0.80	100	10.58 10.88	n. n.	4.5	
						1,250 1,000	881. 0 908. 2	8.8 10.8		96 87	11.27	nne.	4.5	
):36	970.3	19.0	66	ne.	4.9	750 735	935.9 937.6	12.8 12.9	2. 23	78 77	11.53 11.46	nne.	4.5	
:49	970.3	19.4	63	ne.	5.8.	500 444	964.1 970.3	18. 2 19. 4		64	13.38	ne. ne.	5.5	1/10 Ci.St., nw.; 6/10 St.Cu., ne.
	5.00							-					1	
	1	1		1	1		July 17, 1	918.	1			1		
P. M.	963.8	26.2	34	S6.	4.5	444	963.8	26. 2		34	11.57	50.	4.5	3/10 Ci.St., w.; 2/10 St.Cu.
:34		25.0	44		4.5	500 659	957.3 940.4	25. 7 24. 4	0. 84	35	11.56 11.01	S0. S0.	5. 0 6. 4	.0.0
************						750	930. 2 912. 2	23.5		36 37	10.72 9.86	50. 580.	5.4 3.6	
:47	963.8	23.0	55	S.	3.6	923 750	930. 2	21.7 22.9	0.86	38 37	10.33	880.	5.0	
:33	963.8	20.5	60	ssw.	3.6	657 500	940. 4 957. 3	23. 6 21, 2	-1.55	36 53	10. 49 13. 35	880. 8.	5.8 4.3	
3:40	963.8	20.3	59	SSW.	3.6	444	963.8	20. 3		59	14.05	ssw.	3.6	2/10 Cl.St., w.; 2/10 A.St.
							July 18,	1918.						
Р. М.									1				1	*** CH Ch
:29		30.5	28	nne.	4.0	444 500	961: 4 955. 6	30.5		28 27	12. 23 11. 39	nne.	4.0	5/10 Cl.St., nw.
£18		31.7	26	nnw.	9.4	700 750	933.7 928.0	27.6 27.4	1.14	24 24	8. 87 8. 76	nnw.	7.4	
£57	900.8	32.6	22	wnw.	4.9	874	915. 2	27.0	0.34	23	8. 20	wnw.	6.9	
						1,000 1,250	902.5 877.0	25.8 23.5		23 23 24 24	7. 64 6. 95	wnw.	6.5 5.6	
3:07	960.8	32.9	22	wnw.	3.1	1,332 1,250	868.7 877.0	22.7 23.5	0.96	24	6.62	wnw.	5.3	
3:20	960.7	32.3	21	nnw.	3.6	1,000 763	902.5 926.9	26.0 28.3	1.22	23 23 23	7.73 8.85	wnw.		
				******		750 500	928. 0 954. 2	28.5		23 21	8.95 9.71	wnw.		
3:24	960. 5	32. 2	20	nw.	3.6	444	980. 5	32. 2		20	9.62	nw.	3.6	4/10 Ci.St., nw.
					-		Lealer 10							
							July 19,	1918.						
A. M.	050.1	20.0				444				60	18 98		4.5	1/10 Ci St. nw : 1/10 St.Cu
A. M. 8:35	959.1	22.0	60	w.	4.5	444	950.1	22. 0		60	15. 96	w.	4.5	1/10 Ci.St., nw.; 1/10 St.Cu
8:35		22.0	60	w.	4.5	500 750	950.1 953.4 926.0	22. 0 23. 0 27. 2		56 36	15.74 12.99	W. W.	5.3 8.6	
5:35 5:43 5:43	959.1	22.0	62	w.	4.5	500 750 869	950.1 953.4 926.0 913.9	22. 0 23. 0 27. 2 29. 2	-1.69	56 36	15.74 12.99 10.94	W. W. W.	5.3 8.6 10.2	
5:43 5:43	959.1	22. 2	62	w.	4.5	500 750 869 1,000 1,250	950.1 953.4 926.0 913.9 809.9 874.8	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6	-1.69	56 36 27 28 31	15.74 12.99 10.94 10.59 10.18	W. W. W. W.	5.3 8.6 10.2 9.1 6.9	
1:35 1:43 1:43 1:43	950. 1 950. 1	22. 2	62	W.	4.5	500 750 869 1,000 1,250 1,458 1,500	959. 1 953. 4 926. 0 913. 9 899. 9 874. 8 854. 8 850. 1	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2	-1.69 0.95	56 36 27 28 31	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39	w. w. w. wnw. wnw.	5.3 8.6 10.2 9.1 6.9 5.1 5.2	
5:35 5:43 5:43 7:03	959.1	22. 2	62	w.	4.5	500 750 869 1,000 1,250 1,458 1,500 1,750 2,000	950-1 953-4 926-0 913-9 809-9 874-8 854-8 850-1 802-8	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6	0.95	56 36 27 28 31	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93	W. W. W. W. WNW. WNW. WNW. WNW.	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0	
5:35 5:43 5:43 7:03	959. 1 959. 1	22. 2	62	w.	4.5	500 750 869 1,000 1,250 1,458 1,500 1,750 2,000 2,250 2,493	950. 1 953. 4 926. 0 913. 9 899. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 2 20. 9 18. 6 16. 3 14. 0	0.95	56 36 27 28 31 33 33 35 37 39	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 86 7. 93 7. 23 6. 55	W. W	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0 6.4	wnw.
5:35 5:43 3:43 7:03	959. 1 959. 1 958. 9	22. 2	62	W.	4.5	500 750 869 1,000 1,250 1,458 1,500 1,750 2,000 2,250	950. 1 953. 4 926. 0 913. 9 809. 9 874. 8 850. 1 826. 1 802. 8 780. 0	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3	0.95	56 36 27 28 31 33 33 35 37 39 41 40 39	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23	W. W. W. W. WNW. WNW. WNW. WNW. WNW.	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0 6.4 6.8 7.2	
5:43 5:43 5:43 7:03	959. 1 959. 1	23. 6	62	w.	4.5	500 750 869 1,000 1,250 1,458 1,500 2,000 2,250 2,493 2,250 2,000 1,750	950. 1 953. 4 926. 0 913. 9 899. 9 874. 8 850. 1 826. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 18. 7	-1.69 0.95 0.94	56 36 27 28 31 33 33 35 37 39 41 40 39 38	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 51	W. W	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0 6.4 6.8 7.2 7.5 7.9	wnw.
1:35 1:43 1:43 1:03 1:16	959. 1 959. 1 958. 9	22. 2 23. 6 28. 9	62 60 43 41	w. w.	4.5	500 750 869 1,000 1,250 1,450 1,500 2,000 2,250 2,493 2,250 2,000 1,750 1,696 1,500	959. 1 953. 4 926. 0 913. 9 899. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 789. 0 802. 8 826. 1 831. 7 850. 1	22. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 6 20. 9 16. 3 14. 0 16. 3 18. 7 21. 1 21. 6	0.95 0.94	56 36 27 28 31 33 35 35 39 41 40 30 38 38	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 80 10. 63	W. W. W. Whw. Whw. Whw. W.	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0 6.4 6.8 7.2 7.5 7.9 8.0 8.6	wnw.
9:43 9:43 9:43 9:03 9:16	959. 1 950. 1 958. 9 959. 4	22. 2 23. 6 28. 9	62 60 43	W. W.	4.5	500 750 869 1,000 1,250 1,750 2,000 2,250 2,493 2,250 2,000 1,750 1,696 1,500 1,250 1,250	959. 1 953. 4 926. 0 913. 9 809. 9 874. 8 854. 8 850. 1 826. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 18. 7 21. 1 21. 1 22. 5 23. 7	-1.69 0.95 0.94	56 36 27 28 31 33 33 35 37 30 41 40 39 38 38 38 39	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 80 10. 63 12. 02	W. W	5.3 8.6 10.2 9.1 6.9 5.1 5.2 5.6 6.0 6.4 6.8 7.2 7.5 7.9 8.6 9.0 10.2	wnw.
1:35 1:43 1:43 1:43 1:43 1:45 1:46 1:46 1:46 1:46 1:46 1:46 1:46 1:46	959. 1 959. 1 958. 9 959. 4	22. 2 23. 6 28. 9	62 60 43	W.	4.5	500 750 869 1, 000 1, 458 1, 500 2, 000 2, 250 2, 493 2, 250 2, 000 1, 750 1, 600 1, 250 1, 250 1, 908	950. 1 953. 4 926. 0 913. 9 899. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 850. 1	22. 0 23. 0 27. 2 29. 2 28. 0 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 11. 7 21. 6 22. 5 23. 7 24. 9	0.95 0.94 0.47	56 36 27 28 31 33 33 35 57 39 41 40 39 38 38 38 39 41 43	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 9. 80 10. 63 12. 02 13. 54	W. W	5.3 8.6 10.2 9.1 6.9 5.1 5.6 6.0 6.4 6.8 7.2 7.5 7.5 7.9 8.0 9.4 10.2	wnw.
1:43 1:43 1:43 1:03 1:16 1:16	959. 1 959. 1 958. 9 959. 4	22. 2 23. 6 28. 9 28. 3	62 60 43 41 41 37	w. w. h.	4.5 4.5 4.5 4.5	500 750 869 1, 250 1, 458 1, 500 1, 750 2, 200 2, 250 2, 250 2, 250 2, 250 2, 250 1, 750 1, 500 1, 250 1, 2	950. 1 953. 4 926. 0 913. 9 999. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 875. 0 900. 8 910. 6	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 13. 7 21. 1 21. 6 22. 5 23. 7 24. 6 25. 6 26. 7 26. 7 28. 8	0.95 0.94 0.47	566 366 277 288 311 33 33 33 35 37 41 40 30 38 38 38 39 41 44 44 42 38	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 80 10. 63 12. 02 13. 54 14. 19	W. W	5.3 8.6 10.2 2 9.1 16.9 9 5.1 15.2 2 5.6 6.0 0 6.4 6.8 7.2 9.4 10.2 10.5 8.6 6.0 0	wnw.
9:35 9:43 9:43 9:03 9:36	959. 1 959. 1 958. 9 959. 4	22. 2 23. 6 28. 9	62 60 43	W. W.	4.5	500 750 869 1, 250 1, 458 1, 500 1, 750 2, 250 2, 250 2, 250 1, 696 1, 500 1, 250 1, 250 1, 250 1, 250 1, 250 1, 250 1, 250 1, 250	950. 1 953. 4 926. 0 913. 9 899. 9 874. 8 850. 1 826. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 875. 0 900. 8 910. 6 927. 0 954. 3 959. 8	22. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 18. 7 21. 1 21. 6 22. 3 23. 7 24. 9 25. 8 26. 7 28. 9 29. 3	-1.69 0.95 0.94 0.47	566 277 28 38 33 33 35 37 39 41 440 38 38 38 41 443 444	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 6. 55 7. 41 8. 41 9. 80 10. 63 12. 02 13. 54 14. 72	W. W	5.3 8.6 10.2 9.1 6.9 5.1 5.2 6.0 6.4 6.8 7.2 7.5 8.0 8.6 9.4 10.2 10.2	wnw. 3/10 St.Cu., w.; 1/10 Cu., w.
5:35 5:43 5:43 7:03 8:16 8:58	959. 1 959. 1 958. 9 959. 4	22. 2 23. 6 28. 9 28. 3	62 60 43 41 41 37	w. w. h.	4.5 4.5 4.5 4.5	500 750 869 1, 250 1, 458 1, 500 1, 750 2, 200 2, 250 2, 250 2, 250 2, 250 2, 250 1, 750 1, 500 1, 250 1, 2	950. 1 953. 4 926. 0 913. 9 999. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 875. 0 900. 8 910. 6	22. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 18. 7 21. 1 21. 6 22. 3 23. 7 24. 9 25. 8 26. 7 28. 9 29. 3	0.95 0.94 0.47	566 366 277 288 311 33 33 33 35 37 41 40 30 38 38 38 39 41 44 44 42 38	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 80 10. 63 12. 02 13. 54 14. 19	W. W	5.3 8.6 10.2 2 9.1 16.9 9 5.1 15.2 2 5.6 6.0 0 6.4 6.8 7.2 9.4 10.2 10.5 8.6 6.0 0	wnw. 3/10 St.Cu., w.; 1/10 Cu., w.
5:35. 5:43. 5:43. 7:03. 8:16. 8:58. 9:36. 9:57. 6:34. A. M.	959. 1 959. 1 958. 9 959. 4 959. 6	22. 2 23. 6 28. 9 28. 3	62 60 43 41 41 37	w. w. h.	4.5 4.5 4.5 4.5	500 750 869 1, 250 1, 458 1, 500 1, 750 2, 200 2, 250 2, 250 2, 250 2, 250 2, 250 1, 750 1, 500 1, 250 1, 2	950.1 953.4 926.0 913.9 899.9 874.8 854.8 850.1 802.8 780.0 757.6 780.0 802.8 828.1 831.7 850.1 875.0 900.8 910.6 927.0 954.3 959.8	22. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 18. 7 21. 1 21. 6 22. 3 23. 7 24. 9 25. 8 26. 7 28. 9 29. 3	0.95 0.94 0.47	568 366 277 288 311 333 333 335 377 390 440 388 388 389 441 442 422 388 377	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 41 9. 80 10. 63 12. 02 13. 54 14. 19	W. W	5.3 8.6 10.2 9.1 5.2 5.6 6.0 6.4 6.8 7.2 7.2 7.9 8.0 9.4 10.5 8.6 9.4 10.5 8.6 9.4 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5	wnw. 3/10 St.Cu., w.; 1/10 Cu., w.
5:35	959. 1 959. 1 958. 9 959. 4 959. 6 959. 8	23. 2 23. 6 28. 9 28. 3 30. 0 29. 3	62 60 43 41 37 37	w. w	4.5 4.5 4.5 4.9 6.7 5.4	500 750 809 1,000 1,250 1,458 1,500 1,750 2,000 2,250 2,493 2,250 1,696 1,500 1,250 1,500 1,250 1,696 1,500 444	950. 1 953. 4 926. 0 913. 9 899. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 875. 0 900. 8 910. 6 927. 0 954. 3 959. 8	22. 0 27. 2 29. 2 28. 0 25. 6 23. 6 23. 2 20. 9 18. 6 16. 3 14. 0 3 121. 6 22. 5 23. 7 24. 9 25. 3 26. 7 28. 8 29. 3	-1.69 0.95 0.94 0.47	566 366 277 288 311 333 355 377 390 440 390 388 388 388 344 442 442 357 377	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 7. 93 7. 23 6. 55 7. 41 8. 41 9. 51 19. 80 10. 63 12. 02 13. 54 14. 72 15. 06	W. W	5. 3 8. 6 10. 2 9. 1 6. 9 5. 1 5. 2 5. 6 6. 0 6. 4 6. 8 7. 2 7. 5 9. 4 10. 5 8. 6 9. 4 10. 5 8. 6 9. 4 10. 5 9. 4 10. 5 9. 4 10. 5 9. 4 10. 5 9. 4 9. 5 10.	wnw. 3/10 St.Cu., w.; 1/10 Cu., w. Few St.Cu., nw.; few Cu., nw.
8:16	959. 1 959. 1 959. 1 959. 4 959. 4 959. 6	22. 2 23. 6 28. 9 28. 3 30. 0 29. 3	62 60 43 41 37 37	W. W. D. D. S. S.	4.5 4.5 4.5 4.9 6.7 5.4	500 750 869 1, 000 1, 250 1, 458 1, 500 1, 750 2, 000 2, 250 2, 493 2, 250 1, 696 1, 500 1, 250 1, 2	950. 1 953. 4 926. 0 913. 9 999. 9 874. 8 854. 8 850. 1 802. 8 780. 0 757. 6 780. 0 802. 8 826. 1 831. 7 850. 1 875. 0 900. 8 910. 6 927. 0 954. 3 959. 8	22. 0 23. 0 27. 2 29. 2 28. 0 25. 6 23. 2 20. 9 18. 6 16. 3 14. 0 16. 3 12. 6 22. 5 23. 7 24. 9 25. 3 26. 3 28. 9 29. 3	-1.69 0.95 0.94 0.47 0.86	568 366 277 288 311 333 333 335 377 390 440 388 388 389 441 442 422 388 377	15. 74 12. 99 10. 94 10. 59 10. 18 9. 61 9. 39 8. 65 7. 93 7. 23 6. 55 7. 41 8. 51 9. 80 10. 63 12. 02 13. 54 14. 72 15. 06 15. 08	W. W	5.3 8.6 10.2 9.1 5.2 5.6 6.0 6.4 6.8 7.2 7.2 7.9 8.0 9.4 10.5 8.6 9.4 10.5 8.6 9.4 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5	wnw. 3/10 St.Cu., w.; 1/10 Cu., w. Few St.Cu., nw.; few Cu., nw.

TABLE 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

	Surface	В.						At diffe	erent heig	hts abov	re sea.			
n n	1	Tem-	Rela-	w	ind.			Trom		Hun	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
7:11	mb. 957.6	° C. 21.0	% 72	S.	m. p. s. 7. 2	m. 1,936	mb. 806.9	° C. 18. 6	0.84	%49	mb. 10.50	88W.	m. p. s 16. 4	
						2,000 2,250	801.0 777.6	18.0 15.5	******	50 56	10.32 9.86	88W.	16.3 15.9	
7:34	957.4	21.8	70	S.	5.8	2,500 2,750 2,797	755.0 732.8 728.9	13. 1 10. 7 10. 2	0.98	61 66 67	9. 20 8. 49 8. 34	85W.	15. 6 15. 2	
		******		2.	0.0	3,000	711.3 690.8	8.7 6.8	0.96	73 81	8. 21 8. 00	SSW. SSW.	15. 1 15. 7 16. 5	
8:09	957.0	24.2	63	S.	8.0	3,397 3,500	682.7 670.7	5.7 5.2	0.75	86 71	7.88 6.28	8W. 8W.	16.9 15.4	8/10 Ci.St., nnw.
8:44	958.8	25.3	62	SSW.	7.2	3,750	650. 6 643. 8	4.0 3.6	0.40	35 23	2, 85 1, 82	SW.	11.7	
9:01	956.7	26.1	59	ssw.	8.0	3,750	650. 6 665. 2	3.9 4.5	1.12	46 97 95	3. 72 8. 17	8W.	11.9 15.2	
		*******	*******	*******		3,500 3,250 3,000	670.7 690.8 711.9			85 76	8. 41 9. 12 9. 78	SW. SW.	15. 2 15. 4 15. 5	1
9:54	955.8	30.5	53	SSW.	8.5	2,750 2,682	733. 5 739. 3	20 2		67 64	10.36	SW.	15.7 15.7	
						2,500 2,250	755.0 776.9	15.9 18.2		61 57	11.02	SW.	15.5 15.3	
		*******		*******		2,000 1,750	799.3 823.0	20. 4 22. 6		52 48	12. 46 13. 17	SSW.	15.1 14.8	
0:39	955.5	31.6	46	S.	8.9	1,520 1,500	845.4 847.2	24.7	-1.73	44	13.69	SSW.	14.6	
	955.5	31.6	45	SSW.	8.9	1,347 1,250 1,000	862.5 872.2 897.8			61 59 55	15. 84 16. 18 17. 32	S. S.	12.9 12.7 12.0	
1:05	955.4	32.0	42	ssw.	10.7	865 750	911.3 923.3	26. 1 27. 7	1.36	52 50	17.59 18.58	8.	11.7	L T
1:19	955.4	31.8	43	SSW.	9.4	500 444	949.5 955.4			44	19.77 20.22	SSW.	9.7	5/10 Ci.St., nnw.
	1			7		Jul	y 22, 1918	(No. 1)					1	1
A. M.										-				
:35	. 963.9	14.3	91	ne.	6.3	444 500	963. 9 957. 5	14.3 13.1		91 94	14.83 14.58	110. 110.	6.3 8.1	10/10 St.Cu., ne.
39	. 964.0	14.4	90	nne.	7.2	574 750	949. 2 930. 0	11. 4 12. 2	2. 23	98 90	13. 21 12. 79	nne.	10. 4 8. 4	
15	964.3	14.5	90	nne.	6.3	1,000	902. 4 888. 9	13. 2 13. 8	-0.43	86 83	13. 05 13. 10	n. n.	5. 6 4. 1	Altitude of St.Cu. base about 950
1824	964.5 964.5	15.7 15.8	85 84	nne.	4.5	1, 250 1, 328 1, 346	876. 3 868. 4 866. 8	14. 0 14. 1 13. 4	-0.15 2.03	80 78 78	12.78 12.55 11.99	nnw. nnw.	3.5 3.1 3.9	10/10 St.Cu., sw. Thunder in s from 8:30 a. m. to end of flight.
				******		1,250	876.3 902.4	13.7	2.00	77 74	12.07 12.14	n. nne.	4.7 6.8	nom oldo al mil do olici di magne
00	964.5	16.0	84	nne.	4.9	781 750	926. 8 930. 0	15.0 14.7	-0.94	71 74	12.11 12.38	no.	8.6	Rain began 9:00 a. m. and conti ued at end of flight.
04	964.5	16.1		ne.	4.9	610 500	945.7 958.8	13. 4 15. 2	1.63	86 85	13, 22 14, 68	ne.	8.6	
10	964.6	16.1	85	ne.	4.5	444	961.6	16.1	••••••	85	15.56	De.	4.5	2/10 A.St., sw.; 8/10 St.Cu., sw.
	I				11	July	22, 1918 ((No. 2).	1		1			
12	964.3	20.1	74	ne.	4.5	444	964.3 958.2			74	17.41 17.03	ne.	4.5	3/10 A.St., sw.; 5/10 St.Cu., sw.
22	964.4	20.0	78	nne.	5.8	500 586 750	938. 2 948. 6 930. 0	19.1 17.6 16.1	1.76	82 88	16. 51 16. 10	ne. nne.	5. 5 5. 5	
39	964. 6 964. 7	19.9 20.1	76	nne. ne.	5.4 4.5	837 945	921. 3 909. 7	15.3 16.4	0.92 -1.02		15.82 13.43	nne.	5.5	
19	964.7	20. 2		636.	4.0	1,000	903. 8 898. 2	15.8 15.2	0.66	91 72 73 77	13, 46 13, 30	ene.	6.2	
9	964.7	20.6	******	0.	3.6	1,500	903. 8 914. 6	15.3 15.5	0.83	81	14.08 15.50	0.	6.1	
5	964.6	20.8	74	e.	4.9	750 587	930. 0 948. 6	16.7	1.96	88 85 82		0.	4.9 5.0	
9	964.6	20.9	74	e	4.5	500 444	958. 2 964. 6			77 74	17. 79 18. 29	0.	4.7	2/10 A.St., sw.; 5/10 St.Cu., sw.
	1				31		July 23, 19	018.						ş.
Р. М.									I					DIO CL GA for Co.
25	961.1	27.1		890.	5.8	500	961. 1 955. 0	26.3 .	1 90	65	22, 96	990. 990.	5.8	2/10 Ci.St., w.; few Cu., asw.
34	961.1	27.6		sse.	5.8	739 750	929. 4 927. 6	23.1	1.36	70 70	19. 79 19. 67	590. 890.	8. 0 5. 0 6. 0	
49	961.1	28.0	60	sse.	6.7	980 1,000 1,250	904. 0 901. 8 876. 4	20. 8 20. 7 19. 0	0. 95	80 81 80	19.78	890. 890.	6.1	
30	960.8	28.9	58	sse.	5.4	1,418 1,500	859. 1 850. 7	18.0	0.64	80 94 80 74	19. 40	8.	6.6	Altitude of Cu. base about 1,750 z
			******			1,750 2,000	825. 8 801. 4	16.4		74 58	13, 80	8. 88W.	5.5	The state of the s
12	960, 3	29. 4		sse.	6, 3	2,121 2,000	790. 0 802. 0	15,0	0.66	51 58	8.70	SSW.	5.4	
33	960, 1	29.9	56	sse.	6.3	1,783 1,750	823. 6 827. 2	18.0	-1.58	61 72	12, 59 14, 23	9.	5.6	7/10 Cl.St., sew.; few Cu., sew.
35	960.0	29.9		390.	6.3	1,702	831. 3 851. 9	16.2 18.2	1. 11	89	16, 39	8.	6.0	

 ${\tt Table\ 10.-Free-air\ data\ from\ kite\ flights\ at\ Ellendale\ Aerological\ Station,\ July,\ 1918--Continued.}$

						1	23, 1918							,
	Surfa	100.						At diffe	erent heig	thts abou	70 508.			*
			Rela-	w	ind.					Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude,	Pres- sure.	Tem- pera- ture.	$\frac{\Delta t}{100 \text{ m}}$.	Rel.	Vap.	Dir.	Vel.	AVUMBAS.
Р. М.	mb.	* C.	%54		m. p. s. 5. 8	998,	mb.	° C.		% 67	mb.		m. p. s. 6. 1	
3:02		30.1	54	880,		1,038 1,000	807. 4 901. 5	23.6	1. 41	00	19. 52 19. 51	S. S.	6.2	
3:15,	959. 4	30.3	51	S.	4.9	776 750	924. 2 926. 5	27.3 27.5	0, 96	. 56 56	20. 33 20. 56	S. S.	6,6	
3:20	950.3	30. 5	50	8.	5.8	500 444	953. 0 950. 3	29. 9 30. 5		51 50	21. 52 21. 84	8.	5.9	7/10 Ci.St., ssw.
KANNO GEORGE	1		1	1	1		July 24, 1	1918.	1			1	1	
A. M.					1 1									1
6:35	950. 4	19.4	93	nne.	5.4	444 500	959. 4 953. 3	19. 4 19. 9		93 85	20. 95 19. 75	nne. ne.	5. 4 5. 2	10/10 St.Cu., w. Rain from 6:32 to 6:40 a. m.
6:45	959.4	19. 2	91	nne.	5. 4	545 750	948, 3 926, 0	20.3 17.6	-0.09	78 93	18, 58 18, 72	ne. nne.	5. 0 6. 6	
6:55 7:28	959. 4 960. 4	19. 2 20. 0	91 88	n. nne.	5.4	765 867	924.3 914.3	17. 4 19. 5	1.32	94 79	18, 68 17, 91	nne.	6.7	3/10 St.Cu., w.; 7/10 St., nne.
						1,000 1,250	900. 1 875. 0	18, 4		83 90	17. 56 16, 78	n. nnw.	4.0 3.8	
8:06	961. 6	19. 4	88	nnw.	10.7	1,477	852.4	14.5	0, 82	96 90	16. 51	nnw.	3.7	
8:25	961.7	18.5	95	nnw.	18.8	1,500 1,538	800, 2 846, 2	14. 8 15. 3	-0.84	81	15. 15 14. 08	nnw.	5.4 8.3	Altitude of St. base about 1,650 m
		*******		*******	*******	1,500 1,250	800. 2 875. 7	15. 4 16. 0	*******	81 82	14. 18 14. 91	nnw.	9.0 13.7	Altitude of St. base about 1,350 m
8:38	961.9	18.8	93	nnw.	13.9	1,000	901. 4 917. 6	16. 6 17. 0	0.16	83 84	15, 68 16, 28	nnw.	18.4 21.2	Rain began 8:22 a. m. and contin
8:46	962.0	18.8	92	n.	12.5	787	924. 3	17.1	0.50	91	17.74	nnw.	25. 4	ued at end of flight. 10/10 St., nnw.
		*******		******		750 500	928. 0 955. 7	17.3		91 91	17.97	nnw.	24.1	10/10 St., IIIW.
9:00	962.1	18.8	91	n.	13.0	444	962.1	18.5 18.8		91	19.38 19.75	n. n.	15. 0 13. 0	10/10 St.Cu., n. Thunder at 9:10
							July 25, 1	1918.						
P. M.													T	
6:54	960.3	16.9	85	nw.	8.5	444 500	960. 3 954. 1	16. 9 16. 2	,	85 89	16, 36 16, 39	nw.	8.5 7.8	10/10 St., wnw.
6:58	960, 4	16.8	85	nw.	7.6	649	937.5	14.2	1.32	100	16, 19	nw. nw.	6.1	Misting at beginning of flight ended 7:00 p. m.
7:10	960. 5	16. 4	85	nnw.	7.2	750 881	926. 0 912. 1	13, 4 12, 4	0.78	100 100	15, 37 14, 40	nw. wnw.	5.5 4.8	Altitude of St.Cu. base about 900 m
7:51	960. 7	15.8	86	nw.	6.3	1,000	899. 0 878. 2	11.9 11.0	0. 44	100 100	13, 93 13, 13	wnw. w.	5.1 5.5	
	*******	*******				1,250 1,500	872. 4 847. 0	10. 9 10. 2		100 98	13, 04 12, 20	w. w.	5.9 7.8	
7:57	960, 8	15.7	86	wnw.	5.8	1,750 1,884	822. 0 808. 8	9. 4	0, 28	94	11. 08 10. 75	wnw.	9.8	10/10 St., wnw. Head kite collapsed at 7:57 p. m
						2,002	000,0	0.1	0.20	00	10. 70	WALW.	10.1	Light rain began 8:06 p. m.
						,	July 26, 1	1918.						
P. M.	002 0	00.0	0		4.0									
6:03	963. 8	20.0	63	ese.	4.0	444 500	963, 8 957, 8	20. 0 19. 1		65 65	15. 20 14. 37	690. 650.	3.9	6/10 St.Cu., sw.
6:35	964. 4	19. 6	64	ese.	4.5	659 750	940. 5 930. 4	16. 4 15. 6	1. 67	66	12.31 12.23	656. 656.	3.7	
7:00	964. 8	19. 1	64	se.	4.0	1,000	910. 0 904. 0	13. 8	0, 92	74 72	11. 68 11. 22	30. 80.	2.8	
7:29	964. 8	18.5	76	se.	3.6	1,156	887. 2	13.0	0.37	66	9, 89	80.	4.6	8/10 St.Cu., sw.
	004.0	10.0	********			1,250 1,500	877. 3 852. 0	13. 3 14. 2		58 37	8, 86 5, 99	se. se.	4.0 2.4 2.2	
1:30	964. 8	18. 2	78	se.	3.1	1,536 1,500	848, 1 852, 0	* 14.3 14.3	-0.14	34 35	5. 54 5. 70 7. 43	86. 86.	2.3	
						1,250 1,000	877. 3 904. 0	14. 5 14. 6		45 54	7. 43 8. 97	86. se.	3, 3 4, 2	
7:43	964. 8	18.1	78	se.	3.1	972 750	906, 7 931, 0	14. 6 16. 0	0. 61	55 58	9. 14 10. 54	56. 86.	4.3	
7:49	964. 8	18.1	78	80.	2.7	677	938, 8	16.4	0, 64	59	11.00	80.	4.7	
8:02	964. 8	17. 9	77	ese.	3.6	500 444	959. 0 964. 8	17. 5 17. 9		73	14. 60 15. 79	650. 650.	3.9	9/10 St.Cu., sw.
						July	27, 1918	(No. 1).						
6:27A. M.	961. 7	17.4	78	se.	7.2	444	961.7	17.4		70	15. 50	9.0	7.2	10/10 St.Cu., se.
*****	********	******				500 750	955. 4 928. 0	17. 4 17. 5		78 79 82	15. 70 16. 40	50. 50.	8.9 16.2	20/10 06.04.9 80.
6:32	961. 6	17. 4	78	sse.	6.7	850	917.0	17.5	-0.02	84	16, 80	880. 800.	19.2	
6:36	961.6	17.5	78	sse.	7.2	1,000 1,054	901. 1 895. 5	18. 2 18. 5	-0.49	96 100	20, 06 21, 30	580. 880.	20. 6 21. 2	Altitude of St.Cu. base about 1,00
6:50	961.6	18.0	77	sse.	7.6	1,250 1,413	875. 6 858. 9	19. 2 19. 8	-0.36	91 84	20, 25 19, 40	8. 88W.	20.3 19.6	m.
* * * * * * * * * * * * * * * * * * * *			*******			1,500 1,750	850, 8 826, 6	19. 1 16. 3		86 93	19. 01 17. 23	88W. 88W.	18. 7 16. 1	10/10 St., sse.
7:18	961. 9	18.4	78	ne.	5.8	1,964 1,750	805. 2	15. 2	0.74	99	17.10	SSW.	13.8	
7:30.	060.0	10.0	70			1,500	826, 6 850, 8	16.6		98 96	18. 51 19. 94	SSW. S.	14. 5 15. 4	
(.gu	962. 2	18. 3	78	ene.	6. 7	1,413 1,250	858, 9 875, 6	18.7 17.0	-1.06	96 97 99	20, 71 18, 80	8.	15. 7 15. 0	
7:43	962.6	18.1	79	ene.	5.8	1,000	900, 1 907, 0	14. 3 13. 8	0. 52	99	16. 14 15. 62	880. 880.	14. 0 13. 8	Altitude of St. base about 1,000 n
7:55	962. 7	17. 2	80	ne.	8.5	797 750	923. 7 929. 0	14. 6 14. 9	0. 59	99 96 94	15.96	ese.	8.8	The state of the state and the state of the
8:09.	962.8	10.0	84			500	957. 2	16. 4		86	15. 92 16. 04	ese.	8, 8 8, 5 7, 0 6, 7	10/10 St., sse.
		16.7	74.6	0.	6.7	444	962.8	16. 7		84	15, 97	e.	87	

Table 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

July 27, 1918 (No. 2).

	Surfac	90					y 27, 1918	-	ferent hei	ahta aha	170.000			
	Surin	oe.					1 1	At un	letent ner					
Time.	Pressure.	Tem- pera- ture.	Relative humidity.		Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>∆t</u> 100 m.	Humi	Vap.	Dir.	Vol.	Remarks.
0:29,	mb. 959.6	° C. 26. 8	%67	se.	m. p. s. 11. 6	m. 444 500	mb. 959. 6 954. 0	°C. 26.8 26.3		% 67 60	mb. 23. 61 23. 61	80. 80.	m. p. s. 11. 6 12. 0	2/10 St.Cu., se.
0:36	959.5	26. 7	66	se.	12.1	750 849	927. 0 916. 2	22, 8 22, 0	1. 19	76	21. 10 20. 89	30. 30.	13.9 14.6	
0:48	959.3	27.2	66	se.	8.9	1,000	900. 6 882. 1	20, 8 19, 3	0.82	79 82 85	20. 15 19. 03	se. sse.	15.9 17.6	
0:54	959. 2	27.6	65	se.	11.2	1,250 1,504	875. 0 849. 4	19. 7 21. 2	-0.58	78 54	17, 90 13, 60	386. 386.	18.3 21.2	
		********				1,750 2,000	825. 4 801. 6	19. 1 16. 0		58 63	12. 82 12. 13	890. 8.	21.2	
1:14 1:55	958, 9 958, 2	28. 4 30. 0	62 57	sse. s.	8, 9 12, 1	2,046 2,163 2,000	797. 4 786. 8 801. 6	16. 4 17. 5 16. 5	0. 89 -0. 79	64 64 83	11. 93 12. 80 15. 58	5. 35W. 5.	21. 2 20. 7 19. 3	1/10 St.Cu., se.
P. M. 2:24	957.7	30. 9	53	s.	12.1	1,914 1,750	809. 6 824. 9	15. 9 17. 7	1.18	98 87	16. 81 17. 62	5,	18.6 18.1	
2:51	957.3	31.8	53	S.	9.8	1,517 1,500	847. 9 848. 8	20.4	1.13	79 78	18, 94 19, 16	8.	17.4	
1:19.	956.7	31.6	49	S.	9.8	1,250 1,000 896	873, 5 898, 8 909, 6	23, 0 26, 1 27, 4	1.13	69 60 56	19. 39 20. 29 20. 45	8. 8. 8.	16. 1 14. 8 14. 3	7.
1:32.	956.8	31.9	49	8.	11.6	750 684	924. 3 931. 4	29. 0 29. 8	0.91	52 50	20, 84 20, 98	8.	12.9 12.2	
1:36	956.8	32. 0	48	8.	9.8	500 444	951, 0 956, 8	31. 5 32. 0		49 48	22, 66 22, 83	8. 8.	10. 4 9. 8	1/10 Cu., ssw.
				1,			July 28, 1	1918.						
л. м.	964. 5	17.3	71	wsw.	4.9	444	964. 5	17.3		71	14. 02	wsw.	4.0	3/10 Ci.St., sw.; 2/10 A.St., sw.
	964.5	17. 4	69	wsw.	4.9	500 750 848	958, 0 930, 3 919, 8	17. 1 16. 1 15. 7	0, 40	67 49 42	13, 06 8, 97 7, 49	WSW. W. W.	6. 4 12. 9 15. 4	
		******			2.0	1,000 1,250	903. 2 877. 0	14.7 13.1		43 45	7. 19 6. 79	W. W.	15.3 15.2	
7:37	964. 5	17.8	68	WSW.	4.9	1,351 1,500	866, 5 851, 1	12.5 13.2	0.64	46 34	6. 67 5. 16	W. WSW.	15.2	
7:48	964. 5	18. 2	64	wsw.	4.5	1,641 1,750	837. 1 825. 7	13. 8 12. 9	-0.45	22 24 27	3. 47	WSW.	17.9 18.3	
						2,000 2,250	801. 0 777. 0	10.7		31	3.47	WSW.	19.3	
8:25	964.5	19.3	58	WSW.	7.2	2,500 2,625	755. 0 743. 7	6.4 5.3	0, 86	34	3. 27	WSW.	21.3	0
				*******		2,750	732.5 710.4	5.7 6.5	0.00	32 24	2. 93 2. 32	wsw.	22.5 23.8 24.2	
8:48	964.5	19.8	53	wnw.	9.8	3,068 3,250 3,282	704. 4 688. 0 685. 6	6.7 5.0 4.7	-0.32 0.62	22 16 15	2, 16 1, 40 1, 28	w. wnw. wnw.	25. 6 25. 9	Fow A.Cu., sw.; few A.St., sw.
9:48	964.7	20.9	47	wnw.		3,250	688, 0 709, 4	4.8 5.6		16 20	1.38	wnw.	25. 8 24. 8	A OW ALCOHOLD WITH THE STATE OF
0:47	964.8	20.6	56	nw.	10.3	2,854 2,750	721. 7 731. 2	6. 0 5. 0	0.98	22 25	2.06 2.18	wnw.	24.3	
1:15	964.8	20.9	56	nw.	10.3	2,721 2,500	733. 4 753. 9	4.7	0.20	26 43	2. 22	wnw.	18.0	
* * * * * * * * * * * * * * * * * * * *						2,250	777. 0 800. 9			63 83	5. 77 7. 87	wnw.	13.9	
1:45	964. 8	20.3	55	nw.	10.3	1,782	823. 3 826. 4	6.6	1.05	100 97	9. 75 9. 92	wnw.	9.9	Altitude of Cu. base al out 1,750 x
****************						1,500	851. 0	9. 6		87	10, 40	wnw.	10.7	
2:00		20.2	55	wnw.	8.9	1,355 1,250	336. 5 877. 0	11.1 12.0	0, 86	80 76	10. 57 10. 66	wnw.	11.1	
P. M.		*******		******		1,000	904.0	14.1		67	10, 78	Wnw.	11.7	
2:11	964.9	20.8	54	wnw.	8.9	854 750	919. 8 931. 3	15.4 16.6	1.12	61 60	10, 68 11, 33	wnw.	12.0 11.4	
	965.1	20.0	58	wnw.	9.8	500 444	959. 3 965. 1	19. 4 20. 0		58 58	13, 07 13, 56	wnw.	10.1	6/10 Cu., wnw.
0,00							July 29,	1918.			- (12)			
P. M.	968.0	17.0	75	ese.	4.0	444	968.0	17.0		75	14.54	ese.	4.0	Few Cl.St., w.; 1/10 St.Cu., sw.
54	968.0	16.8	77	000,	4.0	500 550	962.3 956.1	17. 0 17. 0	0.00	69 64	13.37 12.40	666. 666.	4.8	
	968.2	15.5	70	ė.	4.0	750 948	934.3 912.5	15.3 13.6	0.91	65 65	11.30 10.13	80.	3.8	
11	968. 4	15. 2	71	0.	4.0	780 598	933. 4 951. 0	15. 5 17. 0	-1.17	62 60	10.92 11.63	0.0	4.9 5.8	P
* ^ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	968.4	15. 2	71		4.0	500 444	962. 9 968. 4	15. 9 15. 2		67 71	12. 11 12. 26		4.7	2/10 St.Cu., sw.

Table 10 .- Free-air data from kite flights at Ellendale Aerological Station, July, 1918-Continued.

	Surfac	œ.					1	At diffe	rent heig	hts abov	70 508.			
			1	I										
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	Remarks.
А. М.	mb,	° C.	61			78.	mb.	° C.		67.				
0:41	967. 2	13.8	% 84	8.	m, p, s, 4.0	444 500 750	967. 2 961. 5	13.8 14.0		% 84 80	12: 10	8.	m. p. s. 4.0 5.6	7/10 St.Cu., sw.
100	967.2	14.0	86	S.	3.6	825 1,000	932. 6 924. 6 905. 0	14. 9 15. 2 14. 4	-0.37	61 55 55	10. 33 9. 50 9. 02	S. S. S.	12.7 14.8 13.6	
:14	967.0	14.2	86	8.	4.5	1, 250	878. 8 862. 7	18.3 12.6	0.45	54 54	8, 25 7, 88	SSW.	11.8	
:45	966.7	15.9	75	sw.	6.7	1,500 1,574 1,750	853. 2 845. 7 828. 0	13.8 14.7 13.1	-1.27	34 18	5. 37 3. 01 6. 43	8. 8. 8.	8. 2 6. 1 6. 1	
:10	966.5	18.3	65	s.	7.2	2,000 2,025	804. 0 801. 5	10.9	0, 89	18 43 78 82	10. 17 10. 55	wsw.	6.0	4/10 A Cu., w.; 2/10 St.Cu., sw
:24		19.0	59	8.	8.0	2, 250 2, 499	780. 5 756. 9	9. 0 7. 1	0.65	86 91	9. 87 9. 18	WSW.	4.7	
:46		19. 1	60	8.	7.6	2, 250 2, 088	780. 5 795. 5	9.1	0.60	86 83	9. 94 10. 47	SW.	6.7	
* * * * * * * * * * * * * * * * * * * *						2,000 1,750	804. 0 828. 0	10.9 12.4		74 48	9.65 6.91	sw.	7.7 8.9	
56		19.8	58	8.	7.2	1,589	844. 2 853. 2	13. 4 13. 6	0. 26	31 37	4. 76 5. 76	38W.	9.6 10.6	
:05		20.1	56	8.	8.9	1,318 1,250	871. 9 878. 8	14.1	0. 41	50 51	8.04 8.36	SSW. 8SW.	12.5 12.3	
:09	966.1	20.1	56	8.	8.0 7.6	1,000 926 926	905. 0 913. 1 913. 1	15. 4 15. 7 14. 7	1.29	55 56 61	9. 62 9. 99 10. 21	SSW. SSW.	11.8 11.6 13.3	
		20.3	56	S		750 500	932. 0 960. 0	17. 0 20. 2	1.49	58 54	11. 24 12. 79	S8W.	11.1	
:23		20.9	53	8.	7.2	444	966.0	20.9		53	13. 10	8.	7.2	5/10 A.Cu., sw.
						July 30	, 1918, seri	les (No.	2).					
A. M.	965.3	21.3	53	S.	4.9	444	965.3	21.3		53	13.42	8,	4.9	5/10 A.Cu., sw.
						500 750	959. 6 931. 5	20.6 17.3		54 57	13. 11 11. 26	S. S.	5. 6 8. 6	, ,, , , , , , , , , , , , , , , , , , ,
):03		21.3	58	S.	7.2	812 1,000	924. 8 904. 4	16. 5 15. 8	1.30	58 58	10. 89 10. 41	8.	9. 4 11. 5	
0:08		21.8	52	8.	6.3	1, 209 1, 250	882.6 878.0	15. 0 15. 0	0.38	57 54	9. 72 9. 21	83W. SSW.	13.8 13.0	
):27	964.9	22.3	50	S.	8.0	1, 494 1, 500	853. 1 852. 4	15.3 15.2	-0.11	38	6.60	SSW.	8.1	
0:42	964.7	22.5	52	g.	6.3	1,750	827. 8 808. 7	13.1	0.87	67 89	10. 10 12. 00	83W. 83W.	9. 1 10. 1	
i:36	964.1	24.1	50	sse.	8.5	2,000 2,245 2,500	803. 2 779. 9 756. 0	11.3 10.7 0.3	0. 23	87 80 63	11.65 10.30 7.38	88W. 88W.	9.1 4.6 5.9	Few A.Cu., sw.
1:50.	963.9	24.4	47	S.	7.2	2, 750 2, 750 2, 908	733.3 719.6	0.0	0. 52	44 37	4. 72	WSW.	7.3	
* * * * * * * * * * * * * * * * * * * *				******		2,750 2,500	733.3 756.0	7.9		44 55	4. 69 6. 36	WSW.	9.2	
						2, 250 2, 000	779.3 803.2	10.3		66	8. 27 10. 45	SW.	12.7 14.4	
2:05. P. M.	963.7	24. 4	48	S.	7.2	1,942	808.7	11.8	0.81	80	11.07	SSW.	14.8	
2:24	963.5	25.0	44	S.	7.2	1,750 1,595	827. 8 842. 3	13.3	-2.50	71 63	10. 84 10. 47	SSW.	13.6 12.6	
2:26	963.5	25.0	44	8.	7.2	1,535 1,500	848. 5 852. 3		0. 97	75 74	11.31 11.37	SSW.	10. 2 10. 3	
2:33,		25. 1	44	S.	8.5	1, 250 1, 186	877.0 884.2	16.5	1.32	65	11. 75 11. 83	S. S.	10.9 11.0	
2:54	963.2	25.6	45	sse.	8.9	1,000	903. 0 924. 8	21.6	1. 24	57 50	12. 53 12. 90	8. 590.	10.4 9.8	
e		00.0				750 500	929. 5 957. 0	25.3		49	13. 12 14. 84	890. 890.	9.5 8.3	Warre Cil Sit ou
1:02	963.1	26.0	45	390,	8.0	444	963.1			45	15. 13	390.	8.0	Few Cl.St., w.
	1		1			July 30	, 1918, seri	ies (No.	3).					
P. M. 1:38	963.9	26.4	42	se.	8.0	444	963.9			42	14.46	80.	8.0	Few Cl.St., w.
		98.9	49		7.2	500 750 818	957. 7 930. 0 923. 4		1.31	42 42 42	13.87 11.39 10.77	90. 580.	8.5 10.8 11.4	
1:43		26.8	43	se.	1.2	1,000 1,250	923. 4 903. 9 878. 0	19.8		48 57	11.00 11.40	850. 850.	11.1	
2:17	963.7	27.1	42	8.	8.5	1, 470 1, 500	855. 9 852. 8	15.4	0.94	65	11.38 11.40	5. 8.	10.5	
	** ********					1,750 2,000	827.8 803.8	13.2		74 82	11. 23 10. 91	SSW.	9.1 7.9	
3:03	963.5	27.3	43	S.	5.8	2, 191 2, 000	785. 6 803. 8	9.7	0.80	88 85	10.59 11.30	WSW.	6.9 7.6	
4:01		27.2	46	8.	7.2	1,750 1,588	827.8 843.6	13.2 14.5	1.03	81 79	12. 29 13. 04	SW.	9.0	Few A.Cu., sw.
						1,500 1,250	852.8 878.0	15.4		76 63	13.30 14.04	SSW.	8.9 8.7	
4:12	962.7	27.0	47	S.	5.4	1,000	903.9 925.1	20.6 22.7	1. 23	60 53	14.56 14.62	88W.	8.6	
						750 500	930.0 956.8	26.3		52 48	14.79 16.43	SSW.	8.0 7.4	100 100
1:34	962.6	27.0	47	S.	7.2	444	962.6	27.0		47	16.76	9.	7.2	1/10 A.Cu., sw.

OBSERVATIONS AT ELLENDALE, JULY, 1918.

Table 10.—Free-air data from kite flights at Ellendale Aerological Station, July, 1918—Continued.

July 39, 1918, series (No. 4).

	Surface).						At diffe	rent helg	hts abov	e sea.			
	1		Rela-	Wi	nd.			The same		Humi	dity.	W	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
Р. М.	mb. 962.5	*C. 27.1	%47	s.	m. p. s. 4. 0	m. 444 500	mb. 962.5 956.2	° C, 27.1 26.4		% 47 47	mb. 16.86 16.18	8.	m. p. s. 4.0 4.8	1/10 A.Cu., sw.
:11	962.4	27.1	48	3.	4.0	750 771 1,000	929.0 927.1 902.6	23. 2 22. 9 22. 2	1.28	50 50 53	14. 22 13.96 14. 19	S. S.	8.1 8.4 8.2	
:05	962.1	26.7	51	8.	3.1	1,250 1,378 1,500	876.5 863.9 851.1	18. 2 16. 9 16. 4	0.99	69 74 68	14.42 14.24 12.68	98W. 98W. 8W.	7.1 6.8 6.0	Few A. St., wsw.
:37	961.5	23.7	67	S.	5.4	1,750 1,869 1,750	826. 0 814. 7 826. 0	15.4 14.9 15.5	0.48	57 51 55 64	9. 98 8. 64 9. 69	WSW. W. W.	4.5 3.7 5.0	
:05	961.2	21.5	76	sse.	4.5	1,500 1,259 1,250	851.1 874.9 876.0	16.9 18.2 18.3	0.96	72 72	12.32 15.05 15.14	88W. 88W.	7.9 10.6 10.7 12.7	
22	961.4	20.5	80	sse.	4.9	1,000 853 750	902.4 917.1 928.5	20.7 22.1 21.7 20.5	-0.44	64 50 64 77	15.63 15.69 16.61 18.57	8. see. see.	13.9 11.6 6.1	
30	961.5	20.3	80	sse.	4.9	500 444	955. 0 961. 5	20.3		80	19.06	580.	4.0	1/10 A.St., waw.
		1	1	1	1	July 3	10, 1918, se	ries (No	. 5).			1		
P. M.	. 961.7	20.0	79	sse.	4.5	444 500 750	954.8	20.0 19.9 19.2		79 76 64	18.47 17.66 14.24	550. 550. 5.	4.5 5.8 11.5	1/10 A.St., wsw.
57		19.9	79	sse.	4.9	809	921.9	19.1 18.6	0.25	61 65	13.49 13.94	8. 88W.	12.8 9.3	Aurora from 9:10 to 10:50 p. m.
:55		18.0	87 85	8.	3.6	1,232 1,250 1,463	875.5 854.4	18.0 18.0 17.4	0.26	70 69 63	14. 45 14. 24 12. 52	SW. SW. WSW.	5.1 4.9 2.0	Few A.St., wsw.
:55	962.1	17.8	83	S.	4.5	1,247 1,000 841	901.6 918.6	18.3 19.0 19.5		70 61 55	14.72 13.40 12.47	8. 8.	7.0 12.6 16.2	
:19.	962.1	17.0	83	8.	4.5	750 500 444	955.8	18.9 17.4 17.0		61 78 83	13.32 15.50 16.09	9. 8. 8.	13.5 6.2 4.5	Cloudless.
		1	1	1	1	July 30	, 31, 1918,	series (!	No. 6).					
Р. М.	962.1	16.9	83	8.	3.6	444		16.9		83	15.98	8.	3.6	Cloudless, Aurora from 11:45 p.
						750	927.9	17.1		81 71 61	15.80 14.75 13.40	8.	4.5 8.5 12.5	to 12:30 a. m.
A. M.		16.2	86	3.	2.7	1,000		19.0	-0.38	58	12.99	s.	13.7	
157		14.8	90		2.7	1,250 1,500 1,534	849.7	19.0 18.5 18.4		55 52 51	12.08 11.08 10.79	35W.	9.7 4.2 3.4	
						1,500	875.2	18.7		51 52 52	11.07 13.67 13.67	85W.	10.9 12.4	
2:26	961.8	14.7	90		2.7	1,198 1,000 928	901.2	21.9 19.4 18.4		57 50	12.68 12.48	86W.	13.0	
2:35	961.8	14.6	91	S.	2.1	750	927.9	17.0		71 87	13.76 14.83	BEW.	9.5	
2:42	961.8	14.6	91	8.	3.1	44	961.8	14.6		91	15.12		3.1	Cloudless.
		1	1	1	1	July	31, 1918, 50	eries (N	0. 7).	1	1	1	1	1
4:38	961.6			ssw.	3.1	44 50	955.4	14.5		. 84	14.04 13.87	88W.	3.1	Cloudless.
:43	961.6	14.0	87	SSW.	3.6	. 75	0 927.3	19.6		. 64	12.84 14.60	83W.	8.8	
:11	961.4	14.3	87	SSW.	3.6	1,00	0 900.8	22.4		. 57	17.56	88W.	3.0 3.3 3.7	
3:17	961.4	14.4	85	ssw.	3.1	1,25	0 856.3	19.9	0.56		12.68 10.69 10.59	SW.	4.0	
						1,50	0 825.4	19.4		40	9.86	SW.	5.8	1
3:22	961.4	14.5	85	SSW.	3.6		9 793.0	15.0	0.80	52	8.87 9.10	SW.	7.8	Cloudless.
330	961.3	14.8	85	SSW.	3.1		1 825.6	17.8	0.77		10.19	sw.	5.4 4.5	
***************						1,50	0 875.	21.7		. 45	11.68	SW.	3.6	
3:48 3:53	961.1	15.6	83	SW.	3.1	81	4 920.2	17.8	12.00	62		SW.	3.2 5.1	
:56					3.6	. 75	0 927.2	17.3		. 65	12.84	SSW.	4.9	
7:03	961.1					. 50	0 955.4	16.3		. 78	14.48	83W.	3.8	
:08	961.2	16.4	80	ssw.	3.6	11	31, 1918, 5		0, 8).	- 30	28.00	1	0.0	1
А. М.		T	1	I	1	1		T	1		1 40.00		1	Faw St Co. wnw.
7:37 7:44	961.4				5.8 4.9	44 48 50	6 956.8	15.	5.24		14.5	I SSW.	5.8 4.5 4.3	
					4 8					63	16.0	6 86W.	2.0	
8:26 8:33	961.3				4.5	72 67				67	12.7		2.9	

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918.

August 1, 1918.

	Surfac	10.						At diffe	erent heig	hts abov	0 500.			
		Tem-	Rela-	W	ind.	A 142		Tem-	Δt	Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M.	mb. 962.1	° C. 29.2	% 52	ne.	m. p. s. 7.2	m. 444 500	mb. 962.1 956.7	° C. 29.2 28.4		% 52 52	mb. 21.08 20.12	ne, ne.	m. p. s. 7. 2 7. 6	2/10 A.St., ne.
2:29	962.1	29.1	52	ne.	7.6	750 816 1,000	929, 5 922, 4 902, 8	24.8 23.8 22.3	1.45	54	16. 91 16. 22 16. 97	ne. ne.	9.3 9.7 7.8	
1:43	962.4	29.0	49	nne.	8.0	1,168 1,250	886.2 877.0	21.0 20.0	0.80	63 70 72	17.41 16.83	nne.	6.1	
1:49	962.4	29.0	49	nne.	6.3	1,500 1,509 1,750 2,000	852. 0 851. 7 827. 2 802. 9	17. 1 17. 0 14. 8 12. 4	1.17	79 79 88 97	15, 40 15, 31 13, 13 13, 97	nne, nne, nne,	7.9 8.0 8.2 8.3	Altitude of St.Cu., base about 2,00
2:11	962.5	28.7	49	ne.	6.3	2,000 2,077 2,000 1,750	796.6 802.9 827.7	11.7 12.4 14.7	0.92	100 97 89	13. 75 13. 97 14. 89	n. n. n.	8.4 8.3 7.8	ш,
2:19	962.5	28.7	49	ne.	8.0	1,500 1,432 1,250	852. 8 859. 4 878. 0	17. 0 17. 6 19. 5	1.05	80 78 70	15, 50 15, 70 15, 87	n. n. n.	7.4 7.3 7.7	2/10 Ci.St., w.; '5/10 St.Cu., n.
3:35	962.7	28.4	55	ne.	8.5	1,000 822 750	904.0 922.4 930.2	22.1 24.0 24.8	1.06	60 52 51	15. 96 15. 52 15. 97	nne, nne, nne,	8.4 8.8 8.6	
3:44	962.7	28.0	45	ne.	7.6	500 444	956. 7 962. 7	27.4 28.0		46 45	16.79 17.01	ne. ne.	7.8	1/10 Cl.St., w.; 4/10 St. Cu., n.

August 2, 1918.

2:27 P. M.		26.0	46	sse,	5.4	444 500	964.5 958.2	26.0 25.4		46 46	15.47 14.93	880. 880.	5.4	7/10 Cl.St., nnw.
2:58	964.2	27.3	40	sse,	5.4	750 809 1,000	930, 8 924, 9 904, 3	22.9 22.3 20.6	1.01	44 44 47	12, 29 11, 85 11, 41	80, 80,	6.0 6.1 6.3	Solar halo, 22° radius, from 1:10 : 1:25 p. m.
1:11	964.1	27.1	39	880,	5.4	1, 185 1, 250	885.4 878.4	19.0 18.5	0.88	50	10.98 10.65	890, 890,	6.6	1.20 р. ш.
1:49	963.6	27.9	35	sse.	4.9	1,500 1,520 1,750	853. 2 850. 9 828. 3	16.6 16.4 17.1	0.78	53 53 35	10.01 9.88 6.82	\$30, \$30, \$8W.	7.7 7.8 6.5	9/10 St.Cu., nnw.
3:00				sse.	4.0	2,000 2,069	804.4 797.3	17.8 18.0	-0.29	15	3.06 2.06	SW. WSW.	5.0 4.6	
				1	1	2, 250 2, 500 2, 750	780.8 757.8 736.0	16.8 15.3 13.7		12 16 19	2.30 2.78 2.98	WSW. WSW.	4.8 5.0 5.2	Rain from 3:05 to 3:10 p. m.
3:12	963.0	27.6	44		4.5	2,901 2,750	722.8 736.0	12.7 13.8	0.65	21 21	3.08	W. W.	5.4 5.9	
3:30		27.8	44	sse.	3.6	2,500 2,250 2,156	757.8 780.8 789.7	15.3 17.0 17.6	-1.60	20 19 19	3.48 3.68 3.82	WSW. SW.	6.8 7.7 8.0	
3:36		27.4	46	sse.	3.6	2,000 1,962	804.4	15.1 14.5	1.06	28 30	4.80	SW.	9.4	
3:47	962.9	26.8	49	SSO.	3.1		828, 3 830, 9 852, 8	16.7 17.0 19.1	0.91	48 50 48	9. 12 9. 69 10. 83	SSW. SSW.	10.0 10.0 10.0	
3:59	962.8	26.1	53	880,	3.6	1,287 1,250	874.3 877.3	21.0 21.3	0.92	45 45	11.19 11.40	8, 8,	10.0 9.8	
4:08	- 962.5	25.9	54	880,	5.4	810	903. 2 923. 3 929. 5	23.6 25.4 25.4	0.08	41 39 41	11.64 12.66 13.30	\$50, \$50,	8.4 7.3 7.5	Rain from 4:05 to 4:10 p. m.
4:17			54		8.5	500	956. 2 962. 2	25.6 25.7		52 54	17.08 17.84	636. 696.	8.3 8.5	10/10 St.Cu., w.

August 3, 1918.

A. M.	958.4	19.2	88	8.	4.0	958. 4 952. 2	19. 2 19. 7		88 84	19.58 19.28	8. SSW.	4.0	9/10 Cl.St., nw.
					******	750 925.6	21.9		68 52	17.87 15.70	wsw.	6.4	
7	958. 4	20.3	84	8.	5.8	000 899. 0 094 889. 5	24. 2 25. 0	-0.89	46	14.57	nw. nnw.	9.1	
						250 873.5 500 848.8	23.9 22.1		46 46	13.64 12.24	nnw.	8.8 8.3	
				1		750 824.9 000 801.3	20.3 18.6		45 45	10.72 9.86	nnw.	7.7	
8	958.4	24.2	67	ssw.	5.4	052 796.5	18.2	0.71	45 50	9.40 9.15	nnw.	7.1	3/10 Ci.St., nw.; 4/10 A.St., n
			*******			500 756.0	16. 1 13. 4		57	8.76	nnw.	6.9	
4		26.0	66	ssw.	4.0	750 733.8 500 756.0	10.8	1.06	64	8. 29 9. 38	nnw.	6.8	
9	**********	26.0	65	SSW.	4.0	250 778. 7 076 795. 0	16. 1 17. 9	1.16	59 57	10.80 11.60	nnw.	6.1 5.8	
*		-				000 801.3	18.8		56 51	12. 15 13. 24	nnw.	5.9	
9	958.1	25.6	67	ssw.	5.4	750 824.9 575 842.4	21.7 23.7	0.84	48	14.07	nnw.	6.4	
						500 848.8 250 873.5	24. 3 26. 4		47	14. 28 15. 15	nnw.	6.0	
5	958. 2	25.4	68	ssw.	4.9	064 892.8 000 899.0	28. 0 26. 9	-1.67	42 47	15.88 16.66	nnw.	3.6	
			*******			750 925.6	22.8		67 74	18.60	nnw.	3.6	
·	958.3	25. 2	69	SW.	4.5	934.7 952.2	21.3 24.1	1.74	70	18. 74 21 01	wsw.	4.3	
28	958.3	25.1	69	SW.	4.5	958.3	25.1		60	21.90	SW.	4.5	9/10 A.St., nw.

OBSERVATIONS AT ELLENDALE, AUGUST, 1918.

Table 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 4, 1918.

						-	August 4,	17101						
	Surfac	0.					110	At diffe	rent heig	hts abov	e sea.			
Mend		Tem-	Rela- tive	W	ind.	Alti-		Tem-	Δε	Humi	dity.	W	ind.	Remarks.
Time.	Piessure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Preasure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M. 8:23.	mb. 956.3	° C.	% 76	nw.	m. p. s. 6.3	m. 444	mb. 956.3	° C. 23.5		% 76	mb. 22.01	nw.	m. p. s. 6.3	3/10 St.Cu., nw.
						500 750	950.3 923.6	23. I 21. 2		65	20.92 16.37	nw.	6. 5 7. 5	
3:33	956.7	23.8	76	wnw.	6.7	811 1,000	917. 2 897. 3	20.7 19.8	0.76	63 64	15.38 14.78	nw.	7.7	
):17	956.7	25. 5	68	wnw.	4.5	1,250 1,458	872.0 851.1	18.6 17.6	0.48	65	13. 93 13. 29	nnw.	7.8	
			*******	******		1,500 1,750	847.3 823.2	17.6 17.2	0.50	63 48	12.68 9.42	nnw.	7.7 7.0 6.8	Cloudless,
10:17	956.7	27.0	65	W.	4.0	1,843	814. 2 823. 2 846. 5	17.1 17.9 20.1	0. 32	42 40 36	8. 19 8. 20 8. 47	n. n. n.	6.9	
10:26	956.7	27. 2	64	W.	4.5	1,512 1,500 1,250	847.3 872.0	20. 1 20. 1 21. 1		37 50	8. 71 12. 52	n. nnw.	7.0	
10:33	956.7	27.3	61	wnw.	4.5	1,103	887.4 897.3	21.6 22.5	0.84	58 57	14.96 15.54	nnw.	4.7	
	050.7	07 8	*******	*******	4.0	750 637	923. 6 936. 0	24.6 25.5	1.14	55 54	17.02 17.63	nw.	5.2 5.4	
10:44	956. 7 956. 7	27.5	56	wnw.	4.0	500 444	950.3 956.7	27.1		53	19.01 19.00	wnw.	4.4	Cloudless.
10.77	900.1	24	1 00				1		1			1	1	
						Aug	ust 5, 191	8 (No. 1).					
A. M.	959.5	16.6	86	nne.	6.7	444	959. 5	16.6		86	16. 25	nne,	6.7	10/10 St.Cu., wsw.
6:38	930.5	10.0				500 750	953. 2 926. 0	16.6 16.6		82 63	15.49 11.90	nne. ne.	7.7	
6:48	959.7	16.6	36	n.	6.3	802 1,000	920. 2 899. 0	16.6 15.2	0.00	50 64	11.15 11.05	ne. ne.	12.8 11.2	
7:17	960.2	17.0	85	n.	4.5	1,250 1,332	873. 0 864. 9	13.5 12.9	0.70	70 72	10. 83 10. 71	ene.	9.3 8.6	
						1,500 1,750	847. 7 823. 7	12.3 11.5		81 95	11.59 12.89	80,	7.8	
7:58 9:00	. 961.0 960.8	18.1 18.9	80 77	nne.	5.8	1,848 1,751	814.0 823.2	11.1 11.9	0.58 -6.00	100 91	13. 21 12. 68	880,	4.5	7/10 A.St., wsw.; 2/10 St.Cu., wsw.
9:11	. 960.9	19.0		D0.	7.6	1,721	826. 2 848. 5	10.1	0.61	94 82 70	11.62 11.05 10.42	ene.	9.4 11.0	
9:22	. 960.9	19. 2	72	ne.	8.0	1,262	872.7 874.0 900.2	12.9 13.0	0.86	70 63	10.49	ne. ne.	11.0	
9:35	961.0	20.8	69	no.	8.5	1,000 879 750	913. 5 927. 0	15.1 16.2 17.7	1.15	60	11.05 12.35	ne.	12.7	
0.47	961.0	21. 2	63	Do.	7.6	500 444	954. 5 961. 0	20.6		63	15. 29 15. 86	ne.	8.3 7.6	7/10 St.Cu., wsw.
9:47			00	1	1	1)	1			1		1	-	1
						Aug	rust 5, 191	8 (No.	2).					6
12:52	960.4	21.9	60	ne.	6.3	444	900.4	21.9		60	15.77	ne.	6.3	9/10 St.Cu., sw.
12:59	960.4	21.7	58	ne.	5.8	500 735	954. 6 928. 4	21.1 17.6	1.48	50	14.77 10.87	ne.	8.4	
1:49	980. 2	21.0		ne.	5.4	750 984	927.0	17.5 15.2	0.96	54 55 68	11.00	nne.	7.8	Thunder first heard 1:15 p. m., sw
***************						1,000 1,250		15.1 13.8		67 58	11.50 9.15		7.8	of station; last heard at 5:00 p. m s. of station,
1:54		21.0	53	ne.	5.4	1,287 1,250	869.6 873.2	13.6 13.9	0.65	56 58	8.72 9.21		7. 2 7. 0	
2:00	960.1	21.0	53	nne.	5.4	1,106	899.4	15.0 15.7	0.69	64 64	10.91		6.4	
2:11	959.9	20.7	50	ne.	5.4	777 750	923.3 925.8	17. 2 17. 5		63	12.56 12.60	ne.	7.9	
2:20		20.5	48	nne.	6.3	500 444	953. 0 959. 7	19.9 20.5			11.85 11.58	nne.	6.6	10/10 St., sw. Rain began 2:55 p.m
	1	-	1	1	1	Are	gust 6, 191	8 (No.	0.					
	1	1	1	1				1	1	1	1	1	1	
6:50	. 958.7	14.4	96	n.	2.7	444	958.7	14.4		96	15.74		2.7 5.1	6/10 Cl.St., w.; 3/10 St., w.
6:55	958.7	14.6	94	n,	2.7	500 539	948.0	14.8	-0.63	91 87	15.32 14.83	nne.	6.8	
7:01		14.9		nne.	3.1	681 750	982.4 925.2	15.8	1	83 82	14.90 15.01	ne.	6.4 5.8 5.5	
8:02 8:08	. 959.4	17.7 18.0	85 84	nne.	3.1	781 893	922.1 910.3	16.3 15.6	0.34	82 80	15.19 14.18	ne.	4.6 5.0	4-
8:15	000 0	18.3	87	nne.	3.6	750 738	927.2	15.7	0.88	91 92 90	16. 23 16. 41 18. 34	nne.	5.0	
8:19		18.3	90	n,	3.6	500 444		17.8 18.3		90	18.93		3.6	9/10 St., w.

Table 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

			o sea.	hts abov	rent heig	At diffe						0.	Surfac	
Remarks,	nd.	W	dity.	Humi					ind.	W	Rela-	Tem-		
	Vel.	Dir.	Vap. pres.	Rel.	<u>∆</u> t 100 m.	Tem- pera-	Pressure.	Alti- tude.	Vel.	Dir.	humid- ity.	pera- ture.	Pressure.	Time.
1/10 Ci.St., sw.; 1/10 St.Cu.,	m. p. s. 3. 6	w.	mb. 17.87	%51		° C. 26.7	mb. 959.4	m. 444	m. p. s. 3. 6	w.	% 51	* C. 26.7	mb. 959.4	8:65
1/10 00., 11 %.	4.1 6.4	w. wnw.	17.25 15.36	51 54	1.14	26.1 23.2	953.5 926.5	500 752	3.6	w.	59	26.0	959.6	6:30
	6.9	wnw.	14.47	60		20.5	900.1	1,000	4.9	wnw.	64	25.2	959. 8	7:90
	6.9 7.4 7.3	wnw.	13.42 13.36	60 65 66	1.11	18.0 17.7	877.5 874.0	1, 250	7.0	******		******		•••••
	6.2 5.0	wnw.	12.53 11.66	73 81 86 79 69 59	*******	15.1 12.4	848.9 824.7	1,500 1,750			*******			
3/10 Cl.St., sw.; 1/10 A.St., sw.	4.2 5.7	wnw.	10.92	86	1.04	10.5	806.6 824.7	1,933	5.8	nw.	76	19.7	960,3	8:49
	7.9	nw.	11.76	69	******		848.9 874.0	1,500 1,250					******	
	10.0	nw.	11.82	58	0.78	17.8	877.5	1, 224	6.7	nw.	84	18.0	960.7	9:26
	12. 2 13. 4	nw.	11.86	58 52 48 57 78	-0.66	19.6	900.1 914.7	1,000	6.7	nw.	83	17.8	960.9	9:41
	11.0	nw.	13.17	57			927.2 955.4	750 500					********	******
1/10 A.St., sw.	4.9	nw.		83			961.0	444	4.9	nw.	82	17.8	961. 0	9:50
*						918.	ugust 7, 1	A						
10/10 St.Cu., sw.	3.6	nne.	13.66	93		12.7	964.5	444	3.6	nne.	93	12.7	964. 5	6:34
10/10 51.04., 8%.	6.2	nne.	12.08	85	0.04	12.2	958.3	500 620	3.6	ne.		12.8	964.6	6:36
	11.8	ne.	10.47	68	0.94	11.1	944.5 929.8	750					********	************************
	9.6	ene.		69 70 72 74	-1.62	14.3	922.6 902.7	1,000	4.0	ne.	91	13.0	964.6	6:43
	7.8	ne.	10.72	74 70	0.60	12.5	890, 2 876, 4	1, 120 1, 250	4.0	ne.	96	13.2	964.8	8:57
	5.4	ne.	8.26	65	********	10.5 .	851.3	1,500	7.4			10 4	965.7	9:31
10/10 A.St., sw.	3.7	ne. ne.	3.81	65 58 30	0.72	9.1	842. 2 826. 4	1,593 1,750	7.6	ne.		16.4	********	***********************
	2.2 2.7 4.6	ne.		28 27 49	-0.90 0.07	9.8	825. 4 810. 2	1,760	6.7 5.4	ne.		16.2 16.3	965. 8 965. 8	9:38 9:46
	5.2	ne.		49 55	0.79	9.2	826.4 831.5	1,750	5.4	ne.	69	16.6	965.9	0:00
	5.8	ne.	7.80	61		10.6 .	851.5	1,500		******				****************
	6.7	ne. ne.	10.42	69 70	-0.05	12.6 12.9	877.7 882. 4	1, 250 1, 207	6.7	ne.	66	16.8	966.0	0:14
	7.4	ne.		76 81	1.05	12.8 12.7	904.4 922.6	1,000	6.3	ne.	66	16.8	966.1	0:36
	7.2	ne.	12.15	78 68	******	13.6 .	931.8 960.2	750 500		******		******	********	***********************
10/10 St.Cu., sw.		ne.			******		966.1	444	4.5	ne.	66	16.8	966.1	0:48
						918.	ugust 8, 1	A						
Few Cu., sew.			13. 81	48		23.4	961.0	444	5.4	8.	48	23.4	961.0	P. M.
rew Cu., sew.	5.2	8.	13.69	49		22.9	954.8	500						******************
	4.4	SSW.		54 55	0.90	20.6	927.3 918.3	750 832	4.5	ssw.	52	24.3	960.3	2:44
	4.4	SSW.		58	1.14	18.0	900.6 890.3	1,000	5.8	88W.	49	24.8	960.0	3:09
	5.3	SSW.	11.77	66		15.7 -	874.8 849.9	1,250 1,500		******				************************
	6.5	SSW.					824.0	1,750			40	04.0	959.3	:07
2/10 Ci.St., w.; 3/10 St.Cu., ssw.	6.6	SSW.	12.54	90		11.9 .		2 000				24.9	909.3	***************************************
2/10 Ci.St., w.; 3/10 St.Cu., ssw. Altitude of Cu. base about 2,000	8.7	SSW. SSW.	12.54 12.45 19.72 1	90 100 74	0.76	10.2	801.9 799.5	1,972 2,000	5.4	8.				
2/10 Ci.St., w.; 3/10 St.Cu., ssw. Altitude of Cu. base about 2,000	8.7 8.2 7.9	SSW. SSW.	12.54 12.45 9.72 8.22	90 100 74 61	0.76	10.2 11.0 11.4	801.9 799.5 797.4	1,972 2,000 2,014	6.3	s. s.		25. 2	958.9	
	8.7 8.2 7.9 7.7 7.5	SSW. SSW. SSW. SW.	12. 54 12. 45 9. 72 8. 22 6. 95 5. 69	90 100 74 61 57 52	0.76 -2.86	10.2 11.0 11.4 9.9 8.3	801. 9 799. 5 797. 4 775. 8 752. 8	1,972 2,000 2,014 2,250 2,500	6.3	8.	51			***************************************
2/10 Ci.St., w.; 3/10 St.Cu., ssw. Altitude of Cu. base about 2,000 2/10 Ci.St., w.; 3/10 St.Cu., ssw.	8.7 8.2 7.9 7.7 7.5 7.3 7.4	SSW. SSW. SSW.	12.54 12.45 9.72 8.22 6.95 5.69 4.71 4.71	90 100 74 61 57 52 48 48	0.76	10.2 11.0 11.4 9.9 8.3 6.7 6.7	801. 9 799. 5 797. 4 775. 8 752. 8 730. 3 730. 0	1,972 2,000 2,014 2,250 2,500 2,741 2,750			51	25. 2 25. 0	958.5	:46
	8.7 8.2 7.9 7.7 7.5 7.3 7.4 8.7	SSW. SSW. SSW. SW. SW. WSW. WSW.	12. 54 12. 45 9. 72 8. 22 6. 95 5. 69 4. 71 4. 71 3. 86	90 100 74 61 57 52 48 48 41	0.76 -2.86	10.2 11.0 11.4 9.9 8.3 6.7 6.7	801. 9 799. 5 797. 4 775. 8 752. 8 730. 3 730. 0 708. 0	1,972 2,000 2,014 2,250 2,500 2,741 2,750 3,000	6.3	8.	51 51	25.0	958.5	:46.
	8.7 8.2 7.9 7.7 7.5 7.3 7.4 8.7 10.1 11.0	SSW. SSW. SSW. SW. SW. SW. WSW. WSW. WS	12. 54 12. 45 9. 72 8. 22 6. 95 5. 69 4. 71 4. 71 3. 86 2. 98 2. 55	90 100 74 61 57 52 48 48 41	0.76 -2.86	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 1 5. 5	801. 9 799. 5 797. 4 775. 8 752. 8 730. 3 730. 0 706. 0 686. 8 673. 9	1,972 2,000 2,014 2,250 2,500 2,741 2,750 3,000 3,250 3,404	4.5	s. s. sse.	51 51	25. 0	958.5	:46.
	8.7 8.2 7.9 7.7 7.5 7.3 7.4 8.7 10.1 11.0 10.0 8.4	SSW. SSW. SSW. SW. SW. SW. WSW. WSW. WS	12. 54 12. 45 9. 72 8. 22 6. 95 5. 69 4. 71 4. 71 3. 86 2. 98 2. 98 3. 07 3. 94	90 100 74 61 57 52 48 48 41	0.76 -2.86 0.64	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 7 5. 5 5. 1 5. 9 7. 1	801. 9 799. 5 797. 4 7775. 8 752. 8 730. 3 730. 0 706. 0 686. 8 673. 9 686. 8 708. 0	1,972 2,000 2,014 2,250 2,500 2,741 2,750 3,000 3,250 3,250 3,250 3,000	6.3	s. s. sse.	51 51	25.0	958. 5 958. 4	:53,
	8.7 8.2 7.9 7.7 7.5 7.3 7.4 8.7 10.1 11.0 10.0 8.4 6.8 6.7	SSW. SSW. SSW. SW. SW. SW. WSW. WSW. WS	12.54 12.45 9.72 8.22 6.95 5.69 4.71 4.71 3.86 2.98 2.55 3.07 3.394 4.93	90 100 74 61 57 52 48 48 41	0.76 -2.86 0.64	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 1 5. 5 5. 1 5. 9 7. 1 8. 3 8. 4	801.9 799.5 797.4 775.8 752.8 730.0 708.0 686.8 673.9 686.8 708.0 730.0 731.8	1, 972 2, 000 2, 014 2, 250 2, 500 2, 741 2, 750 3, 000 3, 250 3, 404 3, 250 3, 000 2, 750 2, 733	4.5	s. s. sse.	51 51 56 56	25. 0	958. 5 958. 4	.:46. .:53.
	8.7 8.2 7.9 7.7 7.5 7.3 7.4 8.7 10.0 10.0 8.4 6.8 6.7 7.2	8SW. SSW. SSW. SSW. SW. WSW. WSW. WSW. WSW. WSW. WSW. WSW.	12.54 12.45 9.72 8.22 8.22 8.22 5.69 4.71 4.71 3.86 2.55 3.07 3.94 4.93 6.09	90 100 74 61 57 52 48 41 33 29 45 45 45 52 60	0.76 -2.86 0.64	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 1 5. 5 5. 1 5. 9 7. 1 8. 3 8. 4	801.9 799.5 797.4 775.8 752.8 730.3 730.0 708.0 686.8 673.9 686.8 708.0	1, 972 2, 000 2, 014 2, 250 2, 500 2, 741 2, 750 3, 000 3, 250 3, 404 3, 250 2, 733 2, 733 2, 500 2, 250	4.5	s	51 51 56 56 56 56 56 56 56 56 56 56 56 56 56	25. 0 25. 1 24. 9	958. 5 958. 4 958. 3	:68.
	8.7 7.9 7.7 7.5 7.3 7.4 8.7 10.1 11.0 10.0 8.4 6.8 6.7 7.2 8.3	SSW. SSW. SSW. SSW. SW. SW. SW. WSW. WS	12. 54 12. 45 9. 72 6. 95 5. 69 4. 71 3. 86 2. 98 2. 55 3. 07 3. 94 4. 93 4. 93 4. 93 4. 93 8. 6. 09 7. 8. 61	90 100 74 61 57 52 48 41 33 29 33 39 45 52 60 66	0. 76 -2. 86 0. 64 0. 37	10.2 11.0 9.9 8.3 6.7 6.7 6.1 5.5 5.1 7.1 8.3 8.4 9.3 10.9	801.9 799.5 797.4 775.8 752.8 730.3 730.0 708.0 686.8 673.9 686.8 708.0 731.8 753.2 777.2 7794.3	1,972 2,000 2,014 2,250 2,500 2,741 2,750 3,000 3,250 3,404 3,250 2,750 2,750 2,750 2,500 2,250 2,250 2,250 2,250	4.5	s	51 51 56 56 56 56 56 56 56 56 56 56 56 56 56	25.0	958. 5 958. 4 958. 3	:46. :53. :06.
	8.7 7.9 7.7 7.5 7.3 7.4 8.7 10.0 10.0 8.4 6.8 7.2 7.8 8.3 8.3 8.5 8.9	83W. 83W. 83W. 83W. 84W. 85W. 85W. 85W. 85W. 85W. 85W. 85W. 85	12. 54 12. 45 12. 45 18. 22 8. 22 8. 22 6. 95 5. 69 4. 71 4. 71 3. 86 2. 55 3. 07 3. 3 94 4. 93 4. 93 4. 96 8. 61 8. 61 8. 62 9. 7. 47 8. 61 8. 62 9. 63 9.	90 100 74 61 57 52 48 48 41 33 29 45 45 52 60 66 68 80	0.76 -2.86 0.64 0.37 0.37	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 1 5. 5 7. 1 8. 3 8. 4 9. 3 10. 2 10. 9 12. 0 13. 6	801.9 799.5 797.4 775.8 752.8 752.8 730.3 730.0 708.0 686.8 673.9 686.8 708.0 731.8 753.2 777.2 7794.3 801.4	1,972 2,001 2,014 2,250 2,501 2,741 2,750 3,000 3,404 3,250 3,404 3,250 2,750	4.5	s. s	51 51 56 56 56 56 56 56 56 56 56 56 56 56 56	25. 0 25. 1 24. 9	958. 5 958. 4 958. 3	
	8.7 7.9 7.75 7.4 8.1 10.0 8.4 6.8 7.2 8.5 8.5 8.5 8.5 9.7,9	SSW. SSW. SSW. SSW. SW. SW. SW. WSW. WS	12.54 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 13.46 13.86 13.86 13.86 13.86 14.71 14.71 14.71 14.71 14.71 14.71 14.71 15.66 16.09 17.47 18.86	90 100 74 61 57 52 48 48 41 33 29 45 45 52 60 66 68 80	0.76 -2.86 0.64 0.37	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 7 6. 1 5. 5 5. 1 8. 3 10. 2 10. 9 12. 0 13. 6 14. 8	801. 9 799. 5 797. 4 775. 8 752. 8 730. 3 730. 0 708. 0 686. 8 673. 9 686. 8 708. 0 731. 8 753. 2 777. 2 794. 3 801. 5 806. 5 825. 6	1,972 2,000 2,014 2,250 2,741 2,750 3,250 3,250 3,404 3,250 3,250 2,750 2,733 2,500 2,750	4.5	s. s	51 51 56 56 56 54 56 54 5	25. 0 25. 1 24. 9	958. 5 958. 4 958. 3 958. 1 958. 0	:66. :68. :22.
	8.7 7.9 7.7 7.5 7.4 8.7 10.0 8.8 6.7 7.2 8.3 8.5 8.5 7.3	SSW. SSW. SSW. SSW. SW. SW. SW. WSW. WS	12.54 12.45	90 100 74 61 57 52 48 48 41 33 29 45 45 52 60 66 68 80	0.76 -2.86 0.64 0.37 0.37	10. 2 11. 0 11. 4 9. 9 8. 3 6. 7 6. 7 6. 1 5. 5 7 . 1 8. 3 10. 2 12. 0 12. 0 14. 8 16. 6 14. 8	801. 9 799. 5 797. 4 775. 8 730. 3 730. 0 708. 0 686. 8 673. 9 686. 8 730. 0 731. 8 733. 2 777. 2 794. 3 801. 4 806. 5 849. 3 873. 0	1,972 2,000 2,014 2,250 2,741 2,750 3,250 3,250 3,250 3,250 3,250 3,250 2,750 2,750 2,750 2,750 2,250 2,250 2,150	4.5	s. s	51 3 51 4 56 2 61 2 54 8 60 4	25. 0 25. 1 24. 9	958. 5 958. 4 958. 3 958. 1 958. 0	:46. ::53. ::08. ::32.
	8.7 7.7 7.5 7.3 7.4 10.0 8.4 6.7 7.2 8.3 8.9 8.5 9.7 7.3 7.3	SSW. SSW. SSW. SSW. SSW. SW. SW. WSW. W	12.54 12.45	90 100 74 61 57 52 48 41 33 39 45 45 52 60 66 80 100 95 100 95 79	0.76 -2.86 0.64 0.37 0.37 2.14 0.69	10. 2 11. 0 9. 9 8. 3 6. 7 6. 7 6. 1 5. 5 7 . 1 8. 3 9. 3 10. 2 10. 9 12. 0 14. 8 16. 6 18. 3 18. 6	801. 9 799. 5 797. 4 7775. 8 730. 3 730. 0 708. 0 686. 8 673. 9 686. 8 708. 0 731. 8 753. 2 777. 2 777. 3 801. 4 825. 6 849. 3 877. 5 898. 0	1, 972 2, 000 2, 2, 014 2, 250 2, 741 2, 750 3, 000 3, 250 3, 404 3, 250 2, 750 2, 750 2, 750 2, 750 2, 750 2, 750 2, 250 2, 200 2, 250 1, 750 1, 205 1, 205 1, 205 1, 205 1, 205 1, 205 1, 200	4.5 4.5 4.5 4.0 4.0	S. S	51 4 51 4 56 5 50 5 50 5 50 5	25. 0 25. 1 24. 9 24. 6 23. 9	958. 5 958. 4 958. 3 958. 1 958. 0	:46
	8.7 7.9 7.7.5 7.4 10.1 11.0 10.0 8.4 6.7 7.8 8.5 8.5 7.9 7.3	SSW. SSW. SSW. SSW. SW. SW. WSW. WSW. W	12.54 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 12.45 13.86 13.86 13.87 13.86 14.93 14.93 14.93 14.93 14.93 14.93 14.93 15.58 16.62 16.82 16.62 17.15 18.77 18.87 17.14 18.87 17.14	90 100 74 61 57 52 48 41 33 39 45 52 60 66 80 100 100 95 100 95 100 95 100 100 100 100 100 100 100 100 100 10	0.76 -2.86 0.64 0.37 0.37	10. 2 11. 0 9. 9 6. 7 6. 7 6. 7 5. 5 5. 1 15. 5 10. 2 10. 2 10. 2 11. 6 11. 8 11. 8	801. 9 799. 5 797. 4 775. 8 730. 3 730. 0 708. 0 686. 8 673. 9 686. 8 708. 0 731. 8 777. 2 774. 3 801. 4 806. 5 849. 3 873. 0	1,972 2,000 2,014 2,250 2,500 2,741 2,750 3,250 3,250 3,000 3,250 3,000 2,750	4.5 4.5 4.5 4.0 4.0	\$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$	51 4 51 4 56 5 50 5 50 5 50 5	25. 0 25. 1 24. 9 24. 6 23. 9	958. 5 958. 4 958. 3 958. 1 958. 0	:53. :08. :32.

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 9, 1918, series (No. 1).

			-			1	9, 1918, 80							
	Surfac	ю.			to partic	N 71-13		At diffe	erent heig	thts above	7e sea.			
73-		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆ℓ</u> 100 m.	Rel.	Vap.	Dir.	Vel.	
6:31	mb. 953.6	* C. 18.8	%80	s.	m. p. s. 6. 7	m. 444	mb. 953.6	° C.		% 89	mb. 19.31	8.	m. p. s. 6.7	9/10 St.Cu., wsw.
			******	*******		500 750	947.6 920.2	19.1	******	85 68	18.79 16.40	8.	7.6	With Delication with the second
6:43		18.9	88	S.	7.2	881 1,000	906.4 894.0	21. 2 21. 1	-0.55	59 53	14.86 13.27	B.	13.5	
6:53		18.9	90	8.	8.0	1,250 1,258	868. 2 867. 8	20.9	0.08	41 41	10.14 10.14	SSW.	12.7	
				*******	*******	1,500 1,750	842.7 818.1	19.2 17.5	*******	46 51	10. 24 10. 20	SSW.	13.9 15.2	6/10 St. Ca., ssw.
						2,000 2,250	794.5 771.8	15.7 14.0	******	56 62	9.90 9.91	SW.	16.5 17.7	
7:10	953. 2	19.1	89	8.	8.9	2, 265 2, 500	771.2 749.2	13.9 11.7	0.70	62 67	9.85 9.21	SW.	17.8 17.5	
7:23	953.0	19.3	88	8.	8.0	2,750 2,894	727.3 715.2	9.4	0.92	67 73 76	8.61 8.21	SW.	17.2 17.0	(UE)
		******	******	*******		3,000	706.3 685.5	7.3 5.5	*******	74	7.57 6.32	SW.	17.0 17.2	2/10 St.Cu., ssw.
		*******	*******	*******	********	3,500	664.7 643.5	3.6		67 63	5.30 4.38	sw.	17.3 17.4	
7:52	952.7	20.8	78	8.	7.6	3,789	640.6	1.5	0.82	62 62	4.22 4.35	SW.	17.4 17.3	
		*******				3,500	664.7 685.5	6.4	*******	60 59	4.91 5.67	SW.	16.9 16.4	
		*******		*******		3,000 2,750	706.3	8.6	*******	57 56	6.37 7.30	nsw.	15.9 15.5	-
8:54	952.1	22. 2	83	8.	10.7	2,500	749. 2 754. 9	13. 1 13. 7	0.80	54 54	8. 14 8. 47	8.	15.0 14.9	
			*******			2,250 2,000	771.8	15.2 17.2		52 50	8.98 9.81	8.	14.2	
9:15	951.9	23.1	78	8.	12.1	1,750 1,654	818.1 827.5	19. 2 20. 0	0.09	47 46	10.46 10.75	8.	12.4 12.1	
9:29	951.8	23, 2	76	8.	12.1	1,500	842.5 861.5	20.1	-0.81	52 60	12. 24 14. 29	8. 88W.	13.4 15.0	
9:32	951.8	23.4	75	s.	13.0	1,250	867.2 891.6	19.9 17.9	1.08	66 92	15.34 18.87	88W.	14.9	
**********************		*******	*******		*******	1,000	892.7 918.7	18.0 20.7		92 84	18.99 20.51	8.	14.4	
9:50	951.7	24.0	74	8.	11.2	500 444	945.8 951.7	23.4		76 74	21.87 22.08	8.	11.5	3/10 St.Cu., sw.
0:06		24.6	73	5.	14.8	444 500	951.5 945.6	24.6 23.8		73 76	22.59 22.41	S. S.	14.8 15.1	3/10 St.Cu., sw.
0:14		24.8	71	8.	13.4	750 818	918.5 911.5	20.4 19.5	1.36	89 92	21.33 20.86	8.	16.3	3/10 St.Cu., sew.
0:24.		24.9	70	8.	12.5	1,000 1,232	892.4 868.6	19.2 18.9	0.14	80 65	17.80 14.20	8.	16.3	
*******************		******		*******	*******	1,250 1,500	867.0 842.3	17.9	*******	65 64	14.10	8.	16.1	
******************	********					1,750 2,000	817.8 793.8	17.0		62 61	12.02 11.16	8.	17.8 18.6	
0:47	951.1	25.6	60	8.	12.1	2,030 2,250	791.2	16.0 14.2	0.36	61 58	11.09 9.39	8. 85W.	18.7 18.5	
1:23	950.6	26.6	68	8.	13.9	2,500 2,689	748.4 731.2	12.1 10.5	0.83	54 51	7.62 6.48	SSW. SW.	18.3 18.2	
					*******	2,750 3,000	726.4 705.0	10.0	*******	51 51	6. 26 5. 51	SW.	18.3 18.9	
				******	******	3,250 3,500	684.1	6.2		52 52	4.93	SSW.	19.5 20.0	
1:41	950. 2	27.5	62	8.	10.7	3,534	660.0 643.7	4.0 2.5	0.77	52 54	4.23 3.95	SSW.	20.1	
************	********		*******	******	******	4,000	624. 2 604. 7	0.7	*******	57 59	3. 67 3. 20	SSW.	20.2 20.2	1/10 Cl.9t., sw., 3/10 St.Cu., ssw.
Р. М.			- 0		[20]		1.00							
2:02	949.9	28.5	88	8.	11.2	4,303	604.7		0.81	60 59	3. 23. 3. 32	SSW.	20.2	
******************			*******	*******			624.2 643.7	3.5	*******	53 47	3.56	SSW.	20.0	Type
2:30	949.5	28.4	58	8.	10.7	3,500	663.8 668.7	5.8	0.91	41 40	3.78	SSW.	19.7 19.7	
*****************			*******	*******		3,250	684.1 705.0	8.1 10.4	******	40 41	4.32 5.17	SSW.	19.6 19.6	
2:50	949.3	28.9	58	8.	11.6	2,797 2,750	722.3 726.4	12.2 12.5	0.72	41	5. 83 5. 94	SSW.	19.5	4
*****************			******	*******	******	2,500 2,250	748.4 770.8	14.3	*******	39 37	6.36	SSW.	19.2	1 1
:18	949.0	29. 2		SSW.	12.1	2,006	792.7 793.8	17.9	-0.88	35 87	7.18 7.54	SW.	18.8	
.23.	948.9	29.4	56	asw.	11.6	1,812	811.1 817.4	16.8	0.90	87 85	16.08 16.26	SSW.	17.9 17.9	
******************	*******	******			******	1,500 1,250	841.7 866.0	19.0 21.3	*******	79 72	17.36 18.24	SSW.	17.9 17.9	
1:39	948.6	29.7	52	SSW.	11.6	1,203	870.2 890.7	21.7	1.20	71 63	18.43 18.91	SSW.	17.9 15.9	1878 (6)
1:47	948.4	80.1	51	ssw.	12.8	895 750	901.4 916.0	25.4	1.06	59 56	19.15 19.85	SSW.	14.9	
***************************************				*******		500	942.7	29.6	******	50	20.74	SSW.	13.2	
1:50	948.2	30.2	40	SSW.	13.0	444	948.2	30.2		49	21.04	BSW.	13.0	8/10 St.Cu., ssw.

Table 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

A		1010		/NI	21
August	74	1710.	SULIUS	UNO.	31.

	Suri	lace.					1	t differe	ent heigh	ts above	30a.			n 9
		1	1	l w	ind.				1	Hum	idity.	w	ind.	Damasha
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	-	Vel.	Alti- tude.	Pressure.	Tem- pera-	<u>Δt</u> 100 m.	Rel.	Vap.	Dir.	Vel.	Remarks.
2:43	mb. 948, 2	* C. 31.0	% 38	ssw.	m. p. s. 13. 0	m. 444 500	mb. 948.2 941.2	° C. 31.0 30.5		% 38 38	mb. 17.08 16.60	58W, 35W,	m. p. s. 13. 0 13. 5	5/10 St.Cu., asw.
2:52	948. 2	31.2	39	ssw.	12.5	750 806 1,000	915.6 910.4 890.3	28.0 27.5 25.4	0.97	36 36 40	13.61 13.22 12.98	SW. SW. SW.	15.5 16.0 15.6	
3:08	948, 2	31.1	41	ssw.	11.6	1,250 1,500 1,738 1,750	865. 2 840. 7 818. 0 816. 3	22.6 19.9 17.3 17.2	1.00	45 50 55 56	12.34 11.62 10.86 10.90	SW. SW. SW.	15.0 14.5 14.0 14.0	
3:29	948,1	30.8	41	wsw.	9.8	2,000 2,250 2,292	792.9 770.0 766.2	14.8 12.5 12.1	0.94	72 87 90	12.12 12.61 12.71	8W. 88W. 88W.	14.1 14.3 14.3	
1:44	948.0	30.8	40	wsw.	8.9	2,500 2,750 3,000 3,114	747.7 725.5 708.3 694.0		0.56	77 00 44 37	10.04 7.12 4.75 3.84	SSW, SW. SW.	15.0 15.8 16.6 17.0	
	910.0	30.6		wow,		3,250 3,500 3,750	682.0 661.3 641.9	6.6 5.0 3.4		36 35 34	3.51 3.05 2.65	SW. SW.	17.5 18.4 19.3	2/10 A.St., sw.; 3/10 Cu., ssw.
1:17	948.3	30.6	41	wsw.	8.5	3,954 3,750 3,500	626.6 642.2 662.9	2.1 3.8 5.9	0.74	33 33 32	2, 35 2, 65 2, 97	SW. SW. SW.	20.0 17.6 14.7	
.39	948.8	29.3	44	w.	10.7	3,400 3,250 3,000 2,750	671.0 683.8 704.3 725.7	6.7 8.1 10.3 12.6	0.91	32 31 20 27	3.14 3.35 3.63 3.94	SW. SW. SW. WSW.	13.5 13.8 14.2 14.6	
5:03	949.4	27.7	44	wnw.	12.1	2,576 2,500 2,250	740. 9 747. 7 770. 0	14. 2 14. 5 15. 5	0.41	26 31 47	4. 21 5. 12 8. 28	WSW. WSW. W.	14.9 14.3 12.2	
5:12	949.6	26.7	46	nw.	13.9	2,000 1,851 1,750 1,500	793.4 807.2 817.0 841.7		0.47	63 72 69 62	11.90 14.13 13.97 13.54	wnw. wnw. wnw.	10.1 8.9 9.4 10.6	
5:37	950, 3	25.6	44	nw.	15.2	1,250 1,000 852	866.3 891.9 907.0	20.0 21.2 21.9	0.81	55 48 44	12.86 12.09 11.56	nw. nw. nw.	11.8 13.0 13.7	
5:48	950.7	25.2	43	nw.	11.6	750 500 444	918.0 944.5 950.7	OF A	*******	44 43 43	12.14 13.38 13.79	nw. nw. nw.	13.2 11.9 11.6	1/10 Cl.St., w.; 1/10 St.Cu., w.
P. M.	952.0	24.1	45	nw.			9, 1918, se			45	13.51	nw.	2.7	1/10 Cl.St., w.: 1/10 St.Cn., w.
6:31	955. 4 955. 6 955. 6 955. 7	24.1 24.1 23.6 22.7 22.1 21.4 17.6 16.5 16.5	45 46 30 50 54 68 68 60 60	n. ne. ne.	2.7 7.6 5.8 4.5 6.4 10.7 1.8	444 500 750 1, 255 1, 050 1, 285 1, 500 1, 762 2, 200 2, 250 2, 250 2, 250 2, 500 3, 395 3, 395 3, 395 3, 395 3, 250 2, 493 2, 493 2, 493 2, 493 2, 493 2, 1750 2, 1750	952. 0 945. 5 918. 9 909. 5 833. 0 867. 6 863. 2 842. 8 813. 0 770. 8 777. 2 748. 0 770. 8 653. 8 671. 2 663. 8 704. 8 749. 5 779. 5 779. 1 811. 0 813. 0 813. 0 813. 0	24. 1 23. 6 21. 5 20. 5 19. 4 17. 0 16. 8 14. 2 12. 5 10. 5 9. 1 4. 0 9. 1 11. 5 11.	0.85 0.82 0.60 0.70 0.58 0.98 -1.50 0.68	45 44 44 45 46 46 52 59 89 80 89 80 71 61 56 56 56 51 140 22 22 25 40 40 40 40 40 40 40 40 40 40 40 40 40	13. 51 13. 11 11. 29 10. 74 10. 14 9. 14 9. 14 8. 91 9. 55 11. 01 12. 17 12. 32 5. 12 5. 28 4. 76 6. 78 5. 28 5. 12 5. 12 5. 12 5. 12 6. 12 6. 78 6. 78 6	DW. DW. DW. DW. DW. DW. DW. WIW. WSW. WSW. WSW. SW. SW. SW. W. WSW. WSW. WSW. DW. DW. DW. DW. DW.	2. 7 4. 5 12. 6 15. 7 15. 8 16. 0 15. 5 14. 8 14. 8 11. 8 11. 8 11. 8 22. 6 26. 5 22. 8 26. 6 22. 8 18. 1 19. 1 19	1/10 Ci.St., w.; 1/10 St.Cu., w. 1/10 Ci.St., w.; 1/10 St., Cu. w. Lightning in se. from 8:20 to en of flight.
6:31 6:42 6:53 7:10 7:25 8:00 9:05 9:41 9:48 0:01	952. 4 952. 8 953. 1 953. 3 953. 7 955. 4 955. 6 955. 6 955. 7	24. 1 23. 6 22. 7 22. 1 21. 4 17. 6 16. 5	46 7 47 50 54 63 68 60	nw. nw. nw. nw. nw. nw. ne.	2.7 7.6 5.8 4.5 5.4 10.7 1.8 0.9 0.9	444 500 750 845 1,000 1,285 1,500 1,762 2,290 2,250 2,700 3,285 3,385 3,250 3,385 3,250 3,000 2,403 2,250 2,403 2,250 2,403 2,100 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,100 2,250 2,250 2,100 2,250 2,500 2,5	952. 0 945. 5 918. 9 909. 5 987. 6 883. 0 887. 6 883. 2 842. 8 817. 1 770. 8 767. 2 748. 0 748. 0 748. 0 748. 0 748. 0 818. 0 81	24. 1 23. 6 21. 5 20. 5 20. 5 20. 5 19. 4 17. 0 16. 8 14. 2 11. 5 14. 2 10. 8 10. 5 14. 2 11. 5 14. 2 11. 5 14. 2 11. 5 14. 2 11. 5 14. 2 11. 5 14. 2 16. 3 16. 3	0.85 0.82 0.60 0.70 0.58 0.98 -1.50 0.68	45 44 44 45 46 46 52 59 89 80 71 61 56 56 54 52 51 40 30 30 30 50 51	18, 11 11, 29 10, 74 10, 14 8, 91 9, 62 9, 65 11, 01 12, 17 12, 32 10, 43 8, 46 6, 78 8, 25 4, 82 5, 12 5, 13 5, 90 5, 43 4, 10 4, 10 7, 34 8, 90 7, 34	nw. nw. nw. nw. nw. nw. nw. whw. wsw. wsw. wsw. sw. sw. sw. sw. sw. usw. nw. nw. nw. nw. nw. nw. nw.	4. 5 12. 6 15. 7 15. 8 16. 0 16. 0 15. 5 14. 8 13. 3 11. 8 14. 8 26. 6 20. 5 22. 8 26. 6 22. 8 26. 6 21. 15. 1 15.	1/10 Ci.St., w.; 1/10 St.,Cu. w. Lightning in se. from 8:20 to en
6:31. 6:42. 6:53. 7:10. 7:25. 8:00. 9:05. 9:41. 9:48. 0:01.	952. 4 952. 8 953. 1 953. 3 953. 7 955. 4 955. 6 955. 6 955. 7	24.1 23.6 22.7 22.1 21.4 17.6 16.5 16.5	68 60 60 61	nw. nw. nw. nw. nw. ne. ne. ne.	2.7 7.6 5.8 4.5 6.4 10.7 1.8 0.9 0.9 0.9	444 500 750 845 1,000 1,285 1,500 1,762 2,200 2,250 2,250 2,700 3,250 3,395 3,250 3,395 3,250 3,000 2,403 2,250 2,403 2,250 2,100 2,250 2,100 2,250 2,2	952. 0 945. 5 918. 9 909. 5 803. 0 867. 6 863. 2 842. 8 817. 1 770. 8 770. 8 653. 8 671. 2 748. 0 748. 0 748. 0 748. 0 748. 0 882. 4 843. 1 855. 6 858. 7 896. 4 992. 4	24. 1 23. 6 21. 5 20. 5 19. 4 17. 0 16. 8 14. 2 12. 8 10. 5 10. 8 14. 2 11. 5 10. 8 14. 2 11. 5 11. 5	0.85 0.82 0.60 0.70 0.58 0.98 -1.50 0.68 0.18	45 44 44 45 46 46 52 59 89 80 71 61 56 56 54 40 30 22 25 51 40 40 46 46 52 53 40 53 40 54 54 54 54 55 55 56 56 57 57 57 57 57 57 57 57 57 57 57 57 57	18, 11 11, 29 10, 74 10, 14 8, 91 9, 14 8, 91 9, 38 9, 62 9, 55 11, 01 12, 17 12, 32 14, 16 18 8, 46 6, 78 8, 48 4, 55 4, 82 5, 12 5, 12 8, 43 8, 90 6, 43 4, 75 7, 59 9, 99 10, 95	nw. nw. nw. nw. nw. nw. nw. whw. wsw. wsw. wsw. sw. sw. sw. sw. nw. nw. nw. nw. nw. nw. nw. nw. nw. n	4. 5 12. 6 15. 7 15. 8 16. 0 16. 0 15. 5 14. 8 13. 3 11. 8 11. 8 11. 8 22. 6 26. 5 28. 8 26. 6 22. 8 28. 9 15. 1 17. 0 19. 1 19. 1 1	1/10 Ci.St., w.; 1/10 St., Cu. w. Lightning in se. from 8:20 to en of flight.
6:31. 6:42. 6:53. 7:10. 7:25. 8:00. 9:06. 9:41. 9:48.	952. 4 952. 8 963. 1 953. 3 953. 7 955. 4 955. 6 955. 6 955. 7 955. 8	24.1 23.6 22.7 22.1 21.4 17.6 16.5 16.5	68 60 60 61	nw. nw. nw. nw. nw. ne. ne. ne.	2.7 7.6 5.8 4.5 6.4 10.7 1.8 0.9 0.9 0.9	444 500 750 845 1,000 1,285 1,500 1,762 2,200 2,250 2,250 2,700 3,250 3,395 3,250 3,395 3,250 3,000 2,403 2,250 2,403 2,250 2,100 2,250 2,100 2,250 2,2	952. 0 945. 5 918. 9 990. 5 893. 0 887. 6 883. 2 842. 8 817. 1 794. 1 770. 8 778. 0 726. 0 778. 0 778. 0 778. 0 778. 0 778. 0 78. 0	24. 1 23. 6 21. 5 20. 7 19. 4 17. 0 16. 8 14. 2 12. 5 14. 2 14. 2 14. 2 14. 3 14. 5 16. 6 16. 16. 6 16. 16. 6 16.	0.85 0.82 0.60 0.70 0.58 0.98 -1.50 0.68 0.18	45 44 44 45 46 46 52 59 89 80 71 61 56 56 54 40 30 22 25 51 40 40 46 46 52 53 40 53 40 54 54 54 54 55 55 56 56 57 57 57 57 57 57 57 57 57 57 57 57 57	18, 11 11, 29 10, 74 10, 14 8, 91 9, 14 8, 91 9, 38 9, 62 9, 55 11, 01 12, 17 12, 32 14, 16 18 8, 46 6, 78 8, 48 4, 55 4, 82 5, 12 5, 12 8, 43 8, 90 6, 43 4, 75 7, 59 9, 99 10, 95	nw. nw. nw. nw. nw. nw. nw. whw. wsw. wsw. wsw. sw. sw. sw. sw. nw. nw. nw. nw. nw. nw. nw. nw. nw. n	4. 5 12. 6 15. 7 15. 8 16. 0 16. 0 15. 5 14. 8 13. 3 11. 8 11. 8 11. 8 22. 6 26. 5 28. 8 26. 6 22. 8 28. 9 15. 1 17. 0 19. 1 19. 1 1	1/10 Ci.St., w.; 1/10 St., Cu. w. Lightning in se. from 8:20 to en of flight.

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 9-10, 1918, series (No. 8)-Continued.

	Surface	3.					A	t differe	ent height	is above	308.			
Resion		Tem-	Rela-	W	ind.	Alti-		Tem-	Δε	Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap.	Dir.	Vel.	
A. M. 12:12.	mb. 987. 2	° C. 16.6	%61	nw.	m. p. s. 3. 1	m. 1,338	mb. 861.4	° C. 12,9 13.7	0.78	% 51	mb. 7.50	nnw.	m. p. s. 10. 6	Rain from 12:13 to 12:30 a. m
2:34	957.3	16.8	50	nw.	4.0	1,230 1,002	870. 3 896. 4	13.7 15.9	0.76	46 30	7. 21	nnw.	11.0	Thunder heard in s.
12:40	957.3	16.6	60	******	3.6	750 740	897.3 924.6	16.1	0.68	46 47	5. 42 8. 42 8. 60	nnw.	10.1	
			*******	nw.		500	923.8	16.3	0,00	58	10.75	nnw.	8.0	900 G. G
2:47	957.3	16.3	61	nw.	4.0	444	957.3	16.3		61	11.80	nw.	4.0	8/10 St.Cu., w.
				1		August	10, 1918, 54	eries (N	0. 6).				1	
.59	958.4	10.8	78	sw.	5.4	444 500	958. 4 952. 2	10.8 11.6		78 72	10.10 9.84	sw.	5.4	4/10 St.Cu., w.
:54	959.7	12.7	73	SW.	4.5	750 827	925, 2 917, 2	15.0	-1.36	-44	7.50 6.54	wsw. wsw.	5.0	
	********					1,000 1,250	898.5 872.3	14.8	******	36 36 37	6,06	WSW.	5.8	
	000	10 5	*******	******		1,500	846.7	11.3	0.00	38	5.58 5.09	W.	8.3	
	959.8	13.5	72	SW.	3.6	1,564 1,750	840.3 821.3	10.9 9.6 7.8	0, 69	38 38 38 39 39 43 47	4.96	W.	9.8	
	*********		*******			2,000 2,250	797. 0 773. 8	6.0	*******	39	4. 13 8. 65	W.	11.4	
7:15	959.8	14.2	70	sw.	3,1	2,304 2,500	768. 6 750. 8	5.6	0.72	39 43	3. 55 3. 67	W.	13.8	
28	959. 8	15.2	68	sw.	3.6	2,750 2,856	728.0 718.4	3. 5 3. 0	0.55	47	3.69 3.71	W.	19.7	
						2,750 2,500	728.0 750.8	3.7 5.2		49 48 45	3.82	W.	19.1	Few Ci.St., w.
:00	959. 8	17.5	57	sw.	4.0	2,310	768.6	6.4	0.93	43	4.13	W.	10.6	
************	********		*******	******		2,250	773. 8 797. 0	9.3	*******	41	4.81	w.	10.3	
:20	959.8	18.9	52	sw.	5.4	1,750	822, 0 841, 9	11.6	0.63	38	5. 84 5. 84	W.	9.9	
******************	*********		******	******		1,500 1,250	847. 8 873. 8	12. 8 15. 4	*******	30 38 38 37 36	5. 62 6. 48	W.	9.7	
37	959.8	19,7	48	SW.	4.5	1,000	900. 2 907. 1	16.9 17.4	0.56	36	6. 93 7. 15	W. W.	8.4	
***********		******	******	******		750 500	926. 6 953. 9	18. 4 19. 8		42 50	8, 89 11, 55	wsw.	7.9	
	OFO O	20.1	52	SW.	5.4	444	959. 8	20.1		52	12, 24	sw.	5.4	Few Cl.St., w.; few Cl.Cu., v
45	959. 8						10, 1918, ac	eries (Ne	0. 7).				1	
9:05. A. M.	959.8	20.9	41	sw.		ugust 444	959.8	20.9		41	10.14	sw.	5.4	Few Cl.St., w.; few Cl.Cu., w.
9:05. A. M.	959.8	20.9	41	sw.	5.4	444 500 750	959. 8 953. 8 926. 2	20, 9 20, 5 18, 9		40 35	9. 25 7. 64	SW. WSW.	5.9 8.0	Fow Cl.St., w.; few Cl.Cu., w.
9:05. A. M. 9:15.					A	444 500 750 898 1,000	959. 8 953. 8 926. 2 910. 5 899. 6	20. 9 20. 5 18. 9 18. 0 17. 1		40 35 32	9, 25 7, 64 6, 60 6, 44	SW. WSW. W.	5.9 8.0 9.2 9.8	Fow Cl.St., w.; few Cl.Cu., w.
9:05. A. M. 9:15.	959.8	20.9	41	sw.	5.4 7.2	444 500 750 898 1,000 1,250 1,393	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1	20, 9 20, 5 18, 9 18, 0 17, 1 14, 7 13, 4	0.64	40 35 32 33 34 35	9, 25 7, 64 6, 60 6, 44 5, 60 5, 38	SW. WSW. W. WSW. WSW.	5.9 8.0 9.2 9.8 11.3 12.1	Few Cl.St., w.; few Cl.Cu., w.
9:15	959. 8 959. 9	20.9	41	sw.	5.4 7.2	444 500 750 898 1,000 1,250 1,393 1,500 1,750	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 823. 0	20.9 20.5 18.9 18.0 17.1 14.7 13.4 12.5 10.5	0.64	40 35 32 33 34 35 36 38	9, 25 7, 64 6, 60 6, 44 5, 60 5, 38 5, 23 4, 83	SW. WSW. W. WSW. WSW. WSW. WSW.	5.9 8.0 9.2 9.8 11.3 12.1 12.4 13.0	Pew Cl.St., w.; few Cl.Cu., w.
9:05. A. M. 9:15.	959. 8 959. 9	20.9	41	sw.	5.4 7.2	444 500 750 898 1,000 1,250 1,393 1,500 1,750 2,000 2,105	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 923. 0 799. 0 788. 7	20.9 20.5 18.9 18.0 17.1 14.7 13.4 12.5	0.64	40 35 32 33 34 35 36 38 40 41	9, 25 7, 64 6, 60 6, 44 5, 60 5, 38 5, 23 4, 83 4, 44 4, 28	SW. WSW. W. WSW. WSW.	5.9 8.0 9.2 9.8 11.3 12.1 12.4 13.0 13.5	Pew Cl.St., w.; few Cl.Cu., w.
9:05. A. M. 9:15	959. 8 959. 9 960. 0	20. 9 21. 5 22. 0	41 42 40 34	wsw.	5. 4 7. 2 6. 3	444 500 750 898 1,000 1,250 1,393 1,500 1,750 2,000 2,105	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 799. 0 788. 7 775. 0	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 8. 5 7. 6 6. 9	0.64	40 35 32 33 34 35 36 38 40 41 38	9, 25 7, 64 6, 60 6, 44 5, 69 5, 38 5, 23 4, 33 4, 44 4, 28 3, 78	SW. WSW. W. WSW. WSW. WSW. WSW. WSW. WS	5.9 8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.5	Few Cl.St., w.; few Cl.Cu., w.
9:05. A. M. 9:15	959. 8 959. 9 960. 0	20.9	41	sw	5.4 7.2 6.3	444 500 750 898 1,000 1,250 1,393 1,500 1,750 2,105 2,250 2,265 2,252 2,252	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 799. 0 788. 7 775. 0	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 8. 5 7. 6 6. 9 6. 9	0.64 0.93 0.81 0.48	40 35 32 33 34 35 36 38 40 41 38 38 38	9. 25 7. 64 6. 60 6. 44 5. 60 5. 38 5. 23 4. 83 4. 44 4. 28 3. 78 3. 78 3. 78	SW. WSW. W. WSW. WSW. WSW. WSW. WSW. SW.	5.9 8.0 9.2 9.8 11.3 12.1 12.4 13.0 13.5 13.8 20.5 21.2	Few Cl.St., w.; few Cl.Cu., w. Cloudless.
9:05. A. M. 9:15	959. 8 959. 9 960. 0	20. 9 21. 5 22. 0	41 42 40 34	wsw.	5. 4 7. 2 6. 3	444 500 750 898 1,000 1,250 1,393 1,500 1,750 2,105 2,250 2,255 2,250 2,255 2,250 2,255 2,250 2,1750	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 223. 0 799. 0 788. 7 775. 0 775. 0 799. 0	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 8. 5 7. 6 6. 9 8. 0 8. 4 10. 2	0.64 0.93 0.81 0.48	40 35 32 33 34 35 36 38 40 41 38 38 46	9. 25 7. 64 6. 60 6. 44 5. 60 5. 38 4. 44 4. 28 3. 78 3. 78 3. 78 4. 94 5. 40 5. 598	SW. WSW. W. WSW. WSW. WSW. WSW. SW. SW.	5.9 8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.5 21.2 20.8 13.9	
9:05. A. M. 9:15	959. 9 960. 0 960. 1 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5	444 500 750 898 1,000 1,250 1,750 2,000 2,105 2,250 2,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 873. 6 859. 1 848. 0 788. 7 775. 0 775. 0 775. 0 7799. 0	20.9 20.5 18.9 18.0 17.1 14.7 13.4 12.5 10.5 8.5 7.6 6.9 8.0 8.4 10.2 12.5 6.9	0.64 0.93 0.81 0.48	40 35 32 33 34 35 36 38 40 41 38 38 38 46 49 48 45 45	9. 25 7. 64 6. 60 6. 44 5. 60 5. 38 4. 53 4. 53 4. 53 4. 53 4. 54 5. 78 3. 78 3. 78 4. 94 5. 98 6. 70 6. 76	SW. WSW. W. WSW. WSW. WSW. WSW. SW. SW.	5. 9 8. 0 9. 2 9. 8 11. 3 12. 1 12. 4 13. 0 13. 5 20. 5 21. 2 20. 8 13. 9	
9:05. A. M. 9:15	959. 9 960. 0 960. 1 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2	41 42 40 34 36	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5	444 500 750 898 1,000 1,250 2,200 2,250 2,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 873. 6 873. 0 779. 0 775. 0 775. 0 775. 0 779. 0 806. 9 823. 8 849. 0 874. 7 889. 2 990. 3	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 8. 0 8. 4 10. 2 12. 6 17. 2 17. 9	0.64 0.93 0.81 0.48	40 35 32 33 34 45 36 40 41 41 48 48 48 45 43 44 40	9. 25 7. 64 6. 60 6. 44 5. 60 5. 38 5. 22 4. 44 4. 28 3. 75 3. 78 3. 78 4. 94 5. 90 7. 62 8. 24	8W. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW.	5. 9 8. 0 9. 2 9. 8 11. 3 12. 1 12. 4 13. 0 13. 5 20. 5 21. 2 20. 8 11. 5 11. 3 11. 1 10. 8 10. 7	
9:05. A. M. 9:15	959. 9 960. 0 960. 1 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5	444 4500 750 898 1,000 1,250 2,000 2,105 2,250 2,250 2,250 1,500 1	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 779. 0 778. 7 775. 0 779. 0 779. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 932. 6	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 6. 8 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 17. 9 19. 6	0.64 0.93 0.81 0.48 1.06	40 35 32 33 34 35 36 40 41 38 38 46 49 48 45 40 34 33	9. 25 7. 64 6. 60 6. 49 5. 38 5. 23 4. 44 4. 28 3. 75 3. 75 3. 75 4. 94 5. 40 6. 70 7. 62 8. 20 7. 72	SW. WSW. WSW. WSW. WSW. WSW. SW. SW. SW.	5. 9 9. 2 9. 8 11. 3 12. 1 12. 4 13. 5 13. 5 20. 5 21. 2 20. 8 13. 9 11. 5 11. 1 10. 8 10. 4 9. 5 9. 3	
9:05. A. M. 9:15	969. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36 35	SW. SW. SW. WSW.	5.4 7.2 6.3 6.7 8.5	444 500 750 898 1,000 1,250 1,393 1,500 2,000 2,000 2,000 2,205 2,250 2,250 2,250 2,250 2,250 1,750 1,750 1,750 1,750 1,750 1,500 1,250 1,000 1,250 1,000 1,250 1,000 1,250 1,000 1,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 223. 0 799. 0 788. 7 775. 0 7775. 0 7799. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 920. 8	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 17. 2 17. 2 17. 2 19. 6 20. 0 23. 7	0.64 0.93 0.81 0.48	40 35 32 33 34 35 36 38 40 41 38 38 46 49 48 45 43 42 40 34	9. 25 7. 64 6. 60 6. 44 5. 69 5. 22 4. 33 7. 5 3. 78 4. 94 5. 98 6. 70 6. 24 8. 24 8. 24 7. 76	8W. WSW. WSW. WSW. WSW. WSW. SW. SW. SW.	8.0 9.2 9.8 11.3 12.1 12.4 13.0 13.5 13.8 20.5 21.2 20.8 13.9 11.5 11.7 10.8 10.7 10.9 5	
9:05. A. M. 9:15	960. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36 35	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5 8.9	444 500 750 898 1,000 1,250 1,393 1,500 2,000 2,105 2,000 2,105 2,250 2,250 2,255 2,250 1,750 1,500 1,500 1,500 1,100 1,000 1,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 223. 0 799. 0 788. 7 775. 0 773. 5 775. 0 799. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 932. 6 953. 8 959. 5	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 8. 5 7. 6 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 17. 2 17. 2 17. 9 19. 6 20. 0 23. 7 24. 8	0.64 0.93 0.81 0.48 1.08	40 35 32 33 4 35 36 38 40 41 38 38 46 49 48 45 43 42 40 34 33 43 43 43 43 43 44 43 44 43 44 44	9. 26 7. 64 6. 60 6. 40 5. 60 5. 38 5. 23 4. 42 3. 78 3. 78 3. 78 4. 94 6. 70 7. 62 8. 24 8. 24 8. 24 9. 7. 76 7. 76 7. 76 9. 97	SW. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW	8.0 9 9.2 9.8 11.3 12.1 12.4 13.0 13.5 13.8 20.5 21.2 20.8 13.9 11.5 11.5 10.6 7 10.4 9.5 9.3 8.8	Cloudless.
9:05. A. M. 9:15	960. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36 35	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5 8.9	444 500 750 898 1,000 1,250 1,393 1,500 2,000 2,105 2,000 2,105 2,250 2,250 2,255 2,250 1,750 1,500 1,500 1,500 1,100 1,000 1,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 799. 0 788. 7 775. 0 775. 0 775. 0 779. 0 806. 9 823. 8 849. 0 849. 0 849. 0 849. 0 859. 1	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 8. 5 7. 6 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 17. 2 17. 2 17. 9 19. 6 20. 0 23. 7 24. 8	0.64 0.93 0.81 0.48 1.08	40 35 32 33 4 35 36 38 40 41 38 38 46 49 48 45 43 42 40 34 33 43 43 43 43 43 44 43 44 43 44 44	9. 26 7. 64 6. 60 6. 40 5. 60 5. 38 5. 23 4. 42 3. 78 3. 78 3. 78 4. 94 6. 70 7. 62 8. 24 8. 24 8. 24 9. 7. 76 7. 76 7. 76 9. 97	SW. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW	8.0 9 9.2 9.8 11.3 12.1 12.4 13.0 13.5 13.8 20.5 21.2 20.8 13.9 11.5 11.5 10.6 7 10.4 9.5 9.3 8.8	Cloudless.
9:05. A. M. 9:15	960. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3	41 42 40 34 36 35 33 32 34	sw. sw. sw. wsw.	5.4 7.2 6.3 6.7 8.5 8.9	444 500 750 898 1,000 1,230 1,383 1,500 2,000 2,105 2,005 2,255 2,250 2,000 1,915 1,750 1,500 1,000 1,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 879. 0 788. 7 775. 0 773. 5 775. 0 773. 5 775. 0 806. 9 823. 8 849. 0 849. 0 849. 0 849. 0 859. 1 860. 9 860. 9 860. 9 860. 3 860. 5 860. 5	20. 9 20. 5 18. 9 18. 9 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 8 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 20. 0 23. 7 24. 8	0.64 0.93 0.81 0.48 1.06	40 35 32 33 34 35 36 38 40 41 41 38 38 46 49 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40	9. 26 7. 64 6. 60 6. 44 6. 60 5. 38 5. 38 4. 53 4. 42 3. 78 4. 94 5. 40 6. 70 7. 62 8. 24 8. 20 7. 72 9. 91 10. 65	SW. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW	5. 9 8. 0 9. 2 9. 8 11. 3 12. 1 13. 0 13. 5 13. 8 20. 8 13. 9 11. 5 11. 3 11. 1 10. 8 10. 7 10. 4 9. 5 9. 3 8. 8 7. 2	Cloudless.
9:05. A. M. 9:15. 9:33. 9:58. 0:53. 2:01. P. M. 2:10. 2:25.	959. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3 24. 4 24. 5 24. 8	41 42 40 34 36 35 33 32 34	sw. sw. sw. wsw. wsw.	5.4 7.2 6.3 6.7 8.5 8.9 7.2	444 500 750 898 1,000 1,250 898 1,000 1,250 1,383 1,500 1,750 2,000 2,105 2,250 2,200 2,205 2,200 2,205 2,200 1,750 1,500 1,250 1,100 1,000 1,000 1,000 444 444 500 750	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 873. 6 859. 1 848. 0 799. 0 775. 0 775. 0 775. 0 775. 0 775. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 933. 8 949. 0 949. 0	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 20. 0 23. 7 24. 8	0.64 0.93 0.81 0.48 1.08	40 35 32 33 34 35 36 38 40 41 1 38 38 38 46 49 49 49 49 49 49 49 49 49 49 49 49 49	9. 26 7. 64 6. 60 6. 44 6. 60 5. 38 5. 38 5. 48 3. 78 3. 78 3. 78 4. 94 4. 94 6. 70 7. 62 8. 24 8. 20 7. 72 7. 72 9. 72 10. 65	SW. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW	8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.5 21.2 20.8 11.5 11.1 10.5 11.6 10.7 10.4 9.5 9.3 8.8 7.2	Cloudlees. Few St.Cu., sw.
9:05. A. M. 9:05. 9:15. 9:33. 9:58. 0:53. 2:01. P. M. 2:10. 2:25. 2:39. 1:08.	959. 8 959. 9 960. 0 960. 1 959. 8 959. 8	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3 24. 4 24. 5 24. 8	41 42 40 34 36 35 33 32 34	sw. sw. sw. wsw. wsw. wsw. wsw.	5.4 7.2 6.3 6.7 8.5 8.9 7.2	444 500 750 898 1, 200 1, 250 1, 383 1, 500 1, 750 2, 000 2, 265 2, 250 2, 200 1, 915 1, 750 1, 100 1, 250 1, 100 1, 250 691 1, 250 444 444 500 444 500 750 822 1, 000	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 879. 1 848. 0 779. 0 778. 7 775. 0 775. 0 779. 0 778. 7 775. 0 799. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 926. 8 926. 8 927. 8 928. 8 929. 8	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 6. 8 6. 9 8. 4 10. 2 12. 9 15. 6 17. 2 17. 9 19. 6 20. 0 23. 7 24. 8	0.64 0.93 0.81 0.48 1.06	40 35 32 33 34 35 36 38 38 40 41 41 38 38 46 49 49 49 49 49 40 40 41 41 42 40 40 40 40 40 40 40 40 40 40	9. 26 7. 64 6. 60 6. 40 5. 38 5. 38 5. 38 4. 44 4. 28 3. 78 3. 78 3. 78 4. 94 5. 98 6. 70 7. 76 2. 82 8. 20 7. 76 7. 72 9. 97 10. 65	SW. WSW. WSW. WSW. WSW. WSW. WSW. SW. SW	8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.5 20.5 21.2 20.8 13.9 11.5 11.1 10.8 10.7 10.	Cloudlees. Few St.Cu., sw.
9:05. A. M. 9:05. 9:15. 9:33. 9:58. 0:53. 2:01. P. M. 2:10. 2:25. 2:39. P. M.	959. 8 959. 9 960. 0 960. 1 959. 8 959. 8 959. 7 959. 6 959. 5	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3 24. 4 24. 5 24. 8	41 42 40 34 36 35 32 34	wsw. wsw. wsw. wsw. wsw.	6.7 8.5 7.2 6.3 7.2 7.6 7.2	444 4500 750 1, 250 2, 265 2, 250 2, 000 1, 250 1, 500 1, 500 1, 250 1, 500 444 444 500 750 892 1, 260 1, 2	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 723. 0 775. 0 775. 0 775. 0 775. 0 775. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 928. 8 932. 6 953. 8 959. 1 959. 5	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 6. 8 8. 4 10. 2 12. 9 15. 6 17. 2 17. 9 19. 6 20. 0 23. 7 24. 8	0. 64 0. 93 0. 81 0. 48 1. 06 0. 68 1. 94	40 35 32 33 34 35 36 38 38 40 41 41 38 38 46 49 49 49 49 49 40 40 41 41 42 40 40 40 40 40 40 40 40 40 40	9. 26 7. 64 6. 60 6. 46 6. 60 5. 38 5. 4. 83 4. 4. 29 3. 78 4. 29 3. 78 4. 94 5. 40 5. 40 6. 70 7. 7. 22 9. 97 10. 65	\$W. WSW. WSW. WSW. WSW. WSW. WSW. WSW. W	8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.5 21.2 20.8 13.9 11.5 11.3 10.7 10.4 9.5 9.3 8.8 7.2	Cloudlees. Few St.Cu., sw.
9:05. A. M. 9:15	959. 8 959. 9 960. 0 960. 1 959. 8 959. 8 959. 7 959. 6 959. 5	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3 24. 4 24. 5 24. 8	41 42 40 34 36 35 33 32 34 37	wsw. wsw. wsw. wsw. wsw.	7.2 6.3 6.7 8.5 7.6 7.2	444 4500 750 1, 250 1, 250 1, 200 1, 250 2, 255 2, 250 2, 000 1, 250 1, 500 1, 250 1, 500 1, 250 1, 500 1, 250 1, 500 1, 250 1,	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 799. 0 775. 0 775. 0 775. 0 775. 0 775. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 932. 6 953. 8 959. 5	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 8. 5 7. 6 6. 9 8. 0 8. 4 10. 2 17. 2 17. 9 15. 6 20. 0 23. 7 24. 8 26. 2 24. 6 21. 9 19. 16. 6 16. 6 1	0.64 0.93 0.81 0.48 1.06	40 35 32 33 34 35 36 38 40 41 41 38 38 46 45 43 42 40 40 43 43 43 43 43 43 43 43 44 45 45 45 46 47 48 48 48 48 48 48 48 48 48 48 48 48 48	9. 26 7. 64 6. 60 6. 46 6. 60 6. 38 6. 38 6. 70 7. 62 8. 24 8. 20 7. 72 9. 91 10. 65	SW. WSW. WSW. WSW. WSW. WSW. SW. SW. SW.	8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.8 13.9 11.5 11.3 11.1 10.8 10.7 10.4 9.5 9.3 8.8 7.2	Cloudlees. Few St.Cu., sw.
9:05. A. M. 9:05. 9:33. 9:33. 9:58. 9:58. 9:58. 2:01. P. M. 2:10. 2:25. 2:39. P. M.	959. 8 959. 9 960. 0 960. 1 959. 8 959. 8 959. 7 959. 6 959. 5	20. 9 21. 5 22. 0 22. 5 23. 2 24. 3 24. 4 24. 5 24. 8	41 42 40 34 36 35 33 32 34 37	wsw. wsw. wsw. wsw. wsw.	6.7 8.5 7.2 6.3 7.2 7.6 7.2	444 500 750 898 1, 250 1, 250 2, 200 2, 265 2, 250 2, 265 2, 250 2, 260 1, 393 1, 500 1, 750 1, 100 1, 250 1, 250	959. 8 953. 8 926. 2 910. 5 899. 6 873. 6 859. 1 848. 0 779. 0 775. 0 775. 0 775. 0 779. 0 806. 9 823. 8 849. 0 874. 7 889. 2 900. 3 926. 8 932. 6 933. 8 949. 5 959. 5	20. 9 20. 5 18. 9 18. 0 17. 1 14. 7 13. 4 12. 5 10. 5 7. 6 6. 9 6. 8 6. 9 8. 0 8. 4 10. 2 12. 9 15. 6 17. 2 17. 9 19. 6 20. 0 23. 7 24. 8 25. 2 24. 6 21. 7 20. 9 19. 16. 6 20. 9 19. 16. 6 21. 7 20. 9 21. 2 21. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0. 64 0. 93 0. 81 0. 48 1. 06 0. 68 1. 94	40 35 32 33 34 35 36 38 40 41 1 38 38 38 46 49 49 49 49 49 49 49 49 49 49 49 49 49	9. 26 7. 64 6. 60 6. 40 5. 38 5. 38 5. 4. 93 4. 42 3. 78 3. 78 4. 94 5. 98 6. 70 7. 76 2. 8. 20 7. 76 9. 97 10. 65	\$W. W\$W. W\$W. W\$W. W\$W. W\$W. W\$W. W\$W.	8.0 9.2 9.8 11.3 12.1 13.0 13.5 13.8 20.5 21.2 20.8 13.9 11.5 11.1 10.8 10.7 10.4 9.5 9.8 7.2	Cloudlees. Few St.Cu., sw.

Table 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 10, 1918, series (No. 8)-Continued.

				806.	above	ent heigh	At differ			-				Surface	
Remarks.		nd.	Wi	lity.	Humid		_			nd.	Wi	Rela-	Tem-		
		Vel.	Dir.	Vap. pres.	Rel.	Δt 100 m.	Tem- pera-	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	mann.	Pressure.	Time.
W 1	8.	m. p. s. 20. 8 24. 8	w. w.	mò. 4.78 4.82	% 56 56	0.91	° C. 4.7 4.8	mb. 750.1 729.9	m. 2,521 2,750	m. p. s. 9.4	w.	%30	° C. 25.8	mb. 959.1	P. M.
	2	29. 2 29. 7	wsw.	4.88	56 56 56 57 65	-0.58	5.0	707.4	3,000 3,029	8.9	wnw.	29	9 30	080.0	
	8	28. 8 21. 0	WSW. W.	4. 97 5. 59	57 65			707. 4 729. 9	3,000 2,750				25.8	959.0	2:18
		13. 4 13. 4	W. W.	6. 23	73 73	1.08	4.7	751.6 752.6	2,508 2,500	6.7	Wnw.	29	26.2	958.7	2:58
	7	13.7	W. W.	6.89	66 59		7.6	775. 7 799. 3	2, 250			******			<pre>* ***********************************</pre>
	3	14.3	W. W.	7.63	53 52	1.09	12.4	819.2	1, 795	9.8	wnw.	33	26.1	958.7	3:11
	5	13.5	w. wnw.	8. 15 8. 46	46	******	15.6	823.8 848.7	1,750 1,500						
	1	12.1	wnw.	8. 51	34		21.1	873.8 899.8	1, 250 1, 000		*******			*********	
	2	11.8	wnw.	8. 57 9. 09	32 31	1.01		910. 2 926. 1	898 750	9.4	W.	29	26.8	958.7	3:36
ew St.Cu., wsw.	2 1	8.7 7.2	W.	10. 21 10. 57	30			953.0 958.7	500 444	7.2	w.	30	26.8	958.7	3:50.
	1										-		-		3.00
	1			1	1	-	1918.	ugust 11,	A	1 11			1		
10 Ci.St., w.		7.2	sse.	14. 26	40			961.4	444	7.2	sse.	40	27.0	961.4	2:26
	2	7. 6 9. 2	sse.	14.03	41 46	1.26	23.1	955. 2 927. 7	500 754	3.6	se.	40	27.4		2:36
	0	10. 1 11. 0	se.	12. 44 11. 79	50 54	******	18.9	901. 2 875. 2	1,000 1,250						
		11.9	se. se.	11. 36 10. 88	59	0.83	16. 9 15. 7	850, 2 835, 3	1,500 1,650	8.5	*******	200	07.4		
	5	12.5 12.7	se.	10. 27 8. 93	61 62		14.8	825. 2 801. 0	1,750	******	se.	39	27.4		1:04
	9	12.9 13.0	se. se.	7.74	63	0.05	10.0	777.5	2,000 2,250	********			******		
10 Ct Cu cm : 6/10 Ct St =	9	12.9	80.	6.76	63	0, 95		759. 6 754. 4	2,446 2,500	8, 0	80.	40	27.9	960. 3	1:29
10 St.Cu., sw.; 6/10 Ci.St., w.	5	12.2 11.5	sse. s.	6. 18 5. 59	60 57	******		731. 0 709. 0	2,750 3,000						
		10.8	SSW. WSW.	5.09	54 51		6. 1 5. 5	687. 8 667. 5	3, 250 3, 500						
10 Cl.St., wsw.; 2/10 St.Cu., sv	0 0	10.0	wsw.	4.48	50 55	0.24	5.4	663.9	3,549	4.0	se.		28.7	959.1	2:42
to cross, waws, was constitution	0	11.0	wsw.	4.40	61	******	2.3	647.3 628.0	3,750 4,000	*******					
	2	11. 6 12. 2	wsw.	4. 27	67 73		-1.2	609.9 591.4	4,250					********	
	3	12. 8 12. 3	WSW.	3. 79 4. 28	79 73	0. 81	-2.9 -0.5	572.4 591.4	4,755	11.6	se.	38	28, 2	958. 6	3:12
		11.8	SW.	4. 73 5. 08	68	******		610. 2 629. 3	4,250					********	****************
	8	10. 8 10. 6	SSW.	5. 38 5. 52	73 79 73 68 62 56 54 52 48	0.50	6.4	649.0	3,750	********	se.		******		
	6	11.6	SSW.	5. 62	52		7.3	656. 8 669. 2	3,657 3,500	12.1	*******	_ 40	28.1	958. 4	3:53
	9	13.3 14.9	S. S.	5. 66	4.5	******		689. 8 710. 9	3,250		******		******		
	5 8	16.5	sse.	5. 85	42	-0.82		732. 7 736. 1	2,750 2,706	12.5	se.	31	26.0	958. 2	**************************************
	7	16.7	sse.	7.17	55 55	0.78	10.9	749.3 754.8	2,559	10.7	se.	32	28.8 28.5	958. 2	4:15 4:20
	4	15. 4 14. 4	sse.	8. 55 9. 91	56 57		13.3	777.5	2,250	*******	*******	*******			
	6	13.6	se.	10.84	57	0.90	15.3	801. 0 818. 4	2.000 1,815	11.6	30.	33	29.0	958.0	4:36
	7	13. 6 13. 7 13. 7	se. se.	11.06	56 52		17.3 19.5	824. 8 848. 8	1,750 1,500		*******				*********
	7 8	13.7	se.	12. 80 13. 43	49 45		21.8	873. 7 899. 0	1,250 1,000						
		13.8 12.8	se. se.		43 41	0.75	25.2	912. 6 925. 6	871 750	12.1	80.	35	28.7	957. 7	4:56
/10 A.Cu., sw.; 2/10 Ci.St., ws:	8	10.8	se.	13.61	36 35		28.0	952.9	500		*******			********	
10 A.Cu., Sw., 2/10 (4.56., WS	9 1	10. 3	se.	13. 54	55		28.4	957.7	444	10.3	se.	35	28, 4	957.7	5:03
	_						1918.	August 12	A						
/10 St.Cu., nw.		5.8	nw.	21. 56	63		26.3	954.3	444	5. 8	nw.	63	26.3	954. 3	1.58 A. M.
	1	6.1	nw.	20, 93 18, 71	63 65		25. 8 23. 4	948. 8 921. 7	500 750		******		20.0	********	1:56
					00	*******	207. 3	Dal. I	100	******	*******	******		******	
III - TOTAL	8	7.8	nw.	18, 15 17, 94	65	0, 96	22.9	916. 7	798	5.8	nw.	61	26.9	954. 4	P. M
	2	7.8 7.5 7.2	nw. nnw.	17.24	65 73 83		20. 8 18. 1	895, 8 870, 5	1,000 1,250	*******				********	
	9	6.9	nnw.	16. 54	91	1.06	16. 0 15. 8	850. 8 845. 9	1,447 1,500	10.3	nw.	60	25. 9	955. 2	1:21
	3	7.3	nw.	13. 72 11. 76	82 75		14.7 13.7	821. 2 797. 2	1,750		*******	*******			***************
	9	7.9	wnw.	9.92	68	0.40	12.6	774.0	2,250	********	*******				********************
190 1 Cm	1	8.2	wnw.	8, 52 8, 33	62	0.42	11.7 11.6	753. 5 751. 3	2,476 2,500	12.5	nw.	58	26.0	955. 7	2:00
/10 A.Cu., nw.; 1/10 St.Cu., n	0	7.6	wnw. wnw.	6. 65 5. 17	52 43 41 53 74		10.6 9.7	729. 4 708. 3	2,500 2,750 3,000		*******	******		******	***********
	8	6.8	wnw.	4. 83 6. 04	53	-0.19	9. 4 8. 9	702. 2 708. 3	3,066 3,000 2,885	10.3	nw.	55	25.9	955. 8	2:10
	a	6.6	W.	7.94	00	0.89	8.0	718. 2	0,000			*******			

Table 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 12, 1918-Continued.

	Surfac	е.			a nipe	(Invo		At diffe	erent heig	hts abov	70 808.			
Percent	1	Tem-	Rela-	W	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
р. м.	mb.	° C.	%	A	m. p. s.	m. 2,500 2,250 2,000	mb. 752.2 775.0	° C. 11.4 13.7		% 64 57	mb. 8.63 8.94	wnw.	m. p. s. 8.4 9.5	4 4 100
3:06	956. 5	26. 0	46	nw.	10.7	1,931	798. 3 804. 7 822. 7	15. 9 16. 5 16. 7	0.10	% 64 57 50 48 54 62 65 60	9. 04 9. 01 10. 27	nw. nw.	10.7 11.0 11.3	All All
3:17	958.7	26. 2	47	nw.	11.6	1,500 1,413 1,250	847. 0 855. 4 872. 0	16. 9 17. 0 18. 6	0.95	62 65 60 52	11. 94 12. 60 12. 86 12. 85	nw. nw. nw.	11.8 12.0 11.1 9.8	The state of the s
	956.9	25. 8	47	nw.	9.4	1,000 899 750 500	897. 5 908. 3 923. 9 950. 8	20, 9 21, 9 23, 2 25, 5	0,90	49 48 46	12. 88 13. 65 15. 01	nw. nw. nw. nw.	9. 2 9. 0 8. 6	
3:34	957.0	26. 0	46	nw.	8.5	444	957. 0	26.0	*******	46	15. 47	nw.	8.5	3/10 Cl.St., w.
- Allen	7000	-		1	1 1	A	ugust 13,	1918.	1 1			1	I a	
A. M.	965.8	12.2	92	nnw.	3.1	444 500	965. 8 959. 7	12.2 12.4	******	92 87 63	13.07 12.53 9.62	nnw.	3.1	9/10 St. Cu., wsw.
04	966.9	15.0	78	nnw.	7.6	750 797 1,000 1,250	932.1 927.3 905.0 878.8	13.3 13.5 12.3 10.8	-0.37	59 60 62	9. 13 8. 59 8. 03	n. n. nnw. nnw.	5.4 5.8 5.5 5.0	9/10 St.Cu., ssw.
:09	967.0	15.0	76	nnw.	7.2	1, 435 1, 250 1, 000	859. 2 878. 8 905. 0	9.7 11.0 12.6	0.64	63	7.58 8.27 9.34	nw. nnw. nnw.	4.3	
18	967.1	14.9	78	nnw.	6.7	830 750 500	923.9 932.0 960.8	13.8 14.1 15.0	0.36	64 64 66 74	10.10 10.62 12.62	n. n. nnw.	3.5 4.0 5.5	SHOCK COMP. SHOCK Comp.
40	967.4	15.2	76	nnw.	5.8	444	967.4	15.2		76	13.13	nnw.	5.8	5/10 St., asw.: 5/10 St.Cu., asw.
					1	-	August 14,	1915.						
A. M. 26	969.7	12.2	87	sw.	4.5	444 500 750	969.7 963.3 935.4	12. 2 12. 9 15. 8		87 81 57	12.36 12.05 10.23	SW. SW.	4.5 4.5 4.6	Few Ci.8t., w.
:04	969.9	20.2	59	8.	6.3	869 1,000 1,250	923. 0 908. 6 882. 5	17. 2 16. 4 14. 8	-1.18	45 44 42 40	8. 83 8. 21 7. 07	88W. 88W.	4.7 4.6 4.3	1
:00,	969.2	22.2	54	8.	6.3	1,500 1,750 1,913	857. 0 831. 6 815. 2	13. 2 11. 6 10. 6	0.72	38 37 36 35 34	6.07 5.19 4.73 5.01	8. 880. 880.	4.0 3.8 3.6 4.3	1/10 CLSt., sw.
25	969.2	22.8	50	S.	4.5	1,750 1,500 1,317 1,250	831.6 857.0 875.5 882.5	11.9 13.9 15.4 15.9	0.71	35 34 36	5.56 5.95 6.51	380. 380. 380.	5.5 6.4 6.4	1
39	969.2	23.6	47	8.	4.5	1,000 867 750	908.6 923.0 935.4	17.7 18.6 20.0	1.23	44 48 47	8.91 10.29 10.99	356. 356. 356.	6.2 6.1 5.9	Historia
49	969.2	23.8	44	SS0.	5.4	500 444	962.8 969.2	23.1 23.8	******	45	12.72 12.98	336. 386.	5.5 5.4	1/10 Ci.St., sw.
						1	August 15,	, 1918.						
A. M.	966.5	17.4	85	0.	3.1	444	966.5	17.4		85	16.89	6.	3.1	10/10 St.Cu., s.
:03.		17.5	85	6.	3.1	500 750 866	960.5 932.2 920.0	17.5 18.0 18.2	-0.19	81 64 56	16. 20 13. 21 11. 70	6. 686. 86.	4.3 9.9 12.5	
29.	966.5	18.1	79	6.	4.9	1,000 1,250 1,353	905.4 879.0 868.9	16.9 14.4 13.4	0.99	65 82 89	12.51 13.45 13.68	86. 686.	11.1 8.4 7.3	
45		18.7	77	6.	5.4	1,500 1,732 1,750	853.7 830.4 828.8 804.5	12.6 11.2 11.1 10.0	0.58	79 62 63 78	11.53 8.25 8.32 9.58	656. 6. 6.	8.6 10.6 10.5 8.4	
:05		20. 2	68	S0.	5.8	2,000 2,250 2,380	780.9 768.5	8.9	0.45	92	10. 49 10. 95	86.	6.4	Altitude of St.Cu. base about 2,40 m.
******************						2,500 2,750 3,000	757.8 735.2 713.2	7.7 6.3 4.9		100 100 100	10.51 9.55 8.66	386. 386. 8.	5.2 5.1 5.0	
:30	966.5	20. 5	69	Se.	4.5	3, 148 3, 000 2, 750	700.0 713.2 735.2	4.1 5.1 6.7	0.61	100 100 100	8. 19 8. 79 9. 81	S. S.	4.9 6.1 8.0	
:02		20.8	68	80.	4.0	2,500 2,250 2,242	757.8 780.8 781.8	8.5 10.1 10.2	0.37	100 100 100	11.10 12.36 12.45	\$36. \$36.	10.0 12.0 12.1	
0:07	966.5	21.0		50.	4.0	2,000 1,860	804.5 818.2	11.1	0.56	90 84	11.89 11.47	Se. Se.	9.8	
:14	966.4	21.1	63	30.	4.9	1,750 1,628 1,500	828. 8 841. 1 853. 7	12.2 12.9 13.6	0.55	92 100 96	13.07 14.88 14.96	56. 36. 86.	10.1 10.4 10.2	
*****************		******				1,250	879.0 905.4	15.0 16.3		96 89 81	15.17 15.01	86.	9.7	
0:27	966.3	21.0	67	36.	5.8	897 750	916.7 932.2	16.9	0.93	78 74 68	15.02 15.56 16.50	56.	9.0 8.0 6.2	The second second
0:33	966.3	21.1	67	30.	5.8	500 444	959.8 966.3	21.1	*******	67	16.50		5.8	10/10 St.Cu., s.

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 16, 1918

						-	August 16,	1918.						
	Surface	8.						At diffe	rent heig	hts abov	re sea.			
		Tem-	Rela-	w	ind.			_		Hum	idity.	w	Ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M. 2:13	mb. 900.3	° C. 25.3	%74	650,	m. p. s. 4. 5	m. 444 500	mb. 960.3 954.7	° C. 25.3 24.9		% 74 74	mb. 23.87 23.31	080, 090,	m. p. s. 4.5 4.9	Few St.Cu., se.
2:46	960. 2	27.1	62	6.	6.3	.750 805	927. 2 921. 6	23.3 22.9	0.66	72 71	20.60 19.83	0.	6.5	. •
1:15	960.0	27.3	61	686.	6.7	1,000 1,215	900.7 878.9	20. 9 18. 7	1.02	72 71 78 85 83	19. 28 18. 33	656.	9.2	
* ****************	*********		*******			1,250 1,500	875. 0 850. 0	18.6 18.1		66	17. 79 13. 71	ese.	11.8	
1:19	960.0	27.4	61	636.	5.8	1,619 1,750	838.3 825.0	17.9 17.4	0.20	58 59	11. 90 11. 72	056. 056.	11.8	
* * * * * * * * * * * * * * * * * * *	020 6		********	*******		2,000 2,250 2,280	801.5 778.6 775.8	16.3 15.3 15.2	0.34	62 65 65	11.49 11.30 11.23	86.	6.6 3.2 2.8	Altitude of St.Cu. base ab
2:25	950.8	28.0	65	656,	5.8	2, 250	778.6	15.3		66	11. 47	Be.	3.1	2,350 m.
		*******		*******		2,000 1,750	801.5 825.0	15.9 16.6		77 89	13.91 16.81	50. 50.	5.4	2/10 Cu., se.; 1/10 St.Cu., se.
2:48	959.8	28.1	65	636.	7.6	1,495 1,250	850. 7 875. 0	17.3	0.91	100	19.75 21.08	Se. Se.	10.0	que oui, aci, que buoui, es.
3:00		27.4	66	666,	8.0	1,000	900.7 913.3	21.8 22.9	1.06	93 86 82	22. 46 22. 90	650. 650.	11.3 11.6	
* * * * * * * * * * * * * * * * * * * *			*******	*******		750 500	927.0 953.3	24.3 26.9		77 67	23. 40 23. 75	650, 650.	10.8	
3:19	959.8	27.5	65	686.	8.0	444	959.8	27.5		65	23.87	686.	8.9	3/10 Cu., se.; 1/10 St.Cu., se.
						/	August 17,	1918.						
A. M.	048 9	10.0	04			444	002.2	10 0		06	20.07	-	5.9	10/10 St., ese. Misting.
25	962.3	18.9	96	650.	5.8	500 632	962.3 956.2 941.4	18.9 18.5 17.7	0.64	96 97 100	20.97 20.66 20.25	ese. ese.	5. 8 5. 9 6. 1	10/10 St., ese. atisting.
:30	962.3	18.9	97	50.	0.0	750 1,000	928. 4 902. 0	18.5 19.8	0.01	99 95	21.09	ese. sse.	7.4	
00	982.5	19. 2	98	880.	4.5	1,068	895. 2 902. 0	20.5	-0.81	95 96	22. 91 22. 18	BSe. SSe.	11.0	
15	962.6	19.1	99	880.	2.2	792 750	924. 5 928. 4	17.8	0.40	100	20. 38 20. 64	886. 886.	7. 2 6. 6	
21	962.6	19.2	98	890.	2.2	500 444	956. 2 962. 6	19.0		98 98	21.53 21.80	SSO.	3.0	10/10 St., sse. Misting.
7:16A. M.	965.5	20.3	93	S.	6.3	444	965.5	20.3		93	22.15	s.	6.3	10/10 St., sse. Mist from 7:18 to 8:27 a. m.
			*******	*******		500 750	959. 0 932-0	19.9 18.4		94 98	21. 85 20. 74	S. SSW.	7.0	
:24	965.5	20.3	93	8.	5.8	1,000	922. 1 905. 4	17.6	0.96	100	20.13 18.89	SSW.	11.1	Altitude of St. base about 700 m
:36	965. 5	20.3	93	8.	5.4	1,252	878. 6 853. 3	15. 0 15. 1	0.63	100 92	17.05 15.79	SSW.	13.8	. 7
:06	965.4	20.3	94	S.	3.6	1,750 1,795 1,750	828. 8 824. 6 828. 8	15.3 15.3 15.6	0.77	92 84 83 82 78 76	14.50 14.42 14.53	SSW. SSW.	12.0 11.8 11.8	Heavy mist.
11	965. 4	20.5	93	80.	3.6	1,500 1,362	853. 3 867. 7	17.5 18.6	0.68	78 76	15.60 16.29	SSW.	11.8	
· · · · · · · · · · · · · · · · · · ·		20.5		30.	3.6	1,250	879.1 894.4	17.9 17.0	0.56	85 98	17.43 18.99	SSW.	9.8	
	********					1,000	905. 4 932. 0	17.6		97 96	19.53 21.09	SSW. SSO.	6.8	
:22		20.7	94		4.5	500 444	959. 0 965. 3	20.4		94 94	22. 53 22. 95	50. 50.	4.7	10/10 St., sse.
	,				'	,	Lugust 19,	1918.						
A. M.	0.07	01.0	01	800		444	007.0	91.0		61	22.63	990	6.2	10/10 St., s.
8:27		21.0	91	S90.	6.3	444 500 750	967. 2 961. 0 933. 0	21.0 20.5 18.4		91 92 98	22. 19 20. 74	880. 880. 8.	6.3 7.6 13.2	Altitude of St. base about 650 n
3:40	967.2	21.1	91	SS8.	7.2	839 1,000	923. 9 906. 4	17. 7 18. 6	0.84	100	20. 25 19. 50	8.	15. 2	
8:58	967.2	21.6	90	\$30.	7.2	1,247	881. 2 855. 2	19.9	-0.39	76 69	17.66 14.79	S. S.	10.3	
			*******		*******	1,750 2,000	830.8	17.3 16.0		63	12.44 10.18		10.6 10.7	
0.25	966.9	21.9	89	sse.	6.7	2,010 2,250	805. 4 783. 7	15.9 14.5	0.52	56 56 54	10.12 8.92	S. S.	10.7 10.8	
						2,500 2,750	760. 6 738. 0		*******	52 50	7. 79 6. 78	S. SSW.	11.0 11.1	10/10 St., ssw.

			87	sse.	9.4	3,000 3,240	716. 2 695. 9	8.5	0.62	48 46	5. 86 5. 11	SSW.	11.3	Conditions threatening.
0:13	960. 5	22.1	87	sse.	*******	3,240 3,000 2,750	695. 9 716. 2 738. 0	8.5 10.0 11.6	0.62	46 52 58	5. 11 6. 39 7. 92	SSW. SSW.	11.4 11.2 11.0	
k12	966. 5	22.1		sse.	*******	3, 240 3, 000	695.9 716.2	8.5 10.0 11.6 13.1 14.0	0.62	46 52	5. 11 6. 39	SSW.	11.4 11.2	

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 19, 1918-Continued

							Augu	st 19, 1918-	-Contin	ued.					
		Surface	0.						At diff	erent hei	ghts abo	ve sea.		Just	
			Tem-	Rela-	W	ind.	ATAZ		Tem-	Δε	Hun	idity.	w	ind.	Remarks.
	Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	-
10:39	A. M.	mb. 966.5	° C. 22.2	% 89	888.	m. p. s. 7. 2	m. 1,807 1,750	mb. 825.3 830.8	° C. 19.0 19.2	0.37	% 48 51	mb. 10.55 11.35	asw.	m. p. s. 10.6 10.7	
		966.5	22.4	87	880.	9.4	1,500 1,352	855. 2 870. 1	20.1 20.7	-0.75	66 74	15. 29 18. 07	SSW.	11.0	
10-50	*************	906.5	22.6	85	******	8.9	1,250 1,000 992	880. 2 906. 4 907. 2	19.9 18.1 18.0	0.88	81 99 100	18.82 20.56 20.64	SSW.	11.2 11.0 11.0	
	**************	500.5	22.0		898.	0.9	750 500	933. 0 960. 3	20.1	0.00	93 86	21. 88 23. 16	SSW. S. SSG.	10.5	
11:14	******	966.5	22.8	84	386.	9.8	444	966.5	22.8		84	23.32	390.	9.8	
							A	ugust 20,	1918.						by bd
	A. W.	963.3	19. 2	96	8.	5.8	444	963.3	19.2		96	21.36	8.	5.8	10/10 St.Cu., ssw.
8:40		963. 4	19.2	93	8.	5.4	500 750 765	957.3 929.5 928.0	18.6 16.0 15.8	1.06	97 100 100	20.79 18.18 17.95	S. SSW.	5.8 5.5 5.5	
	**************************************		20.7	86	SSW.	5.4	1,000	903.0 891.4	16.3 16.5	-0.20	94 91	17.42 17.08	SSW. SSW.	5.5	
*********			20.5	86	88W.	6.3	1, 250	877.0 870.7	18.0 18.7	-1.10	- 66 55	13.62 11.86	SW. WSW.	6.4	
********		*******	*******		******		1,500 1,750	851.8 827.2	17.1 14.9		55 55	10.72 9.32	wsw. w.	5.6	10/10 St.Cu., ssw.
		963.5	21.1	87	85W.	4.9	1,919	810.6 827.2	13.4	0.74	55	8.45 9.84	w. w.	3.0	111111111111111111111111111111111111111
10-25		069.5	91.0	0.8		4 8	1,500	851.8 877.0	16.0 17.5	0.00	67 73	12.18 14.60	w. w.	6.6	
			21.8	86	SSW.	4.5	1,190 1,000 768	883. 4 903. 0 928. 0	17.9 17.9 17.8	1. 23	#5 86 100	15.38 17.64 20.38	WSW. SSW.	6.9 5.9 4.6	Altitude of St.Cu. base about 700 m
						*******	750 500	929.5 957.3	18.0	*******	99	20.43	SSW.	4.6	Attended of Se.Cu. Dass a Soute 100 Id.
10:57	*******	963.5	21.8	86	sw.	4.9	444	963.5			86	22. 46	sw.	4.9	6/10 St.Cu., ssw.
							Augu	ıst 21, 1918	(No. 1).					
	А. И.	964, 4	15.7	96	nne.	3.1	444	964.4	15.7		96	17.13	nne.	3.1	3/10 A.Cu., sw.; 6/10 A.St., sw.
	• • • • • • • • • • • • • • • •	964, 4	16.0	96	nne.	2.7	500 750	958. 0 930. 6	16.3	-1.11	87 46	16. 12 10. 17	6. 6.	4.6	opto accus, own, opto acces, ow.
	••••••	964.5	16.3	96	nne.	3.6	1,000	903. 8 892. 7	17.9 17.4	0.48	50 65	12.10 12.92	0.	8.6 7.3	
***********		*********			*******		1,250 1,500	877. 2 852. 0	16.5 14.8	*******	75 93	14. 08 15. 65	0.	6,2	
**********	• • • • • • • • • • • • • • • • • • • •	963. 9	18.8	92	D0.	2.7	1,520 1,750	850, 4 827, 0	14.7	0.65	100	15. 80 15. 37	880.	6.4	7
***********		963, 6	19.0	91	ne.	3.6	1,767 2,000	825. 8 803. 0 790. 8	13.3 11.4 10.3	0. 56	100 100 100	15. 27 13. 48 12. 58	550. 550.	6.6 6.8 6.9	Altitude of St.Cu. base about 1,850
V.40		963.3	19. 2	89	ne.	2. 5	2,127	779.1	11.2	0.00	72	9.58	200.		m.
	************	963.3	19. 2	89	no.	2.2	2, 431 2, 500	762.4	12.6 12.1	-0.76	32 32	4. 67	390. 390.	7.1 7.4 7.4	3/10 A.St., sw.; 7/10 St.Cu., sse.
**********		*********					3,000	733. 9 712. 3	10. 2 8. 3 7. 0		30	3.74	530.	7.6	The state of the s
9:41	• • • • • • • • • • • • • • •	963. 2	19. 2		ne.	2.7	3,166 3,000	698.3 712.3	8.6	0.85	29 28 28 27	2.81 3.13	8.	7.8	Rain from 9:42 a. m. to 12 noon.
					******		2,750 2,500	733. 9 756. 1		*******	26	3, 52 3, 94	g. 8.	6.8	Thunder first heard in saw, at 8:55
		963. 2	19.2	91	6D0.	1.8	2,388 2,250 2,000	766. 8 779. 1	14.3 13.7	-0.47	26 48	4. 24 7. 53	S. S.	6.0	a. m.; last heard about 10:40 a. m.
	• • • • • • • • • • • • • • • •	963.1	19.2	91	eno.	1.8	2,000 1,986	803. 0 804. 5		2.08	88	12.75 12.96	386. 580.	6.7	
							1,750 1,500	827. 0 852. 0			90 84 77	18.60 14.18	30.	7.5	
10:18		963.1	19. 1	91	ne.	2.2	1,363	865. 8 877. 2	17.3	0.88	73	14. 42 14. 30	666.	8.9 9.5	1
10:29		963.1	19.1	91	ne.	1.8	1,000	902. 7 913. 9	20, 5	0. 51	68 57 52	18. 75 13. 25	36.	11.0	
					******		750 500	929, 1 965, 8	19.4		65 86	15.87	200.	8.5 3.2 1.8	9/10 St.Cu., see.
10:44	***************************************	963.1	19.1	91	ne.	1.8	444	963.1	1		9t	20, 12	ne.	1.0	3/10/05/04/1/ 1000
	1			-		- 1	Augu	st 21, 1918	(No. 2)	10		1	1	-	
	. м.	960,7	23.8	79	88.	9.4	444	960.7			79	23, 30	80.	9.4	4/10 A.Cu., sw.; 2/10 A.St., sw.
			04.0		******	10.7	750 750	954. 2 927. 0	22.1	0.67	75 58	21. 72 15. 43	80.	9.9 12.3 13.9	
		960. 6	24.0		30.	10.7	919 1,000 1,250	909. 6 900. 2 874. 9	00 0	0. 57	46 45 43	11.06	56. 96. 986.	13.0	
:55		980.4	25.1		90.	9.8	1,468 1,500	853. 8 850. 0	19.3	0.33	43 41 42	9, 18	330.	10.1 7.7 7.8	

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

	Surfac	10.				1.5	A	t differe	ent height	s above	sea.				
		Pole Wind.		ind.					Humi	idity.	w	ind.	Domarka		
. Time.	Pressure.	Tem- pera- ture.	Rela- tive humid-		Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	Remarks.	
			ity.	Du.	V 61.					Ret.	pres.	Dir.	V 01.		
Р. М.	mb.	° C.	%		m. p. s.	m. 1.750	m5. 825. 5	° C. 17.1		% 47	mb. 9.16	sse.	m. p. s. 8.7		
••••		******	******	******	******	1,750 2,000	801.3	15. 2	******		9. 15 9. 01	8.	9.6		
				*******		2, 250 2, 500	778. 2 755. 6	13.3		59 64 65	8.57	s. ssw.	11.4	5/10 St.Cu., sw.	
:24	. 960, 2	24.8	75	80.	10.7	2,528 2,500	753. 7 755. 6	11.1	0.78	65 65	8. 59 8. 70	SSW.	11.5		
		*******	*******	*******		2, 250	778.2	13.3		60	9.16	S.	10.9		
**********************	********	*******	******	*******		2,000 1,750	801.3 824.7	15.3 17.4	******	55 50	9. 56 9. 94	330. 36.	10.4		
:45	960.0	24.5	71	86.	10.7	1,631	836.9	18.3	0.40	48	10.09	86.	9.6		
			*******	*******	*******	1,500 1,250	849. 0 874. 0	18.8		50 54	10. 85 12. 47	50. 50.	10.6		
.00	050.9	24 6		*******	0.4	1,000	900.0	20.8		58	14.25	50.	14.5		
:02	959.8	24.6	66	86.	9.4	975 750	903. 0 927. 0	20.9 22.7	0.81	58 60	14.34 16.55	86.	14.7		
	959. 8	25, 2	63	30.	8.5	500	954. 2 959. 8	24. 7 25. 2	*******	62 63	19. 29 20. 20	36. 86.	9.2	7/10 St.Cu., sw.	
30	809.0	20. 2		50.	0.0	711	800.0	20.2	******	00	20, 20	80.	0.0	1/10 St.Od., SW.	
						August	22, 1918, s	eries (N	lo. 1).						
A. M.											1				
23	958.3	14.4	72	WSW.	4.5	444 500	958.3 952.3	14. 4 14. 1		72	11.81 11.58	WSW.	6.3	1/10 Ci.Cu., waw.	
	********		******	*******		750	924.5	13.0		72 69 68 71 75 73	10.34	wnw.	14.3		
38	958.3	14.5	72	sw.	4.5	832 1,000	915. 1 897. 3	12.6	0.46	68	9. 92 9. 96	wnw.	16. 9 19. 1		
45	958.3	14.9	68	sw.	4.9	1,200	875.9	11.2	0.38	75	9.98	nw.	21.7		
*******************	********	******	******	******		1,250 1,500	870. 8 845. 2	11. 4 12. 3		73 61	9. 84 8. 73	nw.	21.5		
	********					1,750	820.7	13. 2	*******	49	7.43	WHW.	19.7	1	
.00	958, 4	15.8	64	SW.	5.4	1,987 1,750	797.3 820.7	14.0	-0.88	37 53	5. 91 6. 82	wnw.	18. 9 19. 5		
22	958, 4	15.9	65	sw.	7.6	1,622	832.4	8.9	1.70	62	7. 07	WIW.	19.9	2/10 Ci.St., wnw.	
:36	958.4	16.4	63	SW.	9.8	1,516	843, 2 845, 2	10. 7 10. 6	-0.60	53 55	6. 82 7. 03	WBW.	16.0 16.0	,	
	********			*******		1,250	870.8	9.1		83	9.59	wnw.	16.1		
:51	958.4	16.8	62	sw.	9.8	1,215 1,000	874.3 897.3	8.9	0.97	87	9. 92 10. 50	wnw.	16. 1 15. 6		
:15	958. 4	17.2	62	sw.	9.8	835	915.1	12.6	1. 25	75	10.94	nw.	15. 2		
***********************	********			*******	******	750 500	924. 5 952. 3	13. 7 16. 8		80 75 72 64	11. 29 12. 24	Whw.	14. 0 10. 6		
24	958. 4	17. 5	62	sw.	9.8	444		17.5		62 12, 40		SW.	9.8		
	11.	•				August	22, 1918, 50	eries (N	o. 2).			- 6			
	1		1				1		1				1		
A. M.							0.000		1 3 4		0.00				
3:57	958. 4	18.7	- 61	w.	10.7	444	958. 4	18.7		61	13. 16	w	10.7	3/10 Ci.St., wnw.	
3:57	*********		******	w.		500 750	952. 8 924. 9	18.7 17.9 14.2		63	13. 16 12. 92 11. 66	w. w. w.	11. 0 12. 5	3/10 Ci.St., wnw.	
3:57	958, 4	18.7	60	w. w.		500 750 825	952. 8 924. 9 916. 4	17. 9 14. 2 13. 1	1.47	63 72 75	12.92 11.66 11.31	W. W. W.	11. 0 12. 5 12. 9	3/10 Ci.St., wnw.	
3:57	958, 4		******			500 750 825 1,000 1,250	952. 8 924. 9 916. 4 897. 2 870. 7	17. 9 14. 2 13. 1 13. 2 13. 3		63 72 75 66 53	12. 92 11. 66	W. W.	11. 0 12. 5 12. 9 14. 2 16. 0	3/10 Ci.St., wnw.	
3:57	958, 4	18.8	60	w.	9.8	500 750 825 1,000 1,250 1,500	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5	1.47	63 72 75 66 53 40	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19	W. W. W. W. W.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8	3/10 Ci.St., wnw.	
3:57	958, 4		******			500 750 825 1,000 1,250 1,500 1,663 1,750	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2	1. 47	63 72 75 66 53 40 32 32	12. 92 11. 66 11. 31 10. 01 8. 09	W. W. W. W.	11. 0 12. 5 12. 9 14. 2 16. 0	3/10 CLSt., wnw.	
:57.	958, 4 958, 4	18.8	60	W.	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0	1.47	63 72 75 66 53 40 32 32 32	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 85 4. 49	W. W. W. W. WSW. WSW. WSW.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3	3/10 CLSt., wnw.	
::57	958, 4 958, 4	18.8	60	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0 10. 8 9. 6	1.47	63 72 75 66 53 40 32 32 32 31 31	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 85 4. 49 4. 01 3. 70	W. W. W. W. WSW. WSW.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3	3/10 CLSt., wnw.	
::57	958, 4 958, 4	18.8	60	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0 10. 8 9. 6 8. 9	1. 47 0. 06	63 72 75 66 53 40 32 32 32 31 31 31	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 85 4. 49 4. 01 3. 70 3. 53	W. W. W. W. WSW. WSW. WSW. SW.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9	3/10 Ci.St., wnw.	
:57	958. 4 958. 4	19.0	60	W	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500 2,400 2,750 3,000	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 928. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0 10. 8 9. 6 8. 9 8. 5 7. 6	1. 47 -0. 06	63 72 75 66 53 40 32 32 32 31 31 31	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 85 4. 49 4. 01 3. 70 3. 53 3. 22 2. 71	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4	3/10 Ci.St., wnw.	
::57	958, 4 958, 4	19.0	60	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500 2,440 2,750 3,000 3,250	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0	17. 9 14. 2 13. 3 13. 5 13. 6 13. 2 12. 0 10. 8 9. 6 8. 9 8. 5 7. 6 6. 7	1.47 -0.06	63 72 75 66 53 40 32 32 32 31 31 31	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 85 4. 49 4. 01 3. 70 3. 53 3. 22 2. 71 2. 16	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7	3/10 Ci.St., wnw.	
:57.	958. 4 958. 4 958. 4	19.0	61	w. w. w.	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500 2,40 2,750 3,000 3,250 3,500 3,516	952. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 663. 9	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0 10. 8 9. 6 8. 9 6. 7 5. 7	1.47 -0.06 0.48	63 72 75 66 53 40 32 32 31 31 31 29 26 22 18	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 01 3. 70 3. 53 3. 22 2. 71 2. 16 1. 66 1. 65	W. W. W. W. W. WSW. WSW. WSW. SW. SW. SW	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 9 27. 0	3/10 Ci.St., wnw.	
:57	958, 4 958, 4 958, 4	19.0	60 58 61 57	w. w. w. w.	9.8	500 750 825 1,000 1,250 1,500 2,000 2,250 2,250 2,350 2,350 3,500 3,500 3,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 663. 9	17. 9 14. 2 13. 1 13. 2 13. 3 13. 5 13. 6 13. 2 12. 0 9. 6 8. 9 8. 5 7. 6 6. 7 5. 8	1.47 -0.06 0.48	63 72 75 66 53 40 32 32 32 31 31 29 26 18	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 85 4. 49 4. 01 3. 53 3. 22 2. 71 2. 76 1. 66 1. 66	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 9 27. 0 26. 8		
:57. :20. :21.	958, 4 958, 4 958, 4	19.0	60 68 68 61 57	w. w. w. w.	9.8	500 785 825 1,000 1,250 1,500 1,663 1,750 2,000 2,250 2,500 2,500 3,250 3,500 3,500 3,250 3,500 3,500 3,250	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 665. 4 683. 9 665. 4 688. 0 706. 8	17. 9 14. 2 13. 2 13. 3 13. 6 13. 6 13. 2 12. 0 8. 9 6. 7 5. 7 5. 8 7. 6 7. 1 8. 4	0.48 0.44	63 72 75 66 53 40 32 32 32 31 31 31 29 26 22 18 18 18	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 01 3. 70 3. 53 3. 22 2. 71 2. 16 1. 66 1. 65	W. W. W. W. W. WSW. WSW. WSW. SW. SW. SW	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 9 27. 0	3/10 Cl.St., wnw.	
:57	958, 4 958, 4 958, 4	19.0	60 68 68 61 61 57	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,250 2,500 2,250 3,000 3,250 3,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 795. 8 19. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 663. 9 665. 4	17. 9 14. 2 13. 2 13. 3 13. 5 13. 6 13. 2 10. 8 9. 6 5. 7 5. 8 5. 7 7. 1 8. 4 9. 7	0.48	63 72 75 66 53 40 32 32 31 31 31 29 26 22 18 18 18 25 32	12. 92 11. 61 11. 31 10. 01 8. 09 4. 89 4. 49 4. 01 3. 70 3. 53 3. 22 2. 71 6. 66 1. 66 1. 66 2. 52 3. 53	W. W. W. W. WSW. WSW. SW. SW. SW. SW. SW	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 3 22. 3 22. 5 25. 7 26. 9 27. 5 26. 9 27. 5 26. 8 24. 1 21. 4 21. 8		
:57	958. 4 958. 4 958. 4	19.0	60 68 61 57 57	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,250 2,500 2,250 3,000 3,250 3,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 685. 4 685. 4 686. 0 706. 8 728. 5	17. 9 14. 2 13. 2 13. 5 13. 5 13. 6 13. 2 10. 8 8. 9 8. 5 7. 6 5. 8 7. 1 9. 7 9. 7 9. 7 9. 7 9. 7 9. 7 9. 7 9. 7	0.48	63 72 75 66 53 40 32 32 31 31 31 29 26 22 18 18 18 25 32 39 40 40 50 50 50 50 50 50 50 50 50 50 50 50 50	12. 92 11. 61 11. 31 10. 01 8. 09 4. 99 4. 01 3. 70 2. 71 2. 71 2. 71 2. 16 1. 66 2. 52 3. 4. 69 4. 82	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 9 23. 4 24. 6 25. 7 26. 8 24. 1 26. 8 24. 1 26. 8		
:57	958. 4 958. 4 958. 4	19. 0	58 58 61 57	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,250 2,500 2,250 3,000 3,250 3,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 688. 0 706. 8 728. 5	17. 9 14. 1 13. 2 13. 5 13. 6 13. 6 13. 6 10. 8 9. 9 8. 9 5. 7 6. 8 9. 9 10. 5 10. 5	1.47 0.06 0.48	63 72 75 66 53 40 32 32 31 31 29 26 22 28 18 18 18 5 32 40 6 6 6 6 6 6 6 7 7 8 7 8 7 8 8 7 8 8 8 8	12. 92 11. 63 11. 31 10. 01 8. 19 4. 99 4. 91 3. 53 3. 53 3. 53 3. 22 2. 71 2. 16 6. 1. 65 1. 66 1. 65 1. 66 1. 65 1. 68 8. 68 8 8 8 8 8 8 8 8 8 8 8 8	W. W. W. W. W. W. W. WSW. WSW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 8 27. 0 28. 1 21. 4 18. 3 17. 5 18. 3 17. 5		
:57.	958. 4 958. 4 958. 4	19. 0	60 68 68 61 57 57	w	9.8	500 750 825 1,000 1,250 1,500 1,663 1,750 2,250 2,500 2,250 3,000 3,250 3,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 685. 4 685. 4 686. 0 706. 8 728. 5	17. 9 14. 1 13. 2 13. 3 13. 5 13. 6 13. 6 13. 6 10. 8 9. 8 9. 5 5. 7 5. 7 5. 7 9. 9 9. 9 10. 5	0.48 0.48	63 72 75 66 53 40 32 32 31 31 31 29 26 22 18 18 18 25 32 39 40 40 50 50 50 50 50 50 50 50 50 50 50 50 50	12. 92 11. 61 11. 31 10. 01 8. 09 4. 99 4. 01 3. 53 3. 22 12. 16 1. 65 1. 66 2. 53 4. 69 4. 68 4. 68 4. 68 4. 68 4. 68	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 3 20. 3 22. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 9 27. 0 26. 9 27. 0 18. 7 18.		
:57 :06 :20 :20 :61	958. 4 958. 4 958. 4	19. 0	60 68 68 61 57 57	w	9.8	500 750 825 1,000 825 1,500 1,663 1,750 2,000 2,450 2,550 2,760 3,250 3,516 3,500 3,516 3,500 2,716 2,716 2,500 2,716 2,500 2,716 2,500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 685. 4 683. 9 665. 4 683. 9 665. 4 683. 9 773. 9 773. 9	17. 9 14. 1 13. 2 13. 3 13. 5 13. 6 13. 6 13. 6 10. 8 9. 8 9. 5 5. 7 5. 7 5. 7 9. 9 9. 9 10. 5	1.47 0.06 0.48	63 72 75 66 53 40 32 32 32 31 31 31 31 31 31 32 29 26 22 18 18 25 32 40 40 40 40 40 40 40 40 40 40 40 40 40	12. 92 11. 63 11. 31 10. 01 8. 19 4. 99 4. 91 3. 53 3. 53 3. 53 3. 22 2. 71 2. 16 6. 1. 65 1. 66 1. 65 1. 66 1. 65 1. 68 8. 68 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	W. W. W. W. W. W. WSW. WSW. WSW. SW. SW.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 22. 3 22. 3 22. 3 24. 6 25. 7 26. 9 27. 0 26. 8 24. 1 18. 7 18. 7		
2:57 2:06 2:20 2:40 1:48 1:48 1:48	958. 4 958. 4 958. 4 958. 4	18.8	60 68 68 61 57 57	w. w. w. w.	9.8	500 7500 825 1,000 1,250 1,500 1,663 2,000 2,250 2,250 2,500 3,000 3,500 3,500 3,500 3,500 3,500 3,500 2,750	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 685. 4 683. 9 665. 4 683. 9 665. 4 683. 9 773. 9 773. 9	17. 9 14. 1 13. 2 13. 3 13. 5 13. 6 13. 6 13. 6 10. 8 9. 8 9. 5 5. 7 5. 7 5. 7 9. 9 9. 9 10. 5	1.47 -0.06 0.48	63 72 75 66 53 40 32 32 32 31 31 31 31 31 31 32 29 26 22 18 18 25 32 40 40 40 40 40 40 40 40 40 40 40 40 40	12. 92 11. 66 11. 31 10. 01 6. 19 4. 99 4. 85 4. 49 4. 01 3. 70 3. 53 3. 22 2. 71 1. 66 1. 65 1. 66 2. 52 3. 53 4. 69 4. 88 4. 88 6. 22 7. 9. 58 11. 23	W. W. W. W. W. W. WSW. WSW. WSW. SW. SW.	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 22. 3 22. 3 22. 3 24. 6 25. 7 26. 9 27. 0 26. 8 24. 1 18. 7 18. 7		
9:20. 9:20. 9:31. 9:40.	958. 4 958. 4 958. 4 958. 4	19.0	58 58 61 57	w	9.8	500 7500 825 1,000 1,250 1,500 1,663 2,000 2,250 2,250 2,500 3,000 3,500 3,500 3,500 3,500 3,500 3,500 2,750	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 685. 0 665. 4 686. 0 706. 8 728. 5 732. 0 751. 0 773. 9	17.9 14.2 13.1 13.3 13.5 13.6 13.6 13.9 9.9 9.9 10.8 8.5 7.5 1.8 9.9 9.9 10.5 11.1 11.3 12.3	1.47 -0.06 0.48 0.44	63 72 75 66 53 40 32 32 32 31 31 31 29 22 28 18 18 25 32 32 27 40 62 27 44 40 40 40 40 40 40 40 40 40 40 40 40	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 85 4. 01 3. 70 3. 53 3. 22 12. 16 1. 65 1	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 19. 0 19. 3 20. 3 21. 3 22. 3 22. 3 23. 4 24. 6 25. 7 26. 9 27. 0 28. 8 24. 1 21. 4 21. 6 21. 7 18. 3 21. 3 21. 3 22. 3 24. 6 25. 7 26. 9 27. 0 28. 8 29. 1 29. 1		
9:36	958. 4 958. 4 958. 4 958. 4	19.0	58 58 61 57 57	w	9.8	500 7500 825 1, 0000 1, 250 1, 560 2, 000 3, 1, 750 2, 250 2, 250 2, 500 3, 500 3, 500 3, 500 3, 500 2, 750 2, 750	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 686. 0 706. 8 728. 5 732. 0 751. 0 773. 9	17.9 14.2 13.1 13.2 13.5 13.5 13.6 13.2 12.0 8.5 7.5 5.7 5.7 10.8 9.9 10.5 10.8 11.3 11.3 11.3 11.3 11.3 11.3 11.3 11	1.47 0.06 0.48 0.44	63 72 75 66 53 40 32 32 31 31 31 31 29 26 22 18 18 18 18 25 32 32 40 50 50 50 50 50 50 50 50 50 50 50 50 50	12. 92 11. 66 11. 31 10. 019 6. 199 4. 85 4. 491 4. 01 3. 703 3. 22 12. 16 1. 65 1. 65 1. 65 2. 3. 53 4. 69 4. 88 6. 22 7. 9. 58 11. 23 12. 32 12. 32 12. 32 12. 32 12. 32 13. 21	W. W. W. W. WSW. WSW. SW. SW. SW. SW. SW	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 21. 3 22. 3 22. 9 23. 4 24. 6 25. 7 26. 8 27. 0 26. 8 24. 1 18. 3 17. 5 16. 9 17. 5 18. 3 17. 5 18. 3 17. 5 18. 3 17. 5 18. 4 18. 9 18. 9 18. 3 18. 3		
9:56	958. 4 958. 4 958. 4 958. 4	18. 8 19. 0 19. 3 20. 9 22. 8 23. 4	58 58 61 57 57 49	w. w. w. w. w.	9.8	500 7500 825 1,000 1,250 1,560 2,050 2,250 2,500 2,250 2,500 3,500 3,500 3,500 3,500 3,500 3,500 2,750 2,760	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 725. 8 19. 9 725. 8 727. 7 750. 4 737. 9 728. 3 686. 0 665. 4 686. 0 706. 8 728. 5 732. 0 751. 0 773. 9 797. 3 822. 0	17.9 14.2 13.1 13.2 13.5 13.5 13.6 13.2 12.0 8.6 9.9 10.8 8.5 5.7 8.7 8.7 8.7 9.9 10.5 11.3 11.3 11.3 11.3 11.3 11.3 11.3 11	1.47 0.06 0.48 0.44 0.13	63 72 75 66 53 40 32 32 32 31 31 31 31 29 26 22 18 18 18 50 50 50 62 74 85 87 88 88 88 86 84	12. 92 11. 66 11. 31 10. 019 6. 199 4. 85 4. 499 4. 01 3. 703 3. 22 12. 16 1. 66 1. 65 1. 66 1. 65 1. 66 1. 22 2. 12 2. 12 2. 13 3. 33 12 12 12 13 13 13 13	W. W. W. W. WSW. WSW. WSW. SW. SW. SW. S	11. 0 12. 5 12. 9 14. 2 16. 0 19. 0 19. 3 20. 3 21. 3 22. 3 22. 3 23. 4 24. 6 25. 7 26. 8 27. 0 28. 8 11. 4 11. 5 11. 5		
:57. :506. :20. :51. :40.	958. 4 958. 4 958. 4 958. 4	19.0	58 58 61 57 57 49	w	9.8	500 7500 7500 7500 7500 7500 7500 7500	962. 8 924. 9 916. 4 897. 2 870. 7 844. 9 9828. 5 819. 9 795. 8 772. 7 750. 4 737. 9 728. 3 706. 8 686. 0 665. 4 683. 9 665. 4 686. 0 778. 3 779. 9 779. 9 779. 8 779. 9 779. 9 7	17.9 14.2 13.1 13.2 13.5 13.5 13.6 13.2 12.0 10.8 10.8 10.2 10.8 11.1 11.3 12.3 11.3 11.3 11.3 11.3 11.3	0. 48 0. 48 0. 13	63 72 75 66 53 40 32 32 32 32 31 31 31 29 26 22 18 18 25 32 32 40 40 65 65 65 65 65 65 65 65 65 65 65 65 65	12. 92 11. 66 11. 31 10. 01 8. 09 6. 19 4. 99 4. 95 4. 49 1. 3. 70 3. 53 3. 22 2. 71 1. 66 1. 65 1. 66 2. 52 7. 37 9. 58 11. 23	W. W. W. W. WSW. WSW. SW. SW. SW. SW. SW	11. 0 12. 5 12. 9 14. 2 16. 0 17. 8 19. 0 19. 3 20. 3 22. 3 22. 3 22. 3 22. 3 22. 3 22. 5 25. 6 26. 8 24. 1 21. 4 18. 7 15. 8 14. 9 15. 8 16. 9 16. 9 26. 8 27. 9 26. 8 27. 9 26. 8 27. 9 27. 9 27. 9 26. 8 27. 9 27. 9		

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

						August	22, 1918, s	eries (P	No. 3).					
-	Burfse	е.		1111	ed in the	10.75		At diff	erent heig	hts abo	ve sea.		3111	
Time. Press		Tem-	Rela-	w	ind.	A 145		Tem-		Humidity.		Wind.		Remarks.
	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.		Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
Р. М.	mb. 958. 7	° C. 24.0	% 49	w.	m. p. s. 11. 2	m. 444 500	mb. 958. 7 952. 5	° C. 24.0 23.3		% 49 50	14. 30	w. w.	m. p. s. 11. 2 11. 6	6/10 St.Cu., wnw.
:34	958, 7	24.3	48	w.	11.2	750 831 1,000	925, 5 916, 9 898, 8	20. 2 19. 2 17. 4	1.24	53 54 62	12. 55 12. 02 12. 32	wnw. wnw. wnw.	13. 6 14. 2 14. 2	
:05		24. 4	48	w.	11.2	1,250 1,500 1,592 1,750	872. 8 847. 4 838. 3 822. 3	14.8 12.2 11.2 9.9	1.05	73 84 88 91	12. 29 11. 94 11. 70 11. 10	WNW. W. W.	14.3 14.4 14.4 14.3	Altitude of St.Cu. base about 2,00
:10	958, 7	24.6	48	w.	8,9	2,000 2,155 2,250 2,500	798. 0 783. 2 774. 2 751. 0	7, 9 6, 6 6, 3 5, 5	0.82	97 100 96 85	10. 33 9. 75 9. 17 7. 68	WDW. WDW. WDW.	14. 0 13. 9 14. 3 15. 4	0.6
:49.	958. 7	25. 0	47	wnw.	8,9	2,750 3,000 3,250 3,319	728. 0 705. 8 684. 2 678. 8	4.7 3.9 3.1 2.9	0, 32	74 63 52 49	6. 32 5. 09 3. 97 3. 69	wnw. wnw. wnw.	16. 5 17. 6 18. 7 19. 0	
3:19.		24.3	48	wnw.	9.8	3,500 3,750 4,000 4,139 4,000	663. 7 743. 4 623. 8 613. 3 624. 1	1.9 0.6 - 0.7 - 1.4 - 0.6	0, 52	42 32 23 17 21	2. 94 2. 04 1. 32 0. 92 1. 22	WNW. WSW. WSW. WSW.	19.6 20.4 21.2 21.7 20.8	7/10 St.Cu., wnw.
1-89	950.0	24. 5	48		7. 6	3,750 3,500 3,250 3,096	644. 0 664. 5 685. 2 698. 9	0.7 2.1 3.4 4.3	-1.37	27 34 41 45	1.74 2.42 3.20 3.74	wsw. w.	19. 1 17. 4 15. 7 14. 7	
:03	959.1	24.6	48	wnw.	5.4	3,000 2,928 2,750 2,500	707. 0 713. 4 729. 0 751. 0	3.0 2.0 3.4 5.4	0. 80	76 100 98 96	5. 76 7. 06 7. 64 8. 61	W. W. W. W.	20. 6 25. 0 23. 1 20. 4	Altitude of St.Cu. base about 2,00 m.
	959. 4	04.0	49			2,250 2,000 1,750	774. 2 798. 0 823. 0	7.4 9.4 11.4		93 90 88 87	9, 58 10, 61 11, 86 12, 36	w. wnw. wnw. wnw.	17. 7 15. 1 12. 4 11. 3	11.4
	909. 4	24. 8		wnw.	6. 7	1,648 1,500 1,250 1,000	833. 6 848. 0 873. 4 899. 5	12. 2 13. 7 16. 3 18. 8	1.04	82 73 64	12. 86 13. 53 13. 89	wnw. wnw. wnw.	11. 1 10. 9 10. 6	10 mm
18	959. 3	25. 1	48	wnw.	7.6	869 750 500	913. 6 926. 0 953. 4	20. 2 21. 5 24. 2	1.08	59 57 51	13. 97 14. 62 15. 40	wnw. wnw. wnw.	10.5 9.3 6.9	0/10 04 0
26	959. 3	24. 8	50	wnw.	6.3	ugust :	959. 3 22, 1918, se		0. 4).	50	15.66	wnw.	6.3	2/10 St.Cu., wnw.
Р. М.	959.1	24. 2	49	wnw.	6.3	444	950.1	24.2		49	14.80	wnw.	6.3	2/10 St.Cu., wnw.
5	959.1	24.4	50	wnw.	4.9	500 750 783 1,000	954. 0 926. 2 922. 5 899. 8	00 F	1.18	50 53 53 63	14. 48 12. 86 12. 55 13. 17	WNW. WNW. WNW.	6.9 9.4 9.7 9.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

P. M.		24.2	49	wnw.	6.3	959.1 500 954.0	23.5	******	49 50	14.80 14.48	wnw.	6.3	2/10 St.Cu., wnw.
55	959.1	24.4	50	WIW.	4.9	750 926. 2 783 922. 5 000 899. 8	20.6 20.2 18.2	1.18	53 53 63	12.86 12.55 13.17	WDW. WDW.	9.4 9.7 9.5	
n	959. 5	24.1	50	WDW.	5.4	250 874.0 470 851.3 500 848.3	15.8 13.7 13.4	0.95	74 84 85	13. 28 13. 17 13. 06	w. w.	9.4 9.2 9.4	
	*******			******		750 823.7 000 799.0	10.9	******	90 94	11.74 10.36	W. W.	11.4	Few St.Cu. wnw.
8	959.7	23.7	52	wnw.	5.8	222 777.9 250 775.0	6.2	1.00	99 98	9.39	W. W.	15. 2 15. 2	
******************						500 752.0 750 729.1		*******	93 87	6.83	w. w.	15.3	
5	960.1	22.8	56	wnw.	4.9	000 707. 2 002 689. 8 050 685. 7	2. 2 1. 1 0. 9	0. 52	82 77 75	5.87 5.10 4.89	W.	15. 4 15. 5 15. 4	
*******************						000 664.5 50 644.3	-0.3 -1.5		62	3. 70 2. 64	w.	15.1	1/10 St.Cu., wnw
	900. 2	22.0	00	wnw.	4.5	19 631.1 50 645.0	-2.3 -1.5	0.46	41 50	2.07	W. W.	14.4 13.9	
***************************************				*******	******	665. 5 686. 3	0.7	*******	63 76	3.72 4.89	w. w.	13.1	1111000
		21.5	61	WDW.	5.8	98 699.8 00 707.8		0.82	84 83	5. 68 5. 94 6. 56	w.	11.8 11.8 12.0	
******************	********			******	******	750 729.7 752.3 775.5	6.3	******	79 75 71	7.16	w.	12.1	
)		20.8	61	wnw.	5.4	00 799.6 36 815.9	10.4 11.8	0.68	68	8.57 9.00	W.	12.4 12.5	
**********						50 824. 0 00 848. 3	14.1	******	66 71	9.50 11.42	W.	12.6 12.7	
******************	960. 5	19.9	67	WDW.	4.9	00 868. 5 50 874. 0		0.84	74 72 66	12.95 13.01 13.62	W.	12.9 12.5 11.0	
*********	960.7	18.7	73	WDW.	4.5	00 900.4 10 920.7 50 927.2	18.0 19.6 19.5	-0.19	61	13. 91 14. 28	WDW.	9.8	
1		18.9	72	wnw.	4.0	00 954.5 44 900.8	19.0	******	70 72	15.38	wnw.	4.0	1/10 A.St., wnw.

SUPPLEMENT NO. 14.

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

	Cont													
	Surfac	20.			12 11	4911		At diffe	erent heig	hts abov	70 300.		700	
Name of the last		Tem-	Rela- tive	W	ind.	Alti-		/Dom.		Hum	idity.	W	ind.	Ramarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	Tem- pera-	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M.		° C. 18.6	% ₇₃	wnw.	m. p. s. 4.0	m. 444 500	mb. 961.1 955.0	° C. 18.6 20.1		% 73 64	mb. 15.64	wnw.	m. p. s. 4.0 7.3	1/10 A.8t., wnw.
8:55	961.1	18.6	73	wnw.	4.0	542	950. 2	21.2	-2.65	57	T.A. GO.	wnw.	9.7	
9:02	961.1	18.7	72	wnw.	4.5	750 832	927. 2 918. 9	19.8 19.3	0.66	57 59 60	13.63 11.43	WDW.	11.4	
			*******		*******	1,000 1,250	900.8 874.8	17.6 15.1		63 67	12.68 11.50	wnw.	13.1	11-3-
9:17		18.2	73	WDW.	4.0	1,334	866. 5 849. 3	14.2	1.02	69	11.17	wnw.	15.1 14.6	
						1,750	824.4	11.2	*******	67	8.91	wnw.	13.9	
						2,000 2,250	800. 0 776. 0	9.4 7.6		66 65	7.78 6.79	w.	13.3	formation of the d
9:43	961.6	17.3	78	wnw.	4.5	2,306 2,500	771.3 753.0	7.2 5.9	0.72	65	6.60	W. W.	12.4 12.2	200
						2,750 3,000	730. 5 708. 8	4.2		65 66 68 70 71 66 57 47	5.61	W	11.8	
0:12	961.9	17.9	75	wnw.	5.8	3,111	699.1	1.7	0.68	71	4. 91	w.	11.4	
				*******	*******	3, 250	687.3 666.5	0.1		57	4.37	W.	12.3 14.0	
		******	******	*******	******	3,750 4,000	646.3 626.4	-1.0 -2.0		47	2.64 1.96	w. w.	15.6 17.2	1/10 A.St., wnw.
0:30	962.0	17.8	76	wnw.	4.9	4,072	620.5	- 2.3	0.41	38 35 38	1.76	W.	17.7	der ministration in
	********	******	******	******		4,000 3,750	626. 4 646. 3	- 2.0 - 1.0		48	1.96 2.70	W. W.	17. 2 15. 5	Total Control
	********	*******				3,500 3,250	666.5 687.3	0.0	******	58	3.54	w.	13.9 12.2	
0:49	962.0	17.2	80	WDW.	4.5	3,115	699.1 708.8	1.6	0.74	69 74 73	5.08 5.30	W.	11.3	
	********			*******		2,750	730.8	4.3	*******	70	5.82	W.	12.2	
		*******	******		*******	2,500 2,250	753.8 777.5	6. 2 8. 0	*******	68	6. 45 7. 08	W.	12.7 13.3	
1:14	962.2	16.4	84	wnw.	3.6	2,104 2,000	791.0 801.5	9.1	0.68	64 68	7.40	W. W.	13.7 13.7	
1:24	962.3	16.1	84	wnw.	3.6	1,750 1,694	825.9 830.8	11.5	0.78	76	10.31	WDW.	13. 7 13. 7	
			******	*******		1,500	850.4	13.4		78 68	10.45	WIW.	12.8	
1:30	962.3	16.0	83	wnw.	3.6	1,401 1,250	860. 2 875. 3	14. 2 15. 3	0.72	62 62	10.04	WDW.	12.4 12.1	14.
	********	******	******	*******		1,000	901.3 928.0	17.1		63	12. 28 13. 89	wnw.	11.7 11.2	
1:48									4 68					
	962.4	16.0	83	wnw.	4.0	632	941.4	19.7	-1.97	64	14.69	wnw.	11.0	
	962.4	16.0	83	wnw.	4.0	632 500 444	956. 7 962. 4	19.7 17.1 16.0	-1.97	77 83	15. 02 15. 00	wnw. wnw.	6.1	Few A.St., near horizon.
1:50			*******	******	4.0	500	956.7	17.1 16.0	*******	77	15.02	wnw.	6.1	Few A.St., near horizon.
11:50			*******	******	4.0	500 444 .ugust :	956. 7 962. 4 23, 1918, se	17.1 16.0 eries (No	0. 6).	77 83	15. 02 15. 00	wnw. wnw.	5.4	Few A.St., near horizon. Few A.St., near horizon.
1:50	962. 4	16.0	83	nw.	4.0 A	444 500 750	956. 7 962. 4 23, 1918, se 962. 5 956. 0 928. 0	17.1 16.0 eries (No. 16.3 16.5 17.5	0. 6).	85 82 69	15. 02 15. 00 15. 75 15. 39 13. 80	nw. nw. nw.	5. 4 6. 3 10. 3	
1:50	962.4	16.0	83	wnw.	4.0	444 500 750 799 1,000	956. 7 962. 4 23, 1918, se 962. 5 956. 0 928. 0 928. 0 900. 7	17.1 16.0 eries (No	0. 6).	85 82 69 67 63	15. 02 15. 00	nw.	5.4 6.3	
1:50	962. 4	16.0	83	nw.	4.0 A	444 500 750 750 1,000 1,250	956. 7 962. 4 23, 1918, se 962. 5 956. 0 928. 0 923. 3 900. 7 874. 6	17.1 16.0 eries (No. 16.3 16.5 17.5 17.7 16.4 14.8	0. 6).	85 82 69 67 63 57	15. 02 15. 00 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59	nw. nw. nw. nw. nw. nw. nw. nw. nw.	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8	
1:50. 2:12. A. M.	962. 4 962. 5 962. 5	16. 0 16. 3 16. 3	83 85 85	nw.	4.0 5.4 4.5	444 500 750 799 1,000 1,250 1,500 1,605	956. 7 962. 4 23, 1918, 54 962. 5 956. 0 928. 0 923. 3 900. 7 874. 6 849. 9 839. 4	17. 1 16. 0 eries (No. 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5	0. 6). -0.39	85 82 69 67 63 57 51	15. 02 15. 00 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 7. 10	nw.	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3	
1:50. 2:12. A. M.	962. 4 962. 5	16.0	83 85	nw.	4.0 A	444 500 750 799 1,000 1,250 1,500 1,605 1,750 2,000	956. 7 962. 4 23, 1918, 84 962. 5 956. 0 928. 0 928. 0 928. 3 900. 7 874. 6 849. 9 839. 4 825. 2 801. 0	17.1 16.0 eries (No 16.3 16.5 17.5 17.7 16.4 14.8 13.2 12.5 11.4	0. 6).	85 82 69 67 63 57 51 49 53	15. 02 15. 00 15. 75 15. 39 13. 80 13. 57 11. 75 9 7. 74 7. 10 6. 87 6. 64	nw. nw. nw. nw. nw. nw. nw. nw. wnw. wn	5.4 6.3 10.3 11.1 11.4 11.8 12.3 12.3 12.3	
2:12	962. 4 962. 5 962. 5	16. 3 16. 3	83 85 85 89	nw.	5.4 4.5	444 500 759 1,000 1,200 1,500 1,605 1,750 2,000 2,250	956. 7 962. 4 23, 1918, sc 962. 5 956. 0 928. 0 922. 3 900. 7 874. 6 849. 9 839. 4 839. 4 801. 0 777. 0 775. 7	17.1 16.0 eries (Neries (Nerie	-0.39 0.65	85 82 69 67 63 57 51 49 51 53 58	15. 02 15. 00 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 7. 10 6. 87 6. 64 6. 01 5. 53	nw. nw. nw. nw. nw. nw. nw. nw. nw. wnw. wnw. wnw. wnw.	5. 4 6. 3 10. 3 11. 1 11. 8 12. 1 12. 3 12. 4 12. 5	
2:12	962. 4 962. 5 962. 5	16. 3 16. 3	83 85 85 89	nw.	5.4 4.5	444 500 750 799 1,000 1,250 1,500 1,605 1,750 2,000 2,250 2,500 2,250 2,728	956. 7 962. 4 23, 1918, se 962. 5 956. 0 928. 0 928. 0 928. 3 900. 7 874. 6 849. 9 839. 4 835. 2 801. 0 777. 0 7738. 7 7732. 9	17. 1 16. 0 16. 3 16. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 5 5. 8 3. 7	0. 6).	85 82 69 67 63 57 51 49 51 53 58	15. 75 15. 39 13. 57 11. 75 9. 59 7. 74 7. 10 6. 87 6. 64 6. 01 5. 53 5. 17	nw. nw. nw. nw. nw. nw. nw. nw. wnw. wn	5. 4 6. 3 10. 3 11. 1 11. 8 12. 1 12. 3 12. 3 12. 4 12. 5 12. 6	Few A.St., near horizon.
2:12	962. 4 962. 5 962. 5	16. 3 16. 3 16. 3	85 85 89 90	nw.	4.0 A 5.4 4.5 4.5	444 500 750 1, 000 1, 250 1, 605 1, 750 2, 200 2, 250 2, 250 2, 728 2, 728 2, 730 3, 000	956. 7 962. 4 23, 1918, se 962. 5 966. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 927. 874. 6 849. 9 485. 2 801. 0 777. 0 778. 7 722. 9 730. 2	17. 1 16. 0 16. 3 16. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 5 8 3. 7 3. 6 2. 2	0. 6). -0. 39 0. 65	85 82 69 67 63 57 51 49 51 53 58 66 65 65 66	15. 75 15. 39 13. 80 13. 80 13. 87 11. 75 9. 59 7. 74 7. 10 6. 87 6. 64 6. 01 5. 53 5. 17 5. 14	DW. DW. DW. DW. DW. DW. DW. DW. DW. WHW. WH	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 3 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 7	Few A.St., near horizon.
2:12	962. 4 962. 5 962. 5 962. 5	16.3 16.3 15.1	85 85 89 90	nw.	4.0 A 5.4 4.5 4.5 4.0	444 500 1, 250 1, 500 1, 500 2, 250 2, 750 2, 750 2, 750 2, 750 3, 000 3, 250 3, 500	956. 7 962. 4 23, 1918, se 962. 5 956. 0 922. 0 923. 3 900. 7 874. 6 849. 9 839. 4 825. 2 801. 0 777. 0 733. 7 733. 2 707. 2 707. 2 868. 0	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 5 5. 8 3. 7 9. 0 9. 0 9. 0 9. 0 9. 0 9. 0 9. 0 9. 0	0. 6). -0.39 0.65	85 82 69 67 63 57 51 49 51 53 58 60 65 65 61 57	15. 75 15. 39 13. 80 13. 80 17. 75 9. 59 7. 74 7. 10 6. 64 6. 01 5. 53 5. 17 5. 17 5. 37 8. 37 8	NOW. DW. DW. DW. DW. DW. DW. WHW. WHW. WHW. WHW. WHW. W. W.	5. 4 6. 3 10. 3 11. 1 11. 4 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 9 13. 0	Few A.St., near horizon.
2:12. A. M. 2:10	962. 4 962. 5 962. 5 962. 5	16. 3 16. 3 16. 3	85 85 89 90	nw. nw. wnw.	4.0 5.4 4.5 4.5 4.0	444 500 750 750 750 750 750 750 750 750 750	956. 7 962. 4 962. 5 966. 0 922. 0 923. 3 900. 7 874. 6 849. 9 839. 4 825. 2 801. 0 777. 0 732. 9 707. 7 986. 0 665. 2 645. 0	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 5 8 3. 7 3. 6 2. 2 9 0. 5 9 - 1. 9	0. 6). -0.39 0.65	85 82 69 67 51 49 51 53 58 65 65 65 61 57 53	15. 75 15. 39 13. 80 13. 75 19. 59 7. 74 7. 10 6. 87 6. 64 6. 01 5. 53 5. 17 3. 10 2. 56	nw. nw. nw. nw. nw. nw. nw. whw. whw. wh	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3 12. 2 12. 5 12. 6 12. 7 12. 7 12. 7 12. 7 12. 9 13. 0 13. 6 13. 8	Few A.St., near horizon.
1:50. A. M. 2:12. A. M. 2:16	962. 4 962. 5 962. 5 962. 5	16. 3 16. 3 16. 3	85 85 89 90	nw. nw. wnw.	4.0 5.4 4.5 4.5 4.0	444 500 750 799 1, 250 1, 250 1, 250 1, 750 2, 250 2, 250 2, 250 2, 250 3, 250 3, 250 3, 750 4, 004 4, 004	956. 7 962. 4 23, 1918, se 962. 5 966. 0 928. 0 928. 0 928. 0 928. 0 928. 0 977. 0 777. 0 777. 0 778. 7 778. 9 779. 2 777. 7 778. 0 979. 0 979	17. 1 16. 0 16. 3 16. 3 17. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 7 , 5 5 . 8 7 , 5 11. 4 10. 3 7 , 5 11. 4 10. 3 7 , 5 11. 4 10. 3 10. 5 11. 5	0. 6).	85 82 69 67 51 49 51 53 58 65 65 65 61 57 53	15. 75 15. 39 13. 57 11. 75 19. 59 7. 74 6. 64 6. 01 5. 51 5. 17 5. 14 4. 3. 72 3. 10 2. 56 2. 13	nw. nw. nw. nw. nw. nw. nw. nw. wnw. wn	5. 4 6. 3 10. 3 11. 1 11. 8 12. 1 12. 3 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 6 13. 6 13. 8 13. 8	Few A.St., near horizon.
2:12. A. M. 2:13	962. 4 962. 5 962. 5 962. 6	16.3 16.3 15.1 13.9	85 85 89 90	nw. nw. wnw. wnw.	4.0 5.4 4.5 4.5 4.0	444 500 750 750 750 1, 250 1, 250 1, 250 2, 200 2, 250 2, 728 2, 728 2, 728 3, 000 3, 250 3, 500 3, 750 4, 003 4,	956. 7 962. 4 23, 1918, se 962. 5 966. 0 922. 3 900. 7 874. 6 849. 9 839. 4 825. 2 801. 0 777. 0 732. 9 730. 2 748. 0 665. 2 645. 0 022. 9 625. 0	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 3. 7 3. 6 3. 7 3. 6 9. 9 9. 9 9. 9 9. 9 9. 9 9. 9 9. 9 9	0. 6).	77 83 85 82 69 67 63 57 51 49 51 53 58 60 65 61 65 61 65 64 45 46	15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 6. 87 6. 84 6. 01 5. 13 3. 72 2. 13 3. 72 2. 13 2. 15 2. 15 2. 15	NOW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W	5. 4 6. 3 10. 3 11. 1 11. 8 12. 1 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 7 13. 6 13. 8 13. 8 13. 8 13. 8 13. 8 13. 7 13. 13. 13. 13. 13. 13. 13. 13. 13. 13.	Few A.St., near horizon.
2:12. A. M. 2:10	962. 4 962. 5 962. 5 962. 6	16.3 16.3 15.1 13.9	85 85 89 90	nw. nw. wnw.	4.0 5.4 4.5 4.0	444 500 1, 250 1, 500 1, 500 2, 250 1, 605 1, 780 2, 200 2, 250 2, 750 3, 500 3, 750 4, 034 4, 034 4, 034 8, 250 8, 250 8, 250	956. 7 962. 4 962. 5 956. 0 922. 0 923. 3 900. 7 844. 6 849. 9 839. 4 825. 2 801. 0 777. 0 732. 9 730. 2 665. 2 645. 0 622. 9 625. 0 665. 2	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 5 8 3. 7 3. 6 2. 2 0. 5 - 1. 9 - 3. 3 - 3. 5 - 3. 18. 5 - 1. 8 - 1.	0. 6).	77 83 85 82 69 67 51 49 51 53 58 65 65 65 64 46 46 49 57	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 11. 75 11	NOW. DW. DW. DW. DW. DW. DW. WN. WNW. WNW	6.1 4.0 5.4 6.3 10.3 11.1 11.8 12.3 12.3 12.3 12.5 12.6 12.6 12.7 12.9 13.0 13.8 13.8 13.8 13.8 13.8	Few A.St., near horizon.
1:50. A. M. 2:12. A. M. 2:16	962. 4 962. 5 962. 5 962. 5	16. 3 16. 3 15. 1 13. 9	85 85 89 90	nw. nw. wnw. wnw.	4.0 5.4 4.5 4.5 4.0	444 500 750 750 750 750 750 1,000 1,200 1,200 1,500 2,000 2,250 2,250 3,000 2,250 3,000 4,000 4,000 4,000 3,750 750 750 750 750 750 750 750	956. 7 962. 4 23, 1918, se 962. 5 966. 0 922. 0 922. 3 900. 7 874. 6 849. 9 849. 9 849. 9 801. 0 9777. 0 7777. 0 7732. 7 7732. 9 7702. 7 7732. 9 965. 0 965. 0 965. 0 965. 0 965. 2 968. 0	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 7 , 5 5 . 8 7 , 3 6 . 6 2 . 2 0 . 9 0 . 1 . 9 . 9 . 9 . 9 . 9 . 9 . 9 . 9 . 9	0. 6).	77 83 85 82 69 67 51 49 51 53 58 65 65 65 64 46 46 49 53	15. 75 15. 39 13. 57 11. 75 19. 59 7. 74 6. 64 6. 01 5. 53 5. 14 4. 37 2. 13 2. 16 2. 13 2. 18 3. 16 3. 90 4. 53	DW. DW. DW. DW. DW. DW. DW. WIW. WIW. WI	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 7 12. 7 13. 6 13. 8 13. 8 13. 8 13. 8 13. 8 13. 8 13. 7 13. 1 12. 5 13. 1 13. 6 13. 6 13. 7 13. 1 14. 1 15. 1 15	Few A.St., near horizon.
2:12 M. 2:13	962. 4 962. 5 962. 5 962. 6 962. 6	16.3 16.3 15.1 13.9	88 85 85 89 90 89	nw. nw. wnw. wnw. wnw.	4.0 5.4 4.5 4.5 4.5	444 500 750 750 750 1, 250 1, 250 1, 250 1, 250 2, 200 2, 250 2, 728 2, 728 2, 728 3, 000 3, 250 4, 003 4, 003 4, 003 4, 003 4, 003 4, 003 8, 250 8,	956. 7 962. 4 962. 5 966. 5 968. 0 923. 3 900. 7 874. 6 849. 9 839. 4 835. 2 801. 0 777. 0 732. 9 730. 2 730. 2 748. 0 965. 2 645. 0 965. 2 645. 0 965. 2 665. 2 665. 2	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 7. 5 5. 8 3. 7 3. 6 9. 9 9. 3 1. 5 11. 9 11. 9 1	0. 6). -0.39 0.65 0.78	77 83 85 82 69 67 51 49 51 53 58 65 65 65 64 46 46 49 53	15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 6. 87 6. 87 6. 68 6. 01 5. 13 7. 12 13. 12 14. 12 15. 14 16. 15 17 18. 16 18. 16	NOW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3 12. 3 12. 5 12. 6 12. 7 12. 7 13. 6 13. 8 13. 8 13. 7 13. 14. 14. 14. 14. 14. 14. 14. 14. 14. 14	Few A.St., near horizon.
2:12. A. M. 2:13	962. 4 962. 5 962. 5 962. 6 962. 7	16. 3 16. 3 15. 1 13. 9	85 85 89 90 89	nw. nw. wnw. wnw.	4.0 5.4 4.5 4.0 4.9	4444 500 1, 250 1, 250 1, 250 1, 250 1, 250 1, 250 2, 250 2, 250 2, 250 3, 250 3, 250 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 6, 034	956. 7 962. 4 962. 5 956. 0 922. 3 900. 7 874. 6 849. 9 900. 7 877. 0 777. 0 888. 0 665. 2 645. 0 622. 9 625. 0 665. 2 686. 0 707. 7 725. 7 730. 2 770. 7 733. 7	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7 . 8 3 . 7 3 . 6 9 . 9 9 . 9 .	0. 6). -0.39 0.65 0.78	77 83 85 82 69 67 51 49 51 53 58 65 65 65 64 46 46 49 53	15. 02 15. 09 15. 75 15. 39 13. 57 11. 75 11. 77 11. 77 11. 77 10. 6. 87 6. 84 6. 01 5. 17 5. 14 3. 72 2. 15 2. 15 2. 15 2. 15 2. 15 3. 16 6. 67 6. 67	NOW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 7 12. 7 13. 6 13. 8 13. 8 14. 8 15. 8 16. 8 16	Few A.St., near horizon.
1:50	962. 4 962. 5 962. 5 962. 5	16. 3 16. 3 15. 1 13. 9	85 85 89 90 89	nw. nw. wnw. wnw.	4.0 5.4 4.5 4.0 4.9	444 500 750 790 1, 500 1, 500 1, 500 1, 605 1, 605 1, 605 2, 200 2, 250 2, 250 3,	956. 7 962. 4 962. 5 966. 0 928. 0 92	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7 . 5 8 . 3 7 . 3 6 . 2 2 2 . 7 3 . 6 9 . 9 9 . 9 .	0. 6). -0.39 0.65 0.78	77 83 85 82 69 67 51 49 51 53 58 65 65 65 64 46 46 49 53	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 7. 10 6. 67 6. 64 6. 01 3. 5. 17 3. 10 2. 56 3. 10 2. 58 3. 90 4. 53 4. 53 4. 53 5. 17 5. 60 6. 60 60 60 60	NOW. DW. DW. DW. DW. DW. WN. WN. WNW. WNW	5. 4 6. 3 11. 1 11. 8 12. 1 12. 3 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 7 12. 9 13. 0 13. 8 13. 8 13. 8 13. 1 12. 1 13. 1 14. 1 15. 1 16. 1 16	Few A.St., near horizon. Few A.St., near horizon
2:12 A. M. 2:12 1:16 1:16 1:16 1:16 1:16 1:16 1:16	962. 4 962. 5 962. 5 962. 5 962. 6 962. 6	16.3 16.3 15.1 13.9 14.8	85 85 89 90 89	nw. nw. wnw. wnw. wnw.	4.0 5.4 4.5 4.0 4.5 4.0	444 500 750 750 750 1, 250 1, 250 1, 250 2, 250 2, 250 2, 250 2, 250 3, 250 3, 750 4, 000 3, 250 3, 750 4, 000 3, 250 3, 500 3, 250 3, 250 3, 250 3, 250 4, 000 3, 250 4, 000 4,	956. 7 962. 4 23, 1918, se 962. 5 966. 0 928. 0 928. 0 928. 0 928. 0 928. 0 9777. 0 7777. 0 965. 2 965. 2 9	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 7 . 5 5 . 8 3 . 7 3 . 6 9 . 9 9 . 9 .	0. 6). -0. 39 0. 65 0. 78 0. 65	85 82 69 67 57 51 49 53 58 60 65 65 64 46 46 46 46 46 46 46 46 62 62 62	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 6. 87 6. 87 6. 87 3. 10 2. 56 2. 13 3. 16 3. 90 3. 16 3. 90 6. 87 6. 03 6. 67 6. 03 6. 03	NOW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W	5. 4 6. 3 10. 3 11. 1 11. 4 11. 8 12. 1 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 6 13. 8 13. 8 13. 8 13. 7 13. 1 12. 5 12. 0 11. 4 10. 9 10. 7 10. 9 10. 7 10. 4 10. 9 10. 1 10. 1	Few A.St., near horizon. Few A.St., near horizon
2:12. A. M. 2:12	962. 4 962. 5 962. 5 962. 6 962. 6 962. 7	16. 3 16. 3 15. 1 13. 9	85 85 89 90 89	nw. nw. wnw. wnw. w.	4.0 5.4 4.5 4.0 4.0	444 500 750 750 750 1, 250 1, 250 1, 250 1, 250 2, 250 2, 250 2, 250 3,	956. 7 962. 4 962. 5 966. 0 923. 3 900. 7 874. 6 849. 9 839. 4 835. 2 801. 0 777. 0 732. 9 730. 2 748. 0 655. 2 645. 0 625. 0 665. 2 686. 0 686. 2 686. 0 686. 0 68	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 12. 5 11. 4 10. 3 7. 8 3. 7 3. 6 9. 0 9. 0 9. 0 9. 0 10. 1 10. 1 1	0. 6). -0. 39 0. 65 0. 78 0. 65	77 83 85 85 86 67 67 67 67 68 68 65 66 61 57 61 64 64 64 64 64 64 64 64 64 64 64 64 64	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 6. 84 6. 01 5. 13 3. 72 2. 13 3. 72 2. 13 3. 16 3. 16	NOW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W	5. 4 6. 3 10. 3 11. 1 11. 4 12. 3 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 9 13. 0 13. 4 13. 8 13. 8 13. 7 13. 1 14. 1 10. 9 10. 7 10. 7 10. 4 10. 9 10. 1	Few A.St., near horizon.
2:12. A. M. 2:12	962. 4 962. 5 962. 5 962. 6 962. 6 962. 7	16.3 16.3 15.1 13.9 14.8	85 85 89 90 89	nw. nw. wnw. wnw. wnw.	4.0 5.4 4.5 4.5 4.5 4.5 4.5	4444 500 1, 250 1, 500 2, 250 2, 750 3, 500 3, 750 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 4, 034 6, 034	956. 7 962. 4 962. 5 956. 0 923. 3 900. 7 874. 6 849. 9 933. 4 835. 2 801. 0 777. 0 733. 7 733. 9 730. 2 74. 6 665. 2 645. 0 622. 9 625. 0 707. 7 725. 7 737. 7 888. 0 665. 2 889. 0 777. 7 739. 2 730. 2 730	17. 1 16. 0 16. 3 16. 5 17. 5 17. 7 14. 8 13. 2 12. 5 11. 4 10. 3 7 . 8 8 . 3 7 . 7 8 . 6 9 . 0 9 . 0 9 . 1 9 . 1 11. 3 12. 5 11. 3 12. 5 13. 2 14. 8 15. 5 16. 1 16. 1	0. 6). -0. 39 0. 65 0. 78 0. 65	77 83 85 85 85 89 67 63 65 65 66 65 66 46 46 63 66 64 66 66 66 66 66 66 66 66 66 66 66	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 7. 10 6. 87 7. 10 6. 84 6. 01 5. 53 5. 17 3. 72 2. 56 3. 16 4. 37 3. 20 5. 21 3. 20 4. 53 6. 67 7. 36 6. 67 7. 36 6. 67 7. 36 6. 67 7. 36 6. 37 6. 67 7. 36 6. 67 7. 36 6. 37 6. 37 7. 37	NOW. DW. DW. DW. DW. DW. DW. WHW. WHW. WHW. W. W. W. W. W.	5. 4 6. 3 10. 3 11. 1 11. 8 12. 3 12. 3 12. 2 12. 5 12. 6 12. 7 12. 7 12. 7 12. 7 12. 7 12. 7 12. 7 12. 1 13. 8 13. 1 13. 8 13. 1 12. 1 13. 8 13. 1 13. 8 13. 1 13. 1 13. 8 13. 1 13. 1 13. 1 13. 1 14. 1 15. 1 16. 1 16	Few A.St., near horizon. Few A.St., near horizon
1:50	962. 4 962. 5 962. 5 962. 5 962. 6 962. 7	16. 3 16. 3 15. 1 13. 9	85 85 89 90 89	nw. nw. wnw. wnw. w.	4.0 5.4 4.5 4.0 4.0	444 500 750 799 1,000 1,200 1,500 1,500 2,200 2,200 2,200 2,200 3,200 3,250 3,500 3,750 3,500 3,750 3,500 3,250 3,000 4,0	956. 7 962. 4 23, 1918, se 962. 5 966. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 928. 0 939. 4 825. 2 901. 0 977. 0 98. 0 965. 2 977. 7 988. 0 965. 2 977. 7 978. 0 988. 0 977. 7 978. 0 988. 0 977. 7 978. 0 988. 0 977. 7 978. 0 988	17. 1 16. 0 16. 3 16. 3 16. 5 17. 5 17. 7 16. 4 14. 8 13. 2 11. 4 10. 3 7 . 5 8 . 7 8 . 7 8 . 7 8 . 7 9 . 7 8 . 9 9 . 9 11. 2 12. 8 11. 2 11. 3 11. 3	0. 6). -0. 39 0. 65 0. 78 0. 65	77 83 85 85 86 67 67 67 67 68 68 65 66 61 57 61 64 64 64 64 64 64 64 64 64 64 64 64 64	15. 02 15. 09 15. 75 15. 39 13. 80 13. 57 11. 75 9. 59 7. 74 7. 10 6. 67 6. 64 6. 01 3. 5. 17 3. 72 2. 56 3. 10 2. 58 3. 10 2. 58 3. 90 4. 53 2. 58 3. 90 4. 53 6. 67 6. 67 6. 67 6. 68 4. 53 5. 17 5. 39 6. 67 6. 68 6. 68 68 68 68 68 68 68 68 68 68 68 68 68 6	MNW. WNW. DW. DW. DW. DW. DW. WNW. WNW.	5. 4 6. 3 11. 1 11. 8 12. 3 12. 3 12. 4 12. 5 12. 6 12. 7 12. 7 12. 9 13. 0 13. 4 13. 8 13. 8 13. 8 13. 1 10. 9 10. 7 10. 5 10. 2 10. 2 10	Few A.St., near horizon. Few A.St., near horizon

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 23, 1918, series (No. 7).

	Surface	B.			in part	-		At diffe	rent heigh	hts abov	e sea.		-3	
- W		Tem- Rela- Wind.						Tem-		Humi	dity.	Wi	nd.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	mb. 963. 6	° C.	% 86	wsw.	m. p. s. 4. 5	m. 444 500	mb. 963.6 957.3	° C. 13.3 14.0		% 86 84	mb. 13. 13 13. 42	wsw.	m. p. s. 4.5 5.0	Cloudless.
3:05	963. 8	13.7	89	W.	5.4	750 765 1,000 1,250 1,500 1,750 1,852	750 929.3 765 928.0 000 902.0	16.9 17.1 15.6	-1.18	84 74 73 70 67 64	14, 24 14, 24 12, 40 10, 71	wnw. wnw. wnw. wnw. wnw. wnw.	7.3 7.4 9.0 10.7 12.5 14.2 14.9	
h12	963. 9	13.8	89	w.	4.9		850. 0 825. 2 815. 6	14.0 12.4 10.9 10.2	0.63	61	9. 22 7. 95 7. 47			and the same
:30	964.0	14.1	89	w.	4.9	2,000 2,188 2,250	801. 0 783. 5 777. 1 754. 0	9.2 7.9 7.8 5.3	0.68	62 64 65 69	7. 22 6. 82 6. 88 6. 15	wnw. wnw. wnw.	13.9 12.5 12.5 12.5	diameter and
0.53		14.8	88	W.	4.5	2,500 2,750 2,789 3,000 3,250	731. 2 728. 3 709. 0 687. 3	3.2 2.9 1.5 - 0.1	0.88	69 72 73 74 84 90 92 85 76 67 58 49 47	5, 54 5, 50 5, 04 5, 09	wnw. wnw. wnw. wnw.	12.5 12.5 13.8 14.2	Faint solar halo, 22° radius, from 7:15 to 8:00 a. m.
:15	964.8	15.7	88	w.	4.5	3, 500 3, 562 3, 750 4, 000	666. 8 661. 7 645. 9 625. 8	- 5.5			4. 73 4. 68 4. 28 3. 24 2. 57 2. 00 1. 52 1. 43	WNW. WNW. WNW.	15. 1 15. 3 15. 8 16. 4	AND DESCRIPTION OF THE PARTY OF
249	964. 4	17.2	84	₩.	4.5	4, 250 4, 250 4, 500 4, 750 4, 794	606. 4 587. 5 568. 6 565. 6					wnw. wnw. wnw. wnw.	17. 0 17. 7 18. 3 18. 4	3/10 Cl.St., w.; 2/10 A.St., w. KI broke away at 8:06 a. m.
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	23 F 63 S						August 26	, 1918.						
):54	965. 5	26.0	46	wsw.	4.0	444 500 750	965. 5 959. 0 931. 2	26.0 25.6 23.6	00000000 0000000 0000000	46 45 41	15. 47 14. 78 11. 94	wsw. wsw.	4.9 5.3 7.4	Cloudless.
P. N.	964.7	27.4	38	wsw.	4.9	837 1,000	922. 4 904. 8	22.9 21.2	0.79	40 42 44	11.17 10.58	W. W.	8. 1 8. 4	
1:02	964. 5	28.1	33	w.	6.7	1, 250 1, 500 1, 517 1, 750	1, 500 863. 4 1, 517 852. 1 1, 750 838. 6 2, 000 304. 5 2, 209 7784. 9 2, 000 804. 5 1, 750 828. 6 1, 500 828. 6 1, 500 878. 8 1, 250 878. 8 1, 250 930. 9 500 904. 8	18.7 16.1 15.9 14.0	16. 1 15. 9 14. 0 11. 9 10. 2 0. 96 12. 5 15. 2	44 47 47 51 56 60	9. 49 8. 60 8. 49 8. 15	W. 9.2 W. 9.9 W. 10.6 W. 11.2 W. 11.0 W. 10.8 W. 10.5 W. 10.5 W. 10.5 W. 4.8	9.2	
:21	964.0	29. 1	34	w.	4.9	2, 209 2, 000		10. 2 12. 5 15. 2		56 52	56 8.11 52 8.98		11. 2 11. 0 10. 8	1/10 Cu., w.
235	963.8	29.3	30	w.	5.8	1,379		18.0 19.3 20.8 23.7 24.9 26.3 28.8 29.4	1.16	46 10.30 43 10.57 36 10.58 33 10.40 31 10.61 28 11.06	9. 91 10. 30 10. 57 10. 55		10.5 10.5 10.6 10.6 8.5 4.8	-
245	963. 7 963. 6	29. 7	28	W.	5.8 4.0	896 750			1.00		10.40 10.61 11.00 11.07			8/10 Cl., w.; few Cu., w.
			19				August 25	110					,	
A. M.	962.3	22.9	49	WDW.	5.8	444	962.3	22.9		49	13.60	wnw.	5.8	1/10 Cl.St., w.
51	962.3	23.0	48	wnw.	5.4	500 688 750 1,000	956.0 935.8 929.4 903.5	27.1 26.8	-1.72	46 34 34 37	13.64 12.20 11.77 11.17	Wnw. Wnw. Wnw.	7.5 13.4 13.2 13.0	
, , , , , , , , , , , , , , , , , , ,						1,250 1,500 1,750	877.8 852.9 828.1	21.8 19.5 17.1	******	39 41 44 44	10. 19 9. 29 8. 58 8. 31	WDW. WDW. WDW.	12.6 12.2 11.9 11.8	
38.,	*********	*******	******			2, 250 2, 500	822.9 804.0 780.6 757.7	14.8 12.5 10.1	0.94	52 62 72	8.75 8.98 8.90	wnw. wnw. wnw.	11.6 11.4 11.2 11.0	
	*********	*******				3,000	740.0 735.3 714.0 693.0	8.0 6.8 5.6	0.94	80 78 70 60	8, 70 8, 37 6, 92 5, 46	WDW. WDW. WDW.	11.4 13.6 15.8	7/10 CL8t., w.
123	*********	*******				3,000 2,750	689.0 603.0 714.0 735.3	7.3	0.03	59 59 61 63	5. 29 5. 40 6. 24 7. 18	w. w. w.	16.2 16.2 16.1 16.0 15.8	
	962.1	30.0	35			2,500 2,437 2,250 2,000	757. 7 763. 6 780. 6 804. 0	10.6 11.0 12.7 15.0	0.91	65 65 63 60 58	8.31 8.53 9.25 10.23	W.	15.8 14.5 12.8 11.1	
35	962.2	30.0	30	WDW.	8.0	1,750 1,698 1,500 1,250	828.1 833.7 852.9 877.9	17.7 19.6 22.1	0.98	57 53 48	11.38 11.54 12.00 12.77	Whw.	10.7 10.7 10.7	
					9.8	1,000	903.5	24.6	0.92	43 40	13. 30	wnw.	10.8	

TABLE 11.—Free-air data from bite flights at Ellendale Aerological Station, August, 1918—Continued.

August 26, 1918.

	Surface).						At dif	ferent hei	ghts abo	ove sea.			
		Tem-		W	ind.					Hun	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	100 m.	Rel.	Vap.	Dir.	Vel.	
A. M.	mb. 968, 1	° C. 21.3	% - 47	890.	m. p. s. 5. 4	m. 444 500	mb. 968.1 962.0	° C. 21.3 20.6		% 47	mb. 11.91	sse.	m. p. s. 5. 4 5. 5	Cloudless.
0:56	967.9	22.6	44	8.	5.4	750 783 1,000	933. 9 930. 6 906. 8	17. 4 17. 0 15. 6	1.27	47 44 44 48 52	11.41 8.74 8.53 8.51	896. S. S.	5.9 6.0 6.5	5/10 Ci.St., wsw.
1:53	986.7	23.9	42	8.	6.3	1,250 1,353 1,500 1,750	880. 2 869. 1 854. 2	14.0 13.3 14.2	0.65	54 50	8.31 8.25 8.10	8. 8. 8.	7.1 7.4 6.9	
P. M. 2:17	964.6	26.0	34	8.	7.2	1,750	828.3 826.1	15.7	-0.30	43	7.67	8.	5.9	4/10 Cl.St., wsw.
2:53	964.3	26. 2	33	886.	7.2	1,750 1,500 1,431	828. 3 853. 2 859. 9	15.8 15.8 15.8	0.77	42 34 32 35 38	7. 54 6. 10 5. 74	8.	6.0	
3:04	964.1	26.4	33	8.	6.3	1,250	878.3 894.4	17.2		35	6.87	S. S.	7.8	
					0.0	1,000	904.3	18. 4 19. 6	1.23	37	8. 04 8. 44	330. 330.	9.3	
3:22	963.7	26.4	33	8.	8.5	750 500 444	930. 8 957. 7 963. 7	22. 6 25. 7 26. 4	*******	35 34 33	9. 60 11. 23 11. 36	830. S.	8.9 8.6 8.5	2/10 Ci.St., wsw.
					1	A	ugust 27,	1918.	1					
3:27	956.7	16.6	66		9.0	444	050.7	10.0						
	900.7	10.0	00	S.	8.0	444 500	956. 7 950. 7	16.6 17.2	*******	66	12.47 11.97	S. S.	8.0 9.7	4/ 10 A.St., wsw.; 3/10 St.Cu., w
6:97	956.7	16.1	67	8.	7.2	750 816	923.4 916.1	19.7	-1.02	40 34	9. 18 3. 15	SSW.	17.0 19.0	
5:45	956.7	16.1	67	8.	7.2	1,000	897. 0 886. 2	23. 6 25. 5	-1.77	34 32 30 30	9.32	SSW.	20.2	
.,	*******	******		******		1,250 1,500	870.9	24.7	******	30 29	9.34	SSW.	19.5	
7:17	066.7	10.0				1,750	845.8 821.7	23. 2 21. 9	*******	28	8. 25 7. 36	SW.	17.3 15.2	
	956.7	16.8	67	8.	4.5	1,838 2,000	814.5 798.3	21.3	0.57	28 29	7.09 6.74	SW.	14.3	2/10 A.St., wsw.; 1/10 St.Cu., w
3:09	955.7	20.1	56	5.	3.1	2, 224	777.9 798.3	18.0	0.68	31 32	6. 40 7. 12	SW.	13.0	3/10 A.Cu., sw.
0:22	955.7	20.0	56	8.	4.0	1,746	822.1	20.5	0.22	34	8.20	SSW.	15.4	Faint lightning in w. at 9:15 a. II
	********			******		1,500 1,250	845.8 870.3	21.0	*******	35 35	8.70 9.03	SSW.	16.2	
9:55	955.7	21.9		ssw.	7.6	1,000 985	896.0 897.7	22. 2 22. 2	-1.21	36 36	9. 64 9. 64	SSW.	17.8	
0:03	955.7	22.4	48	SSW.	5.4	795 750	917.7 922.2	19.9	0.85	46 46	10.69	SSW.	12.2	
0:09	955.6	22.9	48	8SW.	4.9	500 444	949. 6 955. 6	22.4	*******	48 48	13. 00 13. 41	SSW.	11.3 6.1 4.9	2/10 A.Cu., sw.
	,				- 11	A	ugust 28,	1918.				1		
A. M.	964.5	13.1	75	nnw.	8.0	444	964.5	13.1		74				4000 04
	********		******			500	958.0	13.1	*******	75 71	11.31	nnw.	8. 0 9. 0	10/10 St., wnw.
26	964.6	13.1	75	nnw.	7.6	750 858	929. 4 918. 1	13. 2 13. 3	-0.05	54 46	8. 19 7. 02	n. n.	14.5	
0:51	965.0	13. 2	74	nnw.	7.6	1,000	902. 5 876. 2	12.2 10.2	0.78	46	6. 54 5. 73	n. nnw.	16. 1 14. 8	
						1,500	850, 2 824, 8	8.4	******	53	5, 89	nnw.	14.5	
:19	085 9	19 0				2,000	799.8	4.7		60	5. 85 5. 72	nnw.	14.1	Land of the second
			73		6.7	2,169	784. 2 775. 0	3.5	0.73	67 72 68 57		nw.	13. 5 13. 2	7/10 A.St., sw.
						2,500 2,750	751. 8 728. 4	1.9		57 46		nw.	12.5	
:50	965.4	13.6	72	nw.	8.0	3,000 3,244	706. 5		0.68	34 28	2.01	wnw.	10.9	180 CL C4 010 L C4
						3, 250	685.0	- 1.6 .		23	1. 23	wnw.	10.1	1/10 Ci.St., sw.; 2/10 A. St., sw.
						3,500 3,750	643.0	- 3.0 - 4.3	*******	21 20	1.00	wnw.	11.4	
						4,000	623.0	- 5.6 - 7.0		19	0.72	wnw.	13. 9	
			M 180 A			4,500	585.0	- 8.3		15	0.45	WDW.	16.4	
						5,000	566.6 548.0	- 9.6 -11.0		14	0.38	W. W.	17. 7 18. 9	
56	966. 2	16.3	55	nnw.	12.5	5,248 5,000	931.3	-12.3 -11.2	0.50	11	0. 23	W. W.	20.2	Few A.St., sw.
			******			4,750	366.6	-10.0].		11	0.29	W.	18.7	rew A.Ob., Sw.
• • • • • • • • • • • • • • • • • • • •						4,500 4,250	603.9	- 8.9 - 7.7		11		W.	18.0	
						4,000 3,750	623.0	- 6.6 .		11	0.38		16. 5 15. 8	
						3,500	663.8	- 4.3		11	0.47	W.	15.0	
						3, 250	685.6	- 2.8 .	0. 67	11 13	0.63		14.8	
30														
			******		******	3,000 2,750	707.7 730.2	0.6		15	0.84		13.1	
30						3,000 2,750 2,500 2,357	707. 7 730. 2 753. 6	0.6 .	******	18	1.15	wnw. nw.	12.0	
30	966, 9	19.3	38 1	nnw.	13.4	3,000 2,750 2,500 2,357 2,250 2,000	707.7	0.6 2.2 3.2 3.3		18	1. 15 1. 50 1. 69 2. 17	wnw.	12.0	30

OBSERVATIONS AT ELLENDALE, AUGUST, 1918.

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 28, 1918-Continued.

	Surface	a.			ni bend			At diffe	rent helg	hts abov	76 868.			
Marcell		Tem-	Rela- tive	W	ind.	Alti-		Tem-	ΔΙ	Hum	idity.	W	Ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
А. М.	mb. 966.9	° C. 19.3	% 38	nnw.	m. p. s. 13. 4	m. 1,588 1,500	mb. 843. 6 852. 8	° C. 7.2 8.1	0.100	% 69 66	mb. 7.01 7.13	nw.	m. p. s. 13. 3 13. 3	
			******			1,250 1,000	878, 8 905, 2	10.6 13.0	*******	57 49	7. 28 7. 34	nw.	13.3	
1:46	908.9	19.7	33	nnw.	15. 2	884 750 500	918, 1 932, 0 980, 0	14.2	1.20	45 41 35	7. 29	nw.	13.4	
р. м.	966.9	19.5	33	nnw.	8,9	444	966. 9	18.8	******	83	7. 60	nnw.	8.9	Few Cu., w.
						A	August 29,	1918.	1			1	1	
A. M.	964, 5	10.5	88	8.	4.5	444	964.5	10.5		88	11.18	8.	4.5	
		*******				500 750	957. 8 929. 3	11.3	******	80	10.71 7.31	S. SSW.	5.8 11.7	4/10 A.St., w.; 5/10 St. Cu., wsw.
		10.9	85	S	5.4	1,000	921. 2 902. 0	15.7	-1.35	44 33 36 41	5.89	SSW.	13.6	Rain from 6:50 to 7:35 a.m.
:08	984.4	12.0	76	88W.	6.7	1,250 1,442 1,500	875. 8 856. 1 850. 0	11. 9 10. 1 9. 7	0.91	44	5.71 5.44 5.65	wsw.	10. 2 8. 6 8. 9	
		*******				1,750	824. 4 799. 2	8.2	******	44 47 59 71 83	6.41	wsw.	10.5	Victoria Contractor
35	964.1	11.6	85	8.	5.4	2, 250 2, 320	775. 0 769. 6	5.0	0.63	86	7. 24 7. 29	sw.	13.5	8/10 St.Cu., wnw.
			******			2,500	752.1 729.7	3.5	*******	80 93 97	6.99	sw.	14.9	
:58	963.8	18. 2	73	88W.	4 9.	3,000 3,191	707.8	- 0.6	0, 80	100	6. 14 5. 81	wsw.	17.7	Altitude of St.Cu. base abo
••••••						3,250	686.1	- 0.9 - 2.8	******	99	5. 61 4. 84	wsw.	18.5	2,950 m.
		*******			*******	3,500 8,750 4,000	664. 7 643. 8 624. 0	- 2.3 - 3.7 - 5.1	*******	93	4.17 3.58	WSW. WSW.	17.8 17.1 16.3	4/10 St. Cu., wsw.; 3/10 Ct., w.
45	963.4	14.6	68	8.	7.6	4,250	604.8	- 6.5 - 6.6	0,60	99 96 93 90 87 87 85 60	3. 07 3. 04	wsw.	15.6	
				*******		4,250	604. 8 624. 0	- 6.4		85	3. 03 2. 45	wsw.	15.4	
00	963.1	16. 2	61	3.	7.6	3, 806 3, 750	639. 7 643. 8	- 3.5 - 3.1	0.76	41 45	1.87	WSW. WSW.	13.1	11.70
*************	***					3,500	664.7 686.1	- 1.2	******	60 76	2, 12 8, 32 4, 89	wsw.	18.7	
27	962.7	18.0	50	8.	18.9	3,000	707. 8 708. 3	2.6 2.7 4.8	0.85	91 92 84	6.71	sw.	14.7	ON THE REAL PROPERTY.
		*******	******	*******		2,750 2,500	729.7 752.1	6.9	*******	84 76	7. 22 7. 56	sw.	14.8	
	962, 4	20.0	43	S.	11.2	2,489	753. 4 775. 0	6.9 7.0 7.6 8.3 9.0	0.27	76 76 77	7. 62 8. 04	sw.	14.9	.001
		*******	******	*******	*******	2,000	799, 8 823, 2	9.0	******	77 78	8. 43 8. 95	sw.	12.2	
55	962.1	18.9	54	asw.	9.4	1,500 1,428 1,250	848.3 856.1 874.2	9.7 9.9 11.3	0.77	79	9.50 9.64 10.18	SSW. SSW.	9, 5 9, 1 9, 6	
14	962.0	19.1	54	38W.	9.8	1,000	900. 8 916. 3	13. 2 14. 3	1. 23	79 79 76 72 70 67 50	10.92	SSW.	10.4	
*****************				30 W.	9.0	750 500	928. 0 955, 5	15.6 18.7	*******	67	11.87	SSW.	10.3	BALL OF BUILD
24	961.9	19.4	57	ssw.	8.9	444	961. 9	19.4	******	57	12.84	ssw.	8.9	7/10 St.Cu., wsw.
						,	August 30	, 1918.						
А. М.	965.7	8.2	86	wnw.	7.2	444	965.7	8.2		86	9.35	wnw.	7.2	Few St. Cu., nw.
				*******		500 750	958. 7 980. 4	8.7	*******	84	9.45 10.11	wnw.	7.2 7.6 9.3	
45	965.8	9.0	86	wnw.	4.9	799 1,000	925.5 903.0	11.4	-0.90	75 73	10.11 8.96 7.56	nnw.	9.6	. ~
			*******		*******	1,250 1,500	876.3 850.7	8.1	*******	70 67	6. 24	nnw.	10.8	
16		11.0	78	wnw	4.5	1,625 1,750	838. 0 825. 5	5.5	0.72	66 65	5.96 5.55	nnw.	11.9	
		*******	*******	*******	********	2,000 2,250	800.7 776.5	3.1		62	4.81	nnw.	11.6	
56	966.2	13.6	70	nw.	4.9	2, 250 2, 451 2, 500 2, 750 3, 000	757.9 752.9 729.8	$ \begin{array}{r} 0.2 \\ -0.1 \\ -1.5 \end{array} $	0.64	86 84 77 75 73 70 67 66 65 68 62 60 61 64 68	3.72 3.73 3.45	nnw. nnw. nnw.	11.2 11.4 12.2	
****************			*******	******	******	3,000 3,250	707. 2 685. 7	- 3.0 - 4.5	*******		3. 28 3. 02	nw.	13.2	
30	966.2	14.4	06	nw.	4.5	3, 258 3, 500	685.1 665.0	- 4.6 - 6.0	0.60	72 78	2.99	nw.	14.2	
***********			*******			3,750 4,000	645. 9 625. 1	- 7.4 - 8.8	*******	72 72 78 84 91 92 98 96 96 90 82 76	2.74	nw.	17.1	
44	966. 2	17.3	54	nnw.	5.4	4, 048 4, 250	621. 2 605. 0	- 9.1 -10.4	0.57	92 98	2.63 2.59 2.33	nw.	18.8 17.1	
12	966.0	17.9	50	nw.	8.0	4,500 4,686	585. 0 570. 8	-12.0 -13.2	0.68	95 96	2.06 1.87	nw.	14.9	1/10 A.St., nw.; 1/10 Cu., nw.
• • • • • • • • • • • • • • • • • • • •		******	******		*******	4,500 4,250	584 2 603.3	-11.9 -10.1	******	90 82	1.97 2.11	nw. nw.	13.2	
	965.8	18.3	49	nw.	5.4	4,052	618.4	- 8.7	0.20	76	2.02	nw.	12.9	

TABLE 11.—Free-air data from kite flights at Ellendale Aerological Station, August, 1918—Continued.

August 39, 1918—Continued.

	Surfa	08.						At air	erent heig	thte above	70 000				
	Dutie		_	1				At ulli	otone norf	thes abou	VO 366.	1			
W	2	Tem-	Rela-	W	ind.	Alti-		Tem-	Δε	Hum	idity.	W	ind.	Remarks.	
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	ent) end	
А. ж.	mb. 965.7	° C. 18.4	% ₅₁	nw.	m. p. s. 4.0	3,758 3,750 3,500	mõ. 642.3 642.8 663.7	° C. - 8.1 - 8.1 - 6.2	0.75	% 100 100 97	mb. 3.07 3.07 3.54	nw. nw. nw.	m. p. s. 13.3 13.3 12.5		
11:01	965.5	18.9	45	nw.	6.7	3,250 3,102 3,000 2,750 2,500	485. 7 698. 2 707. 2 729. 8 752. 9	- 4.3 - 3.2 - 2.5 - 0.9 0.8	0.66	97 95 98 98 92 91	4.05 4.35 4.61 5.22 5.89	nw. nw. nw. nw.	11.7 11.2 11.0 10.4 9.9		
i1:20.	965.4	19.4	44	nw.	4.5	2, 250 2, 000 1, 785 1, 750 1, 500	776. 5 800. 7 822. 7 825. 5 851. 2	2.4 4.1 5.5 6.3 8.3	0.98	91 89 89 86 79	6.61 7.29 8.04 8.21 8.65	nw. nw. nw. nw.	9.4 8.9 8.4 8.4		. 0
1:4	965.3	19.0	44	nw.	7.2	1,250 1,000 880 750 500	877.3 904.3 917.1 931.5 960.0	10.7 13.2 14.4 15.8 18.6	1.10	69 60 56 53 46	8.88 9.10 9.18 9.51 9.86	nw. nw. nw. nw.	8.3 8.3 8.3 7.8 6.9	24	
			4.00			444				45				8/10 St.Cu., nw.	
11:55	965, 2	19.2	45	nw.	6.7		965. 2 august 31,	19.2		, ,	9.95	nw.	6.7	and St. Cu., aw.	
11:55	965. 2	8.0	85	w.	4.9	A 444	ugust 31,	1918.		85	9.12	w.	4.9	Few Cl., w.	
639	963.5					444 500 525 750 1,000	ugust 31,	1918.		85 53 39 42 46			,		
6:36	963.5	8.0	85	w.	4.9	444 500 525 750 1,000 1,250 1,293 1,500	963.5 957.0 954.3 929.0 902.0 876.0 872.1 850.5	8.0 13.7 16.2 14.8 13.2 11.7 11.4	-10.12 0.62	85 53 39 42 46	9. 12 8. 31 7. 18 7. 07 6. 98 6. 74 6. 74 5. 81	W. W. W. W. W. W. W.	4.9 6.3 7.0 6.9 6.9 6.9 6.7	Few Cl., w.	
0:35	963.5	8.0 8.4 21.2 22.0	85 82 38 34	w. w. sw.	4.9 4.9 6.3	444 500 525 750 1,000 1,250 1,293	963. 5 957. 0 954. 3 929. 0 902. 0 876. 0 872. 1 850. 5 824. 8 822. 9 800. 2 776. 2	8.0 13.7 16.2 14.8 13.2 11.7 11.4 10.1 8.4 8.3 6.7 5.0	-10.12 -0.62	85 53 39 42 46 49 50 47 43 46 50	9. 12 8. 31 7. 18 7. 07 6. 96 6. 74 6. 74 5. 81 4. 71 4. 51 4. 51	W. W. W. W. W. W. W. W. WN	4.9 6.3 7.0 7.0 6.9 6.9 6.7 6.5 6.5 6.5	Few Cl., w.	
0-36. 0-39. 9-55.	963.5 963.5 962.5 962.2	8.0 8.4 21.2 22.0	85 82 38 34	w. w. sw.	4.9 4.9 6.3	444 500 525 750 1, 200 1, 253 1, 500 1, 773 2, 000 2, 250 2, 750 2, 780 2, 780	963. 5 957. 0 954. 3 929. 0 902. 0 876. 0 872. 1 850. 5 824. 8 822. 9 800. 2 775. 2 752. 8 721. 6 729. 8	8.0 13.7 16.2 14.8 13.2 11.7 10.1 8.4 3.6.7 5.0 3.2 1.5 0.8	0.62 0.65	85 53 39 42 46 49 50 47 43 46 50 50 55 58	9.12 8.31 7.18 7.07 6.98 6.74 5.81 4.74 4.51 4.36 3.95 3.89	W. W. W. W. W. W. W. W. W. WNW. WNW. NW.	4.9 6.3 7.0 6.9 6.9 6.7 6.5 6.5 6.5 7.3 7.7 7.7 8.1 8.2 7.9	Few Cl., w. 3/10 Cl., w.; 2/10 Cl.St., w.	
9:55	963. 5 963. 5 962. 5 962. 2	8. 0 8. 4 21. 2 22. 0	85 82 38 34	w. w. sw.	4.9 4.9 6.3	444 500 525 750 1, 250 1, 250 1, 750 1, 750 2, 500 2, 550 2, 550 2, 750 2, 550 2, 550	963. 5 957. 0 964. 3 929. 0 902. 0 876. 0 872. 1 850. 5 824. 8 822. 9 800. 2 776. 2 776. 2 729. 8 729. 8 729. 8 729. 8	8.0 13.7 16.2 14.8 13.2 11.7 11.4 10.1 8.4 3.6.7 5.0 3.2 1.6 3.2 1.6 3.2 7.9 8.3	0.62 0.65 0.66	85 53 39 42 46 49 50 47 43 43 46 59 58 59 58 51 61 49	9. 12 8. 31 7. 18 7. 07 6. 74 6. 74 6. 74 4. 51 4. 51 4. 51 4. 36 3. 95 3. 98 4. 44 83 5. 22	W. W. W. W. W. W. W. W. W. WNW. WNW. NW.	4.9 6.3 7.0 6.9 6.9 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5	Few Cl., w. 3/10 Cl., w.; 2/10 Cl.St., w.	
6:36	963. 5 963. 5 962. 5 962. 2	8. 0 8. 4 21. 2 22. 0	85 82 38 34 34	w. w. sw.	4.9 4.9 	444 500 525 1,000 1,250 1,250 1,750 1,773 2,000 2,500 2,500 2,500 2,42 2,750 2,500 2	963. 5 957. 0 954. 3 929. 0 902. 0 876. 0 872. 1 850. 5 824. 8 822. 9 800. 2 776. 2 776. 2 776. 2 776. 2 776. 8 729. 8	8.0 13.7 16.2 14.8 13.2 11.7 11.7 11.0 1 8.3 6.0 3.2 1.5 0.8 1.6 3.9 6.2 7.9 8.3 10.1	-10.12 0.62 0.65	85 53 39 42 46 40 50 47 43 43 46 50 58 58 59 58	9. 12 8. 31 7. 18 7. 07 6. 98 6. 74 5. 81 4. 74 4. 71 4. 36 4. 15 3. 82 3. 82 3. 82 4. 44 4. 43 5. 22	W. W	4.9 6.3 7.0 6.9 6.9 6.7 6.5 6.5 7.7 8.1 7.7 8.2 7.2 6.5	Few Cl., w. 3/10 Cl., w.; 2/10 Cl.St., w.	

TABLE 12.—Free-air data from kites flights at Ellendale Aerological Station, September, 1918.

September 1, 1918.

	Surface).			319/	1000		At diffe	rent heig	hts abov	re sea.			
thront		(Date	P-1	W	ind.	0				Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	<u>∆</u> t 100 m.	Rel.	Vap.	Dir.	Vel.	Memaras.
A. M.	. mb. 961.1	° C. 11.3	% 93	n.	m. p. s. 4. 5	m. 444 500	mb. 961, 1 954, 7 926, 7	° C. 11.3 11.7		% 98 88 63 56 53	mb. 12.45 12.10	n. n.	m. p. s. 4.5 5.5	1/10 Cl.8t., wnw.
	961.1	11.8	91	n.	4.9	750 826	918.4	13.5 14.0	-0.71	63 56	9.75 8.95	ne. ene.	9.9 11.3 7.5	THE COUNTY OF THE PARTY OF THE
:03	961.5	15.7	78	nne.	7.2	1,000	900, 0 885, 8 874, 3	14.1	-0.06	- 50 49	8.53 8.10 7.58	ne.	4.6	4/10 Cl.St., wnw.
53	. 961.8	18.3	57	ene.	6.7	1,250 1,383 1,250	860. 7 874. 3	13.4 12.4 12.8	0.50	48 52	6.91	nne.	3.0 1.0 3.0	1/10 C4.56., WIIW.
30	961.8	19.4	54	one.	7.6	1,000	901.0 916.7	13. 4 13. 8	1.44	61	9,38	ne.	6.9 9.2	
		*******				750 500 444	928.0 955.8	15.3	*******	63 56 54	10, 95 12, 23	ene.	8.6 7.0 6.7	ADDES DE MONTE
38	961.8	19.7	54	ene.	6.7	444	961.8	19.7	******	04	12.30	ene.	0.7	6/10 Ct.St., wnw.
*	,					Se	ptember	2, 1918.						MIL HE WAY
A. M.	. 967.0	8.2	85	nnw	8.5	444 500	967.0 960.7	8.2 8.1		85 78	9.24 8.42	nnw nnw.	8.5 8.7	10/10 St.Cu., n.
:15		8.3	84	n.	9.8	750 757	932.5 931.7	8.1 7.8 7.8	0.13	48	8.42 5.08 4.97	n. n.	9.4	
:20	967.7	8.3	84	n.	8.5	981 1,000 1,250	906.8 905.0	6.7	0.49	97 97 91	9.52 9.46 8.22	n. n. n.	14.7 14.5 11.3	10/10 A.Cu., n.
410	967.0	8.8	81	n.	9.4	1,500	878.0 851.8 836.1	5.5 4.4 8.8	0.44	85 82	7.11	nnw.	8.2	
***********						1,750 2,000	825.8 800.9	3.2 1.9		84	6.46	nnw.	6.4 6.8 7.7	
******************	* * * * * * * * * * * * * * * * * * * *			******		2, 250 2, 500	776.5 752.0	-0.8		94 90	5.95 5.65	nw.	9.5	1000 4 0-
:12	968.0	8.6	82	n.	7.2	2,535 2,500	748.8 752.0	-1.0 -0.8 0.6	0.55	99	5.62 5.65 6.00	nw.	9.6 9.4 8.2	10/10 A.Cu., n.
*****************		*******	*******	******		2,250 2,000 1,750	776.5 800.9 825.8	2.0	*******	99 94 89 83 82	6.28	nw. nw. nw.	7.1	
:41	968.1	9.5	74	n.	7.2	1,694	831.5 851.8	3.4 3.7 5.1	0.72	82	6.53	nw.	5.6	San The San Transport
:08	968.1	10.9	60	D.	6.7	1,250 1,163	878.0 887.4	6.9 7.5	-0.81	60 56 76 82	5.97	nnw.	9.4	
:16	968.0	11.6	65	n.	7.6	1,000 954 740	905. 0 910. 1	5.8	1.16	76 82	7.20 7.56 7.94	nnw. nnw. nnw.	8.9	
133	967.8	11.7	59	n.	7.6	500 444	932.6 961.2 967.8	8.2 11.0 11.7	*******	73 62 59	8.14 8.11	n. n.	8.1 7.7 7.6	3/10 Cl.Cu., wsw. 3/10 A.St., ws
	1				1	Se	ptember	3, 1918.						
A. M.	071.5	1.0	00	nnw.		444	971.5	1.8		90	6.26	nnw.	5.4	2/10 Cl.St., wsw.
41	971.6	1.8	90	nnw.	4.9	500 581	965.0 957.5	3.2 5.3	-2.55	90 77 57	5.92 5.08	n. nne.	5.6	alto criscil was :
34	972.0	2.3 5.6	87	n.	4.9	731 500	938.7 966.0	5.5	0.00	68 83	6.14 7.65	nne.	4.4	
48	972.2	5.9	87	nne.	4.0	444	972.2			87	8,08	nne.	4.0	1/10 A.St., w.; 2/10 Ct.St., w.
						Se	ptember 4	, 1918.						
.57	970.9	6.8	79	sw.	3.6	444	970.9	6.8		79	7.81	sw.	3.6	8/10 A.Cu., w.
:08.	970.9	7.7	73	sw.	3.1	444 500 750 760	964.5 936.0 933.5	7.3 9.3 9.5	-0.83	79 73 46 44 49 55 58 50 61 62 61 60 59 56	7.47 5.39 5.22 5.26 5.25 5.17 4.97 4.43 4.25	SW. 8. 8.	4.1 6.4 6.6 6.1 5.5 5.1 4.8 4.0	The second second
******************						1,000	908.5 881.6	9.8 9.5 8.0 6.3 5.3 4.5 2.4 1.6 2.4 4.4 5.3 6.7	*******	49 55	5. 26 5. 25	SW.	5.5	
	971.2	14.7	38	S.	5.8	1,404	865.4 855.0	4.5	0.66	58	4.97	WSW.	4.8	9/10 A. Cu., wsw.
:55	971.3	15.3	40	8.	5.4	1,750 1,849 1,750	829.3 819.3 829.3	1.6	0.82	62	4.25	WSW. WSW.	3.7	
:18.	971.3	15.0	41	8.	4.9	1,500	855.0 866.9	4.4	1.05	60	4. 43 5. 02 5. 26 5. 49	SW.	3.0 4.8 4.7 5.1	
****************						1,250	881.6	6.7		56	5.49	sw.	5.1	
P. M.					4.9	1,000 779	909.0	9.4 11.7		51	6.01	SSW.	5.8	
:14	971.3	16.3	37	85W.	4.9	779 750 500	933.5 937.1 965.4	11.7 12.1 15.9	1.52	51 47 46 38	6.46 6.50 6.87	SSW. SSW.	6.5 6.4 5.6	
		16.8	36	SW.	5.4	444	971.3	16.8	*******	36	6.80	SW.	5.6 5.4	8/10 A.Cu., wsw.; 1/10 Cu., wsw

Table 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 5, 1918.

		Surfac	0.			NO LIMB	10000		At diffe	erent heig	hts abov	re sea.			
Time. Pressure Part	alased .		(Flores	Rela-	w	ind.					Hum	idity.	w	ind.	Remarks.
	Time.	Pressure.	pera-	tive humid-		Vel.	Alti- tude.	Pressure.			Rel.	Vap. pres.	Dir.	Vel.	and and
	A. M.		* C.	%		m. p. s.	m.		• C.		%	mb.		m. p. s.	2 MA CL 94 - 2 E MA 94 Co
	33	971.1	7.6	82	w.	4.0			7.6	*******	82 73	8.56 8.38		4.0	1/10 C1.St., w.; 5/10 St.Cu., whw
	:49	971.2	8.2	80	w.	3.6	605	952.6	11.7	-4.41	57	7.84	WIW.	4.8	
		971.3	10.0	77	w.	4.0	849	925.3	10.0	0.70	66	8.10	W.	4.3	
	************	071 3	11.9		907	4.0			9.2	0.62	62 57	7.22			300
	******************	********	11.0			*******	1,000	908.5	9.4		59	6.96	WSW.	2.5	146
September 4, 1916. September 5, 1916. September 6, 1916. September 7, 1916. September 8, 1916. September 8, 1916. September 8, 1916. September 8, 1916. September 9, 1916. Septemb		971.3	14.0	68	WDW.	4.0	608			1.71	63	8.84		4.3	
September 6, 1914.	******************						500	965.0	13. 8		61	9.68		4.1	Faw Ct St waw : 1/10 A Cu w
28. A. M. 967.1 6.7 73 wmw. 5.8 444 967.1 6.7 72 8.72 wmw. 5.5 Few A.Cu., wmw. 50. 967.8 16.6 55 ww. 4.0 1.00 960.2 15.2 70 8.72 wmw. 50. 967.8 16.6 55 ww. 4.0 1.00 960.3 15.8 16.7 18.7 18.7 18.7 18.7 18.7 18.7 18.7 18		9/1.0	14.0	60	WIW.	2.0	111	9/1.5	14.0		00	10.10	WAW.	4.0	Fow Older, waw., 1/10 A.Ou., w.
	Water State of the	946				1	Se	eptember	6, 1918.						
		967.1	9.7	73	WIW.	5.8	444	967.1	9.7		73	8.78	wnw.		Few A.Cu., wnw.
92. 967.8 10.0 53 nm. 4.0 967.5 10.0 53 nm. 4.0 967.5 10.0 55 nm. 4.0 1,000 86.3 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10	*******************	*******									70	. 8.72			
	52	967.8	16.0	53	nw.	4.0	937	913.0	14.4	-0.95	46	7.54	nw.	6.9	
10					*******			906.3 879.8		1	48 54	7.57		6.9	
1,500 804, 0 9.5 61, 7.28 mw 6.1 7.28 mw 6.2 61, 7.28 mw 6.3	****************	007 9	17 6	40	*******	2.6	1,500	854.0	9.5		61	7.24	nw.	7.0	100 A Cha 1000
10				30	HW.	3.0	1,500	854.0	9.5		61	7.24	nw.	6.9	1/10 A.Od., MW.
18.			******	******		******				******	56				
September 8, 1918. A. M. 966.6 11.4 77 8. 4.9 444 967.6 18.3 46 8.52 mm. 4.0 2/10 A.Cu., nw.	40	967.7	18.5	47	DW.	4.0	908	916.3	15.0	0.82	50	8.52	nw.	5.0	
September 8, 1918. 14. A. M. 966.6 11.4 77 s. 4.9 444 966.6 11.4 77 10.38 s. 4.9 510 Cl.St., wnw.; 3/10 A.Cu., nw. 14. A. M. 966.6 11.4 77 s. 4.9 444 966.6 11.4 77 10.38 s. 4.9 510 Cl.St., wnw.; 3/10 A.Cu., nw. 14. A. M. 966.7 11.3 77 s. 4.9 500 960.5 12.3 72 10.30 s. 5.0 15. 20. 20. 20. 20. 20. 20. 20. 20. 20. 15. 20. 20. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 16. 20. 20. 20. 20. 17. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 18. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20.		********	*******	******		******					48			4.7	
14. A. M. 966.6 11.4 77 s. 4.9 444 986.5 11.4 77 10.38 s. 4.0 5/10 CLSt., wnw.; 3/10 A.Cu., vnw.; 3/10	52	967.6	18.8	45	nnw.	4.0	444		18.8				nnw.		2/10 A.Cu., nw.
14. 956.6 11.4 77 s. 4.9 444 986.6 11.4 77 10.38 s. 4.9 500 90.5 12.3 72 10.30 s. 5.0 5.0 5.0 500 90.5 12.3 18.0 -1.66 43 s.83 sw. 5.7 500 92.30 16.5 16.5 16.5 16.0 66 s. 5.0 10.0 986.2 21.5 18.0 18.0 18.0 18.0 18.0 18.0 18.0 18.0					1-	1 1	Se	ptember	8, 1918.					1	
223	14	956.6	11.4	77	8.	4.9		986.6			77	10.38		4.9	5/10 Ci.St., wnw.; 3/10 A.Cu., wi
23. 966.7 11.3 75 8. 4.5 841 912.8 18.0 -1.66 43 8.88 8w. 5.7 41. 966.8 16.0 56 8. 3.6 936 930.0 21.2 33 8.51 w. 3.4 41. 966.8 16.0 56 8. 3.6 936 930.0 21.2 33 8.51 w. 3.4 41. 966.8 16.0 56 8. 3.6 936 930.0 21.2 33 8.51 w. 3.4 41. 966.8 16.0 56 8. 3.6 936 930.0 21.2 33 8.51 w. 3.4 41. 966.8 16.0 56 8. 3.6 936 930.0 21.2 33 8.51 w. 3.4 41. 966.8 16.0 56 8. 3.6 936 930.0 21.7 16.6 42. 966.8 16.2 55 8. 4.5 1.7 1.7 1.7 43. 956.8 16.2 55 8. 4.5 1.7 1.7 44. 966.8 16.0 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 45. 966.8 16.2 16.0 1.7 46. 966.7 17.3 16.5 1.7 16.0 1.7 46. 975.0 1.4 86 n. 6.7 444 974.8 1.4 86 1.8 1.4 86 1.8 1.4 46. 975.0 1.4 86 n. 7. 750 933.9 1.3 8.6 1.8 1.4	*******************			******				923.0			51			5.5	
1,000 866.2 21.2 33 8.31 W 5.6 1.5 1		956.7	11.3	75		4.5			18.0	-1.66	43			5.7	6/10 (3) St waw : 9/10 A Co w
50. 956.8 16.2 55 s. 4.5 1,923 804.8 15.3 0.67 34 5.91 wsw. 6.2 1 1,750 821.7 15.8 34 6.10 wsw. 6.2 1 1,500 846.1 18.3 36.94 wsw. 6.1 wsw. 5.4 1,250 870.8 20.1 32 7.53 sw. 5.0 1 1,000 806.2 21.8 31 8.10 sw. 4.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	*********************	********					1,000	896.2	21.2		33	8.31	W.	3.6	ono onse, whee, and med, w
50. 966.8 16.2 55 8. 4.5 1,923 804.8 15.3 0.67 34 5.91 wsw. 6.2 wsw. 6.2 1.750 821.7 15.8 34 6.10 wsw. 6.1	*****************					*******					33			4.3 5.6	The state of the s
1,750 821.7 15.8 34 6.10 wsw. 6.1 wsw. 6.1 wsw. 5.4 1,250 870.8 20.1 32 7.53 sw. 5.0 1,250 870.8 20.1 32 7.53 sw. 5.0 1,250 870.8 20.1 32 7.53 sw. 4.5 1,50 1,50 1,50	**************************************	0.00		******			1,750	821.7	16.4		34	6.34	WSW.	5.9	
1,250 870.8 20.1 32 7.55 5w, 5.0	90	900.8	10.2	00	3.	4.0				1	34				
10	***************************************	********		******	******	******					33				
14.				*******			1,000	896.2	21.8		31	8.10	SW.	4.5	
14. 956.7 14.6 52 ssw. 6.3 734 924.6 14.6 0.93 52 8.64 ssw. 6.1 19. 956.7 17.3 55 s. 6.7 444 956.7 17.3 55 10.86 s. 6.7 7/10 Cf. St., wnw.; 1/10 A.Cu.,		956.7	16.8	55		4.9				-5.75					Annual Control
September 9, 1918 (No. 1). September 9, 1	14	956.7	14.6	52		6.3	734	924.6	14.6		52	8.64	SSW.	6.1	
September 9, 1918 (No. 1). 37.		956.7	17.3	55	8.	6.7						10.33			7/10 Ci.St., wnw.; 1/10 A.Cu., wn
3.37. A. M. 974.8 1.4 86 n. 6.7 444 974.8 1.4 86 5.83 n. 8.4 5.64 nne. 16.0 16.0 16.0 17.0 18.4 18.5 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	7.41.511.39						Control		40.431	-					1/10 St.Cu., sw.
1.4						1 1	Septer	mber 9, 19	15 (No.	1).				1	
1.4 1.4 1.4 1.5 1.4 1.5	:37	974.8	1.4	86	n.	6.7					86	5. 81		6.7	Few Ci.St., nw.; 1/10 A.Cu., nw
1,750 829.0 5.0 21 1.83 nnw. 13.2 2,000 803.6 4.0 19 1.54 nnw. 12.6 12.0 2,250 779.0 3.0 17 1.29 nnw. 12.0 12.	****************			*******							86	5, 83		16.0	
	:46	975.0	1.4	86	n.	7.2	864	925.4	1.2		83	5.53	ne.	19.5	
		975. 2	1.7	83	n.	6.3	1,234	883.8	-2.5	1.00	93	4.61	ne.	19.8	
				******	*******						91 52				
1,730 529.0 0.0 0.0 21 1.53 nnw. 13.2 1.54 nnw. 12.6 1.54 nnw. 12.6 1.54 nnw. 12.6 1.55 nnw. 12.6 nn	:10	975.3	2.2	80	n.		1,696	834.5	5. 2	-1.67	21	1.86	nnw.	13.3	
2, 250 779.0 3.0 17 1.29 nnw. 12.0		********	******		*******	*******			4 0		19				
28. 975.6 5.1 64 nne. 8.9 2,877 721.7 0.5 0.40 13 0.82 nw. 10.9 3/10 Cl.St., wnw.; few Cu., nne. 3,200 710.8 0.0 13 0.82 nw. 10.6 3/10 Cl.St., wnw.; few Cu., nne. 3,200 689.2 -1.0 13 0.73 nw. 11.1 1.4	****************			******			2,250	779.0	3.0		17	1.29	nnw.	12.0	
3,000 710.8 0.0 13 0.79 nw 10.8 10.8 3,250 689.2 -1.0 13 0.79 nw 11.1 1 1.4	*****************	*********			*******		2,750	733.0	1.0		14	0.92	nw.	10.9	111
3,250 689.2 -1.0 13 0.73 nw. 11.1 3,500 668.0 -2.1 12 0.62 nw. 11.4	:28	975.6	5.1	64	nne.	8.9					13		nw.		3/10 Ci.St., wnw.; few Cu., nne.
	****************						3, 250	689.2	-1.0		13	0.73	nw.	11.1	0.7
10. 976.1 7.0 52 nne. 10.7 3,814 641.8 -3.4 0.40 12 0.55 nw. 11.8 3,750 697.1 -3.1 12 0.57 nw. 11.6 3,500 668.0 -2.0 12 0.62 nw. 11.0 3,250 689.2 -0.9 12 0.68 nw. 10.3 3,000 710.8 0.2 12 0.74 nw. 9.6 47. 976.5 7.8 58 nne. 11.2 2,990 711.6 0.3 0.44 12 0.75 nw. 9.6 12 0.80 nw. 9.5	*****************				*******		3,750		-2.1 -3.1	*******	12				ni de de
3, 500 688.0 -2.0 12 0.62 nw. 11.0 3, 500 689.2 -0.9 12 0.68 nw. 10.3 3, 500 689.2 -0.9 12 0.68 nw. 10.3 3, 500 710.8 0.2 12 0.74 nw. 9.6 3, 500 710.8 0.2 12 0.74 nw. 9.6 3, 500 710.8 0.2 12 0.74 nw. 9.6 3, 500 710.8 0.3 0.44 12 0.75 nw. 9.6 3, 500 710.6 0.3 0.44 12 0.75 nw. 9.6 3, 500 nw. 9.5			7.0	52	nne.	1	3,814	641.8	-3.4		12	0.55	nw.	11.8	
3, 250 689.2 -0.9 12 0.68 nw. 10.3 3, 000 710.8 0.2 12 0.74 nw. 9.6 3, 000 711.6 0.3 0.44 12 0.75 nw. 9.6 12 0.75 nw. 9.5	***************************************			******		*******			0.0		12				1957
					******	******	3, 250	689. 2	-0.9		12	0.68	nw.	10.3	
2.750 733.0 1.3 12 0.80 nw. 9.5	:47	976.5	7.8	58	nne.	11.2	2,990	711.6		0.44	12			9.6	
2 800 788 9 0 5	******	********				******	2,750	733.0	1.3	******	12	0.80	nw.	9.5	
2,500 755.8 2.5 12 0.88 nw. 9.4 2,250 780.0 3.6 12 0.95 nnw. 9.3							2, 250	780.0			12				

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 9, 1918 (No. 1)-Continued.

	Burfac	50.				100	A Branch	t differ	ent heigh	ts above	200.			deal
Mond.		Tem-	Rela-	w	ind.			Tem-		Hum	idity.	W	ind.	Hemarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap.	Dir.	Vel.	1000
A. M.	mb. 976.8	° C.	%47	nne.	m. p. s. 11. 2	m. 2,038 2,000	mb. 801.1 805.0	° C. 4.5 3.8	-1.00	% 12 12	mb. 1.01 0.96	nnw.	m. p. s. 9.2 9.2	A so
œ0	977.1	8.9	44	nne.	11.6	1,750 1,642 1,500	831.0 842.2 857.5	-1.3 -3.4 -2.3	0.79	% 12 12 13 13 22 39 37 62	0.72 0.60 1.11 2.32	n. n. n.	9.2 9.2 9.6	
0.54	977.3	9.0	49	nne.	8.9	1,250 1,000 919 750	884.7 913.0 922.1 941.9	-0.3 1.7 2.3 4.7	1.43	89 37 62 57	2.32 3.94 4.47 4.87	nne. ne. ne.	10.2 10.9 11.1 10.3	Charles .
1:08	977.5	9.1	49	nne.	8.9	500 444	971.0 977.5	8.3 9.1	*******	51 49	5. 58 5. 66	nne.	9.2	1/10 Cl., sw.
						Septe	mber 9, 19	18 (No.	2).				11.2	
A. M.	977.4	9.7	46	ne.	10.7	444	977.4	9.7		46	5. 53	no.	10.7	1/10 Cl., sw.
1:56	977.4	10.5	44	ne.	10.7	500 750 873 1,000 1,250	971. 2 941. 9 927. 7 913. 0 885. 0	9.7 9.0 5.9 4.4 3.0 0.2	1. 24	46 68 49 55 65	5, 28 6, 32 4, 10 4, 17 4, 03	ne. nne. nne. nne.	10.9 12.1 12.6 12.1 11.1	
P. M.	977.4	10.9	40	ne.	10.7	1,357 1,500	873. 7 858. 5	-1.0	1.12	70 56	3. 93 3. 44	nne.	10.7	20
1:55	977.4	11.6	34	110.	10.7	1,750 1,915 1,750	832.5 815.5 832.5	0.1 2.0 3.2 2.5	-0.60	31 15	2.19 1.15 1.53	ne. ne.	9. 2 6. 6 4. 9 6. 5	2/10 Ct.St., sw.
4	977. 2	12.7	32	nne.	8.9	1,500 1,434 1,250 1,000	858. 9 866. 0 885. 6 913. 0	1.4 1.1 3.0	1.05	21 31 33 87	2.10 2.18 2.80 3.76	nne. nne. nne.	9.1 9.6 9.2 8.8	1000
E44	977.1	12.9	32	ne	8.9	816 750 500	934.3 941.9 971.2	5.7 7.6 8.5 11.9	1.87	41 45 43 35	4.70 4.77 4.88	ne. ne. ne.	8.4 8.5 8.8	the last state of
2.49	977.1	12.7	33	ne.	8.9	444	977.1	10 0		33	4.85	no.	8.9	2/10 Cl.St., sw.
						Septer	mber 9, 19	18 (No.	3).					Care Jan Holland Inc.
Р. М.	977.0	13.1	32	nne.	2.2	444 500	977.0 971.0	13.1 12.1		32 34	4.83	nne.	2.2 3.4	2/10 Cl.St., sw.
4	977.0	12.8	34	ne.	2.2	750 765 1,000	941.9 939.9 913.4	7.8 7.5 5.0	1.74	42 42 48	4. 42 4. 36 4. 19	ne. ne. ne.	2.2 3.4 8.6 8.9 8.3 7.7	
50	977.3	11.0	34	ne.	2.7	1,250 1,444 1,500	886. 0 864. 6 859. 0	2.4 0.3 0.8	1.06	32 34 42 42 46 54 50 55 35 23 27 34 39	3. 82 3. 68 3. 56	ne. ne.	6.6	4/10 Cl.St., sw.; 2/10 A.St., w.
M	977.4	10.6	39	ne.	3.6	1.750 1,900 1,750	833. 0 817. 1 833. 0	2.8 4.1 3.2	-0.70	35 23 27	2.61 1.88 2.08	ene. ene.	4.1 2.6 4.5 7.6	
20	977.4	9.8	41	no.	3.1	1,500 1,331 1,250	859. 0 876. 9 886. 0	1.8 0.8 1.8	1.21	40	2.37 2.52 2.78	ne. ne.	9.7 9.4 8.3	
M	977.4	9.0	42	na.	3.1	1,000 825 750	913.4 933.2 941.9	4.8 6.9 7.2	0.37	43 46 46	3.70 4.58 4.67	ne. ne.	8.3 7.6 6.7	100
40	977.4	8.3	48	ne.	8.1	500 444	971.0 977.4	8.1		48	5.18	ne.	3.8	2/10 Cl.St., sw.; 7/10 A.St., w.
						Septer	nber 9, 191	18 (No.	4).					
P. M.	977.6	7.0	52	ne.	4.0	444	977.6			52 52	5, 21	ne.	4.0	2/10 Cl.St., sw.; 7/10 A.St., w.
52	977.7	6.4	56	nne.	3.6	500 750 783	971.5 941.9 938.0	5.9	0.35	49	5. 14 4. 55 4. 52	ne. ene. ene.	4.5 6.5 6.8	the state of the s
······································	977.8	5.3	56	nne.	4.0	1,000 1,250 1,328	913.0 885.0 876.9	0.6	1. 12	40 54 60 62 41 25 33 47 53 55 56 58	4. 21 3. 83 3. 70	ene.	6.4 6.0 5.9	
5	977.9	4.4	50	nne.	3.6	1,500	858.7 844.6	2.1	-0.98	41 25	2.92	ene.	4.9	1/10 A.St., w.
				**************************************	2.4	1,500 1,250	858.7 885.0 897.2	3.3 2.1 1.6	1. 22	33 47	2.55 3.34 3.64	ene.	4.5 5.4 5.8	
:00	978.0	3.9	60	nne.	3.6	1,145 1,000 857	913.0 929.6	3.4	-0.46	55 56	4.29	ene.	5. 4 5. 8 6. 0 6. 3 5. 7	
*****************		*******		*******		857 750 500	941.9 971.5	4.6	0000000	64	4.92 5.02	ene.	9.0	100 4 04 -
24	978.0	8.2	65	nne.	4.0	444	978.0	3.2	******	65	5.00	nne.	4.0	1/10 A.St., w.

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

	Surface).			10.100	and have	A STATE	t differe	nt height	s above	808.			
mod		bolt	Rela-	w	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture,	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	17
7:06	mb. 975.6	° C. 5.8	%77	86.	m. p. s. 4.0	m. 444 500	mb. 975.6 969.7	° C. 5.8 5.8		% 77 77	mb. 7.10 7.10	90. 90.	m. p. s. 4.0 4.6	10/10 St. se.
7:14	975.5	6.0	78	88.	3.6	750 846 1,000	940.0 928.7 910.8	5.6 5.5 5.5	0.07	74 73 59 36	6. 73 6. 59 5. 33	580. 550. 590.	7.0 8.0 7.4	
3:49	974.1	9.3	67	80.	8.5	1, 250 1, 419 1, 500	883. 2 865. 0 856. 5	5.5 5.5 6.0	0.00	20 18	3. 25 1. 81 1. 68	88. 688.	6.5 5.9 6.1	
:40	973.7	11.4	58	80.	8.0	1,750 1,835 2,000 2,250	830.7 822.1 805.7 781.3	7.4 7.9 6.5 5.0	-0.58	12 10 20 34	1. 24 1. 06 1. 94 2. 96	\$36. \$86. \$56.	6.7 6.9 7.1	5/10 A.Cu., asw.; 2/10 A.St., ssw.
	**** ********	*******	*****	******		2,500	708.2	3.2	*******	49 64	3.77 4.33	SSW.	7.4 7.7 8.0	
0:01,	973.6	11.5	61	80.	6.7	2,750 2,888 2,750 2,500	735.3 722.6 735.3 708.2	1.4 0.4 1.6 3.8	0.80	72 65 52	4. 52 4. 46 4. 17	SW. SW.	8.2 8.1 7.9	
:25	973.4	12.9	54	80.	6.7	2, 250 2, 037 2, 000	781.3 802.3 805.7	6.0 7.9 7.9	0.00	40 29 28	3.74 3.09 2.98	SSW. SSW.	7.7 7.5 7.5	310
:39	973.2	12.9	57	80.	5.8	1,750 1,595 1,500	830.7 846.5 856.0	7.9 7.9 7.4	-0.51	19 14 24	2.02 1.49 2.47	886. 86. 86.	7.5 7.5 7.0	
:45	973.2	13.2	52	30.	4.0	1, 250 1, 126 1, 000	882.7 896.2 910.0	6.1 5.5 6.5	0.82	50 63 63	4.71 5.69 6.10	96. 96. 96.	5.8 5.2 5.4	20.0
0:52	973.1	13.6	46	88.	5.8	834 750 500	928.7 938.4 966.7	7.9 9.1 12.7	1.44	63 59 49	6.71 6.82 7.20	se. se.	5.7 5.8 6.2	
1:07	972.8	13.5	46	30.	6.3	444	972.8	13.5	******	46	7. 12	S6.	6.3	5/10 A.Cu., nw.
					1 1	Se	ptember 1	1, 1918.				100		
A. M.	963.4	10.2	75	nw.	8.5	444	963.4	10.2	******	75	9.34	nw.	8.5 11.1	1/10 Ci.Cu., wnw.
:45	963.4	10.2	74	nw.	8.5	500 718 750	957.4 932.2 929.0	10.6 12.1 12.0	-0.00	70 52 51	8.95 7.34 7.16	nw. nw. nw.	21. 2 21. 3	
:01	963.5	10.1	75	nw.	7.6	1,000 1,102 1,250	901. 5 890. 4 875. 0	11.4 11.1 10.1	0.26	46 44 37	6. 20 5. 81 4. 57	nw. nw. nw.	22.4 22.9 22.7	to the second
:17	963.7	11.2	69	nw.	8.5	1,500 1,677 1,750	849. 5 831. 0 823. 6	8.5 7.4 6.9	0.64	37 26 18 18	2.89 1.85 1.79	nw. nw. nw.	22.3 22.1 22.1	per la constitución
	*** ********		*******	*******		2,000 2,250	798.4 774.3	5.1 3.2		18 18	1.58	nw.	22.1	
7:27	963.8	12.1	64	nw.	9.4	2,500 2,644 2,500	751.0 737.6 751.0	0.4	0.73	17 17 17	1.15 1.07 1.16	nw. nw.	22. 2 22. 2 21. 7	
• • • • • • • • • • • • • • • • • • • •		******		*******	*******	2, 250 2, 000	774.3 798.4	1.5 3.3 5.2		16 16	1.24	nw.	20.4	
7:43	964.0	12.6	61	nw.	11.2	1,750 1,706	823.6 827.9	7.1	-0.20	15 15	1.51	nw.	18.0 17.8	Few A.Cu., wnw.; few A.St., wn
9:22	964.2	16.0	48	nnw.	13.4	1,500 1,412	849.5 858.7	7.0 6.8	1.07	39 49	3.91 4.84	nw.	21.0 22.4	
	964.3	17.2	43	nnw.	12.5	1,250 1,000 962	876.0 902.9 906.8	8.5 11.2 11.6	1.04	52 56 57	5.77 7.55 7.79	nw. nnw. nnw.	19.1 16.5 16.0	CONVENTION IN
0:01	*** ********	17.0	37	nnw.	16.5	750 500 444	930. 2 958. 0 964. 2	13.8 16.5		49 39 37	7.73 7.32 7.17	nnw. nnw. nnw.	16. 2 16. 4 16. 5	Cloudless.
		11.0			1 2010		ptember 1		1				1	
А, М.														
:30	*** *******	3.9	85	ssw.	4.5	444 500	964. 0 958. 0	3.9 6.2		85 75	6. 87 7. 11	88W	4.5	Cloudless.
3:40	963.9	5. 1	86	sw.	4.9	750 774 1,000	929. 3 926. 5 902. 4	16. 2 17. 2 16. 1	-4.03	31 27 29	5. 71 5. 30 5. 31	W. W.	6.0 6.1 7.2	
:43		10.6	73	88W.	4.9	1,250 1,395 1,500	876. 3 861. 5 851. 0	14.9	0.48	27 29 31 32 32	5. 25 5. 18 4. 92	wnw. wnw. wnw.	8.4 9.1 9.3	
		*******				1,750 2,000	826. 0 801. 6	11.6 9.8		33 34 36	4. 51	wnw.	9.6 10.0 10.3	
:53	963.2	11.3	68	88W.	4.9	2,250 2,352 2,500	777. 8 768. 3 754. 5	7.2 6.3	0.73	36 36	3.86 3.66 3.44	wnw.	10. 5 12. 7	THE PERSON NAMED IN
3:10	963.1	12.7	62	ssw.	3.6	2,500 2,750 3,000 3,174	732. 2 710. 2 695. 2	3. 2 2. 1	0.62	37 38 39	3. 16 2. 92 2. 77	nw.	16. 4 20. 1 22. 7	
						3,250 3,500 3,750	689.0 667.8 647.0	1.7 0.3 -1.1		40 44 47	2.76 2.75 2.62	nw. nw. nw.	22. 8 23. 3 23. 7	
3.33		15.8	53	88W.	4,0	3,937 3,750 3,500	630. 9 647. 0 667. 8	$ \begin{array}{r} -2.1 \\ -0.9 \\ 0.7 \end{array} $	0.60	50 47 44	2.56 2.66 2.83	nw. nw. nw.	24.1 23.4 22.5	Cloudless.
243	962.6	22.3	32	wsw.	4.9	3,250 3,001 2,750	688. 6 709. 5 731. 8	2.4	0.82	40 37	2. 90 3. 01 3. 37	nw. nw. nw.	21. 6 20. 7 18. 2	
	*** ********			*******		2,500 2,250	754.5 777.8	8. 1 10. 1		36 36 35	3. 89 4. 33	nw.	15. 7 13. 2	
:21		23. 5	31	wnw.	4.0	2,205 2,000	781.9 801.6	10.5	0.61	35 35	4. 44	nw.	12.8 12.2	

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 12, 1918—Continued.

	Surfac	0.			fa at fine	1		At diffe	rent heig	hts abov	70 900.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera-	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera-	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	mb.	° C.	%	******	m. p. s.	m. 1,750	mb. 826.0	° C.		% 34 33 33 32 29 27 27 27 26	mb. 5. 19	nw.	m. p. s. 11. 5	
10:41	962.2	25.0	28	wnw.	5.4	1,318	851.0 860.4	14.8	1.07	33	5. 55 5. 96	nw.	10.7	
			******	*******		1,250	876.3 902.4	f6.6 19.3		32 29	6.04	nw.	9.8	M - 1
10:50	962.2	25. 8	25	nw.	4.5	822 750	921. 4 929. 3	21. 2 22. 0	1.11	27	6, 80	nw. nw.	9.6	
10:55	962.1	25.4	26	nw.	4.5	500 444	956. 4 962. 1	24. 8 25. 4		26	8. 14 8. 44	nw.	5.2	8/10 Cl.St., nw.
			KB.			Se	ptember 1	13, 1918.						
A. M.	959. 6	9.8	70	nne.	5.4	444	959. 6	9.8		70	8, 48	nne.	5.4	Pew A.Cu., w.; 1/10 St.Cu., w.
A:44	959.7	10.0	67	ne.	4.0	500 750 777	953. 4 925. 6 922. 4	11.0 16.4 17.0	-2.16	64 36 33	8.40 6.71 6.40	nne. e. e.	6.2 9.7 10.1	
			******			1,000	898. 9 873. 0	15. 5	******	36 33 34 36 36	5. 99 5. 68	6.	9.1	all lines
7:48	900. 2	15.1	52	ne.	4.9	1,250 1,293 1,500	868.7 848.0	13. 5 12. 4	0.68	38	5. 57 5. 47	ene.	7.9 6.7	
9:08.	980.9	18.7	43	ne.	6.3	1,750 1,992	822.8 799.4	11e1 9.8	0.48	41	5. 42 5. 33	ne.	5.2 3.8	Cloudless.
						1,750 1,500	822. 8 848. 0	10.8 11.9	******	43 41 40	5. 57 5. 71	nne. ne.	3.7	
9:30	961. 2	19.8	37	ne.	6.3	1,255	873. 4 900. 8	13.0 14.4	0. 53	40 40	5. 99 6. 56	ne. ne.	3.6	
9:48	961. 4	20.0	36	ne.	7.6	783 750	924. 0 927. 9	15. 5 16. 0	1.45	40	7.04	ene.	4.6	
10:14	961.6	20. 4	35	ne.	6.3	500 444	955. 7 961. 6	19.6 20.4	*******	39 35	8, 90	ne.	6.0	Choudless.
						G.	ptember	4 1012						
						36	ptember	14, 1710.					1	
6:52	961. 8	11.0	69	w.	2.7	444 500	961. 8 955. 4	11.0 12.5		69 62	9.06 8.98	w.	2.7 3.7 6.1	10/10 St., w.
6:59	961.8	11.0	67	₩.	2.7	624	941.5	15.9	-2.72	46 44	8.31	wsw.	6.1	Washington I - W
****************		*******				750 1,000	927. 8 900. 7	15.4	********	39	7, 70 6, 44	8.	5.9	2/10 Cl.St.; 1/10 Cl.Cu.; 2/10 A.S
8:08	961. 8	15.3	52	8W.	1.3	1,165	883.3 900.7	13.8	0. 54	38	5. 68	8.	5.2 4.4 3.1	100
8:23	961. 8	15.8	51	sw.	2.2	750 703	927. 8 932. 9	16. 7 17. 0	-0.31	39 36 38 42 43 50	7. 98 8. 33	8.	2.9	
622	961.8	16.2	52	sw.	2.2	500 444	955. 4 961. 8	16.4	*******	50	9, 32 9, 58	SW.	2.4	2/10 Ct.St., wnw.; 8/10 A.St., wnw
						Se	ptember	15, 1918.						
7:00. A. M.	967. 9	2.0	83	nw.	4.5	444	967.9	2.0		83	5. 86	nw.	4.5	2/10 Cl.St., w.
			*******	******		500 750	961.8 932.7	2.3	********	83 83 83	5.98 6.47	nw. nnw.	12.9	a year
7:05	967. 9	2.2	82	WDW.	4.5	1,000	925. 1 904. 0	3.7 2.5	-0.46	83 83	6.61	nnw.	14.6	
		000×***	*******	*******		1,250	876.7 850.0	- 0.6		82	5.39 4.71	nnw.	14.8	and the later and
7:30	968.1	4.1	79	DW.	3.6	1,517	848.0 823.6	- 0.6 - 1.8	0.61	81 72	4.71 3.79	nnw.	14.9	4 1
************		*******	*******	*******		2,000	798.5 774.0	- 3.0 - 4.2	*******	62 52	2.94	nnw.	14.7	
8:02.		6.2	70	nw.	5.8	2, 250 2, 426 2, 500 2, 750	756. 9 750. 0	-5.1 -5.3	0.50	45	1.79	nnw.	14.6	4
**************			*******	*******		3,000	728.8	- 5.9 - 6.6	*******	34 25	1. 26 0. 88	nnw.	14.5	
9:07	968.6	9.1	65	nw.	6.3	8, 250 3, 286	682.9 679.7	- 7.2 - 7.3	0.26	16 15	0.53	nnw.	14.4	2 - 1 - 1 - 1 - 1 - 1 - 2 ()
						1 2 5 5 1	661.5	- 8.6 -10.1		15 15	0.44	nnw.	14.4	1/10 A.St., w.; 2/10 Cu., nw.
***************		10.9	58	nw,	8.0	3,750 4,000 4,187	619.8	-11.6 -12.7	0.58	14 14 14	0.32	nw.	14.5 14.5	
***************			******	******		4,000	619.8 639.8	-11.6 -10.2	*******	14	0.32	nw.	14.4	34 10
10:02,					1	3,500	000.2		0.38	14	0.41	nw.	14.0	
10:02.	968.4	11.3	53	nnw.	8.0	3,318	675.4			14	0.45	nw.	13.7	Process of the Control of the Contro
10:00,	968. 4	11.3	53		8.0	3,318 3,250 3,000	681.5	- 7.5 - 6.5		14	0.49	BW.	13.2	
10:02.	968.4		53	nnw.		3, 250	681.5 703.7 726.8	- 6.5 - 5.5	******	14 14 15	0.54	nnw.	12.6	Sharp -
10:02.	968. 4	12.0	53	nnw.	6.7	3, 250	681. 5 703. 7 726. 8 751. 0 770. 2	- 6.5 - 5.5 - 4.6 - 3.8	0.61	14 15 18	0. 54 0. 62 0. 67	nnw. nnw. nnw.	12.6 12.0 11.5	
10:02.	968. 2		*******	nnw.	00000000	3, 250 3, 000 2, 750 2, 500 2, 298 2, 250 2, 000 1, 750	681. 5 703. 7 726. 8 751. 0 770. 2 774. 9 799. 1	- 6.5 - 5.5 - 4.6 - 3.8 - 3.5 - 2.0	0.61	14 15 18 17	0.54 0.62 0.67 0.78 1.65	nnw. nnw. nnw. nnw.	12.6 12.0 11.5 11.4 10.8	
10:02.	968. 4	12.0	48	nnw.	6.7	3, 250 3, 000 2, 750 2, 500 2, 298 2, 250 2, 000 1, 750 1, 500	681. 5 703. 7 726. 8 751. 0 770. 2 774. 9 799. 1 824. 5 851. 0	- 6.5 - 5.5 - 4.6 - 3.8 - 3.5 - 2.0 - 0.5 1.1	0.61	14 15 18 17 32 47	0.54 0.62 0.67 0.78 1.65 2.75 4.04	nnw. nnw. nnw. nnw. nnw. nnw.	12.6 12.0 11.5 11.4 10.8 10.1 9.5	
10:00, 10:31. 11:00,	968. 2	12.0	48	nnw.	6.7	3, 250 3, 000 2, 750 2, 500 2, 293 2, 283 2, 250 2, 000 1, 750 1, 500 1, 250 1, 000	681. 5 703. 7 726. 8 751. 0 770. 2 774. 9 799. 1 824. 5 851. 0 877. 6	- 6.5 - 5.5 - 4.6 - 3.8 - 3.5 - 2.0 - 0.5 1.1 2.6 4.8	0.61	14 15 18 17 32 47 61 76	0.54 0.62 0.67 0.78 1.65 2.75 4.04 5.60 5.85	nnw. nnw. nnw. nnw. nnw. nnw. nnw. nnw.	12.6 12.0 11.5 11.4 10.8 10.1 9.5 8.9 9.8	
10:02. 10:31. 11:08.	968. 4 968. 2 968. 2	12.0	48	nnw.	6.7	3, 250 3, 000 2, 750 2, 500 2, 283 2, 250 2, 000 1, 750 1, 500 1, 250	681. 5 703. 7 726. 8 751. 0 770. 2 774. 9 799. 1 824. 5 851. 0 877. 6	- 6.5 - 5.5 - 4.6 - 3.8 - 3.5 - 2.0 - 0.5 1.1 2.6	0.61	14 15 18 17 32 47	0.54 0.62 0.67 0.78 1.65 2.75 4.04 5.60	nnw. nnw. nnw. nnw. nnw. nnw. nnw.	12.6 12.0 11.5 11.4 10.8 10.1 9.5 8.9	

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

	Surface	,						At diffe	rent heig	hts abov	70 BOB.			
		Tem-	Rela-	w	ind.		1			Hum	ldity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	mb. 965. 8	° C.	% 78	nnw.	m. p. s. 4. 9	m. 444 500	mb. 965.8 959.2	° C. 1.3 1.9		% 78 77 20	mb. 5.23 5.40	nnw.	m. p. s. 4.9 5.7	9/10 St.Cu., nw.
8.54.	965.9	1.3	78	nw.	4.9	750 833 1,000	930.0 920.7 902.0	4.6 5.5 4.4	-1.08	70 68 74	5.94 6.14 6.19	n. n. n.	9.1 10.2 9.1	The second second
:18	966.0	9.0	58	nnw.	5.4	1,250 1,390 1,500	875. 0 860. 1 849. 0	1.5 0.2 - 0.6	0.95	90 97 98	6. 13 6. 01 5. 74	nnw. nw. nw.	5.9 4.4 4.6	10/10 St.Cu., nw.
::::::::::::::::::::::::::::::::::::::	966.1	9.4	72	nnw.	5.8	1,750 1,813 2,000	822. 5 815. 6 796. 8	- 2.4 - 2.8	0.71	99 100 100	4. 95 4. 84 4. 33	nw. nw. nw.	5. 2 5. 3 7. 6	
:52	966. 2	9.8	68	n.	5.4	2, 250 2, 401 2, 250	772.0 757.1 772.0	- 4.1 - 5.8 - 6.8 - 5.7	0.72	100 100 100	3.75 3.44 3.78	wnw. wnw. wnw.	10.6 12.6 11.6	
:05	966.3	8.6	62	nne.	5.8	2,000 1,750 1,566	796.8 822.5 841.6	$ \begin{array}{r} -3.8 \\ -1.9 \\ -0.5 \end{array} $	0.67	99 98 97	4. 40 5. 16 5. 68	nw. nnw. nnw.	9. 7 7. 9 6. 6	Altitude of St.Cu. base about 2,4 m.
14	966. 4	8.2	63	nne.	5.4	1,500 1,250 1,016	849.0 876.0 901.0	- 0.1 1.6 3.2	0.48	96 90 85	5.82 5.74 6.54	nnw. n. nne.	6. 4 5. 8 5. 2	
)-99	966.6	8.3	62	nne.	5.8	1,000 750 724,	903.3 931.4 934.1	3.3 4.5 4.6	1.21	85 81 81	6. 58 6. 82 6. 87	nne.	5. 2 5. 3 5. 3	
0:30	966.7	8.0	63	nne.	7.2	500 444	960. 5 966. 7	7.3 8.0		67	6.85	nne.	6.9	10/10 St.Cu., nw.
					1 .	S	eptember	18, 1918						
A. M.	960, 9	1.1	86	w.	4.5	444	960.9	1.1		96	5, 60	w.	4.5	1/10 A.Cu., nw.
# # # # # # # # # # # # # # # # # # #				*******		500 750 787	954.6 925.0	2.0 6.1	-1.63	80 52 48	5. 65 4. 90 4. 71	w. wnw. wnw.	4. 5 5. 7 11. 2 12. 0	ayao ayouy awo
	960.9	1.1	86	w.	4.5	1,000 1,250	921. 1 896. 9 870. 0	6.7 5.0 3.0	-1,03	46	4.01	wnw.	10.3 8.2	
40	960. 5	4.3	78	w.	5.8	1,500 1,512 1,750	844. 0 842. 5 818. 2	1.0 0.9 - 1.3	0.80	41 41 42	2.69 2.67 2.30	nw. nw. nw.	6. 2 6. 1 6. 5	
44	960. 2	8.0	52	w.	5.8	1,965 2,000 2,250	796. 6 793. 1 768. 0	- 3.4 - 3.7 - 5.8	0.95	43 44 54	1.98 1.97 2.02	nw. nw.	6.9 6.9 7.2	9/10 A.Cu., nw.
22	960, 0	9.7	46	W.	7.2	2,500 2,575 2,750	743, 5 736, 8 720, 0	- 7.9 - 8.5 - 9.7	0.84	54 63 66 70 76	1.97 1.95 1.87	nw. nw. nw.	7.4 7.5 8.0	
				*******		3,000 3,250 3,500	697. 2 675. 2 653. 7	-11.5 -13.3 -15.1		81 87	1.73 1.56 1.42	nw. nw. nw.	8.7 9.3 10.0	
37	959. 9	10.0	44	w.	6.7	3,750 3,886 3,750	632. 0 620. 5 632. 0	-16.8 -17.8 -16.7	0.76	93 96 97	1. 29 1. 22 1. 37	nw. nw. nw.	10.7 11.1 11.4	
52	969. 8	10.1	46	w.	6.3	3,500 3,485 3,250	653. 0 654. 5 674. 5	$ \begin{array}{r r} -14.7 \\ -14.6 \\ -12.9 \end{array} $	0.72	100 100 94	1.70 1.71 1.88	nw. nw. nw.	11.9 11.9 11.2	
0.18	959.7	12.2	46	w.	8.5	3,000 2,750 2,510	696. 8 720. 0	$ \begin{array}{r r} -11.1 \\ -9.3 \\ -7.6 \end{array} $	1.04	89 83 77	2. 09 2. 29 2. 47	wnw. w. w.	10. 5 9. 8 9. 1	Altitude of A.Cu. base about 2,
				******		2,500 2,250 2,000	743.5	- 7.5 - 4.9 - 2.3		77	2. 49 2. 88 3. 33	W. W. W.	9. 1 9. 9 10. 7	m.
):30	959.6	12.1	45	wnw.	10.7	1,945 1,750	798.1 818.2	- 1.7 - 0.7	0, 50	66 65 75 87	3. 44 4. 32	W. W.	10.9	
0:41	959. 8	12.8	49	wnw.	9.8	1,526 1,500 1,250	844.0	0.4 0.7 3.6	1.16	86 72	5. 47 5. 53 5. 70	wnw. wnw. wnw.	11.3 11.3 11.2	
1:00	959. 5	12.4	37	wnw.	9,8	1,000 906 750	896. 9 907. 6	6. 5 7. 6		58 53 48	5. 61 5. 53 5. 55	wnw. wnw. wnw.	11.1 11.1 11.0	
1:16	959.6	12.0	38	nw.	10.7	500 444	953. 5	11.5		40 38	5. 43 5. 33	nw.	10.7	8/10 A.Cu., wnw.
98 50 10 a 10 - 10		1			1	Septe	ember 19,	1918 (No	0. 1).					
A. M.	970, 6	1.3	94	nnw.	8.9	444	970.6	1.2		94	6, 31	nnw.	8.9	10/10 St., n.
			00			500 750 817	964. 6 934. 9	1.3	-0,05	93 87	6. 24 5. 92 5. 79	nnw. nne. nne.	9.1 9.8 10.0	Altitude of St. base about 600 m
	970, 6	1.4	83	nnw.	8.5	1,000 1,250	905. 7 877. 8	0.3		85 83 79 76 74	5.18	nne.	10.4	
30	970.8	1.7	91	nnw.	8.9	1,500 1,673 1,750	832.3 824.8	- 4.2 - 4.8		72	3, 58 3, 18 2, 94	n. n.	11.4 11.7 11.8	(C)
:05		2.8	87	nnw.	8.0	2,000 2,250 2,462	799. 0 773. 7	- 6.1 - 7.6	0, 59	66 58 54 53	2. 41 1. 86 1. 54	n. n.	12.1 12.3 12.6	
*****************		2.0		ALLW.		2,500 2,750	749.0 725.0	- 9.1 -10.8		49	1.49	n. n.	12.6	
:53		3.1	84	nnw.	9.4	3,000 3,207 3,250	079.8	-13.8	0, 66	45 42 41	0.94 0.77 0.74	n. n.	12.2 12.1 12.2	
						3,500 3,750	657.8	-15.5		36 31	0. 57 0. 43	n.	13.0	

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 19, 1918 (No. 1)-Continued.

	Surfi	ice.			s margine	rinas	100	At diffe	erent heig	hts abov	re sea.			
Theresit:		Tem-	Rela-	w	ind.	Allet		Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>Δℓ</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	(467)
9:22.	mb. 971. 6	° C.	% 84	nnw.	m. p. s. 9.4	m. 4,099	mb. 606.9	° C. -18.9	0.60	% 25	mb. 0.28	n.	m. p. s. 14.8	10/10 St.Cu., n.
		*******			******	4,000 3,750	636.3	-18.3 -16.7	*******	26	0.30	n. n.	14.4	
		*******	00000000		********	3,500 3,250	657.8	-15. 1 -13. 5	*******	27 28	0, 44	n. n.	12.4	21.0
10:03	972.0	4.1	79	n.	8.9	3,000 2,958	702. 0 706. 3	-12.0 -11.7	0.57	28 29 29	0.68	n. n.	10.5	Chapter and the state of the
********************		*******		******		2,750 2,500	725. 0 749. 0	-10.5 -9.1		38 48	0.94	n. n.	9.5	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		*******		******	*******	2,250	773.7	- 7.7 - 6.3		58 68 78	1.84	n. n.	9.1	
10:28,	972.1	5. 4	69	nnw.	8.9	1,750	826. 0 832. 3	- 4.8 - 4.5	0,61	81 86	3.16 3.39 3.96	n. n.	8.3	
****************				00000000	9.0	1,500	852.7 880.0 903.8	- 3.4 - 1.7	1. 27	94	4.98	n. n.	8.8 8.5 8.7	Altitude of St.Cu. base about 1,08
10:43	972.2	5.6	66	nnw.	8.9	1,034 1,000 892	908. 0 920. 1	- 0.5 - 0.1 1.3	1.00	98	5.94	n. n. n.	8.9 9.7	m.
10:51	972.3	6.9	63	nnw.	0.9	750 500	937. 0 965. 3	2.7	******	98 98 85 71	6.81	n. nnw.	9.6	
11:00	972.3	5.8	68	nnw.	0.4	444	972.3	5.8		68	6. 27	nnw.	9. 6	8/10 St.Cu., nw.
						Septe	mber 19, 1	918 (No.	. 2)					
A. M.	972.4	7.0	62	nnw.	9.4	444	972.4	7.0		62	6.21	nnw.	9.4	8/10 St.Cu., nw.
						500 750	965. 9 936. 9	6.0		65 79	6.08	nnw. n.	9.0	2.0
11:30	972.5	6.9	63	nnw.	8.0	765	934.9	- 0.3	1.71	80 86	5. 45 5. 13	n. n.	6.8	
						1,250 1,500	880.5 852.5	- 2.3 - 4.3	******	92 98	4.64	n. nnw.	7.6	
P. M.	972.4	7.4	55	n.	9.4	1,605	1 1 1 1 1 1 1 1	- 5.1	0.79	100	3.98	nnw.	8.1	MILLA THE
						1,750 2,000	826.0 800.2	- 5.5 - 6.1		88 66	3.00 2.41	nnw.	8.1	
2:00	972.3	8.9	44	nnw.	6.7	2, 250 2, 346	775.2 765.6	- 6.7 - 7.0	0.26	44 36	1.53 1.22	nnw.	7.8	
				******		2,500 2,750	750.7 727.0	- 7.0 - 9.3		34 32	1.06 0.88	nnw.	8.0	6/10 St.Cu., nw.
						3,000 3,250	704.1 682.0	-10.8 -12.2		20 27	0.70 0.58	nnw.	8.7 9.0 9.1	
2:39	972.1	9.4	41	nnw.	7.6	3,334 3,250	674.2 682.0	-12.8 -12.2	0.62	20 27 26 26 26 25	0.53 0.55	nnw.	9.1	
				******		3,000 2,750	704.1 727.0	-10.6 -8.9		24	0.62	nnw. n.	9.1	
3:00	972.0	9.5	43	nnw.	7.2	2,500	751.4 755.3	- 7.3 - 7.0	0.41	23 23	0.76 0.78	n. n.	9.0	44
						2, 250 2, 000	776.0 801.1	- 6.2 - 5.1		26 30	0.94	n. n.	8.3	
3:16	972.0	9.2	40	nnw.	8.5	1,847 1,750	816.7 827.1	- 4.5 - 3.5	1.06	32 43	1.34	n. n.	7.0	
3:28	972.0	9.4	43	nnw.	7.6	1,500 1,414	853.6 862.6	- 0.8 0.1	0.69	71 80	4.05	n. n.	6.7	100000000000000000000000000000000000000
* * * * * * * * * * * * * * * * * * * *						1,250 1,000	880, 5 908, 3	3.0	*******	74 64 55	4.93	n. nnw.	6.8 7.0	
3:41	972.0	9.7	41	nnw.	7.6	765 750	934.9 936.9	4.6	1.53	54	4.66	nnw.	7.2	1 100
3:50	972.0	9.5	40	n.	6.7	500 444	965.9 972.0	8.6 9.5		43 40	4.80	n. n.	6.8	Few St.Cu., nnw.
				1		Septer	mber 19, 1	918 (No.	. 3).	17-11				Dudyus ta
P. M.	1						020 0	0.0	1 1 1 1	41	4.00	nnw.		Few St.Cu., nnw.
1:24	972.0	9.6	41	nnw.	8.9	500	972. 0 985. 9	9.6 8.8	******	41	4.90 4.65 3.95	nnw.	8.9 8.7 7.7	rew ot.ou., mw.
i:34	972.0	9.7	39	n.	7.2	750 770	937.0 934.3	5.4	1.38	44	3.87	n. n.	7.0	
******************		*******	*******			1,000	908. 2 880. 5	2.9 0.5	0.96	41 44 44 57 72 84 80	4.29	n. nnw.	7.8 8.0 8.2	The state of the s
:51		8.9	39	n.	4.9	1,461	857.6 853.6	-1.5 -1.7	******	80 50	4.53 4.24 2.44	nnw.	8.2 8.4	
3:32	972.5	6.6	50	n,	4.0	1,750	827.0 811.7	-2.7 -3.4	0.43	33	1.52	nnw.	8.5	
• • • • • • • • • • • • • • • • • • • •		*******	*******	*******	*******	2,000 2,250 2,500	800.9 775.5 751.7	-3.5 -5.3 -6.7	******	33 31 30	1.50 1.21 1.04	nnw. nnw. nnw.	10.0	The way
	030.7				4 5	2,500 2,750 2,777	751.7 728.2 725.6	-6.7 -8.0 -8.2	0.55	28	0.87 0.85	nnw.	12.2	Cloudless.
344		5.8	50	n.	4.5	2,777 2,750 2,500	728.2 751.7	-8.2 -8.1 -6.7	******	28 28 28 27 27 27 27 42	0.86	nnw.	12.2 11.5	
******************				*******	*******	2, 250 2, 250 2, 000	776.2 801.5	-5.3 -4.0	******	27	1.06	n. n.	10.8	
3:59		5.0	51	n.	4.0	1,917	809.9 827.0	-3.5 -2.2	0.79	27	1.23	n. n.	9.8	
:15	070.8			*******	4.0	1,750 1,500	853.6 860.7	-2.2 -0.2 0.3	0.71	64 70	3.85 4.37	n. n.	8.6 8.4	
******************	972.?	4.0	58	n.	4.9	1,435 1,250 1,000	880.5 908.2	1.6	******	66	4.53	n. n.	8.8	-8.8
:30	972.8	3.1	57	n.	4.5	889 750	920.9 937.0	4.2	-0.27	66 60 58 58	4.78	n. n.	9.5	The latest and the la
					4 8	500	966.4	3.2	*******	57 57	4.35 4.32	n. n.	5.1	Cloudless.
37	972.8	3.0	57	n.	4.5	444	972.8	3.0	******	01	1.06	434	2.0	Carriellow.

Table 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 19, 1918 (No. 4).

	Surfa	ce.			11/12			At diffe	erent heig	thts abov	70 200.		37979	
		Tem-	Rela-	W	ind.					Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	100 m.	Rel.	Vap.	Dir.	Vel.	nort out
P. M.	mb.	° C.	% 56		m. p. s. 3.6	m.	mb.	° C.		% 56 56 56 56 65 73 70 65	mb.		m. p. s. 3.6	les III
B:08	973.0	2.7	56	n.	3.6	444 500	973.0 967.0	2.7	*******	56	4.16	n. n.	4.3	Cloudless.
8:16	973. 2	2.0	60	n.	3.6	750 789	937.0 932.6	3.0	-0.09	56 56	4.24	nne.	7.3	es hannin
• • • • • • • • • • • • • • • • • • • •					4.9	1,000 1,180	908.0 888.7	0.8	******	65	4. 21	nne.	7.6	
9:18	973.6	1.7	63	n.		1,000	908.0	0.4		70	4.40	nne.	6.9	
10:12	973.6	-2.2	76	n.	5.8	745 500	937.7 967.0	2.5	-1.63	75	4.75	nne.	6.2 5.6	
10:91	973.6	-2.4	77	nnw.	5.4	444	973.6	-2.4	******	77	3.85	nnw.	5.4	Cloudless.
			318			Se	eptember	20, 1918.						10.
A. M.	027.7	9.0	40	0000	3.6	444	975.7	3.0		69	5. 23		3.6	Cloudless.
8.25	973.7	3.0	69	89W.		500	969.0	3.0	******	67 61	5.09	SSW.	4.6	Cioudiess.
8:28	975.7	3.1	68	85W.	3.6	740 750	940.8 939.6	2.8	0.07	61	4.56	38W.	8.8	William III
10:45		9.0	42	85W.	5.4	1,000	910.9 883.5	1.4	0.55	63 65	4. 26	SSW.	7.8	
11:00	975.0	9.7	40	SSW.	5.4	1,433	863.3	1.1	-0.60	24	1.59	ssw.	6.9	
		******	******	*******	*******	1,500 1,750	856. 4 830. 1	1.0 0.7	*******	23 21	1.51	SSW.	6.7 5.8	
	********	******				2,000 2,250	804.5 779.3	0.4	*******	19 17	1.20	SW.	4.9	1 21
> + > 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	********	*******	*******	*******	******	2,200	113.0	O. L		11	1.00	ow.	2.0	
P. M. 1:25	973.0	12.2	33	sw.	7.2	2,320	772.1	0.0	0.09	16	0.98	SW.	3.7	de la resultante
*********	*******			*****	******	2,320 2,250 2,000	779.3 804.5	- 0.0	******	16 16	0.98	SW.	6.2	
	********	*******			******	1,750	829.8	- 0.4	******	16	0.95	S.	8.1	
1:55	972.7	12.9	30	8.	6.3	1,670 1,500	837.1 855.7	- 0.4 1.5	1.12	16 19	0.95	S.	8.7 9.9	10.0
2:03	972. 6	13.2	27	8.	6.7	1,483 1,250	857.1 882.4	1.7	1.05	19	1.31 2.05	S. S.	10.0	
*****************	********		*******			1,000	909.7	6.7		25 31	3.04	SSW.	10.5	The state of the s
á.20	972.5	13.4	26	8.	8.0	871 750	923.9 937.5	8.1 9.6	1.26	34 32	3. 67 3. 82	SSW.	9.6	Washington and the same of the
2:33	972.5	13.5	25	8.	7.2	500 444	966.0 972.5	12.8 13.5		26 25	3.84	S. S.	7.6	Cloudless.
А. М.	Change					Septer	mber 21, 1	1918 (No	. 1).	1			1	
A. M.	968. 4	- 0.7	72	8-	4.0	444 500	968.4 961.9	0.6	*******	72 69	4.15	5. S.	4.0	1/10 A. Cu., wnw.
k40	*******	- 0.8	76	8.	3.6	750 823	932.9 924.1	6.6 8.3	- 2.37	56 52	5. 46 5. 69	SSW.	14.3	10
*************************						1,000	904.6	9.2		52 51	6.05	SSW.	14.2	
:00	968.2	- 0.3	73	S.	4.0	1,250 1,315	877.5 870.9	10.9	-0.53	51	6.48	S. S.	10.6	16
	*******				*******	1,500 1,750	851.5 826.0	9.9 8.6	*******	45 36	5. 49 4. 02	S. SSW.	9.4	in the state of the state of
7:14	968.1	0.7	68	8.	4.5	1,997 2,250	801.9 778.4	7.3	0.53	28 25	2.86	SSW.	8.7	Few A. St., wnw.
	********	*******			*******	2,500	755.0	8.1		21	2.27	W.	3.4	Low A. Die, walle.
5:51,	907.6	10.0	37	8.	11.2	2,506 2,500 2,250	754.1 755.0	8.1	0.10	21 21	2.27	W.	3.3	
	********	******			*******	2,250	778.4 801.7	9.0	******	24 26	2.76 3.17	wsw.	4.9 6.5	
	********	*******			******	1,750	826.0	10.9		29 31	3.78	SW.	8.1	
):29	967.6	11.8	33	8.	8.9	1,500 1,331	851.5 869.3	12.4	-1.41	31 33 39	4. 29	SSW.	9.7	Ja -
	********				******	1,250	877.5 904.0	W W .		43	4.66	S. S.	9.6	
43	967.6	12.0	34	8.	8.0	884 750	917.4 932.3	6.1	1. 57	46	4.33	S. S.	9.2	
	*********			*******	********	500	961.0	12.1	******	34	4.80	8.	8.2	70 A CA
2.51	967. 6	13.0	32	8.	8.0	444	967.6	13.0	*******	32	4.79	8.	8.0	Few A. St., wnw.
	1111					Septer	mber 21, 1	918 (No	. 2).					
A. M.				-			000 0	10.6						T- 1 01
0:26	967.3	18.6	35	8.	7.6	444 500	967.3 960.8	13.6 12.8		35 35	5. 45 5. 17	8.	7.6	Few A. St., wnw.
0:40	967.1	14.6	31	8.	8.5	750 768	932. 6 930. 3		1.51	36	5.17 4.13 4.05	S. S.	9.3	
		******				1,000	904.4	13.2		35 35 36 36 37 37 36 35 35	5.61	S.	13.8	111 31111111
0:49		15.5	33	8.	7.2	1,058 1,250	898. 5 877. 6	13.5	-1.93	36	6. 03 5. 57	S. S.	14.9 12.6	
		******				1,500 1,750	851.7 826.4	12.6		35	5.11	SSW.	9.5	140
					******	2,000	802.0	10.6	*******	33	4.78	wsw.	6.4	3/10 A. St., wnw.
						2,000	000.0	20.0	*****					of an animal man.
		******	*******	******			1100	13.25						9,20 33 30 , 1 30 .
	********	20.0	30	8.	8.0	2,128 2,000	789. 0 802. 0	10.1	0.30	33 34 36 37	4.08	wsw.	1.8	420

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 21, 1918 (No. 2)-Continued.

	Surfac	0.			- Elily			At diffe	erent heig	hts abov	re ses.			100
, , , ,		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M.	mb. 965. 2	° C. 20.8	% 28	8.	m. p. s. 8.0	m. 1 207	mb. 876.0	° C.	0.62	% 39	mb. 5.47	ssw.	m. p. s. 10. 6	in The Res
		20.0				1,267 1,250 1,000	877.6 904.0	12.1	******	39 37	5. 51 5. 80	SSW. SSW.	10.6	
:06	965.1	21.2	28	8.	8.9	853 750	920.1 931.3	13.7 15.2 16.7	1.42	36 34	6.22	8. 8.	9.8	
, , , , , , , , , , , , , , , , , , ,	965.0	21.0	27	8.	7.2	500	958. 9 965. 0	20.2 21.0		28 27	6.63 6.71	8. 8.	7.6	2/10 A. St., wnw.
					1 1	Se	ptember 2	2, 1918.						
Р. М.	000 5	20.0					000.5	00.0		-			1	
B	963.5	26. 2	23	0.	5.4	444 500	963. 5 957. 5 930. 5	26. 2 25. 4		24	7.82	6.	5.4	Fow A.St., nw.
20	963.6	25.6	24	0.	6.3	750 767 1,000	928. 6 903. 4	21.9 21.7 19.6	1.39	23 24 28 28 30 32 33 34 35 37 38 38 38 38	7.36 7.27 6.84	6.	6.9 7.0 6.9	
7	964.0	20.3	34	ene.	6.3	1,250 1,364	877.0 865.4	17.3	0.90	32	6.32	666. 686.	6.8	
						1,500	851.6 826.9	15.7 14.5		34	6.07 5.78	686.	6.2	A TOWN
****************				******		2,000	808. 0 779. 2	13.3	******	37 38	5.65 5.37	50. 50.	3.9	1/10 Ci.8t., nw.
37	964.4	17.3	40	ené.	6.3	2, 261 2, 250	778.3 779.2	12.0	0.47	38	5.33	80.	2.8 2.7 2.7	
***************	*********			2000000		2,000 1,750	803. 0 827. 4			38	5. 76 6. 40	S6. S6.	3.8	
	964.6	16.1	41	ene.	5.4	1,500 1,264	852. 5 876. 4	15.5	0.74	40	7.04 7.56	S0. S0.	6.0	
*********************				******		1,250 1,000	877. 9 903. 4	16.7		40	7.60	30. 30.	7.1	
7	964.6	15.5	42	ene.	5.4	831 750	921.9 930.5	19.8	- 1.21	36 33 35	7.62	90. 680.	10.9	
	964.7	15.1	43	*******	-5.4	500 444	958. 4 964. 7	15.8		41 43	7.36 7.38	e. ene.	6.2	Few Cl.St., nw.
Ø1	901.1	10.1	40	ene.	0.4	. 222	904.7	15.1		40	1.00	Guio,	0.4	rew Chot, nw.
A. W.	963. 8	8.0	80	330.	4.5	444	963.8	8.0		80	8.58	ne.	4.5	8/10 CL St., wnw.
51	963.8	8.5	78	330.	4.9	500 629	957. 5 942. 6	9.8	- 3.30	75 62 56	9.09	600.	6.0	
	060 4		********			750 1,000	929. 0 902. 0	15. 4 18. 2	*******	45	9. 80	600. 650.	5.7	
:12	963. 4	11.4	71	ne.	5.4	1,122	880. 4 876. 5	19.5	- 1.00	45 39 39 40	8. 84 8. 36 7. 70	680.	4.6	
	000 0		********		6.7	1,500	851.4 826.5	16.9 14.2	0.00	41 42	6.64	S0. S80.	4.8	
	963. 2	13.3	64	one.	0.7	1,962 2,000	805.9 802.2	13.8	0.68	42	6.63	8.	5.0	
*******************		*******	*******	*******		2, 250 2, 500	778. 7 755. 9	11.6 9.6	*******	42 40 37 35 33 33 33	5. 46	556. 56.	3.8	8/10 CL.8t., wsw.
:20	962.3	22.4	42	0,	7.6	2,750 2,968	733. 4 713. 9	7.6 5.9	0.86	33	3. 65 3. 07	90.	3.3	
********************	********	*******	00000000	99999		2,750 2,500	733. 4 755. 9	7. 9 10. 3	*******	33	3. 51 4. 13	50.	6.9	
P. M.														
:12	962.0	24.2	36	0.	12.1	2,266 2,250	777.1	12.5	0.70	33 33 35 37	4.78	380. 380.	8.9	
******************				*******		2,000 1,750	801.8 825.9	14.5	*******	35	5.78 6.77	586. 80.	9.5	
35	981.9	25.1	35	ene	11.6	1,500 1,351	850. 5 865. 7	17.9	- 2.01	40 41	8, 20 8, 95	80. 56.	10.7	
40	981.9	25. 5	35	ene.	12.5	1,250 1,212	876.0 879.9	16.9	1.15	48 51	9. 24 9. 33	600,	9.6	
50	961.9	25.6	34	******	12.5	1,000 890	902.0 913.8	18.5 19.8	1.17	48 51 47 45	10.01	0.	10.2 10.5	
***************************************			******	******		750 500	929. 0 956. 0	21.4		42 35	10.70 10.64	0.	11.1 12.0	
58	961.8	25.0	34	е.	12.5	444	961.8	25.0	*******	34	10.77	0.	12.5	6/10 Cl.St., wsw.
					Se	ptembe	r 24, 1918,	series (No. 1).					
43 м.	961. 6	10.1	80	ene.	10.7	444	961.6	10.1		80	9. 89	ene.	10.7	5/10 Cl.St., nw.; 4/10 A.Cu., w.
	*******					500 750	955. 5 927. 5	10. 5 12. 4	*******		10.03 10.37	ene.	11.7	
51	961.7	10. 1	80	one.	10.7	766	925.3 900.0	12. 5 13. 2	-0.74	79 72 72 64 55 47 46	10. 43 9. 71	ese.	16. 2 15. 3	
**********	*******		******		*******	1,250	873. 6 848. 0	14.0	*******	55	8. 79 7. 86	e. e.	14.8	
	961.8	10.2	80	e.	10.7	1,500 1,515	846.7	14.7	-0.31	46	7.74	e.	14. 0 13. 2	
11												e.		
11					******	1,750 2,000	823.1 800.1	13. 0 11. 2	*******	61	7. 94 8. 11	ese.	12.3	
.11			8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D • • • • • • • • • • • • • • • • • • •	10, 3			11. 2 9. 3 7. 4 7. 1		53 61 69 76 78		ese. ese. se.		

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 24, 1918, series (No. 1)—Continued.

	Surface	le .						At diffe	erent helg	thts above	70 366.			199
Acres		Tem-	Rela-	w	ind.					Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera-	$\frac{\Delta t}{100 \text{ m}}$.	Rel.	Vap.	Dir.	Vel.	
A, M.		° C. 12.0	% ₇₈	е.	m. p. s. 11. 2	m. 3,244 3,250	mb. 687. 3 687. 0	° C. 5.0 4.9	0, 30	% 37 37	mb. 3,23 3,20	8.	m. p. s. 7. 3 7. 3	
************			*******			3,500	067. 7 649. 0	-0.1		47 57	3. 41 3. 45 3. 25	S. 886.	7.2	000 1 0-
:23	962.1	13.1	79	θ.	11.2	4,000 4,019 4,000	630, 8 624, 7 630, 8	$ \begin{array}{r} -2.6 \\ -2.8 \\ -2.6 \end{array} $	0.95	66 67 67	3. 24 3. 30	880. 880.	7.0 7.0 7.1	9/10 A.Cu., w.
						3,750 3,500	649, 8 669, 1	-0.4 1.8		60	3.55 3.76	S#0.	8.2 9.3	
1.44						3,250	689. 3 709. 7	6.3		54 47 41	3, 85 3, 92	S. S.	10.4	
E14		14.4	0.8	θ.	12.5	2,801 2,750 2,500	726. 8 731. 0 753. 4	8.1 8.2 8.9	0, 26	36 38 49	3, 80 4, 13 5, 50	S. S. SSO.	12.4 12.3 12.0	4.4
232	902.1	15. 2	66	0.	10.3	2,250 2,153	776. 5 785. 6	9.5	0.77	61 65	7.24 7.88	se. se.	11.7	
		00000000		******		2,000 1,750	799. 0 824. 4	11. 0 12. 9		61 56	8, 01 8, 33	56. 86.	11.6	
258	962.1	15.9	64	0.	12.5	1,500 1,250 1,173	849. 5 874. 7 882. 6	14.8 16.7 17.3	-1.60	50 44 42	8, 42 8, 36 8, 30	698. 658.	11. 6 11. 6 11. 6	
:07	962.1	16.0	63	0.	12.1	1,000	901.0 913.5	14.0	0.87	59 71	9, 68 10, 22	656. 6.	12.0 12.3	
	080.3	10.0				750 500	928, 4 956, 2	15.7		68	10, 59 11, 06	e. e.	12. 4 12. 5	
1:14	962.1	16. 2	61	0.	12.5	444	962, 1	16. 2		61	11.24	e.	12.5	10/10 A. St., w.
					Se	ptembe	r 24, 1918,	series (No. 2).					
A. M.	000.1	17.0	-		100									
1:40		17. 2	61 56	e.	10.7	500 754	962. 1 956. 0 927. 6	16.5	1 00	61 63	11. 97 11. 83	0.	10.7	10/10 A.St., w.
00N		18.2	57	one.	13.4	1,000	901. 0 894. 3	13. 3 15. 4 16. 0	1. 26 -0, 87	73 55 51	9. 62 9. 27	e. e.	11.5	
						1,063 1,250 1,500	874, 8 849, 0	14. 7 13. 0		54 57	9, 03	6. 6. 656,	14. 0 14. 0 13. 9	
	*** ********					1,750 2,000	824. 1 800. 0	11. 2 9. 5		61 65	8. 11 7. 72	se.	13. 8 13. 8	
Р. М.					*******	2,250	776. 0	7.8		69	7. 30	88e.	13. 7	
:36	***	10.6	51	e.	10.7	2,256 2,500 2,750	775. 4 753. 0 730. 8	79 9	0.70	69 61 54	7. 25 6. 28 5. 45	586. 596.	13. 7 12. 1 10. 5	
:19	961.7	20, 9	46	е.	12.5	3,000 3,023	708, 6 706, 3	6.7	0.13	46 45	4.51	596. 596.	8,9 8,7	4/10 Cl.St., wnw.; 4/10 A.St., w
						3, 250	687. 3 666. 7	2.4		50 55	4. 27 3. 99	50. 650.	9.3 9.9	
:30	961. 6	21. 2	46	е.	12.5	3,750 3,941 3,750	646. 4 630, 8 646. 4	0.2 -1.5 0.3	0.92	64 60	3. 72 3. 45 3. 74	ese	10.5	
						3,500	666. 7 687. 3	2.7 5.0	* * * * * * * * * * * * * * * * * * * *	56 51	4. 16	e. ess. ese.	10. 7 10. 3 9. 9	
:00	961.5	21.6	43	е.	12.5	3,000 2,998	708. 6 709. 2	7.4	0.08	46 46	4.74	90. 90.	9.5	
	*** ********				*******	2,750 2,500	730, 8 753, 0	7.6		52 59	5. 43 6. 24	se. se.	10.7 11.8	
:23	961.3	21.3	43	е.	12.5	2,250 2,148 2,000	776. 0 786. 0	8.0	0.92	65 68	6. 97 7. 34	50. 80.	13.0	
:38		21.0	43	е.	12.5	2,000 1,750 1,536	800. 0 824. 1 845. 6	9. 5 11. 7 13. 7	0, 49	65 50 54 54 53	7.72 8.11 8.47	80. 636. 0.	13.3 12.9 12.6	
******	*** *********	*******		*******		1,500 1,250	849. 0 874. 8	13.9		54 53	8, 58	e. e.	12.6 13.0	
:50		21.0	44	е.	12.5	1,000	901. 0 910. 7	16.8	0.93	52 52 50	9, 64 9, 95	e.	13. 4 13. 5	
:50	961.1	21.1	45	e.	13.0	750 500 444	927. 4 954. 9 961. 1	20.6		50 46 45	10, 45 11, 16	e. e.	13.3 13.1	10/10 A St
										40	11.26	e.	13.0	10/10 A.St., ssw.
		1	1		Se	ptembe	er 24, 1918,	series (No. 3).					
Р. м.		21.0	45	е.	14. 8	444	961. 2	21.0		45	11. 19	0.	14.8	10/10 A.St., ssw.
20	961.3	21.0	46	е.	14.8	500 750 829	955. 0 927. 5 919. 1	17.6	1 10	46	11. 03 9. 86	0.	14.8 14.6	FRANKING W
			20		A 8. O	1,000 1,250	900. 5 874. 3		1. 12	50 50 50	8, 92	0. 6; 0.	14.6 13.3 11.3	
58	961.5	21.0	44	e.	14.8	1,500 1,533	849. 0 845. 7		0.60	51 51	7.49	0. 0.	9. 4 9. 1	
**************	*** *********	******				1,750 2,000	824. 0 799. 8	11.2		53 55	7. 05 6. 62	0. 0.	10.1	
*********	*** ********	******	*******			2,250	776. 0 753. 0	0.6		57 58	6. 16 5. 66	0.	12. 4 13. 6	Dry pill and
18	962. 2	19.7	49	e.	9. 4	2,750 2,825	730. 8 723. 9	4.6	0. 61	60	5. 17	0. 0.	14.7 15.1	8/10 A.St., sw.; 2/10 St.Cu., e.
		******	*******	******	******	3,000	708. 7 687. 3	2.1	*******	74	5. 22 5. 26	0.	14.0 12.5	
**********		******			*******	3, 250 3, 500 3, 750	687. 3 666, 6 646, 0	0.6		74 81 80		0.	12.5 11.0 9.5	

OBSERVATIONS AT ELLENDALE, SEPTEMBER, 1918.

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 24, 1918, series (No. 3)-Continued.

	Surfac	00.				1000		At diffe	erent heig	thts abo	ve sea.			
		1=10	Rela-	W	ind.					Hun	nidity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M.	mb. 962.4	° C. 19. 3	% 80	0,	m. p. s. 8. 9	m. 3,849 3,750 3,500	mb. 637, 8 646, 0 666, 6	°C. -1.4 -0.7	0. 64	% 92 90 83	mb. 5. 00 5. 18 5. 45	e. e.	m. p. s. 8. 9 9. 1 9. 6	
	********		******	00000000	*******	3,250	687. 3 708. 7	1.0 3.3 4.4		75 71	5. 80	ene.	10. 2	
6:13	962, 6	19. 0	51	0.	8.0	2,978 2,750 2,500 2,250	710, 8 730, 8 753, 0 776, 7	4.6 5.8 7.1 8.5	0. 53	70 69 68 67	5. 94 6. 36 6. 86 7. 44	ene. ene. ene.	10.6 10.1 9.5 9.0	
	**********		*******		******	2,000 1,750	800. 5 825. 0	9.8	*******	66 64	8, 00 8, 45	ene.	8, 4 7, 8	
6A1	962. 9	18.7	52	0.	5.8	1,684 1,500 1,250	831, 8 850, 3 875, 9	11.5 12.5 13.9	0.55	64 64 64	8, 68 9, 27 10, 16	ene.	7.7 9.4 11.8	
7:06	963. 2	17. 5	54	6H8.	6.3	1,000	902. 2 910. 7	15. 3 15. 7	0. 29	64 64	11, 12 11, 42	ene.	14.1	
	*********	*******	*******		*******	750 500	929. 7 957. 3	16. 2 16. 9	*******	62 60	11. 42 11. 55	ene.	12.9 10.1	
7:16	963. 3	17.1	59	one.	9.4	444	963. 3	17, 1	******	59	11.50	ene.	9.4	9/10 St.Cu., e.
					Se	ptember	24, 1918,	series (No. 4).					,
7:36 7:36	963, 5	16,0	66	ene.	14.3	444 500	963. 5 957. 4	16. 0 15. 9		66 65	12.00 11.75	ene.	14.3 14.3	9/10 St.Cu., e.
7:45	963, 6	15.7	67	ene.	13. 4	750 827	929. 5 921. 0	15.4	0.18	60 58	10.50	ene.	14.4	
			*******			1,000 1,250	902. 0 875. 9	14.3	*******	57 54	9. 29 8. 04	ene.	12.4	3/10 St.Cu., e.
9:35	964. 4	12.8	77	ene.	14.3	1,500 1,653 1,750	850, 8 835, 3 826, 0	11. 4 10. 5 9. 5	0.58	52 51 54	7. 01 6. 48 6. 41	ese.	6. 4 4. 6 5. 1	
						2,000	801.5	7.1		63	6. 36	ese.	6.5	R I I I I I I I I I I I I I I I I I I I
9:40	964. 4	12.8	77	ene.	14.3	2,387 2,500	764. 1 753. 6	3.2	0.99	76	5. 84 5. 75	ese. ese.	8.7	
	*********					2,750 3,000	730. 7 708. 3	0.9	*******	83	5. 57 5. 41	ese.	9, 5	
0-50	064.4	12.7	70	one	16.1	3, 250 3, 500 3, 553	687. 0 666. 0 661. 1	-1.0 -1.2	0. 41	86 89 90	5, 25 5, 00 4, 98	ese. ese.	10.6 11.2 11.3	6/10 A.St.
**************************************	964, 4	12. 1	79	ene.	10.1	3,500	666. 0 687. 0	-1.0 0.1	0. 21	90	5. 06	696. 686.	11.1	0/10 A.O.
						3,000 2,750 2,594	708. 3 730. 7	2.3	******	93 95 96	6. 19 6. 85	ese. ese.	9.6	
0:15	964. 6	12.7	79	ene.	16.1	2,500	744. 9 753. 6	3.6	0. 81	96 93	7. 28	ese.	8.4	
*************************						2,250 2,000 1,750	777. 4 801. 5 826. 0	5.8 7.8 9.8	******	93 84 76 67 62	7. 74 8. 04 8. 12	ese. e.	8.7 8.9 9.2	
0:47	964.7	11.7	87	ene.	13. 4	1,594	841. 4 851. 2	11.1	0.59	62 63	8, 19	e. e.	9.3	
************						1,250	876. 8 903. 4	13.1		65	9, 80	e. e.	11.6 13.2	
1:04	964. 8	11.6	88	ene.	13. 4	882 750	915. 9 930. 9	14.1 .	-0.91	68 74	11.91	e. ene.	14. 0 13. 8	
1:15	964. 9	11.3	89	ne.	13. 4	500 444	958. 8 964. 9	11.8		86	11.90	ne.	13. 5 13. 4	6/10 A.Cu., e.
		- 1			Sept	ember 2	14-25, 1918,	series	(No. 5).					
Р. М.									Tal					A40 04 0-
1:32	965.0	11.0	90	ne.	5.8	500	965. 0 959. 0	11.0		90 87	11.82 11.81 11.50	ne. ne.	5. 8 7. 2 13. 5	6/10 St.Cu., e.
1:44	965.1	10.5	90	nne.	5.4	750 862 1,000	930, 8 918, 2 903, 3	13.9 15.0 14.3	-0.96	87 73 67 65	11.42	ene. ene.	16.3	
************					******	1,250 1,500	876. 8 851. 0	12.8 .	p.s	61 57	9.07	ene.	14.1	
A. M.							2 3		-				10.0	
3:07	965.3	10.2	93	nne.	5.8	1,563 1,750	844.7 826.0	9.4	0. 57	56 61 60	7.19	e. e.	12.3 11.0 9.0	
:08	965.9	9.4	93	nne.	6.7	2,000 2,250 2,351	801.8 778.0 768.5	7.4 5.2 4.4	0.84	76 79	6.73	e. e.	7.6	
		******			******	2,500	754.5 731.8	3.8 .	******	61 60 76 79 80 81	6. 42 6. 05	e. e.	7.7	
:45	966.1	8.6	93	nne.	4.9	3,000	709. 7 701. 2	1.9	0.39	82 82 76 66	5.58	e. e.	10.5	Few St.Cu., e.; 9/10 St., enc.
************************		******	******	*******	******	3,250	688.0 667.0	- 0.3		66	3.93	e. e.	10.9 10.8 10.7	
:58	966.2	8.4	95	n.	4.5	3,750 3,939 3,750	630.9	- 2.2	0.49	56 48 54 61 68 76 79 78 76 74 72	2.44	e. e.	10.6	
****************		******			******	3,500	667. 0 688. 4	0.2 .	9000000	61 68	3. 78 4. 63	e. ene.	13.4	
27	966.5	9.0	95	n.	5.4	3,000	710. 1 718. 5	2.9	0.45	76 79	5. 72 6. 16	ene.	17.0	
***************************************		******	*******	*******	******	2,901 2,750 2,500 2,250 2,000	732.1 754.9	5.2	******	78 76	6.73	ene.	16.9	
***************************************		******		******	******	2, 250	778. 5 802. 8		******	74		ene.	15.6	

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

			-		- 1	1								
	Surface	0.			1154			At diffe	erent heig	hts abov	re sea.			
Time.	Pressure.	Tem- pera-	Rela-		ind.	Alti-	Prossure.	Tem- pera-	Δ1	Hum	idity.	w	ind.	Remarks,
,		ture.	humid- ity.	Dir.	Vel.	tude.		ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	966.7	° C. 9. 0	% ₉₅	nne.	m. p. s. 6. 7	m. 1,958 1,750	mb. 806.4 827.5	°C. 7.6 9.6	0.97	% 72 08	mb. 7. 52 8. 13.	ene.	m. p. s. 14.8 13.5	
**************************************	007.0		*******		*******	1,500 1,250	852. 8 878. 0	12.0		63 58 57 78 97	8. 84 9. 58	ene.	11.8	
		9.0	95	nne.	7.6	1,196	883. 8 904. 7	15.0 12.6	-1.25	57 78	9.72 11.38	ene.	9.8	
1:14.	967.1	0.0	95	nne.	7.6	829 750	923.3 932.4	10.4	-0.36	97	12. 23 11. 99	ene.	10.8	
3-20	967.1	9.0	95	nne.	7.2	500 444	961. 0 967. 1	9.2	*******	95 95	11.06	nne.	7.7	10/10 St., ene.
					Se	ptembe	r 25, 1918,	series ((No. 6).					
A. M.	967.5	8.6	95	nne.	6.7	444 500	967.5 961.0	8.6 8.7		95 96	10. 61 10. 80	nne.	6.7 7.2	10/10 St., enc.
0	967. 6	8.6	95	nne.	6.3	750 788	932.6 928.4	9.3	_0.22	99	11.60	ene.	9.4	
8		8.4	******			1,000	905.0	12.0	-0.23	99 99 75	11. 67 10. 52	ene.	9.7 8.3	
		0.1	95	nne.	6.3	1,128 1,250	891.8 878.9	13.6	-1.24	63	9.50	ene.	7.5 8.1	
***************************************	000 1		*******			1,500	853.0 827.9	9.9		67 72 74	9.17 7.42	ene.	9. 2 10. 4	-
	968. 1	8.4	95	nne.	4.9	1,874	815.5 803.0	6. 2 5. 7	0.99	69	7.02 6.32	ene.	11.0	Dense fog.
		*******	0000000		*******	2,250 2,500	778.9 755.3	4.8		60 50	5.16 4.04	ene.	12.0 12.6	
	*** *******	******	*******			2,750 3,000	732.7 710.8	3.0		40 30	3.03	ene.	13. 2 13. 9	
	969.0	7.7	98	nne.	6.3	3,008	709.7 688.8	2.0	0.37	30 27	2.12 1.75	ene.	13.9 13.2	Dense fog.
			*******		********	3,500	667.9 647.9	-0.5 -1.8		23 20	1.35	ene.	12.5 11.7	
10	969.4	7.4	98	nne.	6.3	3,956 3,750	631.1 648.0	- 2.9 - 1.3	0.65	17 17	0.82	ene.	11.1	
	********			******	******	3,500 3,250	668.9 690.0	0.7 2.6		16 16	1.03	ene.	11.0	
11	969.7	7.4	98	nne.	6.3	3,000 2,855	711.8	4.6 5.7	-0.59	15 15	1.27	ene.	10.8	
17	969.7	7.5	97	nne.	7.2	2,750 2,531	734.0 753.8	5.1	0.59	26	2.29	ene.	10.2	Control of the Contro
***********						2,500	756.9	3.8	0.59	49 51	4. 15	ene.	9.1	A Train to the same of
D	969.7	7.7	97	nne.	8.9	2,250 2,059 2,000	780. 8 798. 8 804. 6	5.5 6.6 7.0	0.64	69 82 80	8.00 8.02	ene.	8.6 8.2 8.7	
*******************						1,750 1,500	829. 0 854. 0	8.6 10.2		70 61	7.82 7.59	ene.	10.8	
8	969.8	7.7	98	nne.	8.9	1,296 1,250	875.8 880.2	11.5	0.35	53	7. 19	ne.	14.7	
58	969.9	7.9	97	nne.	8.9	1,000	907.0 921.6	12.5 13.0	-1.20	72	10.43	ne.	13.0	
		*******		******	0.8	750 500	934.8	11.6		81 85	12.13	ne.	12.2	
59	969.9	7.9	97	nne.	8.9	444	963. 4 960. 9	8.6 7.9	******	95 97	10.61	nne.	9.3 8.9	10/10 St., ne.; light fog, nne.
							er 25, 1918,	series ((No. 7).					The distance of the second
А. М.		8.1	97	nne.	8.0	444	970.2	8.1		97	10.48	nne.	8.0	10/10 St., ne.; light fog, nne. Altitude of St. base about 500 n
		8.2		********	9 0	500 750	964.0 936.0	11-6	*******	78	10.65 10.72	nne. ne.	9.0 13.6	Attitude of St. base about 500 p
			97	nne.	8.9	1,000	924.1 908.4	12.9	-1.18	78 72 74 76 75	10.71 10.52	ne.	15. 4 13. 8	and the transfer
02	970.3	8.6	96	nne.	7.2	1,180 1,250	888. 4 882 0	11.3	0.48	76	10. 18 9. 78	ene.	11.9 11.7	2/10 St.Cu., ne.
				*******	*******	1,500 1,750	856.4 832.0	9.7		73 70	8.78 7.71	ene.	11.1 10.5	
	971.2			nne.	8.5	1,957	811.4 807.5	7.4	0.50	68	7.00 6.70	ne, ne,	10.0	
				******	******	2,250	783.0 759.0	5.9		87 48	5.30	ne.	11.2	
000000000000000000000000000000000000000						2,750	736.0	3.0		38 27	2.88 1.92	ne.	13.2 14.2	
		• • • • • • • •			******	3,000	(42.3)							
		••••••		******		3,250	714.0 692.8 590.7	0.8		20	1.29	ne.	15.2	
25	971.3	17.0	04	ne.	7.6	3,250 3,270 3,250	692.8 690.7 692.8	0.8 0.7 0.9	0.70	20 19 10	1. 29 1. 22 1. 24	ne.	15. 2 15. 1	Cloudless
25	971.3	17.0	64	ne.	7.6	3,250 3,270 3,250 3,000	692.8 690.7 692.8 714.0 736.0	0.8 0.7 0.9 3.1 5.3	0.70	20 19 10 10 10	1. 29 1. 22 1. 24 1. 45 1. 60	ne. ne. ne.	15.2 15.1 13.5 11.9	Cloudless.
25.	971.3	17.0	64 57	ne.	7.6	3,250 3,270 3,250 3,000 2,750 2,739 2,500	692.8 690.7 692.8 714.0 736.0 736.9 759.0	0.8 0.7 0.9 3.1 5.3 5.4 6.8	0.70	19 19 10 10 18 18 18	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78	ne. ne. ne. ne. ne.	15. 2 15. 1 13. 5 11. 9 11. 8 11. 8	Cloudless.
25. 49. 	971.3	17.0 18.0	64 57	ne.	7. 6 8. 9	3,250 3,270 3,250 3,000 2,750 2,739 2,500 2,250 2,186	602.8 600.7 602.8 714.0 736.0 736.9 759.0 783.0 788.6	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.6	0.70	20 19 10 10 18 18 18 18	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85 1. 90	ne. ne. ne. ne. ne. ne. ne. ne.	15.2 15.1 13.5 11.9 11.8 11.8 11.9	Cloudless.
25	971.3	17.0	64	ne.	7.6	3,250 3,270 3,250 3,000 2,750 2,739 2,500	692.8 690.7 692.8 714.0 736.0 756.9 759.0 783.0	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.6 9.0	0.70	20 19 10 10 18 18 18 18	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85	ne. ne. ne. ne. ne.	15.2 15.1 13.5 11.9 11.8 11.8	Cloudless,
25	971.3	17-0	64 57 54	ne.	7.6 	3,250 3,270 3,250 3,000 2,750 2,739 2,500 2,250 2,186 2,000 1,750	692. 8 690. 7 692. 8 714. 0 736. 0 756. 9 759. 0 783. 0 788. 6 807. 5 832. 0	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.6 9.0 9.5	0.70	20 19 10 10 18 18 18 17 17 21 25	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85 1. 90 2. 41 2. 97	ne.	15. 2 15. 1 13. 5 11. 9 11. 8 11. 9 11. 9 10. 8 9. 3	Cloudless,
20	971.3 971.3 971.3	17.0	64 57 54	ne.	8.9 10.7	3,250 3,270 3,250 3,250 2,750 2,739 2,500 2,186 2,000 1,750	602. 8 600. 7 602. 8 714. 0 736. 9 759. 0 783. 0 788. 6 807. 5 832. 0	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.2 9.0 9.5	0.70	20 19 10 10 18 18 18 18 17 17 21 25	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85 1. 90 2. 41 2. 97	ne,	16. 2 15. 1 13. 5 11. 9 11. 8 11. 9 11. 9 10. 8 9. 3	Cloudless.
25	971.3 971.3 971.3	17. 0 18. 0 18. 4	64 57 54 49	ne. ne. ne.	7.6 8.9 10.7	3,250 3,270 3,250 3,000 2,750 2,750 2,500 2,250 2,186 2,000 1,750 1,500 1,250 1,250	502. 8 500. 7 602. 8 714. 0 736. 0 736. 9 759. 0 783. 0 788. 6 807. 5 832. 0	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.6 9.0 9.5	0.58	20 19 19 19 18 18 18 18 17 17 21 25	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85 1. 90 2. 41 2. 97	ne.	15.2 15.1 13.5 11.9 11.8 11.8 11.9 10.8 9.3	Cloudless,
25. 49. OM. 20. P. M.	971.3 971.3 971.3	17.0 18.0 18.4	64 57 54 49	ne. ne. ne.	7.6 8.9 10.7	3,250 3,270 3,250 3,000 2,750 2,739 2,500 2,186 2,000 1,750	602. 8 600. 7 602. 8 714. 0 736. 9 759. 0 788. 6 807. 5 832. 0	0.8 0.7 0.9 3.1 5.3 5.4 6.8 8.2 8.6 9.0 9.5	0.70	20 19 10 10 18 18 18 17 17 21 25	1. 29 1. 22 1. 24 1. 45 1. 60 1. 61 1. 78 1. 85 1. 90 2. 41 2. 97	ne,	16. 2 15. 1 13. 5 11. 9 11. 8 11. 9 11. 9 10. 8 9. 3	Cloudless,

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

September 25, 1918, series (No. 8).

	Surface	B.,				1112		At diffe	rent heig	hts abov	0 906.			
		Tem-	Rela-	Wi	ind.			Tem-		Humi	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dír.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap.	Dir.	Vel.	and and
P. M.	mb. 971.2	° C. 10.0	%44	ne.	m. p. s. 6.3	m. 444	mb. 971.2	°C.		%44	mb. 9.66	ne.	m. p. s. 6.3	Cloudless.
	*******	20.2	37		7.2	500 714	964.9 940.6	18.5 16.4	0.96	41	8.73 5.78	ne. ne.	6.8	110-111
	970.9	20.2		ne,	1-2	750	937.0	16.1	0.80	31	5.67	ne.	8.8	
		******				1,000	909.5 882 9	13.8		31	4.89	ne.	9.3	
L	970.7	21.0	27	ne.	6.7	1,250 1,258 1,500	881.8 857.0	11.5	0.90	32 32 27 22	4.34	nne.	9.8	
						1,750	831.2	9.8	*******	22	2.67	nne.	8.7	
5	970.6	21.0	26	nne.	8.0	1,966 1,750	809.5 831.2	9.0	0.24	18 18	2.07 2.10	nne.	8.2	
6	970.6	21.0	23	nne.	5.4	1,630 1,500	843.1 857.0	9.4	0.82	18 19	2.12 2.41	nne.	8.4	
8	970.7	21.0	23	nne.	5.4	1,290	878.6	12 2	0.96	21	2.98	nne.	9.0	
				*******		1,250 1,000	882.9 909.5	12 6 15.0	******	21 23	3.06	nne.	9.0	
2	970.8	21.0	23	nne.	6.3	791 750	932 1 937 0	17.0	1.15	23 25 25 23 23	4.84 5.00	nne.	8.6	
*************************	070 9	91.0	23	nne.	8.0	500 444	964.9 970.8	20.4		23	5.51	nne.	8.1	Cloudless.
5	970.8	21.0	20	nne.	8.0	223	810.8	21.0		20	5.72	nue.	0.0	Cloudiess.
						Septe	mber 27, 1	1918 (No	. 1).					
A. M.	970.5	11.1	56		5.4	444	970.5	11.1		56	7.40	W.	5.4	ana ci st na
28				w.		500 752	964.8	12.5		56 54	7.82	W.	7.3	9/10 Cl.St., no.
32	970.4	11.1	56	W.	5.4	1,000	935. 7 909. 2	18.6	-2.44	42 47	9.00 8.66	W.	15.7	
				******		1,250 1,500	882.7 856.5	13.8	******	51 56	8.05 7.60	W.	13.3	
02	970.3	11.4	85	w.	4.9	1,553	851.0	11.0	0.95	57	7.48	W.	11.8	
14	970. 2	12.7	51	w.	5.4	1,750	831.0 812.7	9.0	1.04	62 66	7.12	W. W.	11.4	
				******		2,000 2,216	806.4	7.3	*******	56	5. 73 2. 44	W.	12.0	
33	970.1	12.9	51	W.	4.9	2,250	785. 4 782. 5	8.5	-0.54	22	2.39	W.	15.8	
			******		*******	2,500	759.1 736.2	6.3	******	56 22 22 21 20 20 20	2.01 1.66	W. W.	14.9	and the second
57	969. 9	14.5	47	w.	3.6	2,889 3,000	723.6 713.6	3.2	0.79	20	1.54	W. W.	14.4	
, , , , , , , , , , , , , , , , , , , ,				*******	*******	3,250	691.4	1.0	0000000	23 24	1.51	W.	16.0	
						3,500	670.0	-0.5 -2.0	*******	24 26	1.41	W.	17.1	
45	969.4	18.3	36	w.	6.7	4,000	630. 0 621. 0	-3.5 -4.2	0.60	28 29	1.28 1.25	W. W.	19.3	
						4,250	610.9	-4.6		29	1.20	W.	19.4	
						4,500	592.3 573.8	-5.4 -6.0		28 27	1.09	W. W.	18.6 17.8	
:20	969. 0	20.6	32	W.	7.2	4,863	565.3 573.8	-6.5 -5.9	0.46	27 27 27	0.95	W.	17.5	4/10 Ci.St., no.
					*******	4,500	592.3	-4.6		28 28	1.16	W.	17.4	
17	968.3	22.6	35	w.	7.6	4,250	610. 9	-3.3 -2.1	0.64	29 29	1.30	W. W.	17.8	
	*********	*******	******		******	4,000 3,750	630. 0 649. 8	-2.0 -0.4		29 27	1.60	W. W.	17.2	
	*******		******			3,500	670.0	1.2		25 23	1.66	W.	16.5	
	*********			*******	*******	3,250	691. 4 713. 6	4.3		22	1.71	W. W.	16.2	
46	967. 8	23.6	33	W.	6. 7	2,789 2,750	732.3 736.0	5.7	0.88	20 20	1.83	W.	15.8	
00	007.6	20.0	*******	W.	7.0	2,500 2,333 2,250	758. 4 773. 5	8.2		20	2. 17 2. 41	W.	17.8	8/10 CLSt., no.
03	967. 6	23. 2	33	******	7.6	2,250	781.5	9.7		20 20 20 21 30 43	2.27	W.	16.9	d'in saintif me.
07	967.5	23.4	34	W.	7.6	2,175	788. 4 805. 6	9.6	0.98	30		W.	15.6	N
						1,750 1,500	830.0	12.1		43	6.07	W.	15.8	
22	967.3	24.0	33	W.	7.6	1,482	855. 2 857. 1	1 14.7	0.83	56 57 53 49 46	9.54	W.	15.9	
		*******	******	******		1,482 1,260 1,000 857 750	881.0 907.2	16.6		53	10.01		14.9	7
40	967.1	24.8	34	w.	7. 2	857	907, 2 922, 2 934, 0	19.9	1.14	46 43	10.69	W. W.	13.2	
00000000000000000000000000000000000000		0		*******		800	961.0	24.0		36	10.74	W.	10.3	8/10 Ct.St., no.
47	967.1	24.6	34	w.	9.8	444	967. 1	24.6		34	10.52		9.8	distriction, see
1-1-1-1-1	90/01/01					Septer	mber 27, 1	1918 (No	. 2).					
P. M.	000 8	00.0	96				000.5	00.0		20	10.51	100	0.0	8/10 Cl.St., ne.
15	966. 7	25.6		w.	9.8	444 500	966.7 960.9	24.0	*******	32 32	9, 90	W.	9.8	0/10 01.00., 10.
21	966.5	25.0	33	w.	8.0	727 750	935. 4 933. 0	20. 4	1.84	34 34	8. 15 8. 05	W. W.	11.7	
						1,000	906.0	18.1	******	40	8.31	W.	11.7	W
4	966.2	25.5	30	w.	9.8	1,250	880. 0 860. 4	19.9	0.84	46 59 52	8.36 8.20		11.8	
				******		1,500 1,750	854.8 829.9	13.7		52	8. 15 7. 98	W.	11.9	4
						41 100		Ante al	STREET,	UU				
		******				2,000	805.0	8.6		68		wnw.	12.4	
00	965. 9	25.9	33	*******	7.2	2,000 2,250 2,293 2,500 2,750	805. 0 780. 9 776. 3 757. 0	8. 6 6. 0 5. 6	1.03	68 77 78 66	7. 20 7. 10	WDW. WDW. WDW.	12.4 12.8 12.8 13.7	

 $\textbf{TABLE 12.-Free-air\ data\ from\ kite\ flights\ at\ Ellendale\ Aerological\ Station,\ September,\ 1918-- Continued.}$

September 27	1918	(No. 2)-Continued
--------------	------	--------	-------------

	Surfac	e.			da miga			At diffe	erent heig	thts above	ve sea.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> 8 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
1:26	mb. 965.3	° C. 25. 9	%33	wnw.	m. p. s. 8. 5	m, 3,078	mb. 704. 4	° C.	0.24	% 32	mb. 2.55	wnw.	m. p. s. 16. 3	
	*********	*******			*******	3,250 3,500 3,750	689.5 668.3 648.0	2.8 1.6 0.3		31 30 29	2, 32 2, 06 1, 81	wnw. wnw.	16. 2 16. 0 15. 8	
1:58	964.5	26. 2	28	wnw.	10.7	4,000	628.0 625.9	-0.9 -1.1	0.50	28 28 28	1.59	wnw.	15. 6 15. 6	
		*******		******		4,000 3,750	628. 0 648. 0	-1.0		30	1.57	wnw.	15. 6 16. 1	
						3,500	668.3 689.5	2.8		32 34	2, 20 2, 54	wnw.	16.5	
2:58	963.8	26.6	29	wnw.	10.7	3,000 2,797 2,750	711.0 729.0 733.0	5. 1 5. 4	0.68	35 37 39	2.85 3.25 3.50	wnw. wnw. wnw.	17.3 17.7 17.6	
3:25.	963.7	25. 9	34	wnw.	11.2	2,500 2,250 2,121	756.0 779.5 791.5	7.1 8.8 9.7	0.86	50 60 66	5. 04 6. 80 7. 94	wnw. wnw. wnw.	17.0 16.4 16.1	
						2,000 1,750	803.4 827.9	10. 7 12. 9		61	8. 24 8. 93	wnw.	15.8 15.3	
3:39	963.6	25.5	31	wnw.	11.2	1,573	845. 0 852. 8	14.4	0. 94	57 56	9.35 9.61	wnw.	14. 9 14. 7	
	042 5	98.7		*******	7.2	1,250	878. 0 904. 0 916. 7	17. 4 19. 8 20. 9	1. 22	51 47 45	10. 13 10. 86 11. 12	wnw. wnw. wnw.	13.9 13.2 12.8	18
	963.5	25.7	31	wnw.	1.2	878 750 500	930.8 957.7	21.5 25.5	1.42	41 33	10.52	wnw.	11.6	
4:04	963.5	26. 2	31	wnw.	8.9	444	963.5	26. 2		31	10.55	wnw.	8.9	4/10 Cl., n.; 2/10 Cl.St., n.; 2/ A.St., n.
					*	Septer	mber 27, 1	918 (No.	3).					77
:26P. M.	963.3	25. 5	32	wnw.	11.2	444	963.3	25.5		32 33	10.44	wnw.	11.2	4/10 Ci., n.; 2/10 Ci.St., n.; 2/
34	963.3	25. 5	32	wnw.	10.3	500 750 764	957. 6 930. 5 928. 5		1.19	36 36	10.33 9.46 9.35	wnw. wnw. wnw.	12.3 17.1 17.4	A.St., n.
						1,000 1,250	904. 0 877. 9	19.3 16.8		42 49	9.40 9.37	wnw.	17.5 17.7	
:40	963.2	25.6	34	wnw.	8.9	1,292	873. 2 852. 0 826. 9		1.00	50 59 70	9. 32 9. 49 9. 44	wnw.	17.7 18.0 18.4	
:04	963.1	24.6	35	wnw.	9.4	1,750 1,858 2,000	816. 1 802. 4	11. 4 10. 2 9. 3	1.10	75 73	9. 34 8. 56	wnw. wnw. wnw.	18.6	
						2,000 2,250 2,500	778. 6 755. 4	7, 8 6, 3		68	6.14	wnw.	21.4 23.2	
:19	963.1	23.7	37	wnw.	11.2	2,750	732.8 713.3	3.4	0.61	59 55 54	5.04	wnw.	26.6	
			******			3,000 3,250 3,500	710. 4 689. 0 668. 5	3.3 2.9 2.5		43	4. 18 3. 24 2. 41	wnw. wnw.	26.1 22.9 19.6	
:36	. 963.1	22.6	* 39	wnw.	8.0	3,596	660.3 668.5	2.3	0.38	29 29	2.09 2.17	wnw.	18.4 18.3	2/10 Ci.St., n.; kites broke away.
:02	963.1	21.8	42	wnw.	5, 8	3, 255	688. 9	4.2		30	2.48	wnw.	17.9	
	1				1 #	Septen	mber 28, 19	018 (No.	1).				1	
:20	967.4	10.4	60	n.	6.7	444	967.4	10.4		60		n.	6.7	Cloudless.
38	967.6	11.3	56	n.	5.8	500 635 750	900. 8 945. 7 933. 0	10.4	0.05	60 58 57	7. 57 7. 27 6. 86	n. nne. nne.	6.7 6.5 5.8	
47	967. 9	14.6	40	nne.	5.8	1,000	905. 8 887. 3	9.7 8.5 7.6	0.56	56 55	6.23	nne.	4.2	41-11-11-11-11
49	967. 9	14.7	40	nne.	6.3	1,000	905. 8 912. 9	7.6 8.6 9.0	1. 23	56	6. 26 6. 43	nne.	3.5	
						750 500	933.0 961.7	11.2 14.3		56 50 41	6. 65 6. 68	nne.	6.0	
:59	967. 9	15.0	39	nne.	6.3	444	967. 9	15.0		39	6.65	nne.	6.3	1/10 Cl.Cu., s.
						Septen	nber 28, 19	18 (No.	2).					
Р. М.	965. 8	19.0	35	nnw.	7.6	444 500	965. 8 959. 8	18.4		35 35	7. 69 7. 41	nnw.	7.6 8.2	3/10 St.Cu., nw.
50	965. 7	19.2	31	nnw.	6.7	750 785 1,000	932. 0 927. 9 904. 7	15.7 15.3	1.09	36	6, 42 6, 26	nw. nw.	10.6 11.0 10.0	ale ed
17	965.3	19.6	31	nw.	7.6	1,250 1,379	878. 0 863. 9	9.2	1.04	40 45 48	6. 03 5. 72 5. 59	nw. nw. nw.	8.8	
						1,250 1,000	877. 0 903. 6	10.6 13.2		46 44	5. 88 6. 67	nw.	8.3	
:45	965. 0	19.5	31	nw.	8.5	793 750 500	926, 3 930, 8 958, 5	15. 4 15. 9 19. 1	1. 26	41 40 33	7.18 7.23 7.30	nw. nw. nw.	8.8 8.8 8.9	
:56	964.8	19.8	31	nw.	8.9	444	964. 8	19.8		31	7. 16.	nw.	8.9	

TABLE 12.—Free-air data from kite flights at Ellendale Aerological Station, September, 1918—Continued.

						S	eptember	29, 1918.						
	Surfac	00.			11		*	At diffe	rent heig	hts abov	70 508.			
		Tem-	Rela-	w	ind.			m		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△t</u> 100 m.	Rel.	Vap.	Dir.	Vel.	
7:00A. M.	mb. 966. 2	°C. 5.8	%81	nne.	m. p. s. 6. 3	m. 444	mb. 966. 2	° C. 5.8		% 81 83 90	mb. 7.47 7.45	nne.	m. p. s. 6. 3 7. 4	2/10 Cl.St., nw.; 8/10 St., ne.
7:07	966. 3	5.8	81	nne.	5.8	500 750 850 1,000	960. 0 931. 0 919. 3 903. 0	5.4 3.7 3.0 2.8	0.60	83 90 93 87	7. 45 7. 16 7. 05 6. 50	nne. ne. ne.	7.4 12.3 14.2 12.2	Altitude of St. base about 850 m
7:30	966. 7	6.2	84	ne.	0.4	1,250 1,315 1,500	875. 8 868. 5 849. 8	3.0 2.8 2.4 2.3 3.2	0.15	93 87 76 73 61	5. 52 5. 26 4. 69	ne. ne.	8.8 7.9 8.4	
7:44	966. 9	6.2	84	no.	9.4	1,750 2,000 2,037 2,250	823, 7 798, 5 794, 6 774, 0	4.4 5.6 5.8 5.7	-0.48	44 27 25 20	3. 68 2. 46 2. 30 1. 83	ne, ne, ne, nno,	9.2 9.9 10.0 11.2	
			*******	******	8.0	2,500 2,750 3,000	750. 7 728. 0 705. 7	2.8 1.1 0.5		19 15 11	1. 42 0. 99 0. 64	n. nnw. nw.	12.5 13.9 15.2	
	967.8	6.3	83	ne.	8.0	3,101 3,000 2,750 2,500	696. 8 706. 4 729. 1	-1.2 -0.8 0.3	0. 54	10 12 19	0.55 0.69 1.19	nw. nw. nw.	15.8 15.4 14.5	
1.36	968. 4	7. 5	76	ne.	9.4	2,750 2,500 2,341 2,250 2,000	751.8 766.1 775.0 799.0	1.4 2.1 2.4 3.2	0.82	25 29 29 28	1.69 2.06 2.11 2.15	nw. nw. nw.	13.5 12.9 12.1 10.1	2012/2012/2012
):45):50	968. 5 968. 5	7.5	76 73	ne. ne.	9. 4 8. 5	1,787 1,750 1,578 1,500	820. 5 824. 0 842. 0 850. 0	3.9 3.4 0.9 1.1	-1.44 0.33	28 27 32 56 59 67	2, 18 2, 50 3, 65 3, 91	nw. nw. nw. nw.	8.3 9.1 13.1 12.6	Altitude of St. base about 950 m.
002	968.6	8.0	70	100.	9.8	1,250 1,000 786	876. 8 904. 2 929. 0	2.0 2.8 3.5	1.32	67 76 83 82 72	4. 73 5. 68 6. 52	n. nne. no.	10.8 9.1 7.6	
3:00	968.6	8.0	70	no.	7.2	750 500 444	933. 0 962. 0 968. 6	4.0 7.3 8.0	*******	72 70	6. 67 7. 37 7. 51	ne. ne. ne.	7.6 7.3 7.2	10/10 St., ne.
	14		7		,	Septen	nber 30, 1	918 (No.	1).					
А. Ж.											GO R			
	974.0	1.7	90	nw.	5.8	444 500 750	974. 0 967. 8 938. 0	1.7 1.9 2.7	******	90 89 85	6. 22 6. 24 6. 31	nw. nw. nnw.	5.8 5.7 5.3	2/10 Cl.St., w.
6	974.3	2.6	81	nnw.	4.9	805 1,000 1,250	931.8 909.4 881.7	3.2 2.4 1.8	-0.33	80 85 82 78 76 71 74 77 80 81 75	6.31 5.66 4.50	n. n.	5.1 5.4 5.7	
B	974.3	5.4	75	n.	4.5	1,479 1,250 1,000	857.1 881.7 909.4	0.4 1.2 2.0	0.38	71 74 77	4. 47 4. 93 5. 44	n. n. n.	6.2 6.0 5.8	100
38	974.3	6.0	73	nne.	3.6	750 637 500	938.0 951.5 967.8	2.8 3.2 5.2	1.45	80 81 75	5. 98 6. 23 6. 64	nne. nne. n.	5.5 5.4 4.1	
	974.3	6.0	73	n.	3.6	444	974.3	6.0	*******	73	6.88	n.	3.6	2/10 Ct.St., w.
P. W.						Septen	nber 30, 1	918 (No.	2).	- 1				
P. M.	970.2	9.6	40	88W.	4.5	444 500 750	970. 2 964. 4 985. 4	9.6 9.4 8.7		40 41 44	4.78 4.83 4.95	SSW.	4.8 5.1 7.7	Few A.St., nw.
************************	970.1	8.9	44	SSW.	4.9	761 1,000 1,250 1,500	933.7 906.5 878.9	4.1	0.28	44 48 51	4.95 4.61 4.18	SSW. SSW. SW.	7.8 10.3 13.0	
0	969.8	7.0	49	88W.	4.9	1,510	852. 0 851. 0 825. 5	1.6 -0.8	0.95	53 55 61	4.04 3.77 3.48	SW. SW.	14.0 15.7 14.9	
4	969.7	6.1	47	88W.	4.9	2,000 2,118 2,250	800.4 788.2 775.1	-3.2 -4.4 -3.4	0.99	67 70 52 19	3.10 2.95 2.39	SW. SW.	14.0 13.6 12.8	
0	969. 2	4.8	53	88W.	4.5	2,495 2,750 3,000	750.8 726.2 703.2	-4.6	-0.80	18	1.03 0.86 0.75	SW. SW.	11.4 12.2 12.7	Aurora from 7:25 to 8:40 p. m.
7	968. 6	3.8	54	88W.	4.9	3, 250 3, 500 3, 663	681.3 660.0 646.4	-7.8 -8.8	0.60	17 17 16	0.62 0.54 0.46	8W. 8W.	13.4 14.1 14.5	arganization
•		*******				3,500 3,250 3,000	660. 0 681. 3 703. 2	-6.5 -5.0		16 17 17	0. 50 0. 60 0. 68	SW. SW.	14.1 13.5 12.8	
3	968.6	3.8	54	SSW.	5.4	2,750 2,500 2,250 2,215	726. 2 750. 0 774. 0 777. 7	-2.2	-2.87	18 18 19 19	0.81 0.92 1.08 1.10	sw. sw. sw.	12.2 11.5 10.9 10.8	
30	968. 6	3.7		88W.	5.4	2,079 2,000 1,750	791. 2 799. 5 825. 5	-4.5 -3.8	0.89	56 57 50	2.35 2.53 3.16	SW. SW. SW.	18.3 18.1 17.4	
15	968.6	2.5	60	28W.	4.0	1,500 1,250 1,194	851.4 877.7 883.8	0.7	1.13	62 64 65	3.99 4.82 5.07	SSW. SSW. SSW.	16.7 16.0 15.8	
ĎI	968.6	2.7		88W.	5.8	1,000 750 744	905.0 933.6 933.7	5.6	-1.83	58 49 49	5. 28 5. 40	SSW. SSW. SSW.	16.4 17.1 17.1	
16	988.6	3.0		ssw.	6.7	500 444	962.5 968.6	4.0	-1.00	56 56	4.55	SSW.	8.7	3/10 A.St., nw.

TABLE 13.—Free-air data from kite flights at Royal Center Aerological Station, July, 1918.

							July 12,	1918.						
	Surfac	56.			La program			At diffe	rent hei	ghts abo	V6 866.			
Time.	Pressure.	Tem-	Rela- tive	111	ind.	Alti-	Pressure.	Tem- pera-	Δt	Hum	idity.	w	ind.	Remarks.
	T T CHISTOT C.	ture.	humid- ity.	Dir.	Vel.	tude.	A residue.	ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
P. M. 6:58	mb. 994.6	° C. 20.0	% 56	nnw.	m. p. s. 4.5	m. 225 250	78 b. 994.6 992.0	° C. 20.0 19.9		% 56	mb. 13.09	nnw.	m. p. s. 4.5 4.8	2/10 A.St., n.; 1/10 Cu., n.
7:04	904.6	19.0	74	nnw.	4.0	500 642 750 1,000	964. 0 947. 5 936. 2 908. 6	18. 4 17. 6 16. 9 15. 3	0.58	*******		nnw. nnw. n. nne.	7.6 9.2 8.6 7.3	
7:28	994.6	18.2	71	nnw.	4.0	1,250 1,271 1,500	882.0 879.8 856.0	13.6 13.5 11.5	0.65		0000000	no. no. no.	6.0 5.9 5.2	2/10 A.St., n.; 1/10 St.Cu., n.
8:19	994.7	17.3	70	n.	4.0	1,707 1,500 1,250 1,000	835. 0 856. 0 882. 0 908. 6	9.6 11.2 13.1 15.0	0.83			ne. ne. ne.	4.5 5.1 5.8 6.5	
9:57	994.9	15.8	76	n.	3.1	750 631 500	935. 5 948. 9 963. 2	16.9 17.8 18.4	0.49			nne. nne. nne.	7. 2 7. 5 11. 0	
9:00	994.9	15.7	77	n. n.	3.1	250 225	969. 5 991. 2 994. 9	18.7 15.9 15.6	-1.41	79	14.00	nne, n. n.	12. 4 4. 1 3. 1	1/10 A.St., n.
							July 13, 1	1918.						
9:22 P. M. 9:27.	991. 5 901. 5 992. 1 992. 2	22.8 22.5 19.6	64 63 70 71	n. n. n.	1.8 1.8 2.7 2.7	225 250 494 500 750 1,000 1,250 1,500 1,752 1,500 1,250 1,250 1,250	991. 5 988. 8 961. 4 960. 7 932. 9 966. 4 897. 1 880. 1 854. 4 829. 1 854. 4 880. 1 906. 4	22. 8 22. 7 21. 8 21. 7 19. 3 16. 8 15. 9 14. 6 10. 5 12. 6 10. 5 12. 3 14. 2 16. 0	0.37	64	17. 77	n. n. n. n. n. n. ne. ne. ne. ne. ne. ne	1.8 2.3 7.0 7.0 6.4 5.8 5.6 4.8 7.2 5.5 4.9 1.7	9/10 St.Cu., nw. 6/10 St., n.; 4/10 St.Cu., n. 10/10 St.Cu., n.
9:00 9:15	902. 5 902. 5	19. 4 19. 2	71 60	n. n.	3.1	500 255 225	960. 8 980. 2 992. 5	19.6 21.4 19.2	-7.86	69°	15.35	ne, ne, n.	8.4 9.6 3.1	
							July 15, 1	918.						
5:25. P. M. 5:40	990. 8 990. 8 990. 8 990. 6	22. 5 22. 0 21. 4 20. 1 19. 8		w. w. wsw.	3.6 3.6 1.3 1.8 0.9 0.9	225 250 500 542 750 9777 1,000 1,250 1,750 1,885 2,250 2,250 2,500 2,500 2,500 1,750 1,750 1,750 1,750 1,750 1,750 1,750 1,750 1,750 1,750 1,050 1,050 1,050 2,250	990. 8 988. 2 960. 5 955. 4 933. 0 908. 4 906. 0 879. 6 853. 8 829. 2 816. 1 781. 6 788. 2 740. 8 758. 2 780. 9 804. 8 829. 2 861. 5 879. 6 905. 2 932. 0 944. 5 959. 9 988. 2 990. 5	12. 2 13. 6 15. 1 15. 5 16. 6 18. 3 19. 9 20. 6 20. 2 19. 4 19. 3	0.44 0.60 0.62 0.65	73 72 66 65 61 56 73 76 62 68 73 76 79 85 96 91 87 72 77 72 72 65 58 58 59 61 77 77 77 77 77 77 77 77 77 77 77 77 77	19. 90 19. 50 16. 72 14. 18 11. 93 12. 06 11. 86 11. 31 11. 15 10. 65 10. 36 9. 99 10. 80 11. 65 12. 00 12. 36 12. 28 12. 28 12. 28 12. 28 12. 28 12. 28 12. 28 12. 36 12.	W. W. SSG, SG, SSG, SSG, SSW, SSW, SSW, SSW,	3.6 5.6 5.6 6.8 7.8 7.6 7.3 8.0 7.3 8.0 9.3 8.4 4 7.9 6.9 7.5 8.9 9.7 10.2 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3	2/10 A.St., w.; 8/10 St., w. 3/10 A.St., w; 7/10 St., w. 10/10 Nb., w. Sprinkling rain during entire flight
F. M.	987.1	22.5	56	n.	5.4	225	987.1	22.5		56	15. 27	n.	5.4	8/10 A.St., nw.
5:13	987.1	22. 3		n. n.	4.9	250 500 624 750	984.9 956.9 942.9 929.5	22.3 19.8 18.6	0.98	56 59 60 57 52	15. 08 13. 63 12. 86 11. 69	n. n. n. n.	5. 4 5. 5 6. 8 7. 4 6. 8	ayad maday MW.
:18	987.5	18.4	71	n,	2.7	1,000 1,250 1,274 1,500	902. 3 876. 1 873. 7 850. 5		0.54	47	9. 82 8. 12 8. 07 8. 35	nnw. nnw. nnw. nnw.	5.7	9/10 A.St., nw. 10/10 A.St., nw.
:28	987.5	17.8	77	n.	2.7	1,750 1,920 1,750 1,500	825. 3 808. 8 825. 3 850. 1	11.8 10.6 11.7 13.4	0.68	47 54 62 68 66 62 59 55 53 52 60	8. 58 8. 69 9. 08 9. 53	nw. nw. nw. nw.	4.4 3.8 3.1 2.6 3.3 4.3	
8:11 8:19	987.6 987.6	17.0		n. n.	2.7	1,250 998 750 611	875. 6 902. 6 929. 5 944. 3	15. 1 16. 8 17. 6 18. 1	0.34	59 55 53 52	10.12 10.52 10.67 10.80	nnw. nnw. n. n.	4.3 5.4 6.4 7.6 8.2	9/10 A.St., nw.
8:25	987.6	16.8	80	n.	1.3	500 250 225	956. 9 984. 9 987. 6	16.9		60 78 80	15.02	n. n. n.	6.2 1.9 1.3	

TABLE 13.—Free-air data from kite flights at Royal Center Aerological Station, July, 1918—Continued.

						July 18, 1	1918.						
Surface	e.			n mball	The same	PPL I	At diffe	rent helg	hts abov	0 100.			
Pressure.	Tem-	Rela-	W	ind.	Alti-	Pressure.	Tem-	Δε	Hum	idity.	W	ind.	Remarks.
	ture.	ity.	Dir.	Vel.	tude.	0	ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
mb. 985. 2	° C. 26. 0	%46	nw.	m. p. s. 4. 5	m. 225 250	mb. 985, 2 982, 8	° C. 26. 0 25. 7		% 46 46	mb. 15. 47 15. 19	nw.	m. p. s. 4.5 4.7	1/10 Cu., nw. Cloudless.
985.1	25.7	48	nw.	5.3	537 750 1,000	950.8 927.1	21.9	1.32	50 58	12. 46 13. 14 13. 48 13. 23	nnw.	7.1 7.5 6.8 6.0	
985.1	23. 4	52	nnw.	4.5	1,349 1,500	864. 8 849. 4	13. 9 13. 2	0.99	79 81	12, 55 12, 29	n. n. n.	5.1 4.8 4.9	
985.1	21.7	61	nnw.	3.3	2,000 *2,117	800. 1 789. 2	10.8	0.47	86 87	11. 14 10. 90	n. n.	5.1 5.2	Bright moonlight. Cloudless.
					* Kites			p.m.					
991. 2	26.0	62	230,	3.6	225 250	901, 2 988, 6	26. 0 26. 0	******	62 60	20. 84 20. 17	000	3.6	1/10 A.St., ne.; 3/10 Ci.St., w.
991.3	25. 3	63	ese,	3.6	511	959.7	26. 1	- 0.85	39 42	13. 19	80.	6.3	Few Ci.9t., on horizon.
902.1	23.8	63	se.	4.0	1,000 1,164 1,250 1,500	908. 7 891. 4 882. 9 857. 4	22, 4 21, 2 20, 5 18, 6	0.75	49 51	12, 46 12, 00 11, 82 10, 93	386. 386. 380.	5.0 4.6 4.6	Bright moonlight.
992.2	23.8	63	\$0.	4.0	2,000 2,027 2,000 1,750	808. 7 806. 1 808. 7 832. 4	14.8 14.6 14.8 16.9	0.80	55 55 55 52	9. 26 9. 14 9. 26 16. 01	836, 836, 836, 836,	4.7 4.7 4.8 5.3	
*** ********	*******			******	1,500 1,250	882, 9	19. 0 21. 0	*******	46	11.44	20.	6.4	SEE IN PROPERTY.
992.2	23. 2	61	0.	3.6	952 750	913. 8 934. 9	23. 5 25. 2	0.82	43	12. 45 13. 14	666.	7.0	
992.2	23.0	63	0.	8.6	357	977.7	28. 4	-4, 15	37	14.32	000.	8.2	
992.2	23.0	64	6.	3.6	225	992. 2	23.0	******	64	17. 98	000.	3.6	Cloudless.
1 1				1 1	1	July 21,	1918.						
901. 2	31.0	47	80.	1.8	225 250 500	901. 2 988. 5 961. 5	31. 0 30. 8 28. 8	*******	47 47 42	21. 12 20. 88 16. 64	50. 30. 390.	1.8 2.1 5.4	9/10 A.St., nw.
991. 2	80.8	47	80.	1.8	750	934.3	26, 5		41	14.20	8.	7.4	3/10 Ci.St., nw.; 6/10 A.St., nw 7/10 Ci.St., nw.
991.4	25. 2	64	30.	8.1	1,250 1,415 1,500	881. 6 865. 0 856. 6	21.6 20.0 19.3	0.97	54 58 59	13, 93 13, 56 13, 21	28W. 88W. 88W.	6.4	
	******	*******	******		2,000 2,250	807.7 784.5	15. 2 13. 1	*****	65 67	11. 23 10. 10	ssw.	5.4	
991.6	24.2	68	se.	2.7	2,674 2,500 2,250	746. 0 761. 9 784. 8	9.6 10.9 12.9	0.80	72 71	8. 60 9. 26 10. 27	sw. sw.	5.4	
901.8	24.0	67	86,	2.7	1,750 1,733 1,500	832. 5 834. 3 856. 7	16.8 16.9 18.9	0.84	66 66 64	12.68 12.70 13.98	86W. 86W.	6.2	
	*******		50	*******	1,000	907.9	23. 1 25. 2	******	61 59	17. 24 18. 92	8.	7.4	
992.2	24.1	67	80.	2.2	500 250 225	962. 1 989. 6 992. 2	25. 9 24. 2		61 66 67	20.39 19.93	880.	6.3 2.5 2.2	5/10 A.St., nw.
					13	July 22, 1	1918.						•
901.0	24.8	70	880.	2.2	225 250	991.9			79	24.73	500.	2.2	3/10 A.St., n.
992.2	23.5	83	880.	2.7	500	935.1 918.3	23.8 22.9 22.8	0.28	77 76 75	22.71 21.28 20.20	850. 890. 890.	2,2	
	*******		880.	1.8	750 500 250 225	935.1 962.3 989.7	23.1		77 79 82	21.12 22.33 23.89		8.1 1.9	*
	985. 1 985. 1 985. 1 985. 1 985. 1 985. 1 982. 2 992. 2 992. 2 992. 2 992. 2 992. 2 992. 2	Pressure. perature. 10b. 985.2 26.0 985.1 25.7 985.1 25.7 985.1 23.4 986.1 21.7 991.2 26.0 992.2 23.8 992.2 23.8 992.2 23.0 992.2 23.0 991.2 30.8 991.2 30.8 991.4 25.2 991.4 25.2	Pressure. Temperative humidity. mb. 985.2 20.0 %46 985.1 25.7 48 985.1 23.4 52 985.1 21.7 61 991.3 25.3 63 992.2 23.8 63 992.2 23.8 63 992.2 23.8 63 992.2 23.8 63 992.2 23.8 63 992.2 23.8 63 992.2 23.8 63	Pressure. Temperative humidity. Dir. mb. 26.0 % 46 nw. 985.1 25.7 48 nw. 985.1 23.4 52 nnw. 985.1 23.4 52 nnw. 985.1 23.7 61 nnw. 985.1 23.8 63 se. 991.2 23.8 63 se. 992.2 23.8 63 se. 992.2 23.0 64 e. 992.2 23.0 64 e. 991.2 30.8 47 se. 991.4 25.2 64 se. 991.5 24.0 67 se. 992.2 24.1 67 se. 992.2 24.1 67 se. 992.2 24.1 67 se. 992.2 24.1 67 se.	Pressure. Temperature. Relative perature. Dir. Vel.	Pressure. Tembers- humb. dive. him. b. r. vel. litide. 10	Surface. Pressure. Temperative. Dir. Vel. Altifude. Pressure.	Surface Relative Dir. Vol. At diffe Pressure Itere Live Dir. Vol. At diffe Dir. Dir. Vol. At diffe Dir. Dir	Pressure. Tem. Relative Itys Dir. Vol. Lide. Pressure. Pressure. Dir. Vol. Lide. Pressure. Dir. Vol. S55.2 20.0 %65 Div. W. M. P. 5. 255 985.2 20.0 985.5 20.0	Surface At different heights abov	Surface Wind Wind Alti- Pressure Temperature Mind Wind Alti- Live Live	Pressure. Pres	Pressure Pressure

TABLE 13.—Free-air data from kite flights at Royal Center Aerological Station, July, 1918—Continued.

July 23, 1918.

	Surfac	00,				1000		At diffe	rent heig	hts abov	70 308.			
1		Tem-	Rela-	w	ind.			Tem-		Hun	nidity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude,	Pressure.	pera- ture.	Δt 100 m.	Rol.	Vap.	Dir.	Vel.	
P. M.	mb.	° C. 23.3	%80		m. p. s. 5. 8	M. one	mb. 990. 2	°C.		% 00	mb.		m. p. s.	RIAGO man a soin from 1.07 4 - 4
:02		23.2	91		5.8	225 250 433	987.5 967.3	23. 3 23. 6 26. 3	-1.45	% 80 78 57	22.89 22.73 19.51	nne.	m. p. s. 5.8 6.2	8/10 Cu., nw.; rain from 5:35 to 6:3 p. m.; first thunder at 4:30 p. m last thunder in ne., 8:45 p. m
*******************************				nne.	9.0	433 500 750	960. 2 933, 5	26. 0 25. 1		57	19. 16 17. 85	nne.	9.5 8.9	rain from 8:05 to 8:50 p. m.
••••••••••••••••••••••••••••••••••••••		23.7	73		2.2	1,000	907.0 896.2	24.1 23.7	0.51	57 57 56 54 54 53 51 50 52 53 76 80	16.21 15.83	nne.	6.5	
• • • • • • • • • • • • • • • • • • •				n.	2.2	1,000	907.0 933.4	24. 4 25. 9	0.01	53	16.19	nne. nne.	3.1 3.7 5.1	
35	990.4	23.5	76	nnw.	1.3	624 500	946.8 960.1	26.7 26.9	0.17	50	17.52 18.43	nne.	5.8	
3.42		23.1	80	nnw.	3.1	384 250	972.8 987.7	27.1 22.4	-2.61	53	19.01 20.59	nne.	4.8 3.8 3.2	4
:43	990.4	23.0	80	nnw.	3.1	225	990.4			80	22, 48	nnw.	3.1	10/10 St.Cu., nw.
					1		July 24, 1	918.			1		1	1
А. Ж.											1		I	
:15	990.6	23.8	70	86W.	2.7	225 250	990.6 987.4	23.8 23.8		79 78	23.30 23.00	wsw. wsw.	2.7 3.0	3/10 Cl.Cu., w.; 4/10 Cl.St., w.
:20	990.6	23.8	80	88W.	3.6	500 676	960, 0 941, 1	23.7	0.02	78 73 69 68 68	21.40 20.22	WSW.	6.8	
*****						750 1,000	932, 9 906, 9	23.3		68	19.45 17.29	WSW.	9.1 7.9	7/10 A.Cu., w.
:05	990.8	24.8	79	sw.	3.6	1,212 1,250	885. 2 881. 7	21.0	0.50	62 62	15.42 15.23	WSW.	6.9	Nav zaromi, wa
******				******		1,500 1,750	856.7 831.7			66	14.68 13.89	wsw. sw.	7.1	7/10 A.Cu., w.
0:19	990.4	29.2	60	WSW.	4.9	1,934 1,750	813.8 831.7	16.4 17.4	0.50	71 72 72	13. 24 14. 31	SW.	7.4	I the serving the
						1,500 1,250	856.7 881.7	18.8		72 73	15.62 17.18	SW. WSW.	6.2	
			*******			1,000 750	906.9 932.8	(0.0 TE		73 74 75 75	18.98 20.95	wsw.	4.9	
0:50	990.2	29.0	60	wsw.	4.5	689 500	939.7 959.9	23. 2 25. 8	1.39	75 69	21.33 22.93	WSW.	4.0	
1:07		29.6	60	WSW.	4.0	250 225	987.3 990.1	29.3		61	24. 87 24. 89	WSW.	4.0	6/10 A.Cu., w.
	1				1		July 25, 1	018						7
		1	1		1		1	1		•	-			
2:39	987.3	33.1	50	ssw.	4.0	225	987.3	33.1		50	25, 30	88W.	4.0	6/10 Cu., sw.; thunder in nw., 12:48
2:42	987.3	33.1	50	85W.	3.6	250 434	984.8 964.8	29.9	1.06	50 51	24.74 21.52	SSW.	4.1 5.0	p. m.; last thunder in ne., at 2:36 p. m.
				• • • • • • • •		500 750	957.3 930.8	27.6		53 58	21.73 21.43	SW. W.	5.0 4.9	
:80,	986.9	33.6	47	88W.	5.4	1,000	904. 7 903. 7	25.6	1.19	62 62	20, 48 20, 36	nnw.	4.9	
*******************			********	• • • • • • • •		1,000 750	904. 7 930. 2	26.0		62	20, 36 20, 51	nnw.	4.9	
	986.8	29.5	58	8.	1.3	645 500	941.4 956.3	26. 2 27. 4	0.86	61	20, 75 21, 91	nnw. wnw.	3.9	4/10 Cu.Nb., nw.; 4/10 Cu., nnw.
45	986.8	29.8	57	8.	1.3	250 225	983. 8 986. 8	00.0		57 57	23. 64 23. 92	8.	1.4	
					, = 1		July 26, 1	1918.				-		
7:08	990. 1	24.8	85	sse.	3.6	225	990, 1	24.8	-	85	26, 61	880.	3.6	1/10 Cu., w.
	980. 9					250	987. 3	24.9	0.00	84 72 72	26, 45	880.	3.7	1/10 Cu., w.
7:26	909.9	25. 4	1	8.	2.2	488 500	961. 0 959. 8	25.4	-0.23	72	23, 36 23, 36	SSW.	4.8	
7:94	989.7	26.1		3.	4.0	750 945 1,000	932.9 912.3	24.1	0.28	66	20, 54 18, 31 18, 06	88W. 88W.	6.6 7.7 7.7	
					*******	1,250 1,500	906, 3 880, 5 855, 7			62 67 71	17, 29 16, 10	SSW. SSW.	7.7	3/10 Ci.Cu., w.
3:08	989. 5	26, 8	81	8.	3.6	1,599	846. 0 831. 2	18.7	0. 83	73 71	15. 75 14. 38	SSW.	7.6	opto Ci.Cu., w.
):08):18	989.5	29. 1 30. 8		SW.	3.1	1,750 1,963	810. 8	16.2	0.62	60	12.71	SSW. SW.	6, 8 5, 6	2/10 Ci., w.
	989.4			sw.	2.7	1,750	825. 9 830. 8	17. 1 17. 2	0. 16	60 66 71 84 82 77 73	12.87	SW.	6.4	
0:24	989.3	31.0	67	8W.	27	1,608	844, 8 854, 8	18.2	0.76	82		sw.	7.3 7.1 6.6	
					*******	1,250 1,000	879. 3 905. 5	22.0 .		77	19.30	88W.	6.1	180 0 080 000
):36	989.3	30.6	68	8.	3.1	651	932. 8 943. 2	24.7	1.53	68	20. 54	5.	5.6	1/10 Cu., w.; 2/10 Cl.St., w.
				******		500 250	959. 7 986. 9	30.9 .	******	66	29.50	s. ssw.	4.6 3.2 3.1	
):43	989. 2	31. 2	66	SSW.	3.1	225	989. 2	31.2 .		66		SSW.	2.1	

TABLE 13 .- Free-air data from kite flights at Royal Center Aerological Station, July, 1918-Continued.

							July 27	, 1918.						
	Surfac	0.			OI III SOI		0-1A	At diffe	rent heig	hts abov	e sea.			MA .
		Tem-	Rela-	w	ind.			Tom		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	
5:27	. mb. 901.0	° C. 30. 4	% ₆₂	n.	m. p. s. 6, 7	70. 225 250	mb. 991.0 988.6	° C. 30. 4 30. 1		% 62 62	mb. 26, 93 26, 47	n. n.	m. p. s. 6.7 6.8 7.6	2/10 Cu., n.
5:42	. 001.1	29.8	63	n.	5, 8	611 750	949. 1 934. 2	27. 0 25. 6 24. 4	1. 25	67 69 71	23, 89 22, 66 21, 70	n. n. n.	7.6 8.0 7.5	4/10 Cu., ne.
7:45	991.7	25, 6	74	n.	3.1	1,000 1,171 1,250	908, 2 890, 5 882, 7	22, 2 20, 7 20, 3	0.88	74 76 73	19. 81 18. 56 17. 39	nne. ne. ne.	6. 5 5. 9 5. 8	5/10 Cu., ne.
***************************************						1,500 1,750 2,000	857.3 832.4 808.7	18.9 17.6 16.3	*******	65 57 49	14.20 11.47 9.08 7.16	ne. ne. ne.	5. 6 5. 4 5. 1	
8:01	. 991. 0	25.0	77	n.	2.7	2,234 2,000 1,750	786, 6 808, 7 832, 4	15, 0 16, 3 17, 6	0. 54	42 47 52	8. 71 10. 47	ne. ne.	4.9 5.7 6.5	Few A.St., on horizon.
8:46	991.9	24.0	80	n.	2.7	1,500 1,299 1,250	856, 8 877, 5 881, 6	19. 0 20. 1 20. 5	0.75	57 61 61	12, 52 14, 35 14, 71	ne. ne. ne.	7.3 8.0 8.1	linite in
9:12	. 991.8	23.7	81	n.	1.8	1,000 750 589 500	907. 2 933. 6 951. 8 961. 0	22. 3 24. 2 25. 4 24. 9	-0.55	61 62 62 67	16, 43 18, 72 20, 12 21, 10	ne. ne. ne. ne.	8.4 8.7 8.9 7.0	100
9:18	. 991. 8	23. 4	81	n.	1.1	250 225	988. 8 991. 8	23. 5 23. 4	*******	80 81	23. 17 23. 31	n. n.	1.6	Cloudiess.
			,				July 29, 1	1918.						
1:38		27.8	64	wnw.	4.5	225 250	986. 4 983. 7	27.8 27.4	******	64 64	23. 92 23. 37 21. 35	wnw.	4.5	7/10 Cu., w.
1:81	. 986, 2	27.0	68	wnw.	3.6	436 500 750	963, 3 956, 3 929, 1	25. 1 24. 5 22. 3	1. 20	67 68 74	20. 91 19. 93	wnw. wnw. wnw.	4.8 4.7 4.2	
3:45	. 986.3	26. 1	61	nnw.	8.1	1,000 1,250 1,411	902, 7 876, 9 860, 6	20. 1 17. 9 16. 5	0,88	90 85 89 86 76	18, 82 17, 43 16, 71	nw. nw. nw.	4.2 3.8 3.3 3.0	7/10 A.St., nw.; few Cu., nw.
		*******	*******	*******		1,500 1,750 2,000 2,250	851. 8 826. 7 802. 1 777. 8	16, 2 15, 2 14, 2 13, 3	******	76 66 56	15. 84 13. 13 10. 69 8. 55	nw. nw. nw. wnw.	3. 4 4. 4 5. 5 6. 5	William Sandaria
1:28	986.6	25. 4	60	nnw.	4. 9	2,500 2,685 2,500	755.9 739.5 755.9	12.8 11.6 12.3	0, 39	46 39	6.58 5.33 5.15	wnw. wnw. wnw.	7.5 8.3 7.9	7/10 A.St., nw.
4:40	986.7	25. 2	61	nnw.	4. 9 6. 3	2,285 2,250 2,236	775.1 777.4 780.0	13. 2 11. 7 11. 1	-0.43 0.40	33	5. 01 4. 40 4. 23	W. W.	7.4 8.4 8.8	
1:59	986. 7	25. 5 26. 0	57	nnw.	6.7	2,000 1,872 1,750	802. 6 815. 0 826. 8	12.3 12.9 13.6	0, 61	46 39 36 33 32 32 67 86 83 77 75 71 65	9, 59 12, 80 12, 93	W. W. Wnw.	8.3 8.1 8.5	
5:15	987.0	25. 8	56	nnw.	4.0	1,500 1,414 1,250	851. 8 960. 6 877. 8	15. 2 15. 7 16. 9	0.75	77 75 71	13, 30 13, 38 13, 67	nw. nw. nw.	9.3 9.6 9.4	M
		*******	*******	********		1,000 750 500	903, 0 929, 3 957, 6	18.8 20.7 22.6	*******	60	14. 10 14. 65 14. 81	nnw. nnw. n.	9.1 8.8 8.5	All and the second
5:43	987. 3	25. 0 24. 8	57 58	n.	5. 4 4. 5	468 250 225	960, 5 985, 1 987, 4	22.8 24.6 24.8	0.82	54 53 58 58	14. 71 17. 95 18. 16	n. n. n.	8.5 4.9 4.5	3/10 A.St., nw.
100	901.2	25.0		A.	-		July 30, 1			00	10. 20		-	0/20 22.000/ 25%
A. M.	1						July 36, 1	7800		1	21/3			
7:05	. 993.2	12.9	82	n.	5.8	* 225 250 500	993. 2 990. 5 961. 1	12.6		82 83 95	12.20 12.11 11.43	n. n. nne.	5.8 5.8 6.2	3/10 Cu., ne.
7:14		13.0	79 79	nne.	6.7	601 750 935	949. 8 932. 9 912. 2	8.5	0.57	100 100 100	11.10 10.51 9.75	nne. nne. nne.	6.3 6.1 5.9	0/10 St.Cn., ne. Altitude of St.Cu. base about 800 m.
8:00		*******			5.4	1,000 1,250 1,349	905. 4 877. 8 867. 7	7.3 9.9 11.0	-1.06	92 63 51	9.41 7.69 6.70	nne. nne. nne.	6.1 7.0 7.4	Alteres of Davids, page about 600 mg
		13.5	80	n.		1,500 1,750 2,000	851.7 826.2 802.1	10.9 10.8 10.6	-2.00			nne. nne. nne.	7.4 7.3 7.3	
		16.9	79	nna	5.8	2,250 2,500 2,743	778. 8 756. 4 734. 4	10,5				n. n. n.	7.3 7.2 7.2	5/10 St.Cu., ne.
11:05				nne.	0.0	2,500 2,250 2,000	756. 4 779. 7 803. 4	10.6 11.0			*******	n n. nne.	7.1 6.9 6.8	
11:50	993.0	18.1	70	nne.	1.8	1,750 1,695	828.1 833.3 853.0	11.9 12.0 10.7	-0.65	37 58	5.19 7.46	nne. nne. nne.	6.6 6.6 6.4	
P. M.		******		******		1,500 1,250	878. 8	9.1		96	9.94	ne.	6.2	
2:08		18.7	62	nne.	5.4	1,122 1,000 750	892. 4 905. 4 932. 9	8.3 9.2 11.2	0.77	100 96 87	10.95 11.17 11.57	ne. ne. nne.	6.1 5.8 5.1	
2:28	. 992.7	17.5	71	nne.	5.8	602 500 250	949.8 961.1 989.7	12.3 13.8 17.5	1.47	82 78 68	11.73 12.31 13.60	nne. nne. nne.	4.7 4.2 2.8 2.7	
2:34	992.7	17.8	67	nne.	2.7	225	992.7		******	67	13.65	nne.	2.7	5/10 Cu., ne.

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station August, 1918.

August 2, 1918.

	Surfac	6.			druce	1		At diffe	erent heig	hts abov	70 304.			
		Tem-	Rela-	w	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	Δt 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
6:18	mb.	* C. 22.0	% 90		m. p. s.	m. 225	mb.	° C.		% 90 86	mb.		m. p. s.	ana 64 C
				ene.	3.1	250	988.1 984.8	22.0 22.1		86	23. 80 22. 88 12. 82	ene.	m. p. s. 3.1 3.3 5.2 5.6	9/10 St.Cu., w.
0:23		22.0	90	ene.	3.1	496 750	958.0 931.2	22.0	-0.59	48	12.82 12.69	0. 90.	5. 2 5. 6	
		******				1,000	905. 0 879. 0	20.5 19.0		51 55 55 61	12.30 12.08	sse. ssw.	6.1 6.5	3/10 A.St., w.; 5/10 St.Cu., w.
8:13	988.6	20.8	90	ene.	2.2	1,261 1,500	877.4 854.0	18.9 17.2	0.61	55	12.01 11.97	SSW.	6.5	
· · · · · · · · · · · · · · · · · · ·						1,750	830. 0 806. 3	15.5		68 74	11.97	wsw.	7.4	
						2,250 2,500	783.0	12.0		81	11.60	wsw. w.	7.8 8.3	
						2,750	759. 7 736. 2	10.2 8.5		87 94	10.83	wnw.	8.7 9.2	4/10 St.Cu., w.
0:12	988.8	20.0	80	ene.	2.7	2,863 2,750	725.7 736.2	7.7 8.5	0.68	97. 94	10.19 10.43	DW.	9.4 9.3 9.1	
0		*******				2,500 2,250	759.7 783.0	10.1		94 87 81 74	10.75 11.21	W. WSW.	9.1 8.9	
		*******				2,000 1,750	906. 3 830. 0				11.45 11.67	SW.	8.8 8.6	
0:54	988.8		91	n.	2.2	1,532	850.2	16.6	0.66	62	11.71	9.	8.4	
· · · · · · · · · · · · · · · · · · ·						1,500	854. 0 879. 0	18.5	******	68 62 62 58 54 50	11.86 12.35	S. SO.	8.3 7.6	
		*******	*******	*******		1,000 750	905.0 931.3	21.7	******	50	12.71 12.98	ese.	6.9	
0:27	989.1	19.4	93	n.	1.8	542 500	953. 8 958. 4	23.1 22.6	-1.21	47 53	13.29 14.54	ne.	5. 6 5. 1	
0:31	989. 2	19.3	94	n.	1.8	250 225	986.3 989.2	19.6		91	20.76 21.05	n.	2.1	5/10 St.Cu., w.
	800.2	18.0	0.8	11.	4.0	220	555.2	40.0	*****	32	21.03	11.	1.0	aylo st.cu., w.
							August 3,	1918.						
А. М.		17.6	82	е.	8.9	225	989.1		*****	82	16.51	6.	8.9	1/10 Ci.nw.; 5/10 A.St., nw.
						250 500	986.1 958.6	20.1		81 68	16.51 16.00	ese.	9.0	
:00	989.1	17.5	83	e.	8.0	750 771	931.0 928.7	22 3 22 5	0.90	55 54	14.81 14.72	80. 80.	10.8	
*****************				******		1,000 1,250	904.9 878 8	21.2		56 57	14.10 13.08	880.	10.2 9.5	
38		19 1	82		7.6	1,500 1,627	853.1 840.7	18 2 17.5	0.58	59 60	12.33	SSW.	8.8	
		18.1	0.6	6.	7.0	1,750	828.3	16.9	0.08	64	12.00 12.32	SW.	8.4 7.9	3/10 Cl.Cu., w.
28				*******	7.6	2,000 2,250	804. 4 781. 2	14.4		73 82	12.94 13.45	SW. SW.	6.9 5.8	
28	988.3	21.0	75	se.	7.6	2,260 2,500	780.5 758.9	14.3 12.4	0.51	82 85	13.37 12.24	sw.	5.8 7.2	
				*****		2,750 3,000	736.7 714.8			88 92	11.18 10.28	SW. SW.	8.4 9.7	
:60	988.2	22.2	73	80.	7.6	3,102	705.9 714.8	7.8	0.75	93	9.84	SW.	10.2	
		00.0			7.6	2,750 2,721	736.0		0.72	93 94 98 98 91 82 74	12.36	SW.	12.5	5/10 A.Cn., w.
:15	********	22.8	10	86.	7.0	2,500	738.6 758.1	12.2		91	12.52 12.93	SW.	12.7 11.9	
• * * * * * * * * * * * * * * * * * * *		*******		*******		2, 250 2, 000	781.2 804.3	15.8	*******	82 74	13. 10 13. 28	SSW.	10.9	
********************						1,750 1,500	827.6 852 0			66 57	13. 29 12. 84	ssw.	9.0 8.1	
:00	987.5	24.6	68	80	5.8	1, 250 1, 167	877.0 886.1	21.2	-0.48	49	12.34 12.02	8.	7.1	
*****************						1,000	903.1	21.0	0.10	57	14.18	S.	6.6	
:15	987.4	25.2	65	Be.	8.4	750 672	929. 9 938. 2	19.8	1.35	73 78 73	16.86 17.57	sse.	6.2	
		******		******		500 250	957.1 984.3	21.7 25.1	9	65	18.95 20.72	sse. se.	6.0 5.8	
24	987-6	25.4	64	80.	5.8	225	987.6	25.4		64	20.77	80.	5.8	Few A.St., w.
						A	August 4,	1918.						
О	984.4	22.3	90	886,	2.7	225	984.4	22.3		90	24.24	890.	2.7	5/10 Ci., nw.
M	984.4	22.5		******		250 365	981.4	22.8	-9.90	86	23.87	886.	3.0	opio Oli, Hw.
				880.	2.2	500 584	969. 0 954. 4	25.6 26.4	-2.39	86 67 62 59 64	21.35	SW. SSW.	4.5	
0	984.4	23.7	84	856.	2.7	500	945. 5 954. 4	26.9 26.4	-0.62		23.87 22.00 21.35 20.92 22.04 24.90	SSW.	5.2	
2	984.4	24.6	81	886,	1.8	250 225	981.4 984.4	24.7		80 81	24.90 25.06	SS6. SS6.	2.0	9/10 St.Cu., wnw.
1					- 4	A	ugust 5,							9,00 - 1,000, 1,000
Р. М.		T	1						T	1				
13	984.6	37.4	30	WsW.	3.6	225 250	984.6 981.5			30 30	19.25 19.04	Waw.	3.6	3/10 Ci., nw.
	004 8	277 2		******	7.6	500	955.4	34 5	1 00	31	16.96	WSW.	3.8 6.4	
#U	984.5	37.5	29	WgW.	7.6	653 750	939.4 929.7		1.08	31	15. 43 14. 83	WSW.	7.9 8.3	
	********					1,000	904 0	Om. v 1		31	13.39	WsW.	9.4	

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station August, 1918—Continued.

August 5, 1918—Continued.

ks.
A Cu. w.
St., sw.

TABLE 14.—Free-air data from lite flights at Royal Center Aerological Station August, 1918—Continued.

August 7, 1918, series (No. 1)-Continued.

	Surfac	0.						At diffe	rent heig	hts abov	re sea.			
			70.1.	l w	ind.					Humi	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	Rela- tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△t</u> 100 m.	Rel.	Vap.	Dir.	Vel.	Atomeras.
8:40A. M.	mb. 990.2	° C. 29.8	% 56	sw.	m. p. s. 4.5	m. 2,175 2,250	mb, 792.6 786.0	°C. 17.6 17.2	0.37	% 54 53	mb. 10.87 10.40	wsw.	m. p. s. 11. 2 11. 3	
9:26	990.2	31.5	48	sw.	4.5	2,500 2,750 2,796 3,000	763.6 741.2 787.1 719.4	15.7 14.3 14.0 12.6	0.58	53 50 48 47 51	8.92 7.83 7.51 7.44	SW. SW. SW.	11.6 11.9 12.0 13.8	
9:54	990.2	32.0	******	sw.	4.9	3,250 3,500 3,643 3,750	698.3 677.8 666.6 657.9	10.8 9.1 8.1 7.4	0.70	56 60 63 62	7. 25 6. 94 6. 80 6. 39	8W. 8W. 8W.	16.1 18.3 19.6 19.0	
***********************		******	******	******		4,000 4,250 4,500	638.8 619.3 509.7	5.8 4.2 2.6		60 57 55	5.53 4.70 4.05	SW. SW.	17.6 16.2 14.8	3/10 A.St., w.
0:56.		*******		*******	3.6	4,633 4,500 4,250 4,000 3,750	589. 9 599. 7 618. 7 638. 0 657. 1	1.8 2.7 4.4 6.0 7.7	0.66	55 55 55 56 57	3.76 4.08 4.60 5.24 5.99	sw. sw. sw. sw.	14. 0 14. 4 15. 1 15. 8 16. 3	
P. M. 2:03		34.6		sw.	5. 4	3,500	690.4	9.3	0.28	58	6.80	88W.	17.3	
		******		******		3, 250 3, 000 2, 750 2, 500	697. 1 718. 5 740. 3 762. 5	10.5 10.7 11.4 12.1 12.8	*******	61 66 72	7.85 8.90 10.17 11.38	88 W. SSW. 88 W. SW.	17.0 14.6 12.1 0.7	
239	988.9	34.8	34	88W.	4.9	2,250 2,127 2,000 1,750	784. 8 796. 3 807. 9 831. 7	13.6 13.9 15.5 18.7	1.26	77 82 85 81 72 64	12.78 13.50 14.26 15.53	8W. 8W. 8W.	7. 2 6. 0 6. 3 6. 8	5/10 Cl.Cu., sw.
	988.8	34.8		SW.	4.9	1,500 1,445 1,250 1,000	856. 1 862. 0 881. 0 906. 9	21.8 22.5 24.5	1.03	62 57	16.72 16.90 17.53 17.94	SW. SW. SW.	7.3 7.4 7.4 7.3	
:20	988.6	35.8	34	sw.	4.9	750 680 500 250	932.8 940.1 959.1 985.5		1.15	50 43 41 38 33	17.94 17.81 18.59 18.87	SW. SW. SW.	7.3 7.3 6.7 5.9	
1:24	988.5	35.6	83	sw.	5.8	225	988.5	35. 6		33	10.10	sw.	5.8	2/10 Cl.Cu., sw.
P. M.		36.0	85	ssw.	6.3	225 250	988.1 985.8	36.0 35.7		35 35	20. 80 20. 46	SSW. SSW.	6.3	2/10 Cl.Cu., sw.
:15	988.0	36.0	34	SSW.	4.0	500 744 750 1,000 1,250	958.9 933.0 932.5 906.7 881.3	32.9 30.1 30.0 27.7 25.3	1.14	36 37 37 42 47	18.01 15.80 15.70 15.60 15.16	SW. SW. SW. SW.	6.4 7.1 7.8 7.8 8.3 8.7	7/10 A.Cu., sw.
1.23	987.5	35.2	35	ssw.	4.5	1,500 1,583 1,750 2,000	856. 2 847. 6 832. 0 808. 2	22.9 22.1 20.6 18.4	0.95	52 54 61 70	14.52 14.36 14.80 14.81	SW. SW. SW.	9.2 9.3 9.5 9.8	1/10 A.Ou., sw.
:14	987.3	34.7	39	S	2.7	2, 250 2, 371 2, 500 2, 750	785.1 773.6 762.9	16. 2 15. 1 14. 6	0.89	80 85 75 54	14.74 14.59 12.46	sw. sw.	10.1 10.2 10.6 11.5	
:22	987.2	34.5	40	8.	5.8	2,927 3,000 3,250 3,500	723.6 719.1 697.7	13.0 12.6 11.3 10.0		40 40 38 37	8.47 5.99 5.84 5.09	SW. SW. SW.	12.1 12.0 11.6 11.2	
5:06				8.	4.0	3,750 3,801 3,750 3,500	676.7 656.2 651.7 656.2 676.4	8.7 8.4 8.7	0.54	35 35 36 36 37	4,54 3,94 3,86 3,94 4,45	SW. SW. SW. SW.	10.8 10.7 10.7 10.8	
· · · · · · · · · · · · · · · · · · ·		*******		******		3,250 3,000 2,750	696.7 717.8 739.1	11.5 12.9 14.3		37 38	5. 02 5. 51 6. 19	SW. SW.	10.9 11.0 11.1	
:43		32.7	53	8.	3.1	2,500 2,443 2,250 2,000	766.2	15.7 16.0 16.8 17.9		39 39 55 75	6.96 7.09 11.03 15.38	SW. SW. SW.	11.2 11.2 10.5 9.7	1/10 Cl.Cu., sw.; 2/10 Cl.St., sw.
:55	986.8	32.3	52	8.	3.1	1,879 1,750 1,500 1,250	818.6 831.2 855.7 880.4	18.4 19.6	0.92	85 81 72 64	17.99 18.48 18.92 19.33	SW. SW. SW.	9.3 9.4 9.7 10.0	
************************		31.0	51	8.	3.1	1,000 750 612 500	905.4 931.0 945.2 957.4	26.5 28.8 30.1 30.3	0.18	56 48 43 46	19.39 19.01 18.36 19.86	8W. 8W. 8W.	10.3 10.5	1/10 Ci.Cu., sw.; 4/10 Ci.St., sw.
:30.	986.8	******	*******		1 0	250 225	984.2 986.8	30.8	0000000	51 52	22.66 23.10	8. 8.	8.1 2.3 1.8	1/10 Cl., n.; 1/10 Cl.Cu., nw.
		30.8	52	8,	1.8									
		30.8	52	8.		August	7, 1918, s	eries (N	(0. 3).					
5:38. 5:38. 7:20 P. M.	986.8	28. 5	60	8.		225 250 430	987.1 984.7	28.5 28.7	0. 3).	60 59 47	23.35 23.23 20.53	8.	2.7	·1/10 Cl., n.; 1/10 Cl.Cu., nw.

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station, August, 1918—Continued.

August 7, 1918, series (No. 3)—Continued.

	Surfac	76.						At diffe	rent heig	nts abov	re sea.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.		humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	•
Р. М.	mb.	° C.	%		m. p. s.	m. 1,000	700 h. 905.9	° C. 25.4		% 61	mb. 19.80	sw.	m. p. s. 12.1	
						1,250 1,500	880. 2 855. 0	23.1	*******	97	18.94 18.05	SW.	11.2	
:20	987.7	27.8	64	S.	3.1	1,750 1,820	830.3 834.0	18.6 18.0	0.90	73 79 81	16.93 16.72	SW.	9.6	
), <i>G</i> U	*********	21.0			0.1	2,000	806.6	17.1	0.90	66	12.87	SW.	9.6	
3:44.	987.9	27.4	64	8,	3.1	2, 250 2, 368	783.4 772.8	15, 8 15, 2	0.51	46 36	8, 26 6, 22	SW.	9.9	
):21	988.1	27.2	64	8.	2.7	2,500 2,684	761.1	14.4	0.57	40 46	6.56	SW.	9.9	Cloudless.
						2,750 3,000	739.1 717.7	12.9 11.2		47	6.99	SW. SW.	10.0	
	000 1	00.0		*******		3,250	096, 4	9.5		. 52 57	6.77	SW.	12.6	
F. 9.0	988.1	26.3	65	980.	2.7	3,473 3,250	677.4	7.9	0.06	- 61	6.60 7.15 7.82	SW.	13.8	
				*******		3,000 2,750	717.7	10.9 12.5		60	7. 82 8. 60	SW.	12.3 11.4	
			*******	*******	*******	2,500 2,250	761.1 783.4	14.0 15.6		59 58	9.43 10.28	SW.	10.6	
):25		25.9	64	8.	3.1	2, 218 2, 000	786.6 806.6	15.8	0.51	58 66	10.41 12.70	SW.	9.7	
):32	988.1	25.9	64	S.	3.1	1,849	821.5	16.9 17.7	0.90	72	14.58	SW.	9.6	
	*********	*******			******	1,750 1,500	830.3 855.0	18.6 20.8		70 65	15.00 15.97	SW.	9.8	
						1,250 1,000	880, 2 905, 9	23.1		55	16.96 17.74	SW.	11.2	
					******	750 500	932.0 958.0	27.5		50 45	18.36 18.88	SW.	12.5	
1:10	988.0	25.8	64	S.	2.7	475	960.9	40, 0	- 1.01	45	19.10	sw.	13.3	
1:17	988.0	25.5	64	S.	3.1	250 225	985, 2 988, 0	25.5		62 64	20. 72 20. 89	8,	3.1	Cloudless.
		1	1	1		Asserts	7-8, 1918, s	erles (N	No. 4).			1		
DNIGHT	987. 8	24.4	72	8.	2.7	225	987.8	24.4		73	22, 01	8.	9.7	Cloudless,
	*********					250	984. 6			60	21. 86	8.	2.7 4.1	0304340004
A. M.	987.8	24.6	71	s.	3.1	392	969.5	28.8	-2.67	47	18.62	sw.	12.5	
						500 750	958. 3 932. 1			49 53	18.53 17.92	SW.	12.5	
	********					1,000 1,250	906, 1 880, 0	24. 2		57 61	17. 21 16. 43	SW.	12.4 12.4	
2:30		24.8	69	8.	3.1	1,462	858. 2 854. 7	20. 7 20. 4	0.76	65 66	15. 87 15. 82	SW.	12.4 12.2	
********	********	******	******	*******	******	1,750	830, 1	18.5	*******	69	14.70	SW.	11.0	Cloudless.
2:56	987.5	24.7	70	8.	3, 6	2,000 2,104	806, 1 796, 2	16, 6 15, 8	0 76	78 75	13.79 13.46	SW.	9.7 9.2	Lightning flashes on eastern he
						2, 250	782 8	14 9		72	12. 20	sw.	10.3	ron.
				******		2,500 2,750	759.8 737.0	13.5 12.0		68	10.52 8.98	SW.	12.1	
2:11	987. 7	24.7	71	SSW.	3.6	3,000	715. 3 709. 0	10. 5	0.51	59 58	7. 49 7. 17	SW.	15. 7 16. 2	
*******************	*******			******		3,000	715.3			60	7. 57 8, 96	SW. SW.	16. 3	
**********************			*******	*******	*******	2,750 2,500	737. 0 759. 4	12.6		73	10.65	SW.	16.6	
2:56	987.5	24.4	73	ssw.	2.2	2,250 2,016	782. 0 803. 7	13. 7 14. 7	0 81	79 85	12, 39 14 22	SW. SW.	16.7 16.9	
******************		******		******		2,000 1,750	805. 1 828. 8	14.8		85 77	14. 31 14. 73	SW.	17.0	
***********************					******	1,500 1,250	853. 4 878. 6	18. 9 20. 9		70 63	15. 29 15. 57	SW. WSW.	20. 0 21. 5	
	009 8			******	2.7	1,000	904. 0 913. 4	22.9	0.88	86	15. 64 15. 44	WSW. WSW.	23. 0 23. 5	
1.0U	987. 5	24. 3		85W.		911 750	930.1	24.5		53 55	16. 91	WaW.	20.5	
:40	987. 5	24. 2	74	SSW.	2.7	528 500	954. 2 956. 8	25. 7 25. 6	-0.50	57 59	18.83 19.38	SW.	16. 3 15. 0	
43	987.5	24.2	74	ssw.	2.7	250 225	983. 7 987. 5			73 74	22. 18 22. 35	85W.	2.7	[2/10 Cl., sw.
-			-		j									
	-	1		1		August	8, 1918, se	ries (N	0. 5).					
:25	966. 8	23.0		3.	2.2	225 250	986, 8 984, 1			82 80	23.04 22.62	8.	2.2 3.1	3/10 Cl., sw.
******************		*******	*******	*******	*******	500	956, 2	24.6	*******	60	18, 56	8. 5W.	12.5	The state of the s
:31	986. 8	23. 2	82	8.	2.2	880 750	947. 8 929. 1	24.1	-0.50	54 58	17. 21 17. 41	WSW. WSW.	15. 5 15. 4	
45	986.8	24.0	77	S.	2.7	1,000	903. 0 807. 9	22.6	0.50	63	17. 28 17. 24	SW.	15. 2 15. 2	
************			1	*******		1,250 1,500	877. 7 852. 8	20, 9		66	16. 32 15. 35	SW. SW.	14.2 12.9	
***********************			******	*******	*******	1,750	828.3	17.4		72	14.31	SW.	11. 8	
:22	986.8	25.4	71	8.	3.6	2,000	804. 3 800. 4	15.4	0.70	72 75 75 77 77	13. 38	SW. SW.	10.0	
******************				*******	*******	2, 250 2, 500	781. 0 758. 5	12.7		79	12.47 11.61	SW.	11. 2 12. 6	
********************		******	*******		******	2,750 3,000	736. 0 714. 5	11.2		82 84	10. 91 10. 11	SW.	14.0 15.4	
			200		9.4	3, 173	699, 9		0.50	96	9.68	SW.	16.4	
:58	986.8	26.4	63	S.	3.6	3, 250	003. 6	8.7		86 84	9, 26	sw.	16.6	

Table 14.—Free-air data from kite flights at Royal Center Aerological Station August, 1918—Continued.

August	1010	acelos	/No E	Con	Samelt

	Surface	h.						At diffe	rent heig	nts abov	e sea.			
-		Tem-	Rela-	Wi	nd.			Tem-		Humi	dity.	Wi	nd.	Remarks.
Time.	Pressure.	pera-	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
7:35	mb. 986. 6	° C. 28, 1	% 50	88W.	m, p. s. 4. 0	m. 3,967 3,750	mb. 635. 3 652. 9	°C. 5.5 6.4	0.42	% 61 66	mb. 5, 51 6, 34	88W. 88W.	m. p. s. 18. 3 17. 5	1/10 Ci.Cu., sw.
8:04		28.9	85	88W.	4.9	3,500 3,250 3,149 3,000 2,750	672.8 692.7 701.1 713.4 735.2	7. 5 8. 6 9. 0 9. 7 11. 0	0, 50	72 79 81 81 81	7, 47 8, 82 9, 30 9, 74 10, 64	SW. SW. SW. SW.	16. 6 15. 7 15. 3 15. 4 15. 5	
8:39	986, 4	29.6	54	ssw.	5.8	2,750 2,500 2,250 2,172 2,000 1,750	787. 9 781. 0 788. 0 804. 3 828. 3	12.3 13.5 13.9 15.0	0, 63	82 82 82 81 79	11. 73 12. 69 13. 02 13. 81 14. 92	35W. 35W. 35W. 85W.	15. 7 15. 9 15. 9 15. 4 14. 6	
9:11	996.3		51	88W.	5.4	1,500 1,250 1,078 1,000	852. 8 877. 7 895. 3 903. 0	18. 1 19. 7 20. 8 21. 4		76 74 73 70	15. 79 16. 98 17. 94 17. 84	SSW. SSW. SSW.	13. 9 13. 1 12. 6 12. 4	7/10 A.Cu., sw.
9:35		30, 0	53	SSW.	7.6	750 602 500 250 225	929. 1 945. 1 955. 7 982. 9 986. 0	23. 3 24. 4 25. 9 29. 5	1,44	59 53 53 53 53	16. 88 16. 20 17. 71 21. 86 22. 24	88W. 88W. 88W. 88W.	11. 6 11. 2 10. 1 7. 4 7. 2	3/10 A.Cu., sw.: 4/10 St.Cu., sw.
9:42	300.0	29.0		i abw.		1	8, 1918, se						1	
				1			7 1710, 0		1		1	1		
0:24	985.5	29.6	55	ssw.	7.6	225 250 500 750	985.5 982.7 955.6 928.7	29.3 26.6		85	22.81 22.42 19.16 16.22	SSW. SSW.	7.6 7.9 10.9 13.9	4/10 A.Cu., sw.; 3/10 St.Cu., sw.
0:28	985.5	29.8	56	SSW.	7.2	773 1,000 1,250 1,500	926.5 902.5 876.7 851.3	23. 5 21. 6 19. 6 17. 6	1.12	55 64 75 85	16. 22 15. 93 16. 51 17. 11 17. 11	SSW. SSW. SSW. 8.	14. 2 14. 4 14. 6 14. 7	Altitude of St.Cu. base about 1,90
0:54	985. 2	29, 2	59	3.	7.6	1,717 1,750 2,000 2,250 2,500	830. 2 827. 0 803. 4 780. 4	15.8 15.6 14.3 13.0	0, 82	94 94 93 93 92	16, 87 16, 66 15, 16 13, 93	8. 8. 8.	14.9 15.0 15.9 16.8 17.8	Altitude of St.Cu. base about 2,
11:42	985.1	28.8	61	s.	7.6	2,677	757. 2 740. 9	10.7	0. 53	92	12.57	8.	18.4	m. Kites broke away at 12:00 noon.
				1		11	August 9	1918.						
P. M.	987.2	28.6	56	w.	4.9	225	987.2	28. 6		56	21.92	w.	4.0	7/10 A.Cu., w.
24	987.0	28.7	56	w.	4.9	250 500 724 500	984.0 956.0 932.9 956.0	28.3 25.2 22.4	1.32	57 67 76 65	21. 93 21. 48 20. 59 21. 22	W. W. W.	4.9 4.5 4.1 3.2	1,000,000,000
3:09	986.6	29.3	52	w.	2.2	250 225	982.9 986.6	29.0		53 52	21, 24 21, 20	w. w.	2.3 2.2	4/10 A.Cu., w.; few Cu., w.
							August 1	, 1918.						
3:00		24.0	82	w.	4.5	225 250		24. 0 24. 0		82 81	24. 47 24. 17	W. W.	4.5	6/10 Cl.Cu., w.
:09	988.8	24.0	80	nw.	3.6	500 669 750 1,000 1,250	940. 0 931. 6 905. 7	23. 7 23. 5 23. 3 22. 6 21. 9	0.11	67 58 59 62 65	19.64 16.80 16.88 17.01 17.08	nw. nw. nw. wnw. wnw.	11,7 16.1 15.2 12.5 9.8	
:30:13	989.1	24.8	77	wnw.	3.1	1,500 1,634 1,750 1,964	955.3 841.9 830.8	21. 2 20. 8 19. 8 17. 9	0.28	68 70 68 64	17. 12 17. 20 15. 71 13. 13	W. W. W. WSW.	7.1 5.6 6.0 6.6	8/10 St., w.
:23	989.3	26. 5	68	nne.	1.3	2,000 2,250 2,337 2,250	807.0 783.5 775.7 783.1	17.7 16.4 16.0 16.4	0.37	66 79 84 76	13. 36 14. 73 15. 27 14. 17	WSW. WSW.	7. 0 9. 4 10. 3 11. 6	
		27.0		n.	A	1,995 1,750 1,500 1,250	830. 4 855. 3 880. 3	17. 0 18. 1 19. 3 20. 4		65 63 61 58	12.60 13.09 13.66 13.90		12.3 11.2 10.1	Light sprinkle of rain at 8:32 a.
345	. 989.4	27.1	65	nw.	1.8	1,000 867 750 500	919.8 931.6 958.7	21. 6 22. 2 23. 1 25. 0	0.77	56 55 57 61	14. 48 14. 72 16. 11 19. 32	00000000	8.5 7.3 4.7	
3:46	989.4	27.1	65	nw.	1.8	250 225		27. 1		65 65	23.04 23.32	nw.	1.8	8/10 A.St., wnw.

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station, August, 1918—Continued.

August 12, 1918.

	Surfac	ie.						At diffe	erent heig	hts abou	70 503.			
	-	Marin	Rela-	W	ind.			70-		Hum	idity.	W	ind.	Romarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vol.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>△</u> ℓ 100 m.	Rel.	Vap.	Dir.	Vel.	1 447
P. M.	mb. 988.3	* C. 36.8	% 36	w.	m. p. s. 5. 4	m. 225 250	mb. 988.3 986.0	°C. 36.8 36.6		% 36 36	mb, 22, 35 22, 11 19, 36	W. W.	m. p. s. 5. 4 5. 5	1/10 Cu., w
1:11	. 988.0	37.2	34	sw.	4.9	500 673 780	959, 0 940, 7 932, 7	32.7	0.78	35 35 86	17.91	SW.	8.0 8.0	
1:33	987.9	37.4		sw.	6.3	1,000 1,250 1,328 1,500 1,750	907. 0 882. 1 874. 2 857. 8 833. 7	28.6 28.0 26.4	0.81	43 44 46 40	17. 23 16. 83 16. 64 15. 84 14. 62	SW. SW. SW.	7.9 7.7 7.7 8.0 8.4	
1:57		37.4 37.4		sw. sw.	4.5	2,000 2,194 2,018 2,000	809. 8 791. 8 808. 0 809. 8	21. 6 19. 7 21. 1 21. 3	0.85	53 55 66 66	13. 67 12. 62 16. 52 16. 72	SW. SW. SW.	8.9 9.2 8.1 8.1	
2:43		36.6	34	SW.	5,8	1,750 1,500 1,334 1,250 1,000	833. 0 856. 7 872. 9 881. 0 906. 0		0.88	50 53 40 48 43	17. 19 17. 82 18. 10 18. 47 18. 78	SW. SW. SW.	8.2 8.3 8.4 8.4	2/10 Cu., w.
2:56 3:07	987.1	36.8		SW.	5.4	755 500 250 225	931. 2 958. 1 984. 5 987. 1	32.7 34.6 36.4 36.6	0.74	39 37 34 34	19.30 20.36 20.66 20.89	SW. SW. SW. SW.	8.2 8.1 6.8 5.5 5.4	2/10 Cu., w.
U ₄ VI account		00.0	02	ow.	0.1		August 13,			34	20.00	00.		aprocus, w.
A. M.	1									1		1		1
7:28	992.9	27.6	60	sw.	5.4	225 250 500 750	992. 9 989. 9 962. 6 935. 6	27.6 27.5 26.3 25.1	*******	60 60 60	22.16 22.03 20.53 18.80	SW. SW. W. DW.	5.4 5.7 9.1 12.5	Cloudless.
40		28.0	50	w.	5.8	796 1,000 1,250	930, 9 909, 5 884, 1	24. 9 23. 6 21. 9	0.47	59 63 68	18.58 18.35 17.87	nw. nw. wnw.	13.1 12.3 11.4	
:09		29.0	56	w. wsw.	5.4	1,493 1,500 1,750 1,886	859. 6 859. 0 834. 1 821. 4	20.3 20.3 19.5 19.1	0.06	73 73 57 48	17. 39 17. 39 12. 92 10. 61	W. W. WBW. WBW.	10.5 10.5 11.1 11.4	
**********			*******	*******	*******	2,000 2,250 2,500	810.3 787.4 764.2	18.5 17.1		48 49 40	10, 22 9, 56 8, 85	wsw. sw. sw.	10.5 8.6 6.6	Few Ci., sw.
2:06	992.1	31.8	48	SW.	6.7	2,594 2,500 2,250	755. 4 764. 2 787. 0	15.3 15.3 15.5	0.49	40 57 77	8. 52 9. 91 13. 56	sw. sw.	5.9 6.6	1/10 Cu., sw.
1:55	991.2	33.5	41	sw.	5.8	2,141 2,000 1,750 1,500	796. 4 810. 1 834. 1 859. 0	15.5 16.6 18.6 20.5	0.78	86 82 76 70	15. 14 15. 49 16. 29 16. 86	SW. SW. SW.	9.4 9.5 9.6 9.7	
		*******	*******	********	*******	1,250 1,000	883.3 908.5	22.5 24.4		63 57	17. 17 17. 42	sw. sw.	9.9	
.30Р. М.	990.8	33.7	40	sw.	5.4	770 750	932.3 934.4	26.2 26.5	1.34	51 51	17. 35 17. 66	sw.	10.1	
2:40	990.7	33. 5	41	sw.	5.4	500 250 225	961. 4 988. 0 990. 7	29, 9 33, 2 33, 5		46 41 41	19.41 20.86 21.22	SW. SW. SW.	7.8 5.6 5.4	\$/10 Cu., sw.
						A	ugust 14,	1918.						
25	992.7	21.0	77	6.	1.8	225 250	992.7 989.4	21. 0 21. 0		77 76	19. 15 18. 90	0.	1.8	9/10 A. St., sw.
3	993.1	23.4	68	е.	4.9	300 696 500 250	962. 1 941. 0 962. 1 990. 5	21.9	0.23	62 51 56 62	15. 90 13. 40 15. 93 19. 41	000. 80. 000. 0.	3.1 4.1 4.3 4.5	
30	903. 2	25.0	63	е.	4.5	225	993. 2		*******	63	19.96	0.	4.5	10/10 A.Cu., w.
		-			17	A	ugust 17,	1918.						
.06	993.9	17.3	95	e.	4.5	225 250	903. 9 990. 6			95 95	18.76 18.76	0. e.	4.5	10/10 St., ne. Altitude of St. base about 600 m
	993.3	21.3	78	0.	4.0	500 749 500 250	962. 5 934. 8 962. 1 990. 0	16.5 19.1 21.8	0.53	95 96 96 86 77	18.48 18.02 19.01 20.11	6. 6. 6.	4.5 4.7 4.9 5.1 5.4	Rain from 8:55 to 9:00 a. m. 4/10 A.Cu., w.; 4/10 St.Cu., e.
56	993.2	22.0	76	θ.	5.4	225	993. 2			77 76	20,09	e.	5.4	2/10 A.Cu., w.; 6/10 St. Cu., e.

	gfo					1		A 4 .2107	mont hat	htach	0.800			
	Surface	θ.		1 2			1 1	At dille	rent heig	hts abov	e sea.	4		
		Tem-	Rela-	W	ind.			Tem-	Δε	Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
6:10	mb. 994. 8	° C. 20. 1	% ₇₃	0.	m. p. s. 4. 5	m. 225 250	mb. 904. 8 901. 7	°C. 20.1 20.1		% 73 72	mb. 17. 18 16. 94	e. 0.	m. p. s. 4. 5 4. 9	5/10 A.Cu., w.
6:18	994. 9	20.1	73	€.	4.9	500 635	963. 0 948, 9	19.8 19.7	0.10	61 55	14.09	6. 6.	8.7	
* * * * * * * * * * * * * * * * * * * *						750 1,000	935. 9 910. 0	19. 5 19. 1		58 64	13. 15 14. 15	6.	9.9	4/10 A.Cu., w.
R-48	995.6	22.8	62	0.	5.4	1,250 1,291	884.1 880.1	18. 8 18. 7	0.15	70 71	15. 19 15. 31	e. e.	5.9 5.6	
						1,250 1,000	884. 1 911. 0	18.8 19.2		71 69	15. 41 15. 35	6.	5.7 6.5	
						750 500	937. 7 964. 7	19. 5 19. 9	******	68 66	15. 42 15. 34	0.	7.2 7.9	
9:20	995. 6	23. 8	63	θ.	4.9	470 250	968, 0 992, 5	19. 9	1.77	66 62	15.34 18.28	θ. θ.	8.0	
9:25	995. 6	24. 2	62	6.	2.2	225	995. 6	24. 2		62	18. 72	0.	2.2	6/10 Ci.St., w.
							August 19	, 1918.						
A. M. 7:33	997. 8	19.2	72	θ.	9.4	225	997. 8	19.2		72	16.02	e.	9.4	Cloudless.
\$						250 500	994, 8 966, 3	19.1	*******	73 80	16. 14 16. 72	e. ene.	9.9	C BULLIBUCITA
7:55	997. 9	19.8	72	0.	9, 8	623 750	952. 9 938. 7	17.7	0, 38	83 67	16, 81 13, 92	ene.	17.8	
8:02	997. 9	20.0	09	e.	9.8	919	920. 4 911. 7	18.6	-0.30	46 54	9.86	ene.	11.5	,
8:07	997. 9	20.3	69	е.	8.5	1,133	897.9	18.5	0.93	68	11.50 14.39	ene.	8.1	
	******	******	*******	*******	*******	1,250 1,500	885. 4 860, 4	18. 2 17. 6		64 85	13.38	ene.	7.7 6.8	
************************	*********	*******	*******			1,750 2,000	835. 8 811. 6	17. 1 16. 6		46 37	8, 97 6, 99	ene.	6.0 5.1	1/10 Cl.St., w.
10:16	997.6	23. 9	54	е.	7.6	2,083 2,000	803, 2 811, 6	16. 4 16. 5	0, 50	34 34	6.34	ene.	4.8	
		*******				1,750 1,500	835.8 860.4	16. 7 16. 9		35 37	6. 65 7. 12	ene.	5.2	
£ • • • • • • • • • • • • • • • • • • •						1,250 1,000	885. 4 911. 7	17. 1 17. 3		38	7.41 7.70	ene.	5.9	
11:19 11:30	997.5 997.4	25. 0 25. 5	50 50	e. e.	6.3	945 770	917. 7 936. 6	17.3 17.7	0, 23 0, 68	39 71	7.70 14.38	ene.	6.3	
11:40	997. 4	25.7	48	6.	7.6	750 535	938, 7 962, 6	17. 9 19. 3	2.24	70 62	14.36 13.88	0. e.	8.5	
• • • • • • • • • • • • • • • • • • • •						500 250	966, 3 994, 7	20. 1 25. 7		60 49	14. 12 16. 18	e. e.	7.1	
11:44	997.4	26. 2	48	θ.	7.2	225	997.4	26. 2		28	16. 33	e.	7.2	1/10 CLSt., w.
						,	August 20,	1918.						
7:15. A. M.	997. 6	20.0	- 83	se.	5.4	225	997. 6	20, 0		83	19. 41	80.	5.4	2/10 Ci.Cu., nw.
						250 500	994. 3 966. 7	20. 0 19. 8		83	19. 41 19. 87	80.	5.6	2/10 Ct.Cu., uw.
7:25	997. 6	20.2	81	50.	4.9	592	956. 2	19.7	0.82	87	19. 97	85W. 33W.	8.2	1 1
8;42	997.4	22.8	76	80.	4.5	750 778	938, 2 935, 8	20, 0	-0.26	80 79	18, 70	SSW.	4.1	
9:17	997. 2	24. 2	76	50.	3.1	750 505	938, 2 965, 9	20, 0 19, 9	1.62	79 82	18, 47 19, 06	88W.	4.0 3.3	
9:25	997.1	24. 4	74	80.	1.8	250 225	994. 3 997. 1	24. 0 24. 4		75 74	22. 38 22. 62	se.	1.9	1/10 Ci.St., w.
					1	1	August 21	1918.		-			1	
А. М.														
7:53	994.9	24.0	92	sw.	3.1	225 250	994. 9 991. 4	24. 0 23. 9	*******	92 92	27. 45 27. 29	SW.	3.1	1/10 Cu., w.; 2/10 St., w.
8.02		24.0	91	sw.	3.1	500 594	963. 7 953. 9	23.0 22.7	0, 35	86 84	24. 17	WSW.	9.3	*
						750 1,000	936. 7 910. 2	22.3 21.6		86 89	23. 18 23. 16 22. 96	W. W.	10.4	Altitude of St. base about 650 m.
10:50.	993. 2	28.0	72	wsw.	3.6	1,250 1,474	884.3 861.3	20. 9 20. 3	0.27	91 94	22, 50 22, 39	W. W.	6.8	Altitude of Cu. base about 1,150
			******			1,500 1,750	858, 9 834, 1	20. 2		94 94	22. 26 21. 71	W. W.	5. 3 5. 9	2/10 Cu., w.
			******			2,000	810, 0	17.5		94	18, 80	wnw.	6. 5	4/10 Cu., w.
P. M.	993.0	28. 2	71	w.	4.0	2,176	793. 4	16.6	0.36	94	17.74	Martin	7.0	
						2,000 1,750	810.0 834.1	16.9		93	17. 76 17. 90	wnw.	6.8	
	009 4	20. 0		THOTH		1,500	858, 9	17. 4 17. 9	0.70	91 90	18, 08 18, 46	wnw.	6.6	
12:48		29. 6	60		4.9	1,250	882. 0 882. 5	18.4	0.79	90 88 88 81 74	18, 62 18, 74	wnw.	6.1	
• • • • • • • • • • • • • • • • • • • •			*******	*******	*******	1,000 750	907. 4 934. 0	20, 4 22, 4		81 74	19. 42 20. 05	W. W.	5.8	
1:12	992. 2	30.0	61	WSW.	4.9	500 474	961. 4 964. 9	24. 4 24. 6	2. 27	67	20, 48 20, 42	WSW.	5. 2 5. 2	
* * * * * * * * * * * * * * * * * * * *					1	250	989, 8	29.7		62	25, 89	Wsw.	5.4	

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station August, 1918—Continued.

						August	22, 1918,	series (No. 1).					
	Surfac	0.		4.00			i i	At diff	erent heig	ts abo	ve sea.			
*		Tem-	Rela-	W	ind.	4144		Tem-	1	Hun	nidity.	W	7ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap.	Dir.	Vel.	
7:31	mb. 992.9	° C. 24. 0	% 88	sw.	m. p. s. 3. 1	m. 225 250	mb. 992.9 989.9	° C. 24.0	******	% 88 88	mb. 26.16 26.26	sw.	m. p. s 3. 1 3. 5	9/10 CLSt., w.
7:38	992.9	24.0	85	SW.	4.0	500 611	962.5 950.4	24.3	-0.10	83 81	25. 22 24. 76	wsw.	7.4	
7:52		24.7	83	sw.	3.1	750 915	935.5 918.0			77	23.12	W.	8.9	
			0.0		0.1	1,000	909.0	23.1	0.23	73 75	21.40	WSW.	8.8	
S:30	000 0					1,250 1,500	883. 5 858. 8	21. 4 19. 7		83 90	21.16 20.66	WSW.	6.8	
	992.9	25. 5	80	wsw.		1,571 1,750	851.4 834.0	19. 2 18. 7	0, 69	92 86	20. 47 18. 55	wsw.	6.6	8/10 A.St., nw.; 1/10 Cu., w.
8:56	992.9	26.2	77	wsw.	3.6	1,962 2,000	813. 6 810. 0	18.2 18.0	0, 26	78 78	16.30 16.10	WSW.	6.9	
• × • • • • • • • • • • • • • • • • • •	*********	*******	*******	*******	*******	2,250 2,500	786.5 764.0	16.9 15.8		79 90	15.21	wsw.	6.2	Altitude of Cu. base about 2,250
):40	992.9	28.4	65	wsw.	3.6	2,750 2,812	741.0	14.7	0.22	81 81	13.55 13.28	SW.	4.9	8/10 A.St., nw.; 1/10 Cu., w.
						2,750 2,500	740.9 782.7	14.5		83 91	13.70 15.22	SW.	4.8 5.3 5.3	7/10 Cu., w.
1:18	992.8	29.1	61	wsw.	4.0	2,490 2,250	763.8 785.3	14.7	0.22	91 92	15. 22 15. 80	SW.	5.3 5.4	1,120
				******		2,000 1,750	808.8 833.0	15.8		93 94	16.69	sw.	5.4	Materia of Co. home should be at a
1-48	992.6	29.4	*******	*******		1,500	857.7	16.3	*******	96	17.42 18.48	WSW.	5.6	Altitude of Cu. base about 1,850
	302.0	20.1	62	SW.	4.9	1,395 1,250	868.1 883.0	17.1	0.78	96 91	18.72 19.02	wsw.	5.6	15
			*******	*******		1,000 750	909.0 935.5	20. 2 22. 1	*******	83 75	19.65 19.95	wsw.	5.0 4.6	
P. M.														
:07	992.5	29.0	66	sw.	5.8	521 500	960.0	23.9	1.67	67 67	19.87 20.36	WSW. WSW.	4.3	
:14	992.4	28.8	66	wsw.	8.5	250 225	988. 9 992. 4	28.4		66 66	25.54 26.14	WSW.	8.2 8.5	3/10 Cl.St., w.; 4/10 Cu., w.
06	992.1	30.5	54	SW.	4.0	225 250 500 602 750	992. 2 989. 2 962. 7 951. 3 936. 2	29. 0 28. 5 27. 2	0.54	56 56 57 58 63	24. 46 24. 32 22. 84 22. 57 22. 73	SW. SW. SW.	4.0 4.3 6.8 7.8 7.9	4/10 Cu., w.; 3/10 Cl.St., w.
******************	*********			******		1,000 1,250	910.3 884.7	25.1 23.0		71 78	22.68 21.92	SW.	8.1 8.2	
27	990.7	30.7	58	SW.	4.9	1,500 1,651	859.0 843.1	20.9	0.85	86 91	21.26	SW.	8.4 8.5	
				******		1,750	833.9	19.4		84 67	18.93 14.63	SW.	6.8	
2	990.5	31.0	54	sw.	5.4	2,106 2,250	799.2 786.0	18.7	0.20	66	12.94	sw.	6.3 5.6	6/10 Cl.St., w.
18	990.3	30.3	1	sw.	3.1	2,445 2,250	768.0 785.3	18.0 17.9	0.08	73 66	15.07	SW.	4.7 6.8	420
3	989.7	28.8	60	SSW.	2.7	2,000	808.0 812.9	17.8	0.24	57 55	11.62	SSW.	9.4	
2	989.7	28.4	******	s.	2.2	1,750 1,565	831.5 849.5	18.3	0.69	64 73	13.46 15.75	SSW.	9.5	
*****************	*******			******		1,500	855.5	19.2	******	71	15.80	SSW.	9.1	
		******	*******	******	*******	1,250	880. 4 906. 2	20.9	*******	58	16.07 15.91	83W.	9.4	
	000 6	07.7		******		750 500	933.3 959.2	24.3	*******	52 45	15. 80 15. 22	8.	10.1	
	989.5	27.7		8.	3.1	410 250	969.2 986.8	26.7 27.6	0.55	62	15.07 22.90	S. S.	10.6	
3	989.5	27.7	65	S.	3.1	225	989.5	27.7	*******	65	24.15	B.	3.1	3/10 Ci., w.
-					-	August 2	22, 1918, se	rles (N	0. 3).					
эб	989.3	26.0	71	в.	3.1	225	989. 3			71	23. 87	8.	3.1 4.2	3/10 CL, w.
38	989. 2	26.0	70	B.	3.1	250 437	987. 0 966. 0	26.0	-0.05	68	22. 86 16. 23	8. 85W.	12.8	
*******************	********			******		500 750	958. 8 931. 9	25.8		53	16, 28 16, 30	SSW.	12.6	
******************	********	******	******	******		1,000 1,250	906. 0 880. 2			57 62	16, 21 16, 29	SSW.	10.9	
39	989. 4	24.7	71	3.	2.7	1,500	855. 3 853. 8	20.6	0.52	66	16, 02 15, 92	38W. 88W.	0. 2 0. 1	
02			******		2.2	1,516 1,750	830.7	19.8		48	11.00	88W.	8.8	WII
****************	989. 5	24.3	73	B.	2.2	1,863 2,000	819. 9 807. 2	19.4	0.32	40	9.01	85W.	8.6 7.5	
51	990.4	23.4	70	8.	3.6	2,250 2,376	784. 3 772. 6	17.5	0. 28	58 64	11. 60 12. 32	98W. 98W.	5.4	
********************			******			2,250	783. 6 806. 1	17.1	*******	35	9.75 6.91	SW.	6.5	Cloudless.
40	990.3	23.0		ISW.	3.1	1,988 1,750	807. 4 830. 5	17.3	0.07	53	6.72 10.60	SW.	9.0	
52	990. 2	23.0		ISW.	2.7	1,500	855. 3 864. 0	17. 5 17. 6 17. 7	0.66	72 79	14. 49	sw.	10. 4	

TABLE 14. - Free-air data from kite flights at Royal Center Aerological Station August, 1918-Continued.

August 22, 1918, series (No. 3)-Continued.

	Surfac	0.						At diffe	erent heig	hts abov	7e sea.			
		Tem-	Rela-	w	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap.	Dir.	Vel.	
Р. М.	mb.	°C.	%		m. p. s.	7W. 1,000	mb. 906.0	° C. 20. 4		%70	mb. 16.78	sw.	m. p. s. 12. 2	
11:20		23.1	74	ssw.	3.6	750 604 500	932. 5 948. 3 959. 8	22. 0 23. 0 23. 1	0.05	62 65	17. 19 17. 42 18, 38	SW. SW.	13. 2 13. 8 10. 8	
11:27	000.0	23. 2	73	ssw.	3.1	250 225	987. 0 990. 0	23, 2 23, 3	******	72 73	20. 48 20. 76	33W. 33W.	3.8	Cloudless.
						August	23, 1918, s	erles (N	lo. 4).					
A. M. 12:19		22.4	78	85W.	3.6	225	990.8	22.4		78	21, 13	88W.	3.6	Cloudless.
2:24		22.6	77	ssw.	3.6	250 460	986. 5 962. 6	23.6	-0.50	76 58	20. 72 16. 90	SSW.	16.7	
	********					500 750	.959.3 932.5	23.5		59 65	17. 09 17. 61	88W.	16. 4 14. 3	-
	*********			*******	******	1,000	906, 4	21.4	******	71	18, 10	sw.	12.2	
		*******			******	1,250 1,500	880. 4 855. 0		*******	77 84	18, 34 18, 81	sw.	10.0	
2:58	989. 8	22.5	78	SSW.	3.6	1,512 1,750	853. 8 830. 8	19. 2 17. 9	0.42	84 79	18, 69 16, 20	SW.	7.8	
	*******		*******	*******	*******	2,000	806.6	16, 4	*******	73	13.61	SW.	5.9	Bright moonlight.
2:22	989.8	21.8	80	88W.	2.7	2, 250 2, 414	782.7 767.4	15. 0 14. 1	0.33	68	11. 59 10. 30	SW.	4.9	Cloudless.
		21.0		******		2,250	782.3	14.3		72	11.74	sw.	4.3 5.2	Cloudless. 2/10 Ci., nw. 4/10 Ci.Cu., wnw. Ci.Cu changed to 4/10 A Cu , wn
2-04	989. 8	21.5	82	8.	2.7	2,000 1,863	805. 5 818. 5	14.6	0.51	84 90 86	13, 96 15, 06	WSW.	6.6	Ci.Cu changed to 4/10 A Cu . wn
						1,750	829.9	15.3	******	86	14.95	wsw.	8.4	
,						1,500 1,250	855. 0 879. 9		*******	78	14. 64	wsw.	10.5 12.7	
***************************************	000 0	01.1				1,000	905.0	19.1		70 61 54 54 56 58	13.49	wsw.	14.8	
3:34	989. 8	21, 1	83	8.	3.1	780 750	928. 6 931. 4	20. 2	0.65	54	12. 79 12. 94	WSW.	16.7 15.6	
3:50	989. 8	21.0	83	8.	2.7	518	957.1	21.9	-0.31	56	14. 72 15. 15	SSW.	6.8	
			*******			500 250	959. 3 986. 5		*******	81	20, 27	SSW. S.	3.0	
3:55	989. 8	21.0	83	5.	2.7	225	989.8	21.0	******	83	20, 64	8.	2.7	1/10 Ci.Cu., wnw.
37.	989. 8 989. 9 989. 9	20. 9	••••••••••••••••••••••••••••••••••••••	S	2.7	250 500 635 750 1,000 1,250 1,500 1,750 1,876 2,000 2,500 2,500 2,500 2,500	986, 8 934, 4 931, 9 996, 0 855, 2 830, 4 818, 2 896, 7 783, 2 779, 7	22. 3 23. 0 22. 5 21. 3 20. 1 18. 9 17. 7 17. 1 16. 5 15. 3 14. 2 13. 9	0.48	82 65 56 59 66 72 79 86 89 87 82 77 76 78	20. 39 17. 50 15. 74 16. 08 16. 72 16. 94 17. 25 17. 42 17. 36 16. 33 14. 25 12. 47 12. 07 12. 46	8. SSW. SW. SW. SW. SW. WSW. WSW. WSW. W	4.8	6/10 St.Cu., nw. Altitude of St.Cu. base about 1,90 m. 2/10 Cu., nw.
:04	990. 2	23.6	78	wsw.	4.5	2,250 2,148	782, 1 792, 0	14. 3	0, 26	87 91	14. 18 14. 92	WSW.	5. 5	
********************					******	2,000 1,750	805. 4 829. 6			89 86	14. 98 15. 05	WSW.	6.6	
***************************************	000 0	04.0		*******		1,500	854.4	16.1		83	15. 19	WSW.	7.8	
:30	990. 2	24.0	77	sw.	3.6	1,460 1,250	858. 6 879. 9	16, 2 17, 4	0.59	83 79 74	15, 29 15, 70	wsw.	9. 1 9. 6	
		******			******	1,000	806.0	18.9		74 69	16, 16	wsw.	10.3	
:46	990. 2	24.7	77	w.	1.8	750 716	932, 3 936, 2	20. 6	0. 86 0. 86	68 77	16. 54 16. 50	WSW.	11.0	
:55	990. 2	24.8	77	W.	1.8	541 500	955, 3 959, 7	22 1	0, 86	77	20, 48 22, 30	wsw.	9.6 8.9	
		*******	*******			250	987.4	24, 0		77	23, 82	WSW.	4.4	
:01	990. 2	24.8	77	wsw.	4.0	225	990, 2	24, 8	•••••	77	24. 11	wsw.	4.0	7/10 St.Cu., nw.
					A	August	23, 1918, 50	eries (N	0. 6).					
A. M. 8:37	990. 2	26.0	72	sw.	5.4	225	990. 2	26. 0		72	24, 21	sw.	5.4	7/10 St.Cu., nw.
						250	986, 9	25. 8		73	24. 25	SW.	5.4	
8:48	990. 2	26.0	72	wsw.	5.4	466 500	963. 7 959. 7	24.5	0, 67	84 84	25. 99 25. 83	WSW. WSW.	4.9 5.1	
*******************						750	933.0	23.6		84 86	25, 05	WSW.	6.4	
	*********		*******	*******	*******	1,000 1,250	906. 7 880. 6	21.7		88 89	24. 14 23. 10	WSW.	7.6	
9:25	990. 2	26.7	70	wsw.	4.5	1,499 1,750	856, 2	20.8	0. 37	91	22, 36 20, 99	WSW.	10. 2	
		******		*******	*******	2,000	831. 8 808. 2	18.5		92 92	19.60	WSW. SW.	8.6 7.0	
0.00	990. 2	28. 0	64	W.	4.5	2,172 2,250	792. 2 785. 3	17.7	0. 46	93 93	18. 83 18. 25	SW.	5. 9 6. 4	2/10 Cu., sw.
0:07						# , WUU	100,0	At all	****	90				along posted many
0:07				******		2,500	762.1	15, 6		93	16. 48	SW.	8.0	
0:07	989. 9	29. 4	64	wsw.	5, 8	2,500 2,750 2,876	762, 1 739, 5 728, 4	15.6	0.38	93 94 94	16. 48 15. 02 14. 26	SW. SW.	8. 0 9. 6 10. 4	

TABLE 14.—Free-air data from kite flights at Royal Center Aerological Station, August, 1918—Continued.

August 23, 1918, series (No. 6)-Continued.

	Surfac	6.						At diffe	rent heig	hts abov	7e 56a.			
	1	Tem-	Rela-	w	ind.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆t</u> 100 m.	Rel.	Vap.	Dir.	Vel.	
Р. М.	mb. 989.7	°C. 30.0	% 61	w.	m. p. s. 4. 9	m. 2,452 2,250	mb. 764. 8 782. 7	°C. 13.7 14.5	0.40	% 93 87	mb, 14, 43 14, 36	SW.	m. p. s. 7. 0 7. 1	Salar and
		*******	*******			2,000 1,750	805. 8 830. 0	15. 5 16. 5		80 74	14. 09 13. 89	sw. sw.	7. 2 7. 4 7. 4	
12:30	989. 4	30.6	57	W.	5.4	1,678	837. 2 855. 6	16.8	0.05	72	13. 77 17. 32	SW.	7.4	
2:37	980. 4	30. 8	59	W.	6.3	1,463 1,250	858. 8 890. 6	16. 9 18. 7	0, 85	90 94 86	18, 10 18, 55	SW.	10.4	
		*******	*******			1,000	906. 7 933. 0	20. 8 23. 0		76 67	18, 67 18, 83	SW.	10.9	
1:00	989.1	30.6	58	WSW.	4.9	572 500	951.4 959.7	24. 5 25. 8	1. 83	60 50	18, 45 19, 61	SW.	11.8	
1:09	989. 0	30.8	57	wsw.	6.3	250 225	986, 0 989, 0	30, 4		57 57	24, 76 25, 33	wsw.	6.7	4/10 Cu., sw.
							August 25	, 1918.						
P. M.	988.1	27. 2	55	ssw.	3.1	225	988, 1	27.2		85	10.84	BSW.	3.1 3.2	1/10 Ci. St.; 7/10 A. St., w.
		*******	*******		******	250 500	985. 0 957. 5	26, 9 23, 9	******	56 00	19. 85 20. 47	88W.	3.7	
	987.8	25. 3	64	SSW.	4.9	701 750	935.7 930.3	21. 4 21. 3	1, 22	80 77	20, 39 19, 50	SSW.	4.2 3.6	
14	987. 8	22. 2	70		4.9	872 750	917. 0 929. 8	21. 1 20. 9	-0.01	68	17. 02 19. 03	8W. 85W.	21	
:37	987.8 987.8	21. 4 21. 2	73 74	S. S.	3.6	658 523	939. 8 954. 7	20. 7 20. 9	0.15	83 60	20, 27 14, 83	88W.	8.5	
:50	987. 8	21.1	75	8.	3.1	500 250 225	957.3 984.3 987.8	20.9 21.1 21.1		61 74 75	15. 08 18. 52 18. 77	8. 8. 8.	8.1 3.5 3.1	5/10 Ct.St., w.
- 11/1/ - 0						,	August 27	1918.						
7:07	992.2	19.0	73	6.	5.8	225	002.2			73	16.04	0.	5.8	7/10 St., sw.
		*******	********	******	*******	250 500	969.3 961.6	19.5		74 85	16. 26 19. 27	90,	8.0	
7:14	992.3	19.0	72	0.	6.3	692 750	940.1 934.5	19.8	-0.17	94 94	21.71	350.	9.5 8.9	6/10 St.Cu., sw.
	000 9	99.9		*******	6.7	1,000 1,250	903.2 882.2	19.7	0.00	94	21.44	200,	6.6	770 (Y St
	992.2	22.2	64		0.7	1,352 1,250	871.3 882.2	19.6 19.7	0.08	94	21.44 21.57	890,	3.2	7/10 Cl.St., sw. Solar halo, 22° radius, from 8:42 9:30 a. m.
				******		1,000	908.2 934.5	20.1		94 94	22.12 22.53	850. 80.	4.5 5.4	9.00 b. III.
D:56	992.2	23.3	64	6.	5.8	750 506 500	951. 0 961. 6	20.6	0.76	94 86	22.81	80. 650.	6.0	
):03	992.2	23. 4	65	0.	4.9	250 225	989.3 902.2	21.3 23.2 23.4	*******	67 65	21. 78 19. 05 18. 71	6. 0.	5.0 4.9	5/10 Ci.St., sw.; 2/10 A.Cu., e.
	1		1		l li	A	August 28,	1918.						
ОЗ	986.4	28.1	61	S.	4.9	225	986. 4	28.1		63	23. 20	s,	4.0	6/10 Cl.St., sw.
	********					250 500	983. 0 956. 2	28, 1 27, 5		61 61 61	23. 20 22. 40	s. ssw.	5.0	4-2 000001 000
12	986.3	28.8	58	8.	4.5	553 750	950. 8 929. 7	27. 4 26. 2	0.21	61	22. 27 22. 11	SSW.	6.3	
05	986.1	28.7	58	8.	4.0	1,000 1,237	903.3 879.7	24.7	0.60	65 71 76	22. 10 21. 74	sw.	8.5	
************	*******	200 1			2.0	1, 250 1, 500	877.8 853.0	23. 2 22. 2		76 67	21.61 17.94	SW.	9.8 13.2	
33	986.3	28.1	62	ssw.	4.5	1,750 1,945	829. 0 810. 6	21.1	0.42	59 52	14.77	WSW.	16.6	
*****************	*********				4.0	2,000 2,250	805.3 782.8	10.9 18.2	0.12	.53	12.32 12.54	WSW. SW.	19.1	
8	986.4	27.8	64	SSW.	3.6	2,392	709. 4 782. 8	17. 2	0.40	64	12.56 12.28	SW.	17. 4 17. 9	Light min from 5:00 to 5:13 p. m.
10	986.3	27.6	65	ssw.	4.0	2,000 1,923	804. 5 811. 9	18.3	0.42	64 61 55 53	11. 57 11. 29	SW.	18.8	
*****************		21.0			***	1,750	828. 0 852. 7	19. 2		56	12.46 14.29	SW.	18.8	
***********	******	******			*******	1,250 1,000	877.8	21.3	******	64	16.21	SW.	20.1 17.7	
17	986.2	27.5	64	ssw.	3.6	985	903.3 904.8	22.3 22.4	0.62	69	18.58 18.00	sw.	17.7	
И	986.1	27.3	65	ssw.	4.0	750 664	929. 7 938. 5	23.9	0.59	65	19. 58 19. 87	85W.	15.3	
19	********			******		500 250	956. 2 983. 0	25. 4 26. 9		67	21. 42 23. 75	SSW.	10.5	100 t Cu co . 000 0 cu
	986.1	27.0	67	SSW.	4.0	225	986.1	27.0		67	23. 89	SSW.	4.0	1/10 A.Cu., sw.; 2/10 St.Cu., sw.

Table 14.—Free-air data from kite flights at Royal Center Aerological Station, August, 1918—Continued.

	Surfac	10.						At diffe	rent heig	hts abov	70 508.			
		-	Rela-	w	ind.					Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	Δt 100 m.	Rel.	Vap.	Dir.	Vel.	and)
9:58	mb. 987.8	° C. 18.4	% 92	880.	m. p. s. 2. 2	m. 225 250	mb. 987. 8 984. 4	°C. 18.4 18.5		% 92 91	mb. 19.47 19.38	200. 230.	m. p. e. 2.2 2.7	10/10 St.Cu., w.
10:00	987.9	18.5	90	880.	5.8	500 617 750	956.7 944.1 929.9	19. 2 19. 6 19. 5	-0.31	79 74 72 67	17.58 16.88 16.32	880. 880. 8.	8.7 11.5 11.0	
			*******	*******		1,000 1,250 1,500	903. 4 877. 2 851. 8	18.9 18.7		67 63 59 56	14.91 13.76 12.73	8. SSW. SW.	10.1 9.2 8.2	
0:52	988.4	19.0	91	ssw.	4.0	1,649 1,750 2,000 2,250	837. 8 827. 0 803. 5 780. 3	18.5 17.8 16.0 14.3	0.11	56 59 68 76	11. 93 12. 02 12. 36 12. 39	WSW. WSW. WSW.	7.7 7.9 8.3 8.7	
	********	******		*******		2,500 2,750	757.3 735.0	12.6		84 92	12. 26 11. 91	SW.	9.1 9.5	9/10 A.St., w.
P. M.	986.8	22.4	79	ssw.	3.6	2,833 3,000	727.6 712.8	10.2 9.6	0.70	95 91	11.83 10.87	sw. sw.	9.6 11.6	
1:53	986.5	22.3	78	ssw.	4.0	3, 250 3, 267 3, 250	691.0 689.4 691.0 712.8	8.7 8.6 8.6	0.28	85 85 85 83	9. 56 9. 49 9. 49 9. 59	88W. 88W.	14.5 14.7 14.6 12.9	
	********	*******		*******		3,000 2,750 2,500 2,250	735.0 757.1 779.1	9.1 9.6 10.1 10.5		81 78 76	9.68 9.64 9.65	88W, 88W, 85W,	11.1 9.4 7.7	
2:19	986.2	22.7	78	ssw.	2.7	2,000 1,952 1,750	801.6 805.1 825.0	11.0 11.1 12.3	0.60	74 74 69	9.72 9.78 9.87	\$3W. \$3W. \$W.	5.9 5.6 5.8	
2:33	986.1	22.5	78	S.	3.1	1,500 1,388 1,250 1,000	849. 5 860. 8 875. 0 901. 2	13.8 14.5 14.8 15.2	0.18	62 59 66	9.78 9.74 11.11 13.47	WSW. WSW. WSW.	6.1 6.2 7.0 8.3	
2:48	985.9	23. 2	76	8.	3.1	750 676 500	927. 7 935 9 955. 0	15.7 15.8 18.9	1.78	78 89 93 86	15, 88 16, 69 18, 78	85W. 85W.	9.7 10.1 7.4	
2.58	985.8	23.8	76	S.	3.1	250 225	982.9 985.8	23.4		77 76	22. 16 22. 41	8.	3.5	1/10 A.St., sw.; 5/10 A.Cu., sw.
	1		1		1 1		lugust 31,	1918.						
7:45	986. 9	17.0	90	nw.	3.1	225 250 500	986. 9 983. 9 956. 0	17.0 16.9 16.0		90 91 97	17.44 17.52 17.63	nw. nw. wnw.	3.1 3.3 5.3	2/10 Ci.Cu., nw.; 7/10 St.Cu., nw.
7:59	987.1	17.0	88	nw.	4.5	577 750	947. 4 927. 9	15.7	0.37	99	17. 66 16. 66	wnw. wnw.	5. 9 6. 6	Altitude of St. Cu., base abou
0.27	987.5	18.1	85	wnw.		1,000	901.7 875.3	13.6		100	15.58	W.		troo ass.
8:37					4.9	1,303	869.9	12.3 12.3	0.50	100	14.31 14.31	W. W.	7.7 8.7 8.7	
8:53	987.7	18.0	84	wnw.	4.9	1,500 1,735 1,750	869.9 850.0 826.3 825.1	12.3 12.3 12.2 12.2	0.02	100 70 34 34	14.31 14.31 10.02 4.83 4.83	W. W. W. W.	8.7 8.7 8.9 9.2 9.2	
8:53 9:40	987. 7	18.0				1,500 1,735 1,750 2,000 2,250 2,487 2,500	869. 9 850. 0 826. 3 825. 1 801. 1 777. 4 755. 1 754. 6	12.3 12.3 12.2 12.2 11.5 10.8 10.1 10.0	0.02	100 70 34 34 32 30 28 28	14.31 10.02 4.83 4.83 4.34 3.88 3.46 3.44	W. W. W.	8.7 8.7 8.9 9.2 9.2 9.9 10.6 11.2 11.2	
9:40. 0:55.	987. 8	19.8	84 73	www.	4.9 5.8 6.7	1,500 1,735 1,750 2,000 2,250 2,487 2,500 2,750 3,000 3,128	869. 9 850. 0 826. 3 825. 1 801. 1 777. 4 755. 1 754. 6 732. 1 710. 2 699. 3	12.3 12.3 12.2 12.2 11.5 10.8 10.1 10.0 9.7 7.3 6.6	0. 02	100 70 34 34 32 30 28 28 28 31 34 35	14, 31 14, 31 10, 02 4, 83 4, 83 4, 34 3, 46 3, 46 3, 44 3, 73 3, 48 3, 41	W. W. W. W. W. WDW. WDW. WDW. WDW. WDW.	8.7 8.9 9.2 9.2 9.9 10.6 11.2 11.2 10.5 9.8 9.5	
9:40. 0:55.	987. 8	19.8	73	wnw.	4.9 5.8 6.7	1,500 1,735 1,750 2,000 2,250 2,487 2,500 2,750 3,128 3,250 3,500 3,750	869. 9 820. 0 829. 3 825. 1 801. 1 777. 4 755. 1 754. 6 732. 1 710. 2 699. 3 688. 8 668. 3	12.3 12.2 12.2 12.2 11.5 10.8 10.1 10.0 9.7 7.3 6.6 6.2 5.8	0.02	100 70 34 34 32 30 28 28 31 34 35 34 35	14. 31 14. 31 10. 02 4. 83 4. 83 4. 34 3. 46 3. 46 3. 43 3. 48 3. 41 3. 22 2. 89	W. W. W. W. W. W. WIW. WIW. WIW. WIW. W	8.7 8.9 9.2 9.2 9.9 10.6 11.2 10.5 9.8 9.5 10.5	8/10 Cu., nw.
9:40. 0:55.	987. 8	20. 9	84 73 64 58	nw.	5.8	1,500 1,735 1,750 2,000 2,250 2,487 2,500 2,750 3,000 3,128 3,250 3,500 4,000 4,087 4,087	869. 9 826. 3 825. 1 801. 1 777. 4 755. 1 734. 6 732. 1 710. 2 699. 3 688. 8	12.3 12.3 12.2 11.5 10.8 10.0 9.7 7.3 6.6 6.2 5.5 4.0 3.7 3.8	0.02	100 70 34 34 32 30 28 28 31 34 35 34 32 29 27 26	14. 31 10. 02 4. 83 4. 83 4. 34 3. 46 3. 44 3. 73 3. 48 3. 41 3. 22 2. 89 2. 20 2. 09	W. W. W. W. W. W. W. WDW. WDW. WDW. WDW	8.7 8.9 9.2 9.2 9.9 10.6 11.2 10.5 9.8 9.5 10.5	
9:40. 0:55.	988.1	20. 9	73 64 58	nw.	5.8	1,500 1,735 1,750 2,000 2,250 2,450 2,750 3,000 3,500 3,500 4,000 4,000 4,000 4,000 3,500 3,500 3,500 3,500	869. 9 850. 0 826. 3 825. 1 801. 1 777. 4 755. 1 764. 6 732. 1 710. 2 699. 3 688. 8 647. 9 627. 6 647. 9 647. 9 688. 3 688. 3	12.3 12.2 12.2 11.5 10.1 10.0 7 7.3 6.6 2 5.8 4.7 3.8 4.3 4.5 4.7	0.02	700 70 34 34 32 28 28 28 31 34 35 32 27 26 26 26 26 26 27 27	14. 31 14. 31 10. 02 4. 83 4. 83 4. 84 3. 46 3. 46 3. 43 3. 48 3. 41 3. 22 2. 89 2. 20 2. 07 2. 07 2. 11 2. 16 2. 23	W. W. W. W. W. W. WHW. WHW. WHW. WHW. W	8.7 8.9 9.2 9.9 10.6 11.2 10.5 9.5 10.5 12.5 14.5 16.6 14.3 13.1 11.9	
8:53	987, 8	20.9	73 64 58	nw.	5.8 5.7 4.0	1,500 1,786 1,786 2,000 2,250 2,487 2,500 3,128 3,250 3,750 4,000 4,087 4,000 3,500 4,000	869. 9 850. 0 826. 3 825. 1 801. 1 777. 4 755. 1 764. 6 732. 1 710. 2 699. 3 688. 8 668. 3 647. 9 627. 6 627. 6 647. 9 668. 3 688. 4 730. 0	12.3 12.2 12.2 11.8 10.1 10.0 6.2 5.8 4.7 4.3 4.5 5.0	0.02	100 70 34 34 32 30 28 31 34 35 34 29 27 26 26 26 27 27	14. 31 14. 31 10. 02 4. 83 4. 83 4. 34 3. 88 3. 44 3. 73 3. 48 3. 41 3. 22 2. 20 2. 48 2. 20 2. 20 2. 21 2. 16 2. 27 2. 35	W. W	8.7 8.9 9.2 9.9 10.6 11.2 11.5 9.5 10.5 12.5 16.5 17.2 16.8 15.3 17.2 17.2 17.2 16.8	
8:53. 9:40. 0:55. 1:50. 2:30 P. M.	987. 8 988. 1 988. 1	20. 9	73 64 58	nw.	5.8	1,500 1,735 2,000 2,250 2,487 2,575 3,002 3,128 3,250 3,500 4,007 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 4,087 2,750	869. 9 850. 0 820. 3 825. 1 801. 1 777. 4 735. 1 710. 2 699. 3 688. 8 668. 3 647. 9 627. 6 627. 6 647. 9 647. 9 688. 4 709. 0 730. 0	12.3 12.2 12.2 12.2 10.8 10.0 7.3 6.6 6.2 4.0 3.7 3.8 4.7 5.0	0. 02 0. 28 0. 55 0. 20	100 70 34 34 32 30 28 31 34 35 34 32 29 26 26 26 26 27 27 27 27 27 27 28	14. 31 14. 31 10. 02 4. 83 4. 83 4. 83 4. 83 3. 46 3. 44 3. 22 2. 89 2. 20 2. 07 2. 11 2. 27 2. 31 2. 35 2. 45	W. W. W. W. W. W. Whw. Whw. Whw. Whw. Wh	8.7 8.7 8.9 9.2 9.9 10.6 11.2 11.2 10.5 10.5 12.5 14.5 16.8 17.2 16.8 15.8 16.7	
8:53. 9:40. 0:55. 1:50. P. M. 2:30 P. M.	988. 1 988. 1 988. 1 988. 7 988. 8	20.9	73 64 58	nw.	5.8 5.7 4.0	1,500 1,735 2,000 2,225 2,487 2,487 2,487 2,487 2,487 2,300 3,100 4,037 4,000 4,07 4,07 4,07 4,07 4,07 4,07 4,	869. 9 850. 0 826. 3 825. 1 801. 1 777. 4 755. 1 764. 6 732. 1 710. 2 609. 3 688. 8 668. 3 647. 9 627. 6 620. 8 627. 6 647. 9 688. 4 709. 0 730. 0 731. 9 752. 3 775. 6 799. 3 804. 9 824. 8 831. 3	12.3 12.2 12.2 12.2 10.8 10.0 9.7 6.6 6.8 4.7 6.3 4.5 5.0 5.3 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5	0. 02 0. 28 0. 55 0. 20 0. 12 0. 23 0. 79	100 70 34 34 32 30 28 31 34 35 32 29 27 26 28 28 28 27 27 27 27 28 28 29 29 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	14. 31 14. 31 10. 02 4. 83 4. 83 4. 84 3. 46 3. 46 3. 41 3. 22 2. 89 2. 20 2. 10 2. 11 2. 27 2. 12 2. 27 2. 35	W. W. W. W. W. W. W. WIN. WIN. WIN. WIN.	8.7 8.7 9.2 9.9 10.6 11.2 11.2 10.5 10.5 12.5 14.5 16.8 15.6 14.3 17.2 17.2 10.7	
8:53. 9:40. 0:55. 11:50. 12:30 P. M.	988. 1 988. 1 988. 1 988. 7 988. 8	20.9	84 73 64 58 58	nw. nw. nw.	4.9 5.8 6.7 4.0	1, 500 1, 735 2, 200 2, 487 2, 487 2, 487 2, 487 3, 750 3, 128 3, 250 3, 750 4, 087 4,	869. 9 850. 0 820. 3 825. 1 801. 1 777. 4 7855. 1 764. 6 742. 1 710. 2 609. 3 688. 8 668. 3 647. 9 688. 4 709. 0 730. 0 731. 9 732. 3 775. 6 779. 3 884. 8 831. 3 850. 0 876. 8 800. 0 876. 8	12.3 12.2 12.2 12.2 10.8 10.0 9.7 6.6 6.8 4.0 3.8 4.0 4.5 5.0 5.6 6.5 6.4 6.5 9.7 9.7 9.7 9.7 9.7 9.7 9.7 9.7 9.7 9.7	0. 02 0. 28 0. 55 0. 20 0. 12	100 70 34 34 32 30 28 31 35 34 32 29 26 26 26 27 27 27 27 27 28 29 29 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	14. 31 14. 31 10. 02 4. 83 4. 84 4. 83 4. 46 3. 46 3. 46 3. 48 3. 22 2. 48 2. 20 7. 2. 21 2. 16 2. 27 2. 31 2. 49 2. 40 2. 40	W. W	8.7 8.7 9.2 9.9 9.10.6 11.2 11.2 10.5 10.5 12.5 14.5 16.8 17.2 16.8 11.3 11.9 10.7	
9:40	988. 1 988. 1 988. 7 988. 8 988. 8	20. 9 21. 9 22. 6 22. 6	58 58 56 57	nw. nw. nw.	4.9 5.8 6.7 4.0 6.3	1,500 1,735 2,000 2,250 2,487 2,575 3,000 3,128 3,250 3,750 4,007 4,007 4,000 3,500 3,500 3,500 3,500 3,500 2,750 2,750 2,750 2,750 2,750 1,951 1,750 1,565 1,565 1,565	869. 9 850. 0 826. 3 826. 1 801. 1 777. 4 755. 1 754. 6 732. 1 710. 2 609. 3 688. 8 668. 3 647. 9 627. 6 620. 8 627. 6 647. 9 688. 3 688. 4 709. 0 731. 9 752. 3 775. 6 799. 3 804. 9 824. 8 831. 3 850. 0 876. 8	12.3 12.2 12.2 10.8 10.0 7.3 6.6 6.2 4.0 3.7 3.8 4.7 5.0 5.8 5.8 6.5 9.9 113.9 113.9 115.0	0. 02 0. 28 0. 55 0. 20 0. 12 0. 23 0. 79	100 70 34 34 32 30 28 31 34 35 32 29 27 26 28 28 22 29 27 27 27 28 28 29 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	14. 31 14. 31 10. 02 4. 83 4. 34 3. 48 3. 46 3. 44 3. 22 2. 89 2. 20 2. 20 2. 21 2. 21 2. 23 2. 25 2. 26 2. 25 2. 26 2. 26 2. 27 2. 26 2. 26 2. 27 2. 28 2. 28 2. 29 2. 29 2. 20 2. 21 2. 21 2. 25 2. 26 2. 26 26 26 26 26 26 26 26 26 26 26 26 26 2	W. W	8.7 8.7 9.2 9.9 10.6 11.2 11.2 10.5 10.5 12.5 16.8 14.3 13.1 10.7 10.2 9.7 9.2 9.2 9.0 9.0 10.6 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5	

TABLE 15 .- Free-air data from kite flights at Royal Center Aerological Station, September, 1918.

September 2, 1918.

	Surfa	100.						At diff	erent help	ghts abo	ve sea.			
		Tem-	Rela-	W	ind.			Tem-		Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	mb. 990.2	° C. 17.4	%78	50.	m. p. s. 1.8	· m. 225 250	mb. 990. 2 987. 6	° C. 17.4		% 78 76	mb. 15.50	50.	m. p. s. 1.8 2.8	9/10 A.St., sw.
	990.2	18.1	72	380.	1.8	500 566 750	959.3 951.9 931.8	*******	*******	53 50 56	******	SSO. SSO.	13.2 15.9 14.1	
:54	990. 2	18.6	71	sse.	2.7	1,000	905.0 894.3			64	******	SS0.	11.7	
12	990.2	19.1	72	330.	4.9	1,250	879.0 859.2	*******	*******	72 78	*******	880. 800.	9.7	
	*********		*******	*******		1,500	853.3 828.6		*******	75 59	******	SS0.	10.6	
	000 2	10.6	70	*******	4.5	2,000 2,250 2,274	804.6 781.1	*******	*******	28	*******	SSO.	12.4	
	990.2	19.6	72	886.	4.5	2,500 2,750	778.7 758.2 736.0			27 28 29	*******	SS0. SS0.	14.4	
	990.1	20,1	73	880.	4.5	3,000	714.2 710.5			31 31	******	SS0. SS0.	*******	10/10 A.St., sw.
				******	2.0	3,250 3,500	692.5 671.3	******	******	30 29	******	SS0. SS0.	*******	
:50	989.6	21.0	70	880.	4.9	3,661 3,500	657.4 670.5			28 29		SS6.	******	
20	989.4	21.4	69	330.	4.9	3,250	690.5 705.8			31 33	******	880. 880.	16.1	
						3,000	711.1 732.9			32 28		SS6.	16.0 15.7	
:45	989.2	21.9	68	SSO.	5.4	2,500 2,387 2,250 2,000	755.0 765.1		*******	24 22	*******	880. 880.	15.4 15.3	
			******	******		2,250	778.0 801.1			26 34	*******	SSO.	14.9	
	*********	*******	******	******		1,750	825.0 850.4	*******	*******	41	*******	SSO.	13.4	
15	988.8	22.8	63	856.	5.8	1,250	876.5 881.2		*******	57 58	*******	SS6.	11.8	
	988.6	99.4	69		K Q	1,000 750 603	903.0 930.0 946.4			62 66 69	*******	SSO. SSO.	10.0 7.8 6.6	
:30	200.0	23.4	63	SS8.	5.8	500 250	957.5 986.0		*******	67	*******	886. 880	6.0	
:37	988.5	23.4	62	330.	4.5	225	988.5	23.4	******	62	18,42	880.	4.5	9/10 A.St., sw.
:41	*******					250				85			0.2	
7:58 3:19 3:55 1:19 1:28 P. M.	990. 4 990. 5 990. 6 990. 8 991. 8 991. 7	13. 2 13. 6 15. 0 15. 0 18. 4 18. 1	85 83 80 98 70 60	n. n. n. n. ne. nne.	4.9 6.3 6.7 5.8 7.2 7.2	250 500 607 750 971 1, 900 1, 250 1, 470 1, 750 1, 780 2, 250 2, 500 2, 500 2, 500 2, 250 2, 500 1, 750 1, 750 1, 750 1, 750 1, 750 1, 750 1, 750	786. 1 785. 4 779. 0 802. 3 826. 3 851. 6 875. 2 878. 0 903. 0			90 92 76 47 48 88 67 87 84 85 52 39 95 86 77 77		nne.	3.2 8.7 11.5 12.9 15.5 15.5 15.5 15.5 14.9 7.0 6.3 6.3 7.7 6.3 7.7 7.4 6.6 6.5	Altitude of Fr.Cu. base about 1,1 m. 1/10 Cl.St., nw.; 8/10 Cl.Ou., nw.
:53. :19. :55. :19. :28.	990.5 990.6 990.8 991.8 991.7	13.6 15.0 15.0 18.4 18.1	83 80 98 70 60	n. n. ne.	4.9 6.3 6.7 5.8 7.2 7.2	500 627 750 750 1, 250 1, 470 1, 500 1, 750 2, 250 2, 250	955, 8 944, 4 980, 7 906, 7 908, 7 851, 6 851, 6 851, 6 851, 6 852, 3 809, 0 756, 1 775, 1 775, 1 775, 1 775, 1 775, 1 775, 1 875, 1 875, 2 875, 2 875, 2 875, 0 905, 0 902, 2 875, 9 905, 9 905, 9 905, 9			90 92 76 47 48 58 67 77 68 68 77 70 58 58 58 67 77 87 86 67 77		nne. nne. nne. nne. nne. nne. nne. nne.	8.7 11.5 15.5 15.5 15.5 14.9 10.8 6.8 6.8 6.3 7.0 6.8 6.3 7.1 7.5 6.3 7.7 6.3 6.3 7.7 6.3 6.3 7.7 6.3 6.3 7.7 6.3 6.3 7.7 6.3 6.3 6.3 7.7 6.3 6.3 7.7 6.3 7.7 7.7 6.3 7.7 7.7 6.3 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7	m.
58	990. 5 990. 6 990. 8 991. 8 991. 7	13.6 15.0 15.0 18.4 18.1	83 80 98 70 60	n. n. ne. nne.	4.9 6.3 6.7 5.8 7.2 7.2 7.2	500 627 750 1,000 1,250 1,470 1,500 1,750 2,250 2,250 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 1,750 1,750 1,750	955, 8 944, 4 980, 7 906, 7 908, 7 851, 6 851, 6 851, 6 851, 6 852, 3 809, 0 756, 1 775, 1 775, 1 775, 1 775, 1 775, 1 775, 1 875, 1 875, 2 875, 2 875, 2 875, 0 905, 0 902, 2 875, 9 905, 9 905, 9 905, 9			90 92 76 47 48 88 67 68 87 77 84 81 70 90 90 85 22 32 36 67 77 77		nme. nme. nme. nme. nme. nme. nme. nme.	8.7 11.5 12.9 15.5 15.5 15.5 15.5 15.5 15.5 16.8 6.8 6.8 6.8 6.8 7 7.5 6.8 7 7.7 1.7 1.7 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	m.
58	990. 5 990. 6 990. 8 991. 8 991. 7	13.6 15.0 15.0 18.4 18.1	83 80 98 70 60 58	n. n. ne. nne.	4.9 6.3 6.7 5.8 7.2 7.2 7.2	500 627 750 1,000 1,250 1,470 1,500 1,750 2,250 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 2,500 1,750 1,250 1,750 1,250 1,750 1,250 1,250 2,250	955, 8 944, 4 000, 7 906, 7 906, 7 906, 8 877, 6 851, 6 886, 3 809, 0 756, 1 751, 4 779, 0 802, 3 826, 3 851, 6 875, 2 875, 1 875, 4 875, 1 995, 0 90	18.8		90 92 92 76 47 68 58 68 77 84 81 70 90 58 82 39 45 66 77 77		nne. nne. nne. nne. nne. nne. nne. nne.	8.7 11.5 12.9 15.5 15.5 15.5 15.5 14.9 10.3 6.8 6.8 5.7 5.6 6.8 7.7 7.1	m. 1/10 Cl.St., nw.; 3/10 Cl.Cu., nw.
58	990. 5 990. 6 990. 8 991. 8 991. 7	13.6 15.0 15.0 18.4 18.1	83 80 98 70 60 58	n. n. ne. nne.	4.9 6.3 6.7 5.8 7.2 7.2 7.2	500 627 750 750 1, 250 1, 470 1, 500 1, 750 2, 250 2, 250	955, 8 944, 4 980, 7 906, 7 906, 7 906, 7 908, 8 877, 6 851, 6 851, 6 852, 3 890, 0 802, 3 779, 0 756, 1 765, 1 765, 4 779, 0 802, 3 851, 6 875, 2 878, 0 905, 0 905, 0 901, 5 9tember	18.8		90 92 92 76 47 48 58 58 67 77 77 84 81 70 60 58 52 39 45 56 77 77 86 74 63 66 77 63 66 67 77	13, 45	nne. nne. nne. nne. nne. nne. nne. nne.	8.7 11.5 12.9 15.5 15.5 15.5 14.9 10.3 6.8 6.3 7.0 6.8 6.3 7.1 7.5 6.3 7.1 10.6 6.3 7.1 10.6 6.3 7.1 10.6 6.3 7.1 10.6 6.3 7.1 10.6 10.6 10.6 10.6 10.6 10.6 10.6 10	m. 1/10 Cl.St., nw.; 3/10 Cl.Cu., nw.
58	990.5 990.6 990.8 991.8 991.7 991.5	13.6 15.0 15.0 18.4 18.1 18.9	83 80 98 70 60 58	n. n. ne. nne.	4.9 6.3 6.7 5.8 7.2 7.2 7.2 8.3	500 627 750 750 1, 250 1, 470 1, 500 1, 750 2, 250 2, 500 2, 500 2, 500 2, 500 2, 500 1, 750 1, 750 1, 750 1, 250 1, 750 1, 250 1, 250	955. 8 944. 4 900. 7 906. 7 906. 7 906. 7 906. 7 906. 8 877. 6 836. 3 830. 0 802. 3 775. 0 802. 3 8756. 1 765. 4 775. 0 802. 3 851. 6 875. 2 875. 2 975. 0 905. 0 901. 5	18.8		90 92 76 47 48 58 58 68 77 77 84 81 70 60 58 52 30 90 87 77 77 87 86 74 63 63 63 63 64 64 44 44 44 44 43 43 43 43 43 44	13, 45	nne. nne. nne. nne. nne. nne. nne. nne.	8.7 11.5 12.9 15.5 15.5 15.5 14.9 10.3 6.8 6.7 7.0 6.8 6.3 7.7 7.1 6.6 6.3 8.5 6.7 7.7 7.4 6.6 6.8 8.8 8.8	m. 1/10 Cl.St., nw.; 3/10 Cl.Cu., nw.
53. 19. 19. 28. 29. P. M. 36. 45.	990. 5 990. 6 990. 8 991. 8 991. 7 991. 5 991. 5 991. 5	13.6 15.0 15.0 18.4 18.1 18.9 18.8	83 80 98 70 60 58 60 62	n. n. ne. nne. nne. waw.	4.9 6.3 6.7 5.8 7.2 7.2 7.2 8.5	500 627 750 9750 1,250 1,470 1,500 1,750 2,250 2	958. 8 944. 4 900. 7 906. 7 906. 7 906. 7 906. 7 906. 7 906. 8 877. 6 830. 3 890. 0 802. 3 756. 1 756. 1 775. 4 779. 0 802. 3 8756. 1 915. 8 905. 0 905. 0 907. 6 908. 8 909. 6	18.8		90 92 92 76 47 48 58 67 68 77 84 81 70 60 58 52 38 67 77 86 77 86 77 86 77 86 63 63 63 63 64 63 63 64 64 64 64 64 64 64 64 64 64 64 64 64	13.46	nne. nne. nne. nne. nne. nne. nne. nne.	8.7 11.5 12.9 15.5 15.5 14.9 10.3 6.8 6.3 7.0 6.8 6.3 7.7 7.4 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6	m. 1/10 Cl.St., nw.; 3/10 Cl.Cu., nw.

TABLE 15.—Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

September 9, 1918-Continued.

	Surfac	10.			4114			At diffe	rent heig	thts abo	ve sea.			
		Tem-	Rela-	w	ind.			Tem-		Hun	idity.	W	ind.	Remarks,
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.		Δt 100 m.	Rel.	Vap.	Dir.	Vol.	
Р. М.	mb.	° C.	% 46		m. p. s.	978.	mb.	° C.		% 93	mb.		m. p. s.	
3:32	996.9	25.8	46	W.	5.4	2,134 2,000	798.4 811.0		******	93 89		WsW.	9.3	
	*******		******			1,750 1,500	834.5 859.3			83 76	******		8.9	
3-50	996.9	95.9	41	W.	4.5	1,250	885.0 893.9			69 67		WsW.	8.3	
	********	25.3	41	*******	2.0	1,169	911.5	*******		60		Waw.	8.2	
4:15	996.9	24.0	51	W.	3.1	750 620	938.6 952.7			49		W.	8.5	
			*******			500 250	966.0 993.8	******		46 49	******	W.	6.8	
4.22	996.9	24.3	49	W.	2.7	225	996.9	24.3	******	49	14.89	W.	2.7	2/10 Cl.St., w.; 3/10 A.Cu., w.
						Sej	ptember	10, 1918.						
7:27	1,003.3	13.4	93	nne.	5.4	225	1,003.3	13.4		93	14. 29	nne.	5.4	10/10 St.,nw.
		******				250	1,003.3			93		nne.	5.4	Rain from 7:35 to 8:50 a. m.
7:42	1,003.5	13.0	96	nne.	4.0	500 525	971.5 968.5			89 89		ne.	5.2 5.2	Altitude of St. base about 450 m.
0:26.	1,003.7	14.0	89	nne.	4.5	750 890	943.3 927.8			85 83		ene.	2.5 0.9	
• • • • • • • • • • • • • • • • • • • •						750 500				84 85	*******	0.	1.7	
0.29	1,003.7	14.0	89	nne.	4.5	396 250	983.8 1,001.0			86 89		e. nne.	3.8	
10:39	1,003.7	14.2	89	nne.	4.5	225	1,003.7	14.2		89	14.41	nne.	4.4	10/10 St. nw.
						Sej	ptember	11, 1918.						
P. M.	005 5	90.0	77.4			007	007.5	00.0			47.00			0/20 54
19	985.5	20.0	74	8.	6.3	225 250	985.5 982.9	20.0		74 74	17.30	8.	6.8	9/10 St., sw.
:35	985. 2	20.3	75	8.	5.8	500 664	954.8 936.5			00		SSW. SW.	10.1 12.4	
***************************************					*******	750	927.1 900.4	******				SW.	12.9 14.3	
51	984.9	20.9	75	*******	4.9	1,250	874.6	******		74		WgW.	15.8	8/10 St.Cu., w.
	804.9	20.9	75	8.	2.9	1,457 1,500	853.5 849.4		*******	73	*******	wsw.	17.0 17.0	
***************************************	*********			*******		1,750 2,000	824.7 800.6			78 84		WSW.	16.9 16.8	
16	984.6	21.3	73	SSW.	6.3	2,254 2,500	776.9 754.0			89 90		Wsw.	16.8 16.6	
• • • • • • • • • • • • • • • • • • • •					******	2,750 3,000	731.5 709.4	*******		91		W. W.	16.5	
:52	984.4	21.9	71	SSW.	2.2.	3,105	700.4			92	*******	W.	16.3 16.2	Altitude of St. Cu. base about 1,90
************************			*******	*******		3,000 2,750	730.7			0.4		W.	16.4	m.
:09	984.4	22.1	72	SW.	4.9	2,500						WSW.	17.3 17.6	
						2,250	775.4			89		.Wsw.	17.5	
************************	********				*******	2,000 1,750	823.0			83		WgW.	16.9 16.3	
23	984.3	22.0	74	sw.	4.9	1,644						WSW.	16.0 15.7	
36	984.2	21.3	73	sw.	4.5	1, 250 1, 055	873.3			85	******	SW. SW.	15. 1 14. 7	9/10 St.Cu., w.
*******************************	********					1,000	899.8			86	******	SW.	14.0	9/10 Ot.Ou., w.
						750 500	954.0			80	******	SSW.	10.6 7.3	
47	984.2	21.1	76	S.	3.6	250 225	981.9 984.2	21.1		76 76	19.02	S. S.	3.9	10/10 St.Cu., w. Thunder in s. and w. at 4.48 p. m. Thunderstorm sw. of station.
	1			1	Sep	otember	12, 1918,	series (P	No. 1).		1			
A. M.	000 1	10.0				-								
£11	983.1	12.9	96	W.	6.3	225 250	983. 1 980. 8	12.9		96 96 .		w. w.	6.8	10/10 St.,w.
:35	983. 2	12.9	90	w.	6.7	500 584	952.4			96 .		w. w.	9.4	Altitude of St. base about 600 m.
						750 1,000	924.5	******		91 .		W.	10.3	
:00	983.4	13.6	87	w.	7.6	1,254	870.5 .	******		76 .	******	w. w.	10. 2	
**********************	********	******	******	******		1,500 1,750	820.7 .			70 .		W.	9. 6 9. 2	
	********		******			2,000 2,250	796.4 .			67 .		w.	8.7	3/10A.St., w.; 6/10., St. w.; few Cu.
:54	983.7	14.3	83	nw.	7.6	2,364	762.0			62 .		W.	8.0	W.
		******				2,500 2,750 2,778	726.3	*******		62 .		W.	8.7	
:20	983.6	14.0	81	nw.	8.5	2,778	724. 2 . 704. 2 .			62		W.	10.0	
						3, 250 3, 500	683.3			71 .		w.	11.2	
:05	983. 4	14.4	79		6.3	3,599 3,750	655. 2	*******		77 -		W.	11.8	3/10 Ci.,w.; 1/10 Cl.St., nw.; 6/10 Cu.,
						A 754		******		82 .		100	13.7	W.

TABLE 15 .- Free air-data from kite flights at Royal Center Aerological Station, September, 1918-Continued.

September 12, 1918, series (No. 1)-Continued.

					Septen	nber 12,	1918, serie	s (No. 1	-Contin	med.				
	Surfac	00.	*				I FIL I	At diffe						
			Rela-	w	ind.					Hum	idity.	W	Ind.	P
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- para- ture.	<u>Δt</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	Remarks.
A. M.	mb. 983. 5	°C. 14.6	%80	wnw.	m. p. s. 8. 5	m. 4,054	mb. 619.5	* C.		% 91	mb.	w.	m. p. s. 16. 9	
1:58	983.7	15.0	78	wnw.	11.2	4,250 4,500 4,619	603.3 583.3 573.7	*******	*******	72 47 35		W. W.	16.0 14.8 14.2	5
						4,500 4,250	582. 2 600. 0		*******	34 32	******	w. w.	15.0 16.7	The state of the s
P. M.	. 983.7	15.0	73	wnw.	9.4	3,864	618. 0		*******	20		w.	18.5	
:05	983. 8	14. 4	68	wnw,	8.9	3,750 3,500 3,478 3,250	637. 0 657. 0 658. 7 677. 9		*******	46 86 90 90	*******		17. 5 13. 3 12. 9 13. 0	10/10 St.Cu.,w.
	004 8	14.9			0.4	3,000 2,750 2,657	699. 8 722. 0		******	89	*******	₩.	13.0	adao setembre
	984. 5	14.3	70	wnw.	9.4	2,500 2,250	730, 3 745, 3 769, 0	*******	*******	90 91			13.1 12.9 12.6	
:08	984.7	14.8	68	wnw.	8.9	2,000 1,872 1,750	793. 2 805. 6 818. 0			92 92 91	*******	wnw. wnw. wnw.	12.3 12.2 12.3	
						1,500 1,250 1,000	843. 4 869. 5 896. 4	*******	*******	89 87 85	*******	wnw. wnw.	12.4 12.6 12.7	
:26	984. 9	13.5	71	wnw.	9.4	750 655 500	924. 5 935. 6 953. 2			83 82 78	*******	wnw. wnw. wnw.	12.8 12.9 11.1	
35	984.9	13.1	70	wnw.	8.0	250 225	982, 0 984, 9	13. 1		71 70	10.56	Wnw.	8.3	3/10 Cu.,w.; 7/10 A.St.,w.
	1	1	1	I	Se	ptemb	er 12, 1918	series	(No. 2).	-				
P. M.	984. 8	13.6	74	w.	7.6	225 250 500	984, 8 982, 4 953, 7	13.6	******	74 75 81	11.53	w. w.	7.6	10/10 A.8t.
19	984.8	13.6	70	wnw.	8.5	664 750	934, 9 925, 9		*******	85 86	*******	wnw, wnw, wnw,	8.0 8.2 8.5	
10	985. 0	13.4	76	wnw.	8.0	1,000 1,250 1,281	898, 3 872, 0 868, 6	*******	*******	93 93	*******	wnw. wnw. wnw.	9. 5 10. 5 10. 6	Altitude of A.St. base about 1,13
						1,500 1,750 2,000	846, 2 820, 8 796, 3	******	*******	92 90	*******	wnw.	12.0 13.6	100
ol	985, 1	13.6	74	wnw.	6.7	2,025 2,250	793. 8 772. 4	*******	*******	88 88 93	*******		15. 1 15. 3 12. 7	
21	985.1	13.5	75	wnw.	4.5	2,500 2,565 2,750	749. 3 743. 1 726. 5	*******		99 100 80	*******		9.8 9.0 11.1	
	985, 1	13.4	76	w.	6.7	3,000 3,250 3,386	704. 4 682, 9 671. 2	*******		72 57 48		wsw. wsw. wsw.	14.1 17.1 18.7	The second secon
						3,500 3,750	661. 9 641. 4			46 42		wsw.	18.7 18.8	6/10 A.Cu.,wnw.; 4/10 St.Cu.,w.
19	985.3	13. 2	73	₩.	6.3	3,881 3,750 3,500	630. 5 641. 0 661. 0	*******	*******	40 41 42	*******	WSW. WSW. WSW.	18.8 18.8 18.8	
4	985, 6	13.0	76	w.	5.4	3,250 3,000 2,947	681. 4 702. 5 706. 8	*******		44 46 46	*******	WSW. WSW. WSW.	18.8 18.8 18.8	Sprinkling from 5:30 to 5:35 p. m.
· * • • • • • • • • • • • • • • • • • •						2,947 2,750 2,500	747.4			56 68		WSW. WS\V.	18.1	
· · · · · · · · · · · · · · · · · · ·		12.8	78	w.	4.5	2,250 2,000 1,910	795. 0 803. 8	*******	*******	90 93 97	*******	WSW.	16. 6 15. 8 15. 5	
				******		1,750 1,500 1,250	845.5		*******	95 93 90	*******	WSW.	14.5 12.8 11.2	Hall
						1,000 750	998.3 925.9		******	88 85	*******	W. W.	9.6	
35	986. 2	12.5	80	w.	4.5	500 250 225	954, 5 983, 9 986, 2	12.5	*******	83 80 80	11.59	W.	6.3 4.7 4.5	9/10 St.Cu., w.
	1					eptemb	er 12, 1918,	1					1	
Р. М.	. 986.6	13.1	85	w.	1.8	225	986.6	13.1		85	12.82	w.	1.9	10/10 St.Cu.,w.
****************			******	******		250 500	984.0 955.2	*******	*******	85 84	*******	w. wnw.	1.8 2.3 7.8	
40	996.7	12.1	83	W	4.0	557 750 1,000	948.6 927.0 899.3	*******		84 86 88	*******	wnw.	8.5 8.3 8.0	
*********************				*******		1,250 1,500	872.9 847.3	*******	*******	91	*******	nw.	8.0 7.6 7.5	
19		12.1	82	W	5.8	1,618 1,750 2,000	798.0		******	94 95 96	*******	nw.	7.4 8.2 9.7	
		11.9		W.	4.5	2,000 2,221 2,250	776.3	*******	******	97			11.0	20 11 12

Table 15.—Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

	Charles of							A A . 21/70-	mant hafe	data a ba	TTO 000			
	Surfac	16.						At dine	rent helg	ints and	ve sea.			
/Direct o	Drossano	Tem-	Rela-	W	ind.	Alti-	Dansman	Tem-	Δε	Hum	nidity.	W	'ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- ture.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
Р. М.	mb.	°C.	%		m. p. s.	m. 2.500	mb. 750.4	°C.		% 95	mb.	nw.	m. p. s. 12. 9	
• • • • • • • • • • • • • • • • • • • •	*******		******	******		2,500 2,750 3,000	727.6 705.2			94		nw.	14.5 16.2	
9:33	987.3	11.5	85	w.	4.0	3,105	696.0		*******	92 92		nw.	16.9	10/10 St.Cu.,w.
	********		*******		*******	2,750	705. 2 727. 0			98		nw.	13.8	
						2,500 2,250	749.3 772.7			94 95		nw.	11.7 9.6	
10:01	987.5	10.8	88	W.	3.1	2,011	795. 0 796. 7			96 96		nw.	7.5	
	*******	******				1,750 1,500	821.4 846.8			92 88		nw.	7.8	
		*******	*******		*******	1,250	872.9			85		nw.	7.0	
10:20	987.5	10.0	89	W.	3.1	1,199	877.7 899.3			84 84		nw. wnw.	7.0 8.0	
10:29	987.5	9.8	90	w.	2.7	750 619	927.0 941.8			84 84		wsw.	9.2	
	801.0	8.0	******	***		500	955.2	******	******	86		WSW.	7.6	
0:36	987.5	9.8	90	w.	2.7	250 225	985. 0 987. 5	9.8		90	10.91	W. W	3.1	Fow A.St., w.
					Se	ptembe	er 13, 1918,	series ((No. 4).			1		
A, M.	987.6	7.0	97	w.	2.7	225	987.6	7.0		97	9.72	.W.	2.7	Cloudless.
:13	107.0	7.0		w.	2.1	250	985.2			96		W.	3.1	City deliber.
:30	987.6	6.8	95	w.	2.0	500 594	955.8 944.6	******		83 78		nnw,	7.0	
***************************************	********					750 1,000	927.0 899.3			76 74		nnw.	8.0	
******************	********		*******	*******	*******	1,250	873.0			72		wnw.	6.4	
1:37	988.3	6.0	97	ssw.	3.1	1,422 1,500	854.8 847.0			70 68		wnw.	6.4	
*********		******	******		******	1,750 2,000	821.8 797.3			62 56		wnw.	9.6	
********************	*********		*******			2, 250 2, 462	773.6			50		wnw.	11.2	
1:52	968.4	6.0	97	SSW.	3.1	2,500	753.4 750.5			45	******	wnw.	12.5	
	*******	******	******			2,750 3,000				40 35		nw.	12.9 13.2	66919
	********					3, 250	685.0			30 25		nw.	13.6	
:43	988.7	6.1	97	SW.	2.7	3,500 3,576	657.9	******		24		nnw.	14.0	1/10 Ci.,w.; 1/10 Ci.St.,w.
			******	******		3,500 3,250	664.0 685.0	******		25 27		nnw.	13.9	
********************						3,000 2,750	706. 2 728. 0			30 32		nnw.	13.5	1 10
*******************	*********	*******	*******			2,500	750.5			35		nw.	13.1	
30	989.0	8.3	94	sw.	2.7	2, 250 2, 187		*******		37 38		nw.	12.9 12.9	
*******************						2,000 1,750	797.3			42		nw.	12.5	
*******************	*********		*******			1,500	848.0			53		nw.	11.3	
*********	********		******			1,250 1,000				58 63		wnw.	10.7	- 1
	000 1	8.9	92	sw.	1.8	750 582	928.8 947.4			68 72		wnw.	9.6	
:00	989.1	0.8		3w.	*******	500	957.3			77		W.	7.8	
:18	980.1	9.5	93	sw.	3.1	250 225	987.0 989.1	9.5		92 93	11.04	sw.	3.5	10/10 St.Cu.,w.
					Se	ptembe	r 13, 1918,	series (No. 5).					
0-14 A. M.	989. 5	15.4	67	w.	5.8	225	999. 5	15.4		67	11.72	w.	5.8	10/10 St.Cu., w.
0:14		10.3				250	986. 9			68 74		W.	5.9	
0:38	989. 5	16.0	63	w.	5.4	500 641				78		WSW.	7.0	
						750 1,000	930. 4 903. 2			71 55		wsw. wnw.	7.4 8.2	Altitude of St.Cu. base abou
********************				******		1,250	876.6			38		nw.	9.0	Altitude of Cu. base about 1,350 m
1:27		16.2		wsw.	5.4	1,329	868. 0 850. 0			40		nw.	9.3	
**********	*******	*******				1,750 2,000	825.5			50 61			10.3	
						2,250	777.9			71		w.	11.6	
1:58		17.6	61	wsw.	3.6	2,500 2,661	740.3			81 88		wsw.	12.2 12.6	at at
*********						2,750 3,000	732.7					wsw. w.	13.0 14.2	Ci.St., nw.; Cu., w.
			*******			3,250					******		15.4	
P. M. 2:27		17.9	66	wsw.	4.0	3,429 3,500				28 32		WIIW.	16.3	
						3,750	648.4	******		44	*******	wnw.	*******	

1:02		18.2		wsw.	4.0	4,000 4,078	628.9			56 60		WNW.	*******	

TABLE 15 .- Free-air data from kite flights at Royal Center Aerological Station, September, 1918-Continued.

September 13, 1918, series (No. 5)-Continued.

944 60	74		988.	its abov	rent heigh	At differ					3.	Surface		
Wind. Remarks.	nd.	Wi	tity.	Humi		Tem-			nd.	WI	Rela-	Tem-	•	
Dir. Vel.	Vel.	Dir.	Vap. pres.	Rel.	Δt 100 m.	pera- ture.	Pressure.	Alti- tude.	Vel.	Dir.	tive humid- ity.	pera- ture.	Pressure.	Time.
m, p, s.	m. p. s.	wnw.	mb.	% 40 32		° C.	mb. 688.4	701. 3,250 3,000	m. p. s.		%	° C.	mb.	Р. М.
Whw.		WIW.	******	28 24	*******		709. 0 730. 7	3,000 2,750			 Ee	10.0	000 1	
wnw. 10.4 wnw. 8.5 wnw. 8.4	8.5	wnw.	******	55 55			745.1 748.7 752.7	2,750 2,577 2,539 2,500	4.5	SW.	56 55	19.2	988.1 988.1	2:15
wnw. 8.4 wnw. 7.0 w. 7.4	7.9	wnw.		52			775.3 798.8	2,250						
. w. 7.0	7.0	W.		4.94			823. 2 849. 0	1,750						**********
wsw. 6.2 wsw. 6.5	6.2	WSW.		43			862. S 875. 2	1,366 1,250	4.5	sw.	58	19.0	988.1	2:31
wsw. 7.1	7.1			51			902. 2 929. 5	1,000 750	*******					
wsw. 8.2 wsw. 7.9	8.2			60	*******		954.7 957.0	520 500	3.6	sw.	55	19.4	988.1	2:43
w. 4.8 4.5 2/10 Cl., wnw.; 2/10 Cl.St., w.	4.8			53 52	*******	19.8	985.3 988.1	250 225	4.5	w.	52	19.8	988.1	2:52
			-			4, 1918.	ptember	Se						
sw. 4.0 5/10 A.St., nw.	4.0	SUP.	15.84	50		25.0	985.4	225	4.0	sw.	50	25.0	985. 4	P. M.
sw. 4.2 sw. 6.3	4.2	SW.		55		20.0	982.9 955.0	250 500	*******			******	*********	
sw. 6.9 sw. 8.6	6.9	sw.		56 55			948. 0 928. 3	566 750	4.9	sw.	51	24.9	985.4	1:01
wsw. 10.9 wsw. 12.1 8/10 A.Ca., nw.	10.9	WSW.		54 .			902.0 888.9	1,000	5.8	sw.	52	24.3	985.3	1.95
wsw. 12.6 sww. 13.7	12.6	wsw.		51 48			876.0 851.0	1,250 1,500						
wsw. 14.7 wsw. 15.7	14.7 15.7			41			826.6 805.7	1,750	3.1	ssw.	56	23.8	985.2	1:48
wsw. 13.2	13.2			47			803. 8 780. 4	2,000 2,250	*******					
. wsw. 8.8		wsw.	******	59	*******		758.1 736.4	2,500 2,750						
wsw. 8.9	8.9	WSW.		63			725. 4 714. 3	2,873	5.4	SW.	56	25.0	984.9	2:34
. sw. 12.7	12.7	sw.		66 .			692.4 678.7	3,250	3.6	ssw.	51	24.5	984.7	3:05
. sw. 12.1	12.1	SW.		65			692.0 712.5	3,250	*******					
. sw. 11.3	11.3	sw.						2,750 2,530 2,500	3.6	ssw.	55	24.2	984.7	3:26
. sw. 12.1	12.1	SW.		and the last			754.8 777.0 800.3	2,350 2,250 2,000	*******			*******		
. sw. 13.7	13.7	SW.		50 48			000 0	1,750 1,604	4.0	ssw.	52	23.9	984.7	9-40
. sw. 13.6	13.6	SW.		48			848.2	1,500	2.0			20. 7	901.1	0.32
. SEW. 10.9	10.9	SEW.		50			900.0 927.0	1,000				*******		
. ssw. 8.9	8.9	33W.		82			941.2 954.0	619 500	2.7	SSW.	52	23.1	984.7	3:59
. SSW. 3.1	3.1	SSW.		85 85		22.8	981. 9 984. 6	250 225	2.7	ssw.	55	22.8	984.6	4:07
						5, 1918.	ptember	Se						
														A. M.
. new. 4.3	4.3	sew.					970.0	235 250	3.1	85W.	73	18.0	981.7	:08,
wsw. 24.1	24.1	wsw.		65			937.2	500 625	3.1	sw.	73	18.0	981.8	18
. W. 16.4	16.4	W.	******	77	*******	*******	897.7	750 1,000		*****				***********************
. w. 13.0	13.0	W.	*****	81			871.8	1, 194	5.4	WSW.	77	17.7	981.0	48
. wsw. 18.7	18.7	wsw.		66		*******	822.0	1,500 1,750 2,000	******	******	*******			*****
. sw. 23.6 7/10 A.St., w.; 3/10 A.Cu., w.	23.6	sw.	******	52	*******	********		2, 187	4.0	sw.	72	18.9	982.0	:43
. SW	******	SW.	******	61	*******		752.4	2, 250 2, 500 2, 698	4.0	wsw.	75	18.6	982.2	22.
. sw 10/10 St.Cu., w.	,,,,,,,,	sw.	******	70	********	******	752.4 774.5	2,500				40.0		*******************
sw. 17.4 Altitude of St.Cu.base about 65	15.1	sw.		76 72	*******		786.0 797.4	2,250 2,117 2,000	3.6	wsw.	79	18.3	982.4	:00
wsw. 10.1 w. 7.0	7.0	W.	******	65			820.8 836.1	1,750 1,595	3.6	wsw.	81	18.2	982.4	:20
. W. 6.9	0.9	W.	******	71	*******		870.7	1,500 1,250	******	******				********************
. Wnw. 6.8	6.8	wnw.	******	78	******		923.5	1,000 750	*******			*******		**********************
. wnw. 6.1	6.8	wnw.	******	88	*******		942.6 951.3 980.0	579 500 250	3.6	W.	79	18.4	982.4	37
		W.		80										

Table 15.—Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

September 16, 1918.

		Tem-	Rela-	W	ind.			Tem-		Hun	idity.	w	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	Alti- tudo.	Pressure.		100 m.	Rel.	Vap. pres.	Dir.	Vel.	
):16,		* C. 13.4	% 85	ne.	m. p. s. 3. 6	m. 225 250	mb. 986.9 984.0			% 85 85	mb. 13.06	ne.	m. p. s. 3. 6 4. 0	10/10 St., nw.
2:33,	987.0	13.3	83	ne.	4.0	500 671 750	956. 0 936. 3	*******		89 91 91	*******	ene.	8.3 11.2 10.3	Rain from 9:32 to 10:15 a. m. 1/10 Nb., ne.; 9/10 St., n. Rain began 10:40 a. m. and contued at end of flight, become
:17	986.5	11.5	92	ne.	4.9	1,000 1,230 1,250	900.0 875.0 873.0			92 92 92	*******	ese.	8.6 5.0 5.0	heavy. Altitude of St. base about 1,250 10/10 St., ne.
24	986.6	11.1	95	ne.	4.9	1,500 1,743 1,500	847.0 822.4 847.0			92 92 92	*******	se. e.	4.7 4.5 4.8	
:44	. 986.7	11.0	96	n.	5.4	1,250 1,129 1,000	873.0 885.5 899.5			92 92 92 92	*******	nne.	5.1 5.2 6.0 7.5	
:52	986.7	11.2	98	n.	3.6	750 628 500 250	940. 4 955. 4			92 93 96		n. n. n.	8.2 7.9 7.3	
P. M.		11.0	96	n.	7.2	225	986.8	11.0		96	12.60	n.	7.2	10/10 Nb., n.
	1					Se	ptember	18, 1918.	1					
A. M.	982.3	15. 0	80	SSW.	6.3	225	982.3	15.0		80	13, 64	ssw.	8.0	2/10 Cu., w.; 8/10 St.Cu., w.
:44	982.2	15.0	86	ssw.	6.7	250 500 531 750	979.6 951.1 947.5 923.0	*******		81 86 87 87	*******	SSW. SSW.	8. 2 10. 5 10. 8 11. 9	
06	981.9	15.5	83	ssw.	8.0	1,000 1,230 1,250	895.8 871.6			87 87 87	*******		13.3 14.6 14.8	
			*******			1,500 1,750 2,000	843.5 818.6 794.5	*******		90 92 95	*******	sw. sw.	16. 7 18. 6 20. 6	
:35		*******	*******	ssw.	8.5	2,135 2,250 2,500 2,750	770.7 747.3			96 95 92 90	*******	SW. SW. SW. WSW.	21.6	Rain from 10:35 to 11:05 a. m.
:29	981.4			sw.	8.5	3,000 3,031 3,000	702. 6 700. 2 702. 6			87 87 87		wsw. wsw. wsw.	*******	10/10 St.Cu., sw. Light sprinkle of rain at 11:48 a.
**********************		*******	*******		********	2,750 2,500 2,250	724.5 746.5 769.0			90 93 96	*******	wsw. wsw. wsw.	*******	
P. M.	981.4	15.0	79	wsw.	9.4	2,177 2,000	792.7			97 97		wsw. wsw.		
:53	981.7	16.1	70	wsw.	9.4	1,750 1,500 1,455 1,250	842. 4 847. 1		*******	90 86 85 82	*******	SW. SW. SW.	17. 4 17. 7	
:05	981.8	17.1	64	wsw.	12.1	1,000 750 599	894. 7 922. 0 939. 3			78 73 71	*******	wsw. wsw.	18. 1 18. 5 18. 7	
:13	981.9	17.1	64	wsw.	11.2	500 250 225	950. 4 978. 9 981. 9			69 64 64	12.48	wsw. wsw. wsw.	16.7 11.7 11.2	6/10 St.Cu., w.
						Se	ptember	20, 1918.						
A. M.	994.1	4.8	89	w.	5.8	225	994.1	4.8		89	7. 65	w. ·	5.8	1/10 A.St., nw.
47	994.1	5.0	86	w.	4.5	250 500 613 750	991.3 961.5 948.3 932.4			89 85 84 85	*******	wnw. wnw. nw.	6.0 8.0 8.9 8.4	
18	994.5	6.8	79	w.	4.9	1,000 1,250 1,330	904.4 878.0 869.1			88 90 91		nnw. n. n.	7.5 6.6 6.3	7/10 St.Cu., nw.; few Cu., nw.
00	995. 2	6.9	78	nw.	5.4	1,500 1,750 2,001 2,250	851.5 826.2 801.0 777.0			84 75 65 42	*******	n.	6.6 7.1 7.5 7.2	Altitude of St.Cu. base about 1, m. 9/10 St.Cu., nw.
2540	995. 1 995. 0	7. 6 7. 9	78 78	wnw. wnw.	5.8	2,386 2,387 2,500	763. 7 763. 7 753. 3			30 71 58		n. n. n.	7.0 7.0 7.1	
00	994.9	8.3	79	w.	3.1	2,515 2,750 3,000 3,250	751. 7 730. 2 707. 6 686. 2	*******		56 55 55 54		n. n.	7.1 7.5 8.0 8.4	
15	995.0	8.7	74	w.	5.8	3,446 3,250 3,000	686. 2 686. 2 707. 2			54 54 57 61		n. n.	8.8 8.3 7.8	
:28	995.0	9.2		w.	6.7	2,837 2,750 2,500 2,250	721. 4 729. 2 752. 2			64 67 74 81	*******	n. n.	7.4 7.4 7.4 7.3	

TABLE 15 .- Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

September 20, 1918—Continued.

	Surfac	0.						At diffe	rent heig	hts abo	ve sea.			
Telephone I		Tem-	Rela-	· W	ind.	AMI		Tem-		Hun	nidity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆</u> t 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
А. М.		° C. 9.4	% ₇₃	wnw,	m. p. s. 3. 1	m. 2,042 2,000	mb. 796.0 800.5	° C.		% 87 87	mb.	nnw.	m, p, s. 7.3 7.3	
:00	995. 2	10. 1	72	wnw.	7.6	1,750 1,500 1,383 1,250	825.7 851.5 863.9			88 89 90 89	*******	nnw. nnw. nnw. nnw.	7.6 7.9 8.0 7.8	
		10.0	70	wnw.	3.6	1,000 750 577	905. 2 933. 5			88 87 86	00000000	nw. wnw.	7.5 7.1 6.9	
20	995. 2	10.0	75	wnw.	6.7	500 250 225	962. 7 992. 5 995. 2	*******	0000000	84 76 75	8. 84	wnw. wnw. wnw.	6.9 6.7 6.7	10/10 St.Cu., nw.
74	1				1 1	Se	ptember :	21, 1918.						
А. М.	1,000.7	8.7	80	w.	6.3	225	1,000.7	8.7		80	9.00	w,	6.3	8/10 A.Cu., nw.
49		10.0		nw.	5.8	250 500 637 750	998. 0 968. 5 952. 4			78 58 47 52		w. wnw. wnw.	7.2 17.4 22.9 20.7	
20		9.7	65	nw.	5.8	1,000 1,250 1,305	911. 5 884. 1 868. 8			64 76 83 84		nw.	15.9 11.0 8.2	8/10 St.Cu., nw.: few Cu., nw.
						1,500 1,750 2,000 2,250	832. 2 807. 5 783. 3			85 86 88		nw. nw. nw.	8.3 8.7 9.0 9.4	Altitude of St.Cu. base about 2,
25	*******	11.7	58	nw.	6.7	2, 264 2, 500 2, 750 3, 000	759. 5 736. 6			88 76 63 50		nw. nw. nw.	9.4	
54	1,001.3	11.9	57	nnw.	7.2	3, 250 3, 458 3, 250	691.8 674.6 691.8	*******		37 26 27		nw. nw. nw.	0000000	
32	1,001.5	11.8	60	nnw.	5.4	3,000 2,750 2,674 2,500	736. 0 742. 7			28 30 30 41		wnw. wnw. wnw.	11.4	
44		11.9	54	n.	4.0	2, 250 2, 000 1, 779 1, 750	783.3 807.5 829.4	*******	00000000	57 74 88 87		wnw. nw. nw.	9.9 9.1 8.3 8.2	
57	1,001.7	12.6	55	nw.	4.9	1,500 1,250 1,211	858, 0 885, 5 889, 6			82 76 75		nw. nw. wnw. wnw.	7.4 6.5 6.4	
	*********	*******		*******	*******	1,000 750 500 250	941.5 970.0			71 67 62 57	00000000	WDW. WDW. DW.	6.2 5.9 5.7 5.4	
Р. М.	1,001.6	12.2	57	nw.	5.4	225	1,001.6			87	8.10	nw.		9/10 St.Cu., nw.
					1	Se	ptember :	23, 1918.	1				7	
52	999.1	16.0	67	ssw.	4.9	225 250	999. 1 996. 7		******	67 67	12.18	SSW.	4.9	Few Cl., w.
06	999.0	16.4	61	ssw.	4.9	500 616 750	967. 4 954. 1 938. 7	*******	*******	67 67 68	*******	SW. SW.	6.4 7.0 7.8	
P, M.	996. 9	18.9	65	sw.	4.0	1,127	896.7			70		SSW.	10.0	
¥	996.9	19.0	66	sw.	4.9	1,000 750 589 500	937.8 955.5			68 61 57 55		SSW. SSW. SSW.	9.0 7.0 5.7 8.5	44
31	996.9	19.3	49	SW.	4.9	250 225	994. 5 996. 9			50 49	10.97	SW.	5.0 4.9	Cloudless.
					1 11	Septer	mber 26, 1	918 (No.	1).					
A. M.	996.3	7.8	65	nne.	8.9	225 250 500	996, 3 993, 8 964, 0			65 66 74	6.88	nno. nno.	8.9 9.2 12.2	3/10 Cl.St., nw.
5	996, 4	7.8	65	nne.	7.6	596 750 1,000	952. 7 934. 8 906. 7			77 71 62		nnw.	13.4 13.5 13.8	9 - 3
	000.0			******		1,250 1,500 1,750	880. 0 854. 0 828. 7			52 43 34		n. n.	14.0 14.2 14.5 14.6	
94653—19-	996, 6	9.0		nne.	8.0	1,899		******		28 28	******	n.	15.0	

Table 15.—Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

September 26, 1918 (No. 1)-Continued.

	Surface).						At diffe	rent heig	hts abov	re sea.			
		from	Rela-	W	nd.			Tem-		Hum	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	pera- ture.	<u>∆t</u> 100 m.	Rel.	Vap. pres.	Dir.	Vel.	
A. M.	mb.	° C.	%		m. p. s.	m. 2,250	mh. 779.7 756.5			% 26 25	mb.	n. nnw.	m. p. s. 15. 8 16. 7	
9:30	996.8	9.6	65	nne.	8.9	2,500 2,750 2,764 3,000 3,250	733.8 732.3 711.3 690.0			24 24 24 24 24		nnw. nnw. nnw.	17.6 17.6	Altitude of A.St. base about 3,10 m.
0:40	996.7	11.8	68	nne.	10.3	3,500 3,538 3,500 3,250	669.3 665.8 669.3 690.0			24 24 24 24 24		nw. nw. nw.	*****	
1:15	996.7	12.1	67	nne.	8.0	3,000 2,957 2,750 2,500	711.0 714.2 732.8 755.2			24 24 24 24 24		nw. nw. nw.	8.6 8.4 8.1	
	002 0	10.0			7.2	2,250 2,000 1,750 1,707	778. 7 803. 0 828. 0 832. 3			24 24 24 24 24		nw. nw. nw.	7.8 7.5 7.2 7.1	
1:33	996.8	12.3	08	nne.		1,500 1,250 1,000 750	853. 5 880. 0 907. 3 936. 1			27 30 34 37		nw. nnw. nnw.	7.4 7.8 8.2 8.6	
1:54		13.0	65	n.	8.5	591 500 250 225	954. 1 965. 2 994. 2 996. 9	13.4		39 42 51 52	7.99	n. n. n.	8.8 8.7 8.5 8.5	2/10 Ci.St., n.; few A.St., nw.
1:59	996.9	13.4	52	n.	8.5		mber 26, 1	<u> </u>	. 2).	0.2	1.00	18.	0.0	apartition, is, it waste, in.
Р. М.										40	2.07	1_	1	949 Cl St pp
2:55	996.7	14.0	48	n. n.	9.4	225 250 500 618	996. 7 994. 0 965. 0 951. 2	14.0		48 48 51 52	7.67	n. n. nnw. nnw.	9. 4 9. 5 10. 6 11. 1	2/10 Cl.St., nw. =
1:37	996.4	14.8	55	nne.	7,2	750 1,000 1,250 1,260	936. 1 908. 6 882. 0 880. 8		0000000	56 63 71 71		nnw. nnw. nnw. nnw.	11. 0 10. 9 10. 7 10. 7	The state of the s
2:17	996.4	14.1	61	nne.	6.7	1,500 1,750 1,930 2,000	856. 0 830. 2 812. 2 805. 1			60 48 39 38		nnw. n. n.	11. 2 11. 8 12. 2 12. 5	
2.47	906.5	13.9	65	nne.	8.0	2,250 2,500 2,750 2,907	780. 7 757. 3 735. 1 721. 3			35 32 29 27		n. nnw. nnw. nnw.	13. 5 14. 5 15. 6 16. 2	
3:15	996.6	13.8	60	nne.	8.0	3,000 3,250 3,495 3,250	713. 4 692. 3 671. 5 691. 7			26 24 22 22 22 23		nnw. nw. nw. nw.	*******	
3:38	996.6	13. Г	70	nne.	8.0	3,077 3,000 2,750 2,500	705. 9 712. 8 734. 5 756. 9	******	******	22 22 22	******	nw. nw. nw.	******	
3:55	996.6	13.1	70	nne.	7.2	2,250 2,167 2,000 1,750	780.0 788.5 804.7 829.8	0000000	440	22 22 23 24 26		nw. nw. nw.	10. 5 10. 4 10. 1 9. 9	
4:06	996.7	12.5	68	nne.	8.0	1,498 1,250 1,000 750	855. 0 882. 0 908. 6 936. 1			39 52 66 74		nw.	10. 1 10. 3 10. 5 10. 6	
4:334:38	996. 9	12.0	65	nne.	6.7	593 500 250 225	954. 0 965. 0 994. 4 997. 0	11.8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	71 62 61	8.44	nw. nnw. nne. nne.	9. 6 6. 9 6. 7	2/10 Ci.St., nw.; 1/10 St.Cu., nw.
	-	1				Septe	mber 26, 1	1918 (No	. 3).					
Р. И.	997.4	10.5	66	nnw.	6.3	225 250	997. 4 995. 0			66 67	8, 38	nnw.	6, 3	3/10 Ci.St., nw.
	997.5	9.8	69	nnw.	5.4	500 622 750 1,000	965, 5 951, 0 936, 9			74 77 79 84		nnw. nnw. nnw. nnw.	8.5 9.5 9.7 10.1	
97	997. 5	9.3	73 69	n.	4.9	1,065 1,250 1,500 1,697	901.4 881.5 855.0			85 73 55 41		nnw. nnw. n.	10. 2 10. 8 11. 6 12. 2	
	* *******	8.0		n.	3.6	1,750 2,000 2,250 2,288	829.3			40 36 32 30		n. n. n.	12.3 12.8 13.3 13.6	
:28		8.0		n.	3.0	2,500 2,750 3,000 3,250	756.6	******	,	29 27 26 24		n. n. n.	******	2/10 Ci.St., nw.
:12		7.2		n.	3.6	3,500	669. 7 666. 4			24 22 22 22				

TABLE 15 .- Free air-data from kite flights at Royal Center Aerological Station, September, 1918-Continued.

September 26, 1918 (No. 3)—Continued.

	Surlac	00.												
		Tem-	Rola- tive	* W	ind.	Alti-		Tem-	Δε	Hum	idity.	W	ind.	Remarks.
Time.	Pressure.	pera- ture.	humid- ity.	Dir.	Vel.	tude.	Pressure.	pera- iure.	100 m.	Rel.	Vap. pres.	Dir.	Vel.	
Р. М.	mb.	° C.	%	******	m. p. s.	m. 3,250	mb. 690.8	° C.		%22	mb.		m. p. s.	
36	998.5	7.0	80	n.	4.0	3,000 2,750 2,531 2,500	712. 0 733. 8 753. 6 756. 6	*******		22 22 22 22	******	n. n. n.	9.5 9.5	
53	998.6	6.6	82	D.	4.0	2,250 2,000 1,821 1,750	780. 0 804. 3 821. 9 829. 3			23 23 24 25	4000000	n. n.	9.2 8.9 8.7 8.7	
07	. 998.6	6.3	84	nnw.	3.6	1,500 1,250 1,114 1,000	855. 0 881. 5 896. 2 908. 8		******	28 31 33 44			8.6 8.5 8.4 8.8	
19	998.7	6.1	86	nnw.	3.1	750 616 500 250	936, 9 952, 4 965, 8 996, 2		******	67 80 82 86	*******	nnw. nnw. nnw.	9.6 10.0 7.9 3.5	
25	998.8	6.1	86	nnw.	3.1	225	998. 8	6.1		86	8.10	nnw.	8.1	Cloudless.
	*					Septem	ber 26-27,	1918 (N	0. 4).				-	
P. M.		5. 0	88	n.	3.6	225 250 500	999. 0 996. 2 966. 7			86 86 87	8.18	n. n. n.	3.6 4.2 10.9	Cloudless,
10	999. 0	5, 6		n.	3.6	600 750 1,000 1,069	954. 4 937. 3 908. 7 900. 9		00000000	87 75 55 49		n. n. nnw.	13.6 12.6 11.0	
25		5.4	89	nw.	3.6	1, 250 1, 500 1, 575	881. 0 854. 7 846. 6			47 44 43		nnw.	10. 5 10. 7 11. 0 11. 1	
02	998.6	5. 0	90	nnw.	2.0	1,750 2,000 2,207 2,250	829. 0 803. 5 782. 8 778. 5			38 32 26 26 25	******	n. n. n.	10. 2 8. 9 7. 8 8. 4	
12	998.6	5.0	. 87	nnw.	2.0	2,500 2,750 3,000 3,149	754. 7 732. 0 710. 1 607. 0	********		24 23 23		n. n. n.	11. 7 15. 1 18. 4 20. 4	
*****************				00000000		3,000 2,750 2,500 2,250	710. 1 732. 0 754. 7 778. 5			23 24 25 25		n. n. nne. nne.	19. 0 16. 5 14. 0 11. 5	
:33	998, 6		89	n.	1.8	2,025 2,000 1,750 1,500	900. 3 803. 0 828. 5 854. 7			26 26 30 34	*******	nne. nne. n.	9.2 9.3 10.3 11.2	
:56	998.6	3.7	89	w.	1.3	1,250 1,148 1,000 750	881.0 891.7			37 30 50 70	000000000000000000000000000000000000000	nnw. nnw. nnw. nw.	12.2 12.6 11.7 10.2	
A. M.	908.6	3.4	94	sw.	1.8	618	951.7 965.9			80 83		nw.	0.4 7.0	
113		2.8	89	8.	1.3	250 225	995. 7 998. 6	2.8		88 89	6.65	8.	1.8	Light fog. Cloudless.
						Se	eptember	27, 1918.						*
P. M.	993.7	19.0	98	w.	4.9	225	993. 7	19.0		98	21. 53	w.	4.9	Few A.St.
1	993.6	19.5	87	w.	2.7	250 500 584 750	962. 4 952. 8			94 53 39 41		W. W. W.	5.0 6.3 6.7 7.2	
0	992, 9	18.7	45	w.		1,000 1,201 1,250 1,500	907. 0 884. 8 880. 0			45 48 47 40		W. W. W.	7.8 8.4 8.5 8.8	
7	992.7	18.0	45	w.	4.9	1,750 1,991 2,000 2,250	828, 6 804, 8 804, 0			33 27 27 37		wnw. nw. nw.	9. 2 9. 5 9. 5 9. 0	
11	992.5	16.8	51	w.	3.6	2,500 2,679 2,750 3,000	757. 0 740. 7 734. 4 712. 5			47 54 54 54		nw. nw. nw. nw.	8.5 8.2 8.6 9.8	
	992.5	13. 2	52	SW.	3.1	3, 250 3, 500 3, 750 3, 756 3, 750	670, 5 649, 7 649, 4			53		nw. nw. nw. nw.	11. 1 12. 3 13. 6 13. 6 13. 6	Few Ci.St. on nw. horizon.
	*********					3,500 3,250 3,000 2,750	670, 5 691, 0 712, 5			51 48 46		nw. nw. nw. nw. wnw.	12.4 11.2 10.0 8.8	
******						2,780 2,500 2,250	756.7			4.9		Whw.	7.6	

Table 15.—Free-air data from kite flights at Royal Center Aerological Station, September, 1918—Continued.

September 27, 1918—Continued.

	Surfac	e.												
		m	Rela-	W	ind.			(Tom		Hun	idity.	w	ind.	Remarks.
Time.	Pressure.	Tem- pera- ture.	tive humid- ity.	Dir.	Vel.	Alti- tude.	Pressure.	Tem- pera- ture.	<u>Δ t</u> 100 m.	Rel.	Vap.	Dir.	Vel.	
р. м. 3:33		* C. 12.3	% 55	SSW.	m, p, s, 5, 8	m. 2,145 2,000	mb. 788. 6 802. 8				******	wnw. wnw.	m. p. s. 5.9 6.1 6.4	
:48	. 992.5	12.1	57	sw.	6.7	1,750 1,500 1,472 1,250 1,000	852, 8 855, 1 879, 0			30 26 25 30 35		W. W.	6.8 6.8 7.7 8.8	
12	992.5	11.5	57	sw.	1.8	750 700 500	932. 8 937. 8 960. 7			40 41 48		w. sw.	9.8 10.0 7.3	Cloudless.
:18		11.5	57	ssw.	3.6	250 225	989. 7 992. 5	11.5	******	56 57	7.73	SSW.	3.9	
						Se	ptember :	28, 1918.					-	
7:25A. M.		11.4	63	sw.	6.3	225 250 500	986, 3 983, 1 954, 6	11.4		63 62 47	8. 49	sw. sw. wsw.	6.3 6.7 11.0	Cloudness.
34		12.2	********	8W.	5.8	716 750 1,000 1,250	930, 8 927, 0 900, 2 874, 2			35 35 34 33		W.	14.7 14.7 14.4 14.2	
:52				*******		1,431 1,500 1,750 2,000	848. 7 823. 7 799. 7	********		32 33 35 37 39	*******	W.	14. 0 14. 0 14. 2 14. 4 14. 6	
:18		14.8	56	wsw.	5.4	2,250 2,431 2,500 2,750 3,000	760.3 754.0 731.5	********		40 40 38 37		wnw. wnw. wnw. wnw.	14.7 14.1 12.1 10.1	
32	975. 2	*******				3, 243 3,000 2,750 2,500	689. 2 710. 0 731. 5 753. 0			36 37 38 39		wnw. wnw. wnw. wnw.	8. 1 10. 2 12. 4 14. 5	
):02						2,443 2,250 2,000 1,750 1,649	775. 4 798. 8 822. 9			39 40 42 43 44		wnw. wnw. wnw. wnw.	15. 0 14. 3 13. 4 12. 5 12. 1	
					****	1,500 1,250 1,000 750	847.7			44 45 46 47		WNW. W. WSW.	11. 2 9. 8 8. 3 6. 8	
0:32	984.6	21.0	*******	wsw.	5.8	647 500 250 225	937. 6 953. 6 981. 5 984. 5			47 49 53 53	13. 18	WSW. WSW. WSW.	6. 2 6. 4 6. 7 6. 7	Few A. St.
]	Se	ptember	30, 1918.					1	
7:43	. 993. 2	9.8	68	ne.	4.0	225 250	993. 2 990. 1	9.8	******	68 67	8. 24	ne.	4.0	4/10 Ci.Cu., nw.; 3/10 A.Cu., nw
:50	993.3	9.8	79	ne.	4.9	500 612 750 1,000	961. 0 948. 3 932. 5			59 55 65	*******	ne. ne. ne.	9. 0 11. 1 9. 9 7. 6	
45				ne.	5.8	1,226 1,250 1,500 1,750	881. 8 879. 0 853. 7			100 99 89 80		ne. ne. nne.	5. 6 5. 8 7. 3 8. 9	Sprinkling from 9:45 to 10:25 a,
:52	994. 2	11.0		ne.	5. 4	2,000 2,199 2,250 2,500	863. 9 784. 4 779. 7 756. 1			70 62 65 79		n. n. nnw.	10. 5 11. 8 12. 3 14. 8	
59	994. 2	11.1	*******	nnw.	5.4	2,750 2,873 2,750 2,500 2,250	722. 1 733. 4 755. 3	********				nw. wnw. wnw. wnw.	17. 3 18. 5 18. 1 17. 2 16. 3	9/10 A.St., w.
32	994.4	11.5		sw.	7.2	2,250 2,012 2,000 1,750 1,500	800. 6 802. 3 826. 9			45 46 63 80	*******		15. 4 15. 2 11. 0 6. 8	
:48	994.5	11.5	73	ne.	6.3	1,345 1,250 1,000 750	868. 8 879. 0 906. 0	*******		90 86 77 67	*******	ne. ne. ne.	4.2 4.5 5.2 5.9	
:00	994.6	11.2		ne.	5, 8	586 500 250	952, 4 962, 5 992, 1			61 63 69		ne. ne. ne.	6. 4 6. 2 5. 5	30/10 S4 w
:07	. 994.7	11.2	70	ne.	5. 4	225	994.7	11.2		70	9.31	ne.	5.4	10/10 St., w.

0

